Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parenthesis by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses and procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 12 year old patient is admitted to a hospital. The admitting diagnosis is viral pneumonia and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Pneumonia is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 179.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pleural effusion, excluding tuberculosis	3		186
Criteria for admission			
1. *For management of underlying cause (e.g., radiation or chemotherapy for lymphoma)*			
2. *Scheduled for operation other than thoracentesis*			
3.			
4.			
Pleurisy, without mention of effusion or tbc *	4		186
Pneumonia			
acute interstitial	3		17
broncho-, organism not specified	3		179
chronic, interstitial	3		186
lobar	3		179
organism or type not specified	3		179
pneumococcal	3		179
viral	3		179
Criteria for admission (for above 7)			
1. *Respiratory distress (cyanosis, dyspnea at rest, tachypnea > 40 resp/min, $PO_2 < 50$)*			
2. *Complicating respiratory disease e.g., emphysema, COPD, asthma*			
3. *Serious complicating illness, e.g., diabetes mellitus, leukemia, steroid therapy, neoplasms, renal disease*			
4.			
5.			

b. The Alphabetic Index at the back of the length of stay book shows that pneumonia is included in diagnosis group 179.

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

c. Pneumonia can be found in Volume 2 of *ICD-9-CM* on page 586.



Pleurodynia **INDEX TO DISEASES**

Pleurodynia — *continued*
  epidemic 074.1
  viral 074.1
Pleurohepatitis 573.8
Pleuropericarditis *(see also* Pericarditis) 423.9
  acute 420.90
Pleuropneumonia (acute) (bilateral) (double) (septic) *(see also* Pneumonia) 486
  chronic *(see also* Fibrosis, lung) 515
Pleurorrhea *(see also* Hydrothorax) 511.8
Plexitis, brachial 353.0
Plica
  polonica 132.0
  tonsil 474.8
Plicae dysphonia ventricularis 784.49
Plicated tongue 529.5
  congenital 750.13
Plug
  bronchus NEC 519.1
  meconium (newborn) NEC 777.1
  mucus — *see* Mucus, plug
Plumbism 984.9
  specified type of lead — *see* Table of drugs and chemicals
Plummer's disease (toxic nodular goiter) 242.3
Plummer-Vinson syndrome (sideropenic dysphagia) 280.8
Pluricarential syndrome of infancy 260
Plurideficiency syndrome of infancy 260
Plus (and minus) hand (intrinsic) 736.09
Pneumathemia — *see* Air, embolism, by type
Pneumatic drill or hammer disease 994.9
Pneumatocele (lung) 518.8
  intracranial 348.8
  tension 492.0
Pneumatosis
  cystoides intestinalis 569.89
  peritonei 568.89
  pulmonum 492.8
Pneumaturia 599.8
Pneumoblastoma (M8981/3) — *see* Neoplasm, lung, malignant
Pneumocephalus 348.8
Pneumococcemia 038.2
  with pneumonia 481
Pneumococcus, pneumococcal — *see* condition
Pneumoconiosis (due to) (inhalation of) 505
  aluminum 503
  asbestos 501
  bagasse 495.1
  bauxite 503
  beryllium 503
  carbon electrode makers' 503
  coal
    miners' (simple) 500
    workers' (simple) 500
  cotton dust 504

Pneumoconiosis (due to) (inhalation of) — *continued*
  diatomite fibrosis 502
  dust NEC 504
    inorganic 503
    lime 502
    marble 502
    organic NEC 504
  fumes or vapors (from silo) 506.9
  graphite 503
  hard metal 503
  mica 502
  moldy hay 495.0
  rheumatoid 714.81
  silica NEC 502
    and carbon 500
  silicate NEC 502
  talc 502
Pneumocystis carinii pneumonia 136.3
Pneumocystosis 136.3
  with pneumonia 136.3
Pneumoenteritis 025
Pneumohemopericardium *(see also* Pericarditis) 423.9
Pneumohemothorax *(see also* Hemothorax) 511.8
  traumatic 860.4
    with open wound into thorax 860.5
Pneumohydropericardium *(see also* Pericarditis) 423.9
Pneumohydrothorax *(see also* Hydrothorax) 511.8
Pneumomediastinum 518.1
  congenital 770.2
  fetus or newborn 770.2
Pneumomycosis 117.9
Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (intrauterine) (latent) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486
  with influenza, flu, or grippe 487.0
  adenoviral 480.0
  adynamic 514
  alba 090.0
  allergic 518.3
  alveolar — *see* Pneumonia, lobar
  anthrax 022.1 *[484.5]*
  apex, apical — *see* Pneumonia, lobar
  ascaris 127.0
  aspiration 507.0

586

Step 2. Find the table for group 179 in the length of stay book.

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	5	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	330	7.2	17	2	3	6	9	13	16	21
1-11 MOS	7894	6.0	17	2	2	5	7	11	13	21
1-5 YRS	13395	5.1	12	2	2	4	6	9	11	17
6-12 YRS	3717	5.4	13	2	2	5	7	10	12	19
13-19 YRS	2110	6.4	20	2	3	5	8	11	14	26
B. *Operated*										
0-27 DYS	13	11.6	59	4	6	9	12	22	32	34
1-11 MOS	169	13.7	157	3	4	10	17	28	46	95
1-5 YRS	251	12.2	112	3	3	9	15	24	32	64
6-12 YRS	124	12.1	54	3	4	11	17	22	26	34
13-19 YRS	139	15.7	147	3	4	12	20	34	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32232	4.7	8	2	2	4	6	8	10	14
B. *Operated*	221	8.1	47	2	2	6	10	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	27446	5.5	15	2	2	5	7	10	12	19
B. *Operated*	696	13.2	120	3	4	10	17	25	36	69
1. SINGLE DX	32453	4.7	8	2	2	4	6	8	10	14
2. MULTIPLE DX	28142	5.7	19	2	2	5	7	10	13	22
A. NOT OPERATED	59678	5.1	11	2	2	4	6	9	11	17
B. OPERATED	917	12.0	107	2	3	9	16	23	32	63
TOTAL 0-27 DYS	822	6.5	14	2	3	6	8	11	13	20
1-11 MOS	17013	5.6	15	2	2	5	7	10	12	19
1-5 YRS	28596	4.8	11	2	2	4	6	8	10	16
6-12 YRS	9125	5.1	12	2	2	4	6	9	11	18
13-19 YRS	5039	6.0	20	2	3	5	7	10	13	25
GRAND TOTAL	**60595**	**5.2**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**18**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 4. Since no surgery is scheduled, use the first five lines of the table (Section 1.A).



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 5. The patient is 12 years old and therefore falls in the age group 6-12.



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the fourth day after admission to be the day that this patient comes up for extended stay review.



179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

The patient was admitted on 3 November; therefore, the fourth day will fall on 7 November. Prior to or on 7 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	443841	2.7	2	1	1	2	3	4	5	7
1-11 MOS	39057	3.4	7	1	1	3	4	6	8	13
1-5 YRS	75084	3.0	9	1	1	2	4	5	7	15
6-12 YRS	46535	3.5	31	1	1	2	4	6	9	31
13-19 YRS	118946	3.8	47	<1	1	2	3	6	10	42
B. *Operated*										
0-27 DYS	1635	4.9	42	1	1	3	5	10	14	32
1-11 MOS	11930	3.3	16	<1	<1	2	4	7	10	18
1-5 YRS	43369	2.5	11	<1	<1	1	2	5	8	17
6-12 YRS	56880	2.6	12	<1	<1	2	3	5	8	17
13-19 YRS	136232	2.8	8	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	298667	4.1	20	1	2	3	5	6	9	23
1-11 MOS	68319	4.4	18	1	1	3	5	8	11	20
1-5 YRS	120165	3.6	15	1	1	3	4	7	9	17
6-12 YRS	57491	4.6	65	1	1	3	4	8	14	62
13-19 YRS	121685	6.6	123	1	1	3	6	15	31	69
B. *Operated*										
0-27 DYS	12864	18.6	442	2	3	10	27	60	83	99+
1-11 MOS	13182	7.6	105	1	1	4	9	18	28	69
1-5 YRS	43898	4.3	51	<1	<1	2	4	10	16	39
6-12 YRS	40267	4.5	51	<1	1	2	5	10	16	38
13-19 YRS	113526	4.9	47	1	1	3	5	9	14	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	723463	3.0	12	1	1	2	3	5	6	14
B. *Operated*	250046	2.8	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	666327	4.5	42	1	1	3	5	7	12	40
B. *Operated*	223737	5.7	85	<1	1	3	6	12	21	61
1. SINGLE DX	973509	2.9	12	<1	1	2	3	5	6	15
2. MULTIPLE DX	890064	4.8	53	1	1	3	5	8	14	45
A. NOT OPERATED	1389790	3.7	27	1	1	3	4	6	8	29
B. OPERATED	473783	4.1	48	<1	1	2	4	8	13	40
TOTAL 0-27 DYS	757007	3.5	21	1	1	3	4	5	7	22
1-11 MOS	132488	4.3	25	1	1	3	5	8	11	25
1-5 YRS	282516	3.4	18	<1	1	2	4	6	9	21
6-12 YRS	201173	3.8	40	<1	1	2	4	7	11	37
13-19 YRS	490389	4.5	57	<1	1	3	4	8	14	45
GRAND TOTAL	**1863573**	**3.8**	**33**	**1**	**1**	**3**	**4**	**6**	**10**	**32**

1,569 Hospitals, United States, January-December 1985

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13091	3.1	9	1	1	2	3	5	8	16
1-11 MOS	39057	3.4	7	1	1	3	4	6	8	13
1-5 YRS	75084	3.0	9	1	1	2	4	5	7	15
6-12 YRS	46535	3.5	31	1	1	2	4	6	9	31
13-19 YRS	118946	3.8	47	<1	1	2	3	6	10	42
B. *Operated*										
0-27 DYS	1434	4.6	31	1	1	3	5	9	13	30
1-11 MOS	11930	3.3	16	<1	<1	2	4	7	10	18
1-5 YRS	43369	2.5	11	<1	<1	1	2	5	8	17
6-12 YRS	56880	2.6	12	<1	<1	2	3	5	8	17
13-19 YRS	136232	2.8	8	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11014	5.9	60	1	2	4	6	12	19	42
1-11 MOS	68319	4.4	18	1	1	3	5	8	11	20
1-5 YRS	120165	3.6	15	1	1	3	4	7	9	17
6-12 YRS	57491	4.6	65	1	1	3	4	8	14	62
13-19 YRS	121685	6.6	123	1	1	3	6	15	31	69
B. *Operated*										
0-27 DYS	2023	13.5	282	1	2	8	16	38	66	99+
1-11 MOS	13182	7.6	105	1	1	4	9	18	28	69
1-5 YRS	43898	4.3	51	<1	<1	2	4	10	16	39
6-12 YRS	40267	4.5	51	<1	1	2	5	10	16	38
13-19 YRS	113526	4.9	47	1	1	3	5	9	14	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292713	3.5	28	1	1	2	4	6	9	29
B. *Operated*	249845	2.8	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	378674	4.9	61	1	1	3	5	9	15	48
B. *Operated*	212896	5.0	56	<1	1	3	5	10	17	43
1. SINGLE DX	542558	3.1	20	<1	1	2	3	6	8	21
2. MULTIPLE DX	591570	4.9	59	1	1	3	5	9	16	46
A. NOT OPERATED	671387	4.3	47	1	1	3	4	7	12	42
B. OPERATED	462741	3.8	32	<1	1	2	4	8	11	29
TOTAL 0-27 DYS	27562	5.1	58	1	1	3	5	10	16	45
1-11 MOS	132488	4.3	25	1	1	3	5	8	11	25
1-5 YRS	282516	3.4	18	<1	1	2	4	6	9	21
6-12 YRS	201173	3.8	40	<1	1	2	4	7	11	37
13-19 YRS	490389	4.5	57	<1	1	3	4	8	14	45
GRAND TOTAL	**1134128**	**4.1**	**41**	**<1**	**1**	**3**	**4**	**7**	**12**	**37**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	185	3.7	11	1	2	3	4	6	8	14
1-11 MOS	1609	3.6	5	1	1	3	4	6	8	12
1-5 YRS	2234	3.0	4	1	1	3	4	5	7	10
6-12 YRS	1333	2.5	3	1	1	2	3	4	6	9
13-19 YRS	1359	2.7	4	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	5	3.8	1	3	3	4	4	5	5	5
1-11 MOS	13	11.4	235	1	1	6	16	28	52	58
1-5 YRS	13	4.6	12	1	2	4	5	8	14	15
6-12 YRS	26	4.5	12	1	2	3	5	11	12	15
13-19 YRS	63	4.7	6	2	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	240	4.7	12	1	2	4	6	8	11	20
1-11 MOS	3285	4.0	11	1	2	3	5	7	8	15
1-5 YRS	5191	3.3	5	1	1	3	4	6	7	12
6-12 YRS	1692	3.0	9	1	1	3	4	5	7	10
13-19 YRS	1535	3.2	5	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	5	12.8	220	4	4	8	16	39	39	39
1-11 MOS	73	14.4	287	3	3	7	15	44	62	95
1-5 YRS	77	8.2	59	2	3	5	9	17	29	34
6-12 YRS	43	6.0	23	2	3	5	6	10	16	27
13-19 YRS	83	6.3	57	2	2	4	7	12	15	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6720	3.0	4	1	1	3	4	5	7	10
B. *Operated*	120	5.3	35	2	2	4	6	9	15	31
2. MULTIPLE DX										
A. *Not Operated*	11943	3.5	8	1	1	3	4	6	8	13
B. *Operated*	281	9.0	124	2	3	5	9	18	33	66
1. SINGLE DX	6840	3.0	5	1	1	3	4	5	7	11
2. MULTIPLE DX	12224	3.6	11	1	1	3	4	6	8	15
A. NOT OPERATED	18663	3.3	6	1	1	3	4	6	7	12
B. OPERATED	401	7.9	100	2	2	5	8	15	28	64
TOTAL 0-27 DYS	435	4.4	14	1	2	3	5	8	10	20
1-11 MOS	4980	4.0	16	1	2	3	5	7	9	17
1-5 YRS	7515	3.3	6	1	1	3	4	6	7	12
6-12 YRS	3094	2.8	7	1	1	2	3	5	6	10
13-19 YRS	3040	3.1	6	1	1	3	4	6	7	11
GRAND TOTAL	**19064**	**3.4**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	6.4	37	1	2	4	8	17	20	20
1-5 YRS	37	4.5	13	1	2	3	5	8	11	20
6-12 YRS	14	4.6	33	1	1	3	4	7	20	24
13-19 YRS	21	8.3	25	2	3	8	12	15	17	18
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	7	9.1	14	4	5	8	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	7.0	16	4	4	5	10	13	13	13
1-5 YRS	15	6.7	18	3	3	4	10	11	15	16
6-12 YRS	7	3.0	2	1	1	3	4	5	5	5
13-19 YRS	19	8.2	11	2	3	8	11	12	13	14
B. *Operated*										
0-27 DYS	1	42.0		42	42	42	42	42	42	42
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	7.5	27	2	2	7	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	5.7	23	1	2	4	7	13	17	23
B. *Operated*	11	8.5	26	2	2	8	12	16	18	18
2. MULTIPLE DX										
A. *Not Operated*	46	6.8	15	2	3	6	10	12	13	16
B. *Operated*	9	10.0	161	1	1	5	10	31	42	42
1. SINGLE DX	91	6.0	24	1	2	4	8	13	18	22
2. MULTIPLE DX	55	7.3	38	2	3	6	10	12	14	41
A. NOT OPERATED	126	6.1	20	2	2	4	9	12	15	21
B. OPERATED	20	9.2	82	1	2	8	11	16	30	42
TOTAL 0-27 DYS	1	42.0		42	42	42	42	42	42	42
1-11 MOS	16	6.9	32	1	1	5	9	17	19	20
1-5 YRS	55	5.1	15	2	2	3	8	10	13	20
6-12 YRS	23	4.2	21	1	1	3	4	6	14	24
13-19 YRS	51	8.3	17	2	3	8	11	14	15	18
GRAND TOTAL	**146**	**6.5**	**29**	**2**	**2**	**4**	**9**	**13**	**16**	**25**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	23.8	997	2	3	9	31	79	81	81
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	4	4.8	11	1	1	4	7	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.2	1	1	1	2	2	4	4	4
6-12 YRS	4	5.5	70	<1	<1	1	10	18	18	18
13-19 YRS	3	11.3	80	<1	<1	16	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	13.5	158	3	3	12	24	28	28	28
6-12 YRS	2	7.5	25	4	4	7	11	11	11	11
13-19 YRS	5	12.4	46	3	3	11	18	20	20	20
B. *Operated*										
0-27 DYS										
1-11 MOS	2	39.5	25	36	36	39	43	43	43	43
1-5 YRS	16	15.9	462	<1	1	5	25	38	69	82
6-12 YRS	4	6.8	35	1	1	6	11	14	14	14
13-19 YRS	2	7.5	85	1	1	7	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	15.7	679	<1	1	6	11	77	80	81
B. *Operated*	13	5.3	45	<1	<1	2	7	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	11	11.9	73	3	3	11	19	23	28	28
B. *Operated*	24	15.6	379	<1	1	6	25	39	55	82
1. SINGLE DX	28	10.9	400	<1	<1	4	10	18	77	81
2. MULTIPLE DX	35	14.5	281	1	1	9	22	36	42	82
A. NOT OPERATED	26	14.1	413	1	1	8	16	27	78	81
B. OPERATED	37	12.0	282	<1	1	4	17	35	42	82
TOTAL 0-27 DYS										
1-11 MOS	2	39.5	25	36	36	39	43	43	43	43
1-5 YRS	35	15.3	502	1	2	4	21	39	80	82
6-12 YRS	12	5.5	36	<1	<1	2	10	15	18	18
13-19 YRS	14	9.3	47	<1	1	9	16	18	20	20
GRAND TOTAL	**63**	**12.9**	**332**	**<1**	**1**	**5**	**17**	**30**	**55**	**82**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	28	2.6	2	1	1	2	3	5	5	7
1-5 YRS	230	2.6	3	1	1	2	3	5	5	9
6-12 YRS	256	2.3	2	1	1	2	3	4	5	6
13-19 YRS	197	2.7	2	1	1	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	22	1.3	1	<1	1	1	1	2	3	5
6-12 YRS	63	1.5	1	<1	1	1	2	2	3	7
13-19 YRS	33	1.9	2	1	1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	3.2	1	2	2	3	4	5	5	5
1-11 MOS	71	3.1	2	1	1	3	4	5	5	9
1-5 YRS	684	2.8	3	1	1	2	4	5	6	9
6-12 YRS	666	2.7	2	1	1	2	3	5	5	7
13-19 YRS	515	3.3	8	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.3	44	2	2	3	11	14	14	14
1-5 YRS	38	2.2	3	1	1	2	3	5	5	8
6-12 YRS	44	2.2	8	1	1	1	2	4	5	19
13-19 YRS	16	3.1	9	1	1	2	4	5	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	2.5	2	1	1	2	3	4	5	7
B. *Operated*	118	1.6	1	1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1941	2.9	4	1	1	3	4	5	6	9
B. *Operated*	101	2.4	7	1	1	2	3	5	6	16
1. SINGLE DX	832	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2042	2.9	4	1	1	3	4	5	6	9
A. NOT OPERATED	2655	2.8	4	1	1	2	4	5	6	8
B. OPERATED	219	2.0	4	1	1	1	2	4	5	13
TOTAL 0-27 DYS	8	3.1	1	2	2	3	4	5	5	5
1-11 MOS	102	3.0	3	1	1	3	4	5	6	12
1-5 YRS	974	2.7	3	1	1	2	3	5	6	9
6-12 YRS	1029	2.5	2	1	1	2	3	4	5	7
13-19 YRS	761	3.1	7	1	1	3	4	5	6	10
GRAND TOTAL	**2874**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	266	5.3	11	1	2	4	7	10	11	15
1-11 MOS	612	4.5	8	1	2	4	5	9	11	14
1-5 YRS	439	4.6	8	2	2	4	6	8	10	15
6-12 YRS	43	4.7	8	1	2	4	7	10	11	99+
13-19 YRS	36	5.4	12	1	1	4	7	11	13	13
B. *Operated*										
0-27 DYS	7	8.9	8	3	4	10	11	11	11	11
1-11 MOS	21	9.4	46	3	3	9	11	16	26	33
1-5 YRS	8	5.1	5	3	3	5	6	9	10	10
6-12 YRS	3	12.3	10	10	10	11	15	16	16	16
13-19 YRS	2	13.0	128	5	5	13	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	300	6.2	16	2	2	5	9	11	14	21
1-11 MOS	1108	5.7	18	2	2	4	8	11	13	20
1-5 YRS	967	5.8	22	2	2	4	7	11	13	22
6-12 YRS	181	7.0	25	2	2	6	10	14	17	24
13-19 YRS	249	7.5	29	2	3	6	9	13	18	31
B. *Operated*										
0-27 DYS	25	12.0	113	2	2	9	16	25	33	50
1-11 MOS	84	12.4	103	2	3	10	15	22	36	87
1-5 YRS	75	13.7	173	3	4	10	16	27	32	82
6-12 YRS	30	15.4	80	3	6	14	18	26	35	45
13-19 YRS	57	16.5	137	4	6	13	24	33	46	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1396	4.7	9	1	2	4	6	9	11	14
B. *Operated*	41	8.9	34	3	3	9	11	14	21	33
2. MULTIPLE DX										
A. *Not Operated*	2805	6.0	21	2	2	5	8	11	14	23
B. *Operated*	271	13.9	129	2	4	11	17	28	35	89
1. SINGLE DX	1437	4.8	10	1	2	4	6	10	11	15
2. MULTIPLE DX	3076	6.7	35	2	2	5	9	13	16	31
A. NOT OPERATED	4201	5.6	17	2	2	4	7	11	13	21
B. OPERATED	312	13.3	119	3	3	10	16	27	34	75
TOTAL 0-27 DYS	598	6.1	19	2	2	5	8	11	13	22
1-11 MOS	1825	5.6	21	1	2	4	7	11	13	22
1-5 YRS	1489	5.8	29	2	2	4	7	11	14	25
6-12 YRS	257	7.6	37	2	2	6	11	15	18	34
13-19 YRS	344	8.8	57	2	3	7	10	18	28	40
GRAND TOTAL	**4513**	**6.1**	**28**	**2**	**2**	**4**	**8**	**11**	**15**	**28**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	42	8.9	57	1	2	9	12	15	16	45
1-11 MOS	372	6.6	21	2	2	6	9	12	14	23
1-5 YRS	234	6.6	16	1	2	6	10	12	12	17
6-12 YRS	73	5.8	14	1	2	5	8	11	12	16
13-19 YRS	102	5.6	15	1	2	4	8	11	13	19
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	9	10.4	5	6	7	11	11	13	14	14
1-5 YRS	15	6.7	88	<1	<1	3	9	12	31	37
6-12 YRS	6	4.3	5	1	1	4	6	7	7	7
13-19 YRS	9	6.4	23	<1	<1	6	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	35	10.2	86	2	2	7	13	18	30	48
1-11 MOS	301	8.0	45	2	3	6	11	14	17	40
1-5 YRS	274	6.9	20	2	2	6	10	12	14	24
6-12 YRS	83	5.6	14	1	2	4	9	11	13	16
13-19 YRS	168	6.9	30	2	2	5	9	12	15	32
B. *Operated*										
0-27 DYS	3	14.7	230	<1	<1	12	26	31	31	31
1-11 MOS	18	26.1	388	6	8	21	41	68	86	99+
1-5 YRS	33	11.5	104	1	1	10	16	23	23	52
6-12 YRS	10	9.4	52	2	2	6	14	20	21	21
13-19 YRS	26	16.3	369	3	4	10	20	47	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	823	6.5	20	1	2	5	10	12	14	19
B. *Operated*	40	7.3	43	<1	1	6	11	13	15	37
2. MULTIPLE DX										
A. *Not Operated*	861	7.3	34	2	2	6	10	13	15	34
B. *Operated*	90	15.7	258	1	3	11	21	43	63	99+
1. SINGLE DX	863	6.5	21	1	2	5	10	12	14	20
2. MULTIPLE DX	951	8.1	61	2	2	6	10	14	19	48
A. NOT OPERATED	1684	6.9	27	2	2	6	10	12	15	26
B. OPERATED	130	13.1	206	1	1	10	16	35	51	99+
TOTAL 0-27 DYS	81	9.7	73	2	2	10	13	16	24	47
1-11 MOS	700	7.7	49	2	2	6	10	13	17	42
1-5 YRS	556	7.0	26	1	2	6	10	12	14	25
6-12 YRS	172	5.9	16	1	2	4	9	11	14	19
13-19 YRS	305	7.2	60	2	2	5	9	13	17	46
GRAND TOTAL	**1814**	**7.4**	**42**	**2**	**2**	**6**	**10**	**13**	**16**	**39**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	284	4.3	5	2	2	4	5	7	8	13
1-11 MOS	1077	3.6	4	1	2	3	4	5	7	11
1-5 YRS	527	3.5	5	1	1	3	4	6	7	13
6-12 YRS	539	2.8	3	1	1	2	3	5	6	10
13-19 YRS	563	3.1	4	1	1	3	4	5	7	11
B. *Operated*										
0-27 DYS	8	6.0	18	2	2	4	9	13	13	13
1-11 MOS	17	4.1	3	1	2	4	5	6	7	8
1-5 YRS	6	4.3	1	3	3	4	5	6	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	11.0	37	4	4	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	149	5.0	12	2	2	4	5	9	12	16
1-11 MOS	643	4.3	8	2	2	4	5	7	9	15
1-5 YRS	304	4.2	9	1	2	3	5	8	10	16
6-12 YRS	227	3.6	12	1	1	3	4	7	9	20
13-19 YRS	274	3.9	8	1	2	3	5	7	9	12
B. *Operated*										
0-27 DYS	5	22.4	1088	4	4	10	30	81	81	81
1-11 MOS	20	5.0	13	1	1	4	6	10	13	16
1-5 YRS	9	14.2	159	3	4	11	14	34	46	46
6-12 YRS	10	7.7	78	1	1	5	10	21	31	31
13-19 YRS	10	9.5	97	2	2	6	14	25	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2990	3.4	4	1	1	3	4	5	7	11
B. *Operated*	35	5.1	12	1	2	4	6	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	1597	4.2	9	1	2	3	5	7	10	15
B. *Operated*	54	9.5	169	1	2	5	11	16	33	80
1. SINGLE DX	3025	3.4	4	1	1	3	4	5	7	12
2. MULTIPLE DX	1651	4.4	15	1	2	3	5	8	10	16
A. NOT OPERATED	4587	3.7	6	1	2	3	4	6	8	13
B. OPERATED	89	7.7	111	1	2	5	9	14	18	67
TOTAL 0-27 DYS	446	4.8	21	2	2	4	5	8	10	14
1-11 MOS	1757	3.8	5	2	2	3	4	6	8	13
1-5 YRS	846	3.9	9	1	2	3	5	7	9	15
6-12 YRS	777	3.1	7	1	1	3	4	5	8	12
13-19 YRS	850	3.5	7	1	1	3	4	6	8	13
GRAND TOTAL	**4676**	**3.8**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	6.1	22	1	2	3	10	11	15	19
1-11 MOS	204	2.7	3	1	1	3	3	4	5	9
1-5 YRS	388	3.1	4	1	1	3	4	5	6	9
6-12 YRS	136	3.4	5	1	1	3	5	7	8	11
13-19 YRS	153	3.8	6	1	1	3	5	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS	2	12.5	1	12	12	12	13	13	13	13
1-5 YRS	2	8.5	1	8	8	8	9	9	9	9
6-12 YRS	4	4.0	13	1	1	3	6	9	9	9
13-19 YRS	3	4.0	13	1	1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	20	6.5	20	<1	1	5	10	13	14	15
1-11 MOS	404	3.3	5	1	2	3	4	5	7	13
1-5 YRS	1044	3.7	9	1	1	3	5	6	8	14
6-12 YRS	335	4.3	9	1	2	3	6	9	10	14
13-19 YRS	317	4.7	9	1	2	4	6	9	10	14
B. *Operated*										
0-27 DYS	4	15.5	424	3	3	7	28	46	46	46
1-11 MOS	13	7.5	38	1	2	5	11	18	18	18
1-5 YRS	22	14.4	367	1	2	8	13	34	63	85
6-12 YRS	13	7.1	48	1	1	5	13	32	85	99+
13-19 YRS	7	13.9	172	2	2	8	28	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	903	3.2	5	1	1	3	4	6	7	11
B. *Operated*	11	6.4	19	1	1	8	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	2120	3.9	9	1	2	3	5	7	9	14
B. *Operated*	59	11.3	203	1	2	7	14	29	47	98
1. SINGLE DX	914	3.3	5	1	1	3	4	6	8	11
2. MULTIPLE DX	2179	4.1	15	1	2	3	5	7	10	16
A. NOT OPERATED	3023	3.7	7	1	1	3	5	7	9	13
B. OPERATED	70	10.5	177	1	2	7	13	26	45	97
TOTAL 0-27 DYS	46	7.1	54	1	2	4	10	12	16	46
1-11 MOS	623	3.2	5	1	1	3	4	5	7	14
1-5 YRS	1456	3.7	15	1	1	3	4	6	8	15
6-12 YRS	488	4.1	9	1	1	3	5	8	10	15
13-19 YRS	480	4.5	12	1	2	4	6	8	10	16
GRAND TOTAL	**3093**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	7	5.9	19	2	2	5	7	13	15	15
1-5 YRS	40	4.7	13	1	2	3	6	10	13	15
6-12 YRS	77	3.7	4	1	1	3	5	6	8	10
13-19 YRS	190	5.1	11	1	2	4	6	9	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	7.5	33	1	2	7	8	17	20	20
1-5 YRS	24	4.9	17	1	2	4	6	10	14	20
6-12 YRS	47	4.6	11	1	2	4	6	9	14	15
13-19 YRS	151	6.0	59	1	2	4	7	11	12	23
B. *Operated*										
0-27 DYS										
1-11 MOS	3	8.0	28	2	2	10	11	12	12	12
1-5 YRS	4	6.5	50	2	2	3	10	17	17	17
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	6	8.2	34	1	1	10	12	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	4.7	10	1	2	4	6	8	10	15
B. *Operated*	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	230	5.7	44	1	2	4	7	10	14	21
B. *Operated*	15	7.2	29	1	1	7	11	15	16	17
1. SINGLE DX	317	4.7	10	1	2	4	6	8	10	15
2. MULTIPLE DX	245	5.8	43	1	2	4	7	11	14	20
A. NOT OPERATED	545	5.1	24	1	2	4	6	9	11	19
B. OPERATED	17	6.9	27	1	1	7	11	14	16	17
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	18	6.9	24	1	2	6	9	14	18	20
1-5 YRS	68	4.9	16	1	2	3	6	10	14	19
6-12 YRS	128	4.1	7	1	2	3	5	7	8	14
13-19 YRS	347	5.6	32	1	2	5	7	10	12	19
GRAND TOTAL	**562**	**5.2**	**25**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	95	3.1	3	1	1	3	4	5	7	8
6-12 YRS	155	3.5	4	1	1	3	5	6	7	8
13-19 YRS	1018	3.8	5	1	2	3	5	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	5.0	18	2	2	5	8	8	8	8
13-19 YRS	8	7.0	20	3	3	6	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	3.8	2	2	2	4	5	6	6	6
1-5 YRS	235	3.7	6	1	2	3	5	6	8	12
6-12 YRS	299	3.6	4	1	2	3	4	6	7	10
13-19 YRS	2033	4.0	5	2	2	4	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	9.2	67	1	1	6	17	21	21	21
6-12 YRS	7	20.4	497	2	3	12	28	59	66	66
13-19 YRS	55	8.1	27	2	2	6	11	16	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1269	3.7	5	1	2	3	5	6	7	11
B. *Operated*	11	6.7	17	2	2	7	8	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	2575	4.0	5	1	2	3	5	7	8	11
B. *Operated*	68	9.5	86	2	2	7	12	19	21	60
1. SINGLE DX	1280	3.7	5	1	2	3	5	6	8	11
2. MULTIPLE DX	2643	4.1	8	1	2	3	5	7	8	13
A. NOT OPERATED	3844	3.9	5	1	2	3	5	7	8	11
B. OPERATED	79	9.1	77	2	2	7	12	18	21	56
TOTAL 0-27 DYS										
1-11 MOS	9	3.7	2	2	2	3	5	6	6	6
1-5 YRS	337	3.7	7	1	1	3	4	6	8	14
6-12 YRS	463	3.8	14	1	2	3	5	6	7	12
13-19 YRS	3114	4.0	6	1	2	3	5	7	8	13
GRAND TOTAL	**3923**	**4.0**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**12**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	31	1.6	2	<1	<1	1	2	3	6	6
6-12 YRS	57	1.5	1	<1	<1	<1	2	3	4	5
13-19 YRS	260	1.6	1	<1	<1	1	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	4.0	13	<1	<1	3	7	8	8	8
13-19 YRS	6	3.2	6	<1	<1	2	5	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	3.6	12	<1	<1	3	4	9	13	13
6-12 YRS	9	7.2	193	1	1	2	5	28	44	44
13-19 YRS	71	2.6	3	1	1	2	4	5	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.6	14	<1	<1	1	2	8	13	13
B. *Operated*	350	1.6	1	<1	<1	1	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	10	3.4	6	<1	<1	3	5	7	8	8
B. *Operated*	91	3.2	23	1	1	2	4	5	8	31
1. SINGLE DX	360	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	101	3.2	21	<1	1	2	4	5	8	28
A. NOT OPERATED	20	3.0	10	<1	<1	2	3	7	10	13
B. OPERATED	441	1.9	6	<1	<1	1	2	3	5	8
TOTAL 0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	44	2.1	5	<1	<1	1	2	4	6	13
6-12 YRS	70	2.5	29	<1	<1	1	2	4	5	38
13-19 YRS	345	1.8	2	<1	<1	1	2	3	4	6
GRAND TOTAL	**461**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	760	3.2	2	1	2	3	4	5	6	8
1-11 MOS	2067	2.7	2	1	1	3	3	4	5	7
1-5 YRS	1499	2.6	2	1	1	2	3	4	5	9
6-12 YRS	682	2.4	3	1	1	2	3	4	5	11
13-19 YRS	646	2.7	4	1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	15	3.2	1	2	2	3	4	5	5	5
1-11 MOS	17	3.4	3	1	2	3	4	6	7	8
1-5 YRS	35	3.8	22	<1	<1	3	4	7	12	26
6-12 YRS	29	3.1	6	<1	<1	2	4	7	8	11
13-19 YRS	45	3.0	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	508	3.3	2	1	2	3	4	5	6	8
1-11 MOS	2094	3.3	6	1	1	3	4	5	7	12
1-5 YRS	2549	2.9	4	1	1	2	4	5	6	10
6-12 YRS	1136	2.8	4	1	1	2	3	5	6	11
13-19 YRS	1060	3.2	11	1	1	3	4	5	7	13
B. *Operated*										
0-27 DYS	7	3.1		2	2	3	4	4	4	4
1-11 MOS	45	5.3	23	2	2	4	5	10	14	29
1-5 YRS	61	8.4	152	1	2	4	8	18	34	63
6-12 YRS	50	4.4	20	<1	1	3	6	9	10	23
13-19 YRS	63	7.7	66	1	1	5	9	19	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5654	2.7	2	1	1	2	3	4	5	8
B. *Operated*	141	3.3	8	<1	<1	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	7347	3.1	6	1	1	3	4	5	6	11
B. *Operated*	226	6.5	70	1	1	4	7	14	22	48
1. SINGLE DX	5795	2.7	3	1	1	2	3	4	5	8
2. MULTIPLE DX	7573	3.2	8	1	1	3	4	5	7	12
A. NOT OPERATED	13001	2.9	4	1	1	3	4	5	6	10
B. OPERATED	367	5.3	49	<1	1	4	6	10	17	40
TOTAL 0-27 DYS	1290	3.2	2	1	2	3	4	5	6	8
1-11 MOS	4223	3.0	4	1	1	3	4	5	6	10
1-5 YRS	4144	2.9	6	1	1	2	3	5	6	10
6-12 YRS	1897	2.7	4	1	1	2	3	5	6	11
13-19 YRS	1814	3.2	11	1	1	2	4	5	7	13
GRAND TOTAL	**13368**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	1	3	3	3	5	5	5	5
1-5 YRS	41	4.2	3	1	2	4	5	6	7	9
6-12 YRS	74	4.0	6	1	1	3	5	8	9	12
13-19 YRS	46	3.6	5	1	1	3	5	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.8	2	1	1	3	3	5	5	5
1-5 YRS	36	4.8	8	1	2	4	7	9	11	11
6-12 YRS	31	4.5	9	1	2	4	5	9	10	14
13-19 YRS	44	5.1	11	1	2	5	7	10	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	6.0	2	5	5	6	7	7	7	7
13-19 YRS	2	8.5	25	5	5	8	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.9	5	1	1	4	5	7	8	10
B. *Operated*	3	6.3	9	3	3	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	117	4.7	9	1	2	4	6	10	11	15
B. *Operated*	5	6.2	14	2	2	5	8	12	12	12
1. SINGLE DX	167	4.0	5	1	1	4	5	7	8	10
2. MULTIPLE DX	122	4.8	9	1	2	4	6	10	11	15
A. NOT OPERATED	281	4.2	7	1	1	4	6	8	10	12
B. OPERATED	8	6.3	11	2	2	6	8	11	12	12
TOTAL 0-27 DYS										
1-11 MOS	9	3.1	2	1	1	3	4	5	5	5
1-5 YRS	79	4.5	6	1	2	4	6	7	9	11
6-12 YRS	107	4.1	7	1	1	3	5	8	10	13
13-19 YRS	94	4.5	9	1	1	4	6	9	10	14
GRAND TOTAL	**289**	**4.3**	**7**	**1**	**1**	**4**	**6**	**8**	**10**	**12**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	34	6.7	8	1	2	7	9	10	10	10
1-11 MOS	7	7.0	2	5	5	7	8	9	9	9
1-5 YRS	30	6.6	16	1	1	6	10	12	12	17
6-12 YRS	11	5.5	8	2	3	4	6	11	11	11
13-19 YRS	288	4.4	5	2	2	4	5	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.4		<1	<1	1	2	2	2	2
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	35	3.1	8	<1	1	2	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	7.9	18	1	2	7	10	14	15	15
1-11 MOS	8	9.8	73	1	1	9	14	23	26	26
1-5 YRS	29	6.1	23	1	2	5	9	13	18	19
6-12 YRS	11	6.8	10	2	3	7	9	11	13	13
13-19 YRS	285	5.2	9	2	2	4	6	9	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	2	11.5	85	5	5	11	18	18	18	18
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	48	5.7	15	1	2	5	8	9	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	4.9	7	2	2	4	6	8	10	12
B. *Operated*	42	2.8	7	<1	<1	2	5	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	342	5.5	12	2	2	5	7	10	12	19
B. *Operated*	52	6.0	19	1	2	5	8	10	15	25
1. SINGLE DX	412	4.7	7	1	2	4	6	8	10	13
2. MULTIPLE DX	394	5.6	13	2	2	5	7	10	13	19
A. NOT OPERATED	712	5.2	10	2	2	4	6	9	11	17
B. OPERATED	94	4.6	16	<1	1	4	6	9	11	22
TOTAL 0-27 DYS	43	7.0	10	1	2	7	9	10	11	15
1-11 MOS	16	8.9	39	1	2	8	12	15	23	26
1-5 YRS	66	6.2	21	1	1	5	9	12	17	19
6-12 YRS	25	5.6	10	1	2	5	8	11	12	13
13-19 YRS	656	4.8	8	2	2	4	6	8	10	15
GRAND TOTAL	**806**	**5.1**	**10**	**1**	**2**	**4**	**6**	**9**	**11**	**17**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	10	2	2	7	8	8	8	8
1-11 MOS	18	3.6	12	<1	1	3	3	7	12	15
1-5 YRS	24	4.1	4	1	2	3	6	7	8	8
6-12 YRS	14	4.6	14	1	1	3	6	11	13	13
13-19 YRS	9	4.3	6	<1	<1	5	5	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	13	6.2	32	<1	<1	6	9	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	2.2	3	<1	<1	2	3	5	6	6
1-11 MOS	75	3.6	5	1	1	3	5	7	8	11
1-5 YRS	72	6.0	103	<1	1	4	5	11	16	70
6-12 YRS	29	5.1	21	1	1	4	6	9	16	23
13-19 YRS	35	6.0	25	1	2	4	7	12	19	22
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	11	23.9	355	2	3	13	41	49	52	52
6-12 YRS	8	12.6	73	3	3	12	18	25	27	27
13-19 YRS	18	12.9	114	1	2	12	22	34	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	4.2	8	<1	1	3	6	8	9	15
B. *Operated*	14	6.1	30	<1	<1	5	9	15	17	18
2. MULTIPLE DX										
A. *Not Operated*	223	4.9	43	<1	1	4	5	8	12	25
B. *Operated*	38	16.0	188	2	2	12	24	41	50	99+
1. SINGLE DX	82	4.5	12	<1	1	3	6	9	12	17
2. MULTIPLE DX	261	6.5	79	1	1	4	7	13	23	51
A. NOT OPERATED	291	4.7	35	<1	1	4	5	8	12	23
B. OPERATED	52	13.4	164	<1	2	9	18	38	46	99
TOTAL 0-27 DYS	15	2.9	6	<1	<1	2	4	7	8	8
1-11 MOS	94	3.7	7	1	1	3	5	7	9	14
1-5 YRS	107	7.4	136	<1	1	4	7	13	36	65
6-12 YRS	52	6.1	33	1	2	4	7	14	21	27
13-19 YRS	75	7.5	53	<1	1	5	10	18	24	84
GRAND TOTAL	**343**	**6.0**	**64**	**<1**	**1**	**4**	**6**	**12**	**20**	**47**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	13	3.5	4	1	1	3	4	6	8	8
13-19 YRS	8	8.3	129	2	2	4	6	27	36	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	18	3.1	1	1	2	3	4	4	5	6
13-19 YRS	8	4.0	4	<1	1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	17	4.8	9	1	1	4	7	9	11	12
6-12 YRS	13	6.1	69	<1	1	2	7	14	29	32
13-19 YRS	12	4.9	6	1	2	6	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.5	25	1	1	4	8	8	8	8
6-12 YRS	11	3.7	9	1	1	3	4	8	12	12
13-19 YRS	22	6.3	45	1	2	4	7	15	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.4	39	1	1	3	4	7	8	36
B. *Operated*	28	3.3	2	<1	2	3	4	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	43	5.2	26	1	1	4	7	8	11	32
B. *Operated*	35	5.4	33	1	2	3	5	12	16	30
1. SINGLE DX	58	3.9	21	<1	1	3	4	6	7	34
2. MULTIPLE DX	78	5.3	28	1	1	4	7	10	13	31
A. NOT OPERATED	73	4.9	31	1	1	3	6	8	10	35
B. OPERATED	63	4.5	20	1	2	3	4	8	13	28
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	30	3.9	8	1	1	3	5	8	9	12
6-12 YRS	55	4.0	20	1	1	3	4	7	9	31
13-19 YRS	50	5.9	42	1	2	4	7	10	17	36
GRAND TOTAL	**136**	**4.7**	**26**	**1**	**1**	**3**	**6**	**8**	**12**	**33**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	11	4.9	17	1	1	4	5	13	13	13
6-12 YRS	9	4.8	25	1	1	3	5	14	16	16
13-19 YRS	21	3.2	3	<1	<1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	4	4.3	42	<1	<1	1	7	14	14	14
6-12 YRS	3	6.0	31	<1	<1	5	10	12	12	12
13-19 YRS	15	6.3	74	<1	<1	4	7	16	29	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	14	4.6	7	1	1	5	7	8	8	8
1-5 YRS	48	5.0	10	2	2	4	6	9	12	16
6-12 YRS	33	5.9	18	2	2	5	7	12	15	21
13-19 YRS	49	4.1	6	1	2	4	5	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	12.4	49	6	6	11	16	24	24	24
6-12 YRS	3	30.7	65	26	26	26	37	40	40	40
13-19 YRS	18	9.9	45	1	2	8	13	20	23	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.0	11	<1	1	3	5	8	13	16
B. *Operated*	23	6.4	63	<1	<1	4	11	16	23	33
2. MULTIPLE DX										
A. *Not Operated*	145	4.9	11	1	2	4	6	8	12	16
B. *Operated*	26	12.8	88	2	3	9	19	26	29	40
1. SINGLE DX	67	4.9	29	<1	<1	3	5	13	16	30
2. MULTIPLE DX	171	6.1	30	1	2	5	7	12	18	26
A. NOT OPERATED	189	4.7	11	1	2	4	6	8	12	16
B. OPERATED	49	9.8	85	<1	<1	8	13	25	27	40
TOTAL 0-27 DYS	2	7.5	13	5	5	7	10	10	10	10
1-11 MOS	17	5.4	17	1	1	6	7	8	15	18
1-5 YRS	68	5.5	18	1	2	4	7	12	13	23
6-12 YRS	48	7.2	58	1	2	5	8	16	26	40
13-19 YRS	103	5.3	27	<1	1	4	6	11	17	29
GRAND TOTAL	**238**	**5.7**	**30**	**1**	**1**	**4**	**7**	**12**	**16**	**27**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	8.5	85	2	2	8	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS										
13-19 YRS	3	4.0	9	1	1	4	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	11.5	5	10	10	11	13	13	13	13
13-19 YRS	3	7.3	37	2	2	6	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	2	8.5	85	2	2	8	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	5	5.0	13	1	1	4	8	10	10	10
B. *Operated*	5	9.0	25	2	2	10	13	14	14	14
1. SINGLE DX	3	6.7	52	2	2	3	12	15	15	15
2. MULTIPLE DX	10	7.0	21	1	1	6	10	13	14	14
A. NOT OPERATED	6	4.7	11	1	1	4	7	10	10	10
B. OPERATED	7	8.9	31	2	2	10	14	15	15	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS	3	8.7	26	3	3	10	12	13	13	13
13-19 YRS	8	6.4	29	1	1	5	10	15	15	15
GRAND TOTAL	**13**	**6.9**	**25**	**1**	**2**	**6**	**11**	**14**	**15**	**15**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.7		3	3	4	4	4	4	4
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	8	3.3	7	1	1	2	5	8	8	8
6-12 YRS	4	2.8	3	1	1	2	4	5	5	5
13-19 YRS	11	3.6	3	2	2	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	4.8	10	2	2	4	7	9	9	9
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	5	6.0	4	3	3	7	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS	3	18.0	237	1	1	22	29	31	31	31
6-12 YRS	5	4.4	12	1	1	4	6	10	10	10
13-19 YRS	12	8.7	57	2	2	7	11	18	27	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.9	2	1	1	3	4	4	4	4
B. *Operated*	24	3.5	4	1	1	3	5	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	12	4.7	7	1	2	4	7	8	9	9
B. *Operated*	22	8.8	73	1	2	5	11	24	30	31
1. SINGLE DX	32	3.3	4	1	1	3	4	6	7	8
2. MULTIPLE DX	34	7.4	53	1	2	5	10	14	28	31
A. NOT OPERATED	20	4.0	5	1	1	4	5	8	8	9
B. OPERATED	46	6.0	44	1	1	4	7	12	23	31
TOTAL 0-27 DYS										
1-11 MOS	4	5.5	16	2	2	4	8	11	11	11
1-5 YRS	18	6.1	63	1	1	3	7	18	27	31
6-12 YRS	12	3.5	6	1	1	3	5	7	10	10
13-19 YRS	32	5.7	28	1	2	4	7	11	13	29
GRAND TOTAL	**66**	**5.4**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	12.5	5	11	11	12	14	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	12.5	5	11	11	12	14	14	14	14
B. *Operated*	1	10.0		10	10	10	10	10	10	10
1. SINGLE DX										
2. MULTIPLE DX	3	11.7	4	10	10	11	13	14	14	14
A. NOT OPERATED	2	12.5	5	11	11	12	14	14	14	14
B. OPERATED	1	10.0		10	10	10	10	10	10	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	2	12.5	5	11	11	12	14	14	14	14
GRAND TOTAL	**3**	**11.7**	**4**	**10**	**10**	**11**	**13**	**14**	**14**	**14**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.5	61	2	2	7	13	13	13	13
B. Operated										
0-27 DYS	2	25.0	162	16	16	25	34	34	34	34
1-11 MOS	2	11.0	98	4	4	11	18	18	18	18
1-5 YRS										
6-12 YRS	2	14.5	1	14	14	14	15	15	15	15
13-19 YRS	3	15.3	76	8	8	13	22	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	2	3.5	1	3	3	3	4	4	4	4
B. Operated	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. Not Operated	2	7.5	61	2	2	7	13	13	13	13
B. Operated	9	16.3	79	4	6	15	20	30	34	34
1. SINGLE DX	3	5.3	10	3	3	4	8	9	9	9
2. MULTIPLE DX	11	14.7	82	2	3	14	17	29	34	34
A. NOT OPERATED	4	5.5	26	2	2	3	8	13	13	13
B. OPERATED	10	15.6	75	4	6	14	18	29	34	34
TOTAL 0-27 DYS	2	25.0	162	16	16	25	34	34	34	34
1-11 MOS	3	8.3	70	3	3	4	14	18	18	18
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	14.5	1	14	14	14	15	15	15	15
13-19 YRS	6	11.7	59	2	3	11	13	24	25	25
GRAND TOTAL	**14**	**12.7**	**81**	**2**	**3**	**13**	**16**	**26**	**32**	**34**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated										
B. Operated	1	11.0		11	11	11	11	11	11	11
1. SINGLE DX										
2. MULTIPLE DX	1	11.0		11	11	11	11	11	11	11
A. NOT OPERATED										
B. OPERATED	1	11.0		11	11	11	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
GRAND TOTAL	**1**	**11.0**		**11**	**11**	**11**	**11**	**11**	**11**	**11**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	3	8.7	21	6	6	6	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	5	12.0	44	4	4	10	17	21	21	21
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	6.8	10	2	2	8	9	9	9	9
13-19 YRS	8	8.4	9	3	4	9	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	8.6	21	4	4	6	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	3	6.3	34	2	2	4	11	13	13	13
B. *Operated*	19	8.6	22	1	2	9	10	14	19	21
1. SINGLE DX	5	8.6	21	4	4	6	13	14	14	14
2. MULTIPLE DX	22	8.3	23	1	2	8	10	14	18	21
A. NOT OPERATED	3	6.3	34	2	2	4	11	13	13	13
B. OPERATED	24	8.6	21	1	3	8	11	14	17	21
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	7	12.3	29	4	5	13	15	20	21	21
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	5	5.8	12	2	2	8	8	9	9	9
13-19 YRS	12	8.1	11	3	4	8	10	13	14	14
GRAND TOTAL	**27**	**8.3**	**22**	**1**	**2**	**8**	**11**	**14**	**17**	**21**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	12.0	2	11	11	12	13	13	13	13
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	2	9.5	113	2	2	9	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	17.5	481	2	2	17	33	33	33	33
1-11 MOS	4	13.3	129	5	5	9	20	30	30	30
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS										
13-19 YRS	2	6.0	18	3	3	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	6	11.2	25	2	3	12	13	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	9	12.3	128	2	2	9	16	32	33	33
1. SINGLE DX	7	9.7	36	<1	<1	11	13	16	17	17
2. MULTIPLE DX	10	11.4	122	2	2	8	11	31	33	33
A. NOT OPERATED	2	2.0	2	<1	<1	1	3	3	3	3
B. OPERATED	15	11.9	82	2	2	11	13	30	32	33
TOTAL 0-27 DYS	2	17.5	481	2	2	17	33	33	33	33
1-11 MOS	7	11.4	79	3	3	10	12	27	30	30
1-5 YRS	3	7.7	33	<1	<1	11	11	11	11	11
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	4	7.8	48	2	2	6	13	17	17	17
GRAND TOTAL	**17**	**10.7**	**83**	**1**	**2**	**10**	**13**	**27**	**32**	**33**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	4.2	17	<1	<1	2	7	10	13	14
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	9	8.2	18	1	3	8	10	14	16	16
1-5 YRS	24	8.8	40	1	2	8	11	16	25	26
6-12 YRS	3	42.0	2281	11	11	18	77	97	97	97
13-19 YRS	4	7.0	10	3	3	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	10.8	150	1	1	4	20	30	30	30
1-5 YRS	26	4.1	14	<1	1	2	5	10	13	13
6-12 YRS	9	6.0	13	2	2	4	9	11	13	13
13-19 YRS	6	6.3	29	1	1	4	12	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	15	15.0	123	3	5	11	17	36	40	41
1-5 YRS	24	18.0	303	2	4	10	27	42	55	70
6-12 YRS	7	9.4	33	6	6	7	10	20	22	22
13-19 YRS	8	8.8	19	4	4	7	12	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.0	15	<1	<1	2	7	9	13	14
B. *Operated*	41	10.9	220	1	2	8	11	17	25	97
2. MULTIPLE DX										
A. *Not Operated*	49	5.8	40	1	1	4	8	13	15	30
B. *Operated*	54	14.7	184	3	5	10	17	36	41	69
1. SINGLE DX	55	9.1	176	1	1	8	10	15	22	93
2. MULTIPLE DX	103	10.5	134	1	2	7	12	27	37	59
A. NOT OPERATED	63	5.4	35	<1	1	3	8	13	14	30
B. OPERATED	95	13.0	201	2	3	9	15	26	41	85
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	32	12.0	103	1	3	9	15	30	35	41
1-5 YRS	86	9.3	133	1	1	6	10	23	33	62
6-12 YRS	20	12.4	423	2	3	7	10	20	59	97
13-19 YRS	19	7.4	19	1	2	6	11	14	15	16
GRAND TOTAL	**158**	**10.0**	**148**	**1**	**1**	**7**	**11**	**21**	**31**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	35.0		35	35	35	35	35	35	35
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	5.0	32	1	1	5	9	9	9	9
13-19 YRS	3	5.7	14	3	3	4	8	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	21.0	18	18	18	21	24	24	24	24
6-12 YRS	2	8.5	85	2	2	8	15	15	15	15
13-19 YRS	2	12.0	8	10	10	12	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	7	9.4	138	1	1	4	10	30	35	35
B. *Operated*	7	12.4	60	2	2	14	17	23	24	24
1. SINGLE DX	2	9.5	5	8	8	9	11	11	11	11
2. MULTIPLE DX	14	10.9	94	1	2	9	15	25	33	35
A. NOT OPERATED	7	9.4	138	1	1	4	10	30	35	35
B. OPERATED	9	11.8	47	2	3	11	16	22	24	24
TOTAL 0-27 DYS										
1-11 MOS	2	19.5	481	4	4	19	35	35	35	35
1-5 YRS	4	13.5	84	4	4	13	21	24	24	24
6-12 YRS	5	7.6	36	1	1	9	12	15	15	15
13-19 YRS	5	8.2	21	3	3	10	11	14	14	14
GRAND TOTAL	**16**	**10.8**	**82**	**1**	**2**	**9**	**14**	**23**	**32**	**35**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	4	2.5	3	1	1	2	4	5	5	5
1-11 MOS	3	13.0	27	10	10	10	17	19	19	19
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.8	43	2	2	6	13	16	16	16
1-5 YRS	3	12.7	408	1	1	1	27	36	36	36
6-12 YRS										
13-19 YRS	4	6.0	33	1	1	4	10	14	14	14
B. *Operated*										
0-27 DYS	4	10.8	78	2	2	10	18	21	21	21
1-11 MOS	5	20.2	185	7	8	18	43	94	99+	99+
1-5 YRS	2	20.0	242	9	9	20	31	31	31	31
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	6	13.3	181	2	2	10	15	37	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	10	7.1	29	1	1	6	10	15	19	19
2. MULTIPLE DX										
A. *Not Operated*	11	8.5	112	1	1	3	13	24	35	36
B. *Operated*	19	14.1	151	2	2	13	20	41	71	99+
1. SINGLE DX	11	6.5	30	<1	1	6	10	14	19	19
2. MULTIPLE DX	30	12.0	140	1	1	9	16	37	43	99+
A. NOT OPERATED	12	7.8	107	<1	<1	3	12	22	34	36
B. OPERATED	29	11.7	118	2	2	9	16	35	43	99+
TOTAL 0-27 DYS	8	6.6	54	1	1	4	10	19	21	21
1-11 MOS	13	13.2	120	<1	2	13	19	49	89	99+
1-5 YRS	6	14.0	240	1	1	7	31	35	36	36
6-12 YRS	3	3.3	5	2	2	2	5	6	6	6
13-19 YRS	11	10.4	113	1	2	8	13	25	38	39
GRAND TOTAL	**41**	**10.6**	**115**	**1**	**1**	**7**	**15**	**32**	**41**	**99+**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS										
13-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.7	9	2	2	4	7	8	8	8
1-5 YRS	11	6.5	8	1	3	6	8	10	12	12
6-12 YRS	8	6.3	13	1	2	6	8	11	12	12
13-19 YRS	6	5.2	10	3	3	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	5.6	50	1	1	4	5	17	24	24
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	4	5.3	8	1	1	6	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	11	8.5	25	2	3	7	14	16	16	16
1-5 YRS	11	9.9	177	2	2	6	9	27	47	49
6-12 YRS	5	8.4	91	<1	<1	5	11	25	25	25
13-19 YRS	15	9.6	40	2	2	8	12	21	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	28	5.9	9	1	2	6	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	17	4.6	29	<1	1	4	6	7	18	24
B. *Operated*	42	9.2	72	2	2	7	11	18	24	49
1. SINGLE DX	35	5.1	10	1	1	5	7	10	12	12
2. MULTIPLE DX	59	7.9	63	1	2	6	9	16	24	47
A. NOT OPERATED	24	3.9	22	<1	1	3	4	7	12	24
B. OPERATED	70	7.9	49	2	2	6	9	15	21	44
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	16	6.8	26	1	1	6	10	15	16	16
1-5 YRS	35	6.8	73	1	1	5	7	12	21	49
6-12 YRS	15	6.3	37	<1	<1	5	7	12	22	25
13-19 YRS	27	7.4	31	1	2	7	9	15	21	23
GRAND TOTAL	**94**	**6.9**	**45**	**1**	**1**	**5**	**8**	**13**	**20**	**38**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	23	2.6	4	<1	1	2	3	5	7	9
6-12 YRS	27	2.3	2	<1	<1	2	3	4	5	5
13-19 YRS	66	2.6	2	1	1	3	3	5	5	6
B. *Operated*										
0-27 DYS	2	4.5	25	<1	<1	4	8	8	8	8
1-11 MOS	14	5.4	24	1	1	3	9	13	15	15
1-5 YRS	44	6.0	23	<1	1	4	10	12	15	23
6-12 YRS	101	6.4	20	1	1	5	9	13	16	18
13-19 YRS	147	5.6	15	1	1	5	8	11	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	8.0	33	1	1	7	10	17	17	17
1-5 YRS	51	4.5	19	<1	1	3	6	10	14	20
6-12 YRS	76	4.5	26	1	1	3	5	7	11	29
13-19 YRS	83	4.6	18	<1	1	3	6	10	13	22
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	6	12.0	48	1	2	14	16	20	20	20
1-5 YRS	32	10.7	139	2	2	7	12	22	42	54
6-12 YRS	51	11.1	84	1	2	9	14	25	34	39
13-19 YRS	101	12.0	251	1	2	8	14	24	41	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	2.5	2	<1	1	2	3	5	5	7
B. *Operated*	308	5.9	18	1	1	5	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	215	4.6	21	1	1	3	5	10	13	27
B. *Operated*	191	11.6	179	1	2	8	14	24	36	77
1. SINGLE DX	425	5.0	16	1	1	4	7	11	13	17
2. MULTIPLE DX	406	7.9	107	1	1	4	10	17	24	59
A. NOT OPERATED	332	3.9	16	1	1	3	5	8	11	24
B. OPERATED	499	8.1	87	1	2	5	10	16	20	50
TOTAL 0-27 DYS	3	8.3	56	<1	<1	8	14	16	16	16
1-11 MOS	26	7.2	37	1	1	7	12	16	18	20
1-5 YRS	150	6.0	50	<1	1	4	8	13	16	44
6-12 YRS	255	6.3	39	1	1	4	8	14	18	34
13-19 YRS	397	6.5	84	1	1	4	8	12	18	56
GRAND TOTAL	**831**	**6.4**	**63**	**1**	**1**	**4**	**8**	**13**	**18**	**37**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	25	4.5	7	1	1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	8.0	127	1	1	2	16	21	21	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	7.3	47	1	1	6	10	18	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	26	4.5	7	1	1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	3	8.0	127	1	1	2	16	21	21	21
B. *Operated*	12	7.3	47	1	1	6	10	18	21	22
1. SINGLE DX	26	4.5	7	1	1	4	6	8	9	11
2. MULTIPLE DX	15	7.5	55	1	1	3	11	21	22	22
A. NOT OPERATED	3	8.0	127	1	1	2	16	21	21	21
B. OPERATED	38	5.4	20	1	1	4	8	11	15	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	40	5.6	26	1	1	4	8	11	19	22
GRAND TOTAL	**41**	**5.6**	**26**	**1**	**1**	**4**	**8**	**11**	**19**	**22**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	3	1.7	1	<1	<1	<1	2	3	3	3
6-12 YRS	8	1.5		<1	<1	1	2	2	2	2
13-19 YRS	14	4.3	13	<1	<1	3	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	9.3	142	<1	<1	4	18	23	23	23
1-5 YRS	5	5.8	55	2	2	2	8	19	19	19
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	4.5	25	1	1	4	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	28	3.6	17	<1	<1	2	4	10	11	19
2. MULTIPLE DX										
A. *Not Operated*	3	6.0	9	3	3	6	8	9	9	9
B. *Operated*	12	5.7	56	<1	<1	2	6	20	23	23
1. SINGLE DX	28	3.6	17	<1	<1	2	4	10	11	19
2. MULTIPLE DX	15	5.7	45	<1	<1	3	7	19	22	23
A. NOT OPERATED	3	6.0	9	3	3	6	8	9	9	9
B. OPERATED	40	4.2	29	<1	<1	2	5	10	19	23
TOTAL 0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	6	7.0	70	<1	<1	4	9	22	23	23
1-5 YRS	8	4.3	37	<1	<1	2	3	14	19	19
6-12 YRS	12	1.9	2	<1	<1	1	2	4	6	6
13-19 YRS	16	4.3	13	<1	<1	3	8	10	10	10
GRAND TOTAL	**43**	**4.3**	**27**	**<1**	**<1**	**2**	**5**	**10**	**19**	**23**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	11	6.2	19	1	1	5	9	13	14	14
1-5 YRS	2	6.5	13	4	4	6	9	9	9	9
6-12 YRS	2	8.0		8	8	8	8	8	8	8
13-19 YRS	3	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	7.7	1	7	7	7	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	15	7.5	11	1	3	8	8	12	14	15
1-5 YRS	2	9.5	41	5	5	9	14	14	14	14
6-12 YRS	3	5.0	13	<1	<1	6	7	8	8	8
13-19 YRS	3	4.3	1	3	3	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	18	5.6	17	<1	1	5	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	5	6.8	2	5	5	7	8	9	9	9
B. *Operated*	23	7.0	12	1	2	7	8	12	14	15
1. SINGLE DX	19	5.4	16	<1	1	5	8	12	14	14
2. MULTIPLE DX	28	6.9	10	1	3	7	8	11	14	15
A. NOT OPERATED	6	6.2	4	3	3	6	7	9	9	9
B. OPERATED	41	6.3	14	<1	1	6	8	12	14	15
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	30	6.9	13	1	2	7	8	12	14	15
1-5 YRS	4	8.0	21	4	4	7	11	14	14	14
6-12 YRS	5	6.2	9	<1	<1	8	8	8	8	8
13-19 YRS	7	3.0	4	<1	<1	3	5	5	5	5
GRAND TOTAL	**47**	**6.3**	**13**	**1**	**1**	**6**	**8**	**12**	**14**	**15**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	32	<1	<1	4	9	9	9	9
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	3.6	3	2	2	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS										
13-19 YRS	4	7.0	18	3	3	6	10	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0		3	3	3	3	3	3	3
B. *Operated*	5	6.2	14	<1	<1	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	5	3.6	3	2	2	4	5	6	6	6
B. *Operated*	7	7.6	35	1	1	6	11	17	18	18
1. SINGLE DX	7	5.3	12	<1	1	4	8	10	10	10
2. MULTIPLE DX	12	5.9	24	1	2	4	8	14	17	18
A. NOT OPERATED	7	3.4	2	2	2	3	4	6	6	6
B. OPERATED	12	7.0	25	<1	1	6	10	14	17	18
TOTAL 0-27 DYS										
1-11 MOS	4	4.3	16	<1	<1	3	7	9	9	9
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	13	4.8	9	2	2	4	6	10	12	12
GRAND TOTAL	**19**	**5.7**	**19**	**<1**	**1**	**4**	**8**	**11**	**15**	**18**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.7	6	4	4	7	8	9	9	9
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	8.5	25	5	5	8	12	12	12	12
1-11 MOS	3	6.7	1	6	6	6	8	8	8	8
1-5 YRS	2	4.0	18	<1	<1	3	7	7	7	7
6-12 YRS										
13-19 YRS	3	6.7	20	2	2	7	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	8.6	38	4	4	7	11	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	10	6.5	12	<1	1	6	8	11	12	12
1. SINGLE DX	5	8.6	38	4	4	7	11	19	19	19
2. MULTIPLE DX	11	6.2	12	<1	1	6	8	11	12	12
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	15	7.2	20	<1	2	7	9	12	17	19
TOTAL 0-27 DYS	2	8.5	25	5	5	8	12	12	12	12
1-11 MOS	6	6.7	3	4	4	7	8	9	9	9
1-5 YRS	4	7.5	65	<1	<1	5	13	19	19	19
6-12 YRS										
13-19 YRS	4	6.0	15	2	2	5	9	11	11	11
GRAND TOTAL	**16**	**6.9**	**19**	**1**	**2**	**6**	**8**	**12**	**17**	**19**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	7	8.6	3	7	7	8	9	11	12	12
13-19 YRS	23	6.8	6	3	4	7	8	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	4.2	13	<1	<1	3	5	10	11	11
13-19 YRS	10	4.7	3	3	3	4	5	7	8	8
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS										
6-12 YRS	5	7.8	10	5	5	7	9	13	13	13
13-19 YRS	29	9.7	116	4	5	7	10	12	16	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5		3	3	3	4	4	4	4
B. *Operated*	31	7.3	6	4	4	7	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	17	4.4	6	1	2	4	5	8	10	11
B. *Operated*	36	9.5	97	4	5	7	10	13	17	64
1. SINGLE DX	35	6.9	7	3	4	7	8	10	12	12
2. MULTIPLE DX	53	7.8	73	2	3	6	9	12	13	63
A. NOT OPERATED	21	4.2	5	1	2	4	5	7	9	11
B. OPERATED	67	8.5	55	4	4	7	9	12	13	56
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	2	6.0	32	2	2	6	10	10	10	10
6-12 YRS	21	6.4	11	1	2	7	8	11	12	13
13-19 YRS	63	7.7	59	3	4	7	9	11	12	57
GRAND TOTAL	**88**	**7.5**	**47**	**3**	**3**	**7**	**9**	**11**	**13**	**46**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.0	2	<1	<1	3	4	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	5	10	10	11	13	13	13	13
1-5 YRS	1	46.0		46	46	46	46	46	46	46
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	2	<1	<1	3	4	4	4	4
B. *Operated*	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	2	3.0		3	3	3	3	3	3	3
B. *Operated*	3	23.0	399	10	10	29	73	99+	99+	99+
1. SINGLE DX	7	3.4	4	<1	<1	3	4	6	7	7
2. MULTIPLE DX	5	15.0	320	3	3	11	46	95	99+	99+
A. NOT OPERATED	7	3.0	1	<1	1	3	4	4	4	4
B. OPERATED	5	15.6	305	2	2	11	46	95	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	3	10.0	9	7	7	10	12	13	13	13
1-5 YRS	9	7.7	208	<1	1	3	4	29	46	46
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**12**	**8.3**	**154**	**<1**	**2**	**4**	**11**	**57**	**92**	**99+**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	10.5	85	4	4	10	17	17	17	17
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	15.7	160	6	6	11	25	30	30	30
1-5 YRS	4	4.3	11	1	1	4	7	8	8	8
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	8	6.6	24	2	3	5	7	15	18	18
1-5 YRS	7	5.3	3	2	2	6	6	7	7	7
6-12 YRS	2	10.5	13	8	8	10	13	13	13	13
13-19 YRS	3	21.0	559	4	4	11	39	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	6.0	40	1	1	4	7	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	9	7.8	79	1	1	6	9	22	30	30
B. *Operated*	22	8.4	92	2	3	6	8	14	30	48
1. SINGLE DX	5	6.0	40	1	1	4	7	17	17	17
2. MULTIPLE DX	31	8.2	85	2	2	6	8	15	29	48
A. NOT OPERATED	9	7.8	79	1	1	6	9	22	30	30
B. OPERATED	27	7.9	81	2	2	6	8	16	22	48
TOTAL 0-27 DYS	4	3.5	6	1	1	3	5	7	7	7
1-11 MOS	12	8.7	63	2	3	6	9	22	29	30
1-5 YRS	13	5.8	16	1	2	6	7	10	16	17
6-12 YRS	3	8.3	20	4	4	8	12	13	13	13
13-19 YRS	4	16.5	454	3	3	7	29	48	48	48
GRAND TOTAL	**36**	**7.9**	**78**	**1**	**2**	**6**	**8**	**17**	**26**	**48**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	40	3.3	4	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	9	6.9	48	1	2	5	6	17	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS										
13-19 YRS	28	7.0	31	1	2	6	9	13	15	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*	48	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	11	6.0	43	1	1	5	6	14	24	25
B. *Operated*	29	7.1	30	1	2	6	10	13	14	29
1. SINGLE DX	51	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX	40	6.8	33	1	2	5	9	13	19	29
A. NOT OPERATED	14	5.4	35	1	1	5	5	8	21	25
B. OPERATED	77	4.6	18	1	1	3	6	10	12	25
TOTAL 0-27 DYS										
1-11 MOS	3	2.0	1	<1	<1	2	3	3	3	3
1-5 YRS	6	3.3	11	1	1	2	3	9	10	10
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	80	5.0	21	1	1	4	6	10	13	28
GRAND TOTAL	**91**	**4.7**	**20**	**1**	**1**	**3**	**6**	**9**	**13**	**27**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	5	3.2	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS										
13-19 YRS	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	8.0	68	<1	<1	6	11	22	23	23
1-5 YRS	12	11.4	142	1	1	7	15	31	39	40
6-12 YRS										
13-19 YRS	2	12.5	265	1	1	12	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	10	3.4	4	1	1	3	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*	3	9.0	13	6	6	8	12	13	13	13
B. *Operated*	21	10.0	116	<1	1	6	15	25	33	40
1. SINGLE DX	10	3.4	4	1	1	3	4	6	8	8
2. MULTIPLE DX	24	9.9	102	<1	1	7	14	24	31	40
A. NOT OPERATED	3	9.0	13	6	6	8	12	13	13	13
B. OPERATED	31	7.9	88	1	1	4	10	23	27	40
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	7.3	61	<1	<1	5	10	21	23	23
1-5 YRS	16	9.8	119	1	1	6	14	26	36	40
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	9	6.1	50	1	1	3	6	18	24	24
GRAND TOTAL	**34**	**8.0**	**81**	**1**	**1**	**5**	**11**	**23**	**26**	**40**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	11	5.3	71	1	1	3	4	16	29	30
6-12 YRS	12	1.8	2	1	1	1	2	4	5	5
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	15	8.1	12	2	2	8	11	12	13	14
1-5 YRS	66	8.9	24	2	4	8	11	13	17	32
6-12 YRS	9	11.1	17	7	7	10	12	18	21	21
13-19 YRS	2	5.5	1	5	5	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.3	6	<1	<1	3	5	6	6	6
1-5 YRS	35	3.7	8	<1	<1	3	5	8	10	13
6-12 YRS	11	4.6	28	<1	<1	3	5	13	18	19
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	8	9.9	17	6	6	9	11	17	19	19
1-5 YRS	66	11.4	86	3	4	9	12	23	33	48
6-12 YRS	11	11.0	49	4	5	9	11	23	28	28
13-19 YRS	8	18.9	160	7	7	15	29	37	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.5	32	1	1	2	4	5	12	30
B. *Operated*	93	8.9	21	2	4	9	11	13	16	29
2. MULTIPLE DX										
A. *Not Operated*	52	3.8	12	<1	<1	3	5	8	10	19
B. *Operated*	93	11.8	84	4	4	9	12	24	32	47
1. SINGLE DX	119	7.8	28	1	1	8	10	12	16	31
2. MULTIPLE DX	145	8.9	73	1	2	7	10	19	27	45
A. NOT OPERATED	78	3.7	18	<1	1	3	4	7	10	27
B. OPERATED	186	10.4	55	3	4	9	11	19	25	44
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	28	7.8	16	2	2	8	10	12	14	19
1-5 YRS	178	8.6	54	1	2	8	10	15	23	44
6-12 YRS	43	6.8	39	1	1	5	9	14	20	28
13-19 YRS	14	12.3	150	1	2	7	21	33	38	39
GRAND TOTAL	**264**	**8.4**	**53**	**1**	**1**	**7**	**10**	**15**	**22**	**41**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	32	1.1		<1	<1	<1	1	1	2	2
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	2.3	2	<1	<1	2	3	5	5	5
1-5 YRS	51	2.3	3	<1	<1	2	3	4	5	10
6-12 YRS	2	6.0	50	<1	<1	5	11	11	11	11
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	13	2.3	3	<1	<1	1	3	5	7	7
6-12 YRS	3	2.7	8	1	1	1	5	6	6	6
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	9	5.1	10	<1	1	5	7	10	10	10
1-5 YRS	15	5.2	38	<1	<1	2	7	18	19	19
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	2	13.5	313	1	1	13	26	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.1		<1	<1	<1	1	1	2	2
B. *Operated*	68	2.4	4	<1	<1	2	3	5	5	11
2. MULTIPLE DX										
A. *Not Operated*	20	2.3	3	<1	<1	1	3	5	6	7
B. *Operated*	28	5.7	39	<1	<1	3	7	16	20	26
1. SINGLE DX	106	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	48	4.3	27	<1	<1	2	5	10	18	26
A. NOT OPERATED	58	1.5	1	<1	<1	<1	1	3	4	7
B. OPERATED	96	3.4	16	<1	<1	2	4	7	11	23
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	28	2.9	6	<1	<1	2	5	6	9	10
1-5 YRS	111	2.3	8	<1	<1	1	2	5	7	18
6-12 YRS	9	3.4	14	<1	<1	1	6	9	11	11
13-19 YRS	5	7.0	114	1	1	3	9	26	26	26
GRAND TOTAL	**154**	**2.7**	**11**	**<1**	**<1**	**1**	**3**	**5**	**9**	**19**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	39	4.8	48	1	1	2	5	10	16	40
6-12 YRS	37	4.1	7	1	1	4	5	8	9	14
13-19 YRS	26	6.8	75	1	2	4	7	12	25	43
B. *Operated*										
0-27 DYS										
1-11 MOS	4	6.8	35	1	1	6	11	14	14	14
1-5 YRS	65	10.8	49	2	3	10	15	19	27	29
6-12 YRS	84	9.7	38	1	2	9	13	17	20	32
13-19 YRS	69	9.6	71	1	2	10	11	16	18	58
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	7.3	54	2	2	6	8	19	26	26
1-5 YRS	49	5.9	98	<1	1	3	6	12	17	67
6-12 YRS	70	4.6	48	1	1	2	6	10	16	90
13-19 YRS	55	6.5	137	<1	1	4	7	11	13	80
B. *Operated*										
0-27 DYS										
1-11 MOS	27	17.5	287	2	3	15	19	36	51	77
1-5 YRS	114	17.3	248	2	3	13	23	40	61	99+
6-12 YRS	134	15.2	253	2	4	11	16	35	57	98
13-19 YRS	120	15.4	177	2	3	11	19	30	44	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	5.0	40	1	1	4	5	10	13	41
B. *Operated*	222	10.0	51	1	2	9	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	183	5.7	88	<1	1	3	6	11	16	78
B. *Operated*	395	16.0	230	2	3	11	19	36	54	93
1. SINGLE DX	324	8.4	53	1	1	7	11	16	20	36
2. MULTIPLE DX	578	12.7	208	1	2	9	16	30	45	86
A. NOT OPERATED	285	5.4	71	1	1	3	6	11	15	62
B. OPERATED	617	13.8	174	2	3	10	16	28	42	76
TOTAL 0-27 DYS										
1-11 MOS	40	14.2	229	1	2	9	17	34	42	77
1-5 YRS	267	11.8	168	1	1	8	16	26	40	85
6-12 YRS	325	10.3	146	1	1	7	13	20	34	80
13-19 YRS	270	11.2	145	1	2	9	13	24	35	65
GRAND TOTAL	**902**	**11.2**	**156**	**1**	**2**	**8**	**14**	**24**	**36**	**75**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	3.6	10	<1	<1	3	5	9	10	10
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	17	9.8	235	1	2	6	9	12	48	68
6-12 YRS	9	8.9	54	1	1	7	16	20	20	20
13-19 YRS	12	10.0	61	1	2	10	15	20	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	4.7	14	1	1	3	6	11	13	13
6-12 YRS	4	4.3	12	1	1	3	6	9	9	9
13-19 YRS	11	4.9	11	1	1	5	6	10	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	9	20.6	264	5	5	14	29	47	52	52
1-5 YRS	16	5.7	24	1	1	5	8	11	17	20
6-12 YRS	12	19.3	372	1	2	15	18	55	64	66
13-19 YRS	9	34.9	213	14	18	34	52	81	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.8	8	<1	1	2	4	19	82	99+
B. *Operated*	40	9.4	127	1	1	7	11	18	23	68
2. MULTIPLE DX										
A. *Not Operated*	28	4.7	12	1	1	4	6	10	12	13
B. *Operated*	46	17.8	296	1	2	14	26	51	63	99+
1. SINGLE DX	53	7.7	105	1	1	6	10	17	26	99
2. MULTIPLE DX	74	12.9	228	1	1	7	17	37	52	91
A. NOT OPERATED	41	4.1	11	1	1	3	6	10	12	99+
B. OPERATED	86	13.9	233	1	2	8	18	37	54	88
TOTAL 0-27 DYS										
1-11 MOS	12	16.1	259	1	1	10	23	44	51	52
1-5 YRS	55	6.4	87	1	1	5	8	11	13	66
6-12 YRS	28	11.8	218	1	1	7	16	20	52	66
13-19 YRS	32	15.3	241	1	2	11	27	53	92	99+
GRAND TOTAL	**127**	**10.7**	**182**	**1**	**1**	**6**	**14**	**29**	**52**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	30	2.7	4	<1	<1	2	4	5	7	10
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS	16	3.3	10	<1	1	2	3	6	12	14
B. *Operated*										
0-27 DYS										
1-11 MOS	10	5.6	15	1	1	5	9	11	11	11
1-5 YRS	22	5.6	22	1	1	5	7	11	17	20
6-12 YRS	9	4.7	18	<1	<1	3	7	12	12	12
13-19 YRS	47	5.7	150	1	2	3	5	8	12	86
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	6.0	25	2	2	4	7	15	16	16
1-5 YRS	75	4.5	26	<1	1	3	5	10	13	32
6-12 YRS	15	3.0	8	<1	<1	2	3	6	10	12
13-19 YRS	24	4.6	24	<1	1	3	5	13	17	17
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	20	12.5	124	4	4	9	16	20	37	54
1-5 YRS	52	16.6	316	3	3	12	18	30	54	99
6-12 YRS	17	12.2	216	<1	2	8	14	26	51	63
13-19 YRS	48	6.0	95	1	2	5	6	8	11	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.7	6	<1	1	2	4	5	7	14
B. *Operated*	88	5.5	88	1	1	4	6	10	12	61
2. MULTIPLE DX										
A. *Not Operated*	124	4.5	23	<1	1	3	5	11	14	22
B. *Operated*	138	11.7	213	1	3	7	13	22	36	80
1. SINGLE DX	141	4.5	58	1	1	3	5	9	11	26
2. MULTIPLE DX	262	8.3	136	1	1	5	10	16	26	69
A. NOT OPERATED	177	3.9	18	<1	1	3	4	9	13	17
B. OPERATED	226	9.3	173	1	2	5	10	17	29	79
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	44	8.5	79	1	2	6	11	17	20	54
1-5 YRS	179	7.8	137	1	1	4	9	16	26	71
6-12 YRS	44	6.9	106	<1	1	4	8	14	20	63
13-19 YRS	135	5.3	91	1	1	3	5	8	13	72
GRAND TOTAL	**403**	**7.0**	**112**	**1**	**1**	**4**	**8**	**14**	**20**	**66**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.3	3	1	1	3	4	5	5	5
1-5 YRS	12	6.7	218	1	1	2	3	22	49	53
6-12 YRS	10	2.4	1	<1	<1	2	3	4	4	4
13-19 YRS	11	2.8	5	<1	<1	3	3	6	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	15	5.7	13	1	3	4	8	12	13	13
1-5 YRS	31	8.6	71	2	2	6	12	15	18	46
6-12 YRS	15	4.9	14	<1	<1	5	7	11	11	11
13-19 YRS	13	4.8	11	1	1	5	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	18	5.1	7	3	3	4	6	8	11	13
1-5 YRS	77	3.7	10	<1	<1	3	5	8	10	16
6-12 YRS	34	4.1	20	<1	1	3	4	8	17	21
13-19 YRS	68	4.8	38	1	1	3	6	10	11	42
B. *Operated*										
0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	27	10.5	63	1	2	9	14	25	29	32
1-5 YRS	64	12.8	328	1	2	7	12	32	48	96
6-12 YRS	39	9.6	77	1	2	6	12	23	33	36
13-19 YRS	113	10.0	105	1	2	8	11	23	27	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.0	72	<1	<1	2	3	5	9	53
B. *Operated*	74	6.6	39	1	1	5	9	13	15	39
2. MULTIPLE DX										
A. *Not Operated*	199	4.2	21	<1	1	3	5	9	11	20
B. *Operated*	245	10.7	153	1	2	8	12	25	32	69
1. SINGLE DX	111	5.7	51	<1	1	4	7	12	15	49
2. MULTIPLE DX	444	7.8	104	1	1	5	9	14	26	55
A. NOT OPERATED	236	4.2	29	<1	1	3	5	9	11	25
B. OPERATED	319	9.7	130	1	2	7	11	18	30	64
TOTAL 0-27 DYS	4	3.8	8	2	2	3	5	8	8	8
1-11 MOS	64	7.4	39	2	3	5	9	14	19	31
1-5 YRS	184	7.9	158	<1	1	4	8	15	28	79
6-12 YRS	98	6.2	47	<1	1	4	8	13	20	36
13-19 YRS	205	7.6	78	1	1	5	9	13	25	51
GRAND TOTAL	**555**	**7.4**	**94**	**1**	**1**	**5**	**9**	**14**	**25**	**53**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	7	3.6	35	<1	<1	1	2	14	17	17
13-19 YRS	29	2.2	2	<1	<1	1	4	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	4.3	8	1	1	5	7	7	9	9
6-12 YRS	36	6.1	26	1	1	5	7	10	19	25
13-19 YRS	197	4.5	10	1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	11.0		11	11	11	11	11	11	11
1-5 YRS	3	2.7	2	1	1	3	4	4	4	4
6-12 YRS	11	5.6	66	<1	<1	3	6	16	28	29
13-19 YRS	55	3.8	8	<1	<1	3	5	7	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	8.2	53	1	1	5	16	16	16	16
6-12 YRS	19	11.8	52	2	3	12	19	22	24	25
13-19 YRS	132	7.8	28	2	2	7	10	15	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.5	8	<1	<1	1	4	4	6	17
B. *Operated*	248	4.7	13	1	1	5	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	71	4.2	17	<1	<1	3	5	8	11	26
B. *Operated*	156	8.3	33	2	2	7	11	16	19	28
1. SINGLE DX	285	4.4	12	<1	1	4	6	8	10	18
2. MULTIPLE DX	227	7.0	31	1	1	6	9	15	18	28
A. NOT OPERATED	108	3.6	15	<1	<1	3	5	7	11	22
B. OPERATED	404	6.1	23	1	1	5	8	12	16	24
TOTAL 0-27 DYS										
1-11 MOS	2	11.0		11	11	11	11	11	11	11
1-5 YRS	24	4.9	17	1	1	4	7	10	16	16
6-12 YRS	73	7.2	45	<1	1	5	9	19	22	28
13-19 YRS	413	5.3	18	1	1	5	7	10	13	20
GRAND TOTAL	**512**	**5.6**	**23**	**1**	**1**	**5**	**7**	**11**	**15**	**24**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	11	6.6	24	1	1	6	9	14	17	17
1-5 YRS	103	3.5	10	<1	<1	3	5	8	10	15
6-12 YRS	116	4.6	40	<1	1	3	4	9	20	34
13-19 YRS	82	4.3	23	<1	<1	2	5	11	16	22
B. *Operated*										
0-27 DYS	2	8.5	113	1	1	8	16	16	16	16
1-11 MOS	10	14.2	501	2	2	8	11	44	77	77
1-5 YRS	139	6.7	36	<1	1	5	9	14	21	29
6-12 YRS	124	4.6	20	<1	<1	3	7	11	13	22
13-19 YRS	51	7.5	79	<1	1	4	9	25	30	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	10.1	370	2	2	4	8	19	63	76
1-5 YRS	202	5.9	68	<1	<1	4	7	12	16	35
6-12 YRS	185	5.4	28	1	1	4	7	11	14	28
13-19 YRS	120	5.6	30	<1	1	4	7	12	16	27
B. *Operated*										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	12	17.3	124	3	7	16	24	56	92	99+
1-5 YRS	191	13.4	145	3	4	10	17	28	35	66
6-12 YRS	118	15.7	371	1	2	9	20	37	76	99
13-19 YRS	89	17.0	190	2	3	13	27	35	45	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	4.2	25	<1	<1	3	5	10	15	28
B. *Operated*	326	6.3	53	<1	<1	4	9	13	20	30
2. MULTIPLE DX										
A. *Not Operated*	521	5.8	53	<1	1	4	7	12	15	31
B. *Operated*	411	15.0	220	2	3	11	20	33	46	95
1. SINGLE DX	639	5.3	40	<1	<1	3	7	12	16	29
2. MULTIPLE DX	932	9.9	148	1	1	6	12	23	32	76
A. NOT OPERATED	834	5.2	43	<1	1	4	6	11	15	29
B. OPERATED	737	11.2	165	<1	1	7	14	27	35	77
TOTAL 0-27 DYS	4	12.8	158	1	1	10	22	29	29	29
1-11 MOS	47	12.0	254	2	2	8	13	25	76	99+
1-5 YRS	635	8.0	89	<1	1	5	10	17	24	48
6-12 YRS	543	7.3	122	<1	1	4	8	15	25	76
13-19 YRS	342	8.5	103	<1	1	5	11	24	31	51
GRAND TOTAL	**1571**	**8.0**	**109**	**<1**	**1**	**5**	**10**	**18**	**28**	**63**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.8	5	<1	<1	5	7	7	7	7
1-5 YRS	33	3.6	10	<1	<1	2	5	7	9	16
6-12 YRS	44	3.5	6	<1	<1	4	5	8	9	99+
13-19 YRS	40	2.1	4	<1	<1	1	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.5	100	2	2	7	16	25	25	25
1-5 YRS	19	9.6	61	1	2	8	13	21	26	29
6-12 YRS	21	9.3	80	1	1	9	10	21	33	35
13-19 YRS	38	12.4	199	1	1	7	18	35	40	59
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	4.5	9	1	1	4	7	9	10	10
1-5 YRS	73	5.8	24	<1	1	4	7	13	15	25
6-12 YRS	84	5.8	41	<1	1	3	8	15	18	33
13-19 YRS	71	6.6	43	<1	1	5	9	13	17	34
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	11	20.5	219	4	4	18	27	41	52	53
1-5 YRS	39	16.9	358	1	1	10	15	53	63	68
6-12 YRS	64	19.1	214	3	5	15	28	39	49	65
13-19 YRS	88	24.5	446	2	3	15	43	55	63	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	3.2	7	<1	<1	2	5	7	8	38
B. *Operated*	82	10.9	130	1	2	7	13	31	35	53
2. MULTIPLE DX										
A. *Not Operated*	238	6.0	35	<1	1	4	8	13	17	32
B. *Operated*	203	21.1	347	2	3	13	32	51	61	80
1. SINGLE DX	205	6.2	70	<1	<1	4	7	14	29	48
2. MULTIPLE DX	441	12.9	235	1	1	7	15	36	49	66
A. NOT OPERATED	361	5.0	27	<1	<1	4	7	11	15	32
B. OPERATED	285	18.1	305	1	2	11	28	48	55	73
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	31	11.0	141	1	2	7	16	27	33	53
1-5 YRS	164	8.4	128	<1	1	5	10	16	29	63
6-12 YRS	213	9.7	129	<1	1	5	11	28	35	62
13-19 YRS	237	13.4	290	<1	<1	7	15	42	54	77
GRAND TOTAL	**646**	**10.8**	**192**	**<1**	**1**	**6**	**12**	**31**	**47**	**66**

49: Lymphatic and hematopoietic neoplasm, except hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.7	3	2	2	3	6	6	6	6
6-12 YRS	17	3.8	6	1	1	3	6	7	8	8
13-19 YRS	23	2.7	3	<1	1	2	4	4	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	72	3	3	9	15	15	15	15
1-5 YRS	21	6.8	63	<1	1	5	8	14	25	37
6-12 YRS	33	6.6	30	1	1	5	9	13	19	23
13-19 YRS	48	5.8	27	1	1	4	8	11	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.8	6	<1	<1	2	4	6	6	6
1-5 YRS	22	4.5	11	<1	1	4	6	10	12	13
6-12 YRS	37	5.5	66	1	1	3	5	8	24	43
13-19 YRS	47	6.8	87	1	1	4	9	14	22	49
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	4	11.0	279	1	1	3	20	36	36	36
1-5 YRS	25	19.8	540	4	6	8	31	67	96	99+
6-12 YRS	35	14.3	288	2	4	9	16	26	51	89
13-19 YRS	60	15.6	192	2	3	11	20	37	41	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.2	4	1	1	3	4	6	8	8
B. *Operated*	104	6.3	35	1	1	5	9	13	20	29
2. MULTIPLE DX										
A. *Not Operated*	110	5.8	62	1	1	3	6	11	15	46
B. *Operated*	125	15.9	286	2	3	10	19	39	59	96
1. SINGLE DX	150	5.4	27	1	1	4	7	11	15	23
2. MULTIPLE DX	235	11.1	206	1	2	6	12	30	42	90
A. NOT OPERATED	156	5.0	46	1	1	3	5	9	13	43
B. OPERATED	229	11.5	194	1	2	7	13	25	40	90
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	10	7.3	119	<1	<1	3	6	25	36	36
1-5 YRS	74	10.3	247	<1	1	6	9	31	51	99
6-12 YRS	122	8.1	125	1	1	5	9	17	25	67
13-19 YRS	178	9.0	118	1	1	5	10	22	34	58
GRAND TOTAL	**385**	**8.9**	**144**	**1**	**1**	**5**	**10**	**21**	**36**	**68**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7		<1	<1	2	2	2	2	2
1-5 YRS	12	1.3		<1	<1	1	1	2	3	3
6-12 YRS	29	1.8	1	<1	<1	1	2	3	4	4
13-19 YRS	102	3.3	12	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	8	1.6	1	1	1	1	2	3	4	4
6-12 YRS	10	2.3	2	1	1	2	3	5	5	5
13-19 YRS	22	3.4	6	<1	1	3	4	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	146	2.8	9	<1	<1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	4	1.0		<1	<1	1	1	1	1	1
B. *Operated*	42	2.8	5	1	1	2	3	6	7	10
1. SINGLE DX	147	2.8	9	<1	<1	2	3	6	9	17
2. MULTIPLE DX	46	2.7	5	<1	1	2	3	6	7	10
A. NOT OPERATED	5	1.4	1	<1	<1	1	2	3	3	3
B. OPERATED	188	2.8	8	<1	1	2	3	6	8	15
TOTAL 0-27 DYS										
1-11 MOS	5	2.4	4	<1	<1	2	3	6	6	6
1-5 YRS	21	1.4	1	<1	<1	1	2	3	3	4
6-12 YRS	39	1.9	1	<1	<1	2	2	4	5	5
13-19 YRS	128	3.3	11	1	1	2	4	7	9	19
GRAND TOTAL	**193**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	9	2.0	2	<1	<1	1	3	5	5	5
6-12 YRS	3	1.7	1	<1	<1	1	2	3	3	3
13-19 YRS	5	2.6	1	1	1	3	3	4	4	4
B. *Operated*										
0-27 DYS	1	70.0		70	70	70	70	70	70	70
1-11 MOS	3	6.3	16	2	2	7	9	10	10	10
1-5 YRS	46	2.5	3	<1	1	2	3	5	6	8
6-12 YRS	36	4.4	22	<1	<1	2	6	11	15	20
13-19 YRS	40	6.1	25	<1	1	6	10	11	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	5.0	45	1	1	2	9	15	15	15
1-5 YRS	6	1.8	1	1	1	2	2	3	3	3
6-12 YRS	10	4.7	13	1	1	4	5	10	14	14
13-19 YRS	8	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	3	8.7	86	1	1	6	16	19	19	19
1-5 YRS	25	3.1	5	1	1	2	4	7	7	8
6-12 YRS	35	3.9	15	1	1	2	6	9	11	17
13-19 YRS	54	6.1	18	1	1	6	9	12	14	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.4	3	<1	<1	2	3	5	6	7
B. *Operated*	126	4.8	52	<1	1	3	6	10	12	35
2. MULTIPLE DX										
A. *Not Operated*	28	3.4	12	<1	1	2	4	6	14	15
B. *Operated*	118	5.1	23	1	1	3	8	11	14	23
1. SINGLE DX	144	4.5	46	<1	1	3	6	10	12	27
2. MULTIPLE DX	146	4.8	21	1	1	3	7	11	14	20
A. NOT OPERATED	46	3.0	8	<1	1	2	4	5	8	15
B. OPERATED	244	5.0	38	<1	1	3	7	11	13	24
TOTAL 0-27 DYS	2	51.0	722	32	32	51	70	70	70	70
1-11 MOS	11	6.5	36	1	1	6	9	17	19	19
1-5 YRS	86	2.6	3	<1	1	2	3	5	7	8
6-12 YRS	84	4.1	17	<1	1	2	6	10	14	19
13-19 YRS	107	5.7	20	<1	1	5	9	11	12	20
GRAND TOTAL	**290**	**4.6**	**34**	**<1**	**1**	**3**	**6**	**10**	**12**	**22**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	21	1.1		<1	<1	1	1	2	2	2
6-12 YRS	11	1.4		<1	<1	1	2	2	2	2
13-19 YRS	4	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	13	2.3	7	<1	<1	1	2	8	8	8
1-5 YRS	176	1.6	1	<1	<1	1	2	2	3	7
6-12 YRS	128	1.8	3	<1	<1	1	2	2	5	10
13-19 YRS	41	2.8	11	<1	<1	1	3	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	11	3.2	5	1	1	3	5	6	8	8
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	3	5.0	7	2	2	6	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	71	3.5	20	<1	1	2	4	8	14	24
6-12 YRS	38	2.9	14	<1	<1	2	3	6	12	19
13-19 YRS	31	4.1	21	1	1	2	4	15	17	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	1.2		<1	<1	1	1	2	2	2
B. *Operated*	358	1.8	3	<1	<1	1	2	2	5	9
2. MULTIPLE DX										
A. *Not Operated*	18	3.5	5	1	1	3	5	7	8	8
B. *Operated*	143	3.4	18	<1	1	2	3	9	15	29
1. SINGLE DX	397	1.8	3	<1	<1	1	2	2	5	9
2. MULTIPLE DX	161	3.4	17	<1	1	2	4	8	14	24
A. NOT OPERATED	57	1.9	3	<1	<1	1	2	5	6	8
B. OPERATED	501	2.3	8	<1	<1	2	2	4	8	18
TOTAL 0-27 DYS										
1-11 MOS	20	2.2	5	<1	<1	1	2	6	8	8
1-5 YRS	279	2.1	7	<1	<1	1	2	3	6	15
6-12 YRS	180	2.0	5	<1	<1	1	2	3	6	13
13-19 YRS	79	3.3	15	<1	<1	2	4	8	15	76
GRAND TOTAL	**558**	**2.3**	**7**	**<1**	**<1**	**2**	**2**	**4**	**7**	**17**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	2.7	4	<1	<1	2	5	5	5	5
1-5 YRS	8	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	9	7.0	205	1	1	2	3	29	45	45
13-19 YRS	10	2.7	4	<1	<1	2	4	6	7	7
B. *Operated*										
0-27 DYS	5	5.4	7	3	3	5	7	9	9	9
1-11 MOS	63	2.5	6	<1	<1	2	3	5	9	12
1-5 YRS	165	2.8	16	<1	<1	2	3	5	7	20
6-12 YRS	434	2.3	3	<1	1	2	3	4	6	8
13-19 YRS	958	2.4	3	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.7	2	<1	<1	3	4	4	4	4
1-5 YRS	9	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	16	3.0	12	<1	<1	1	3	10	10	10
13-19 YRS	17	3.4	67	<1	<1	1	2	4	24	35
B. *Operated*										
0-27 DYS	4	3.5	6	2	2	3	5	7	7	7
1-11 MOS	14	5.4	27	<1	<1	3	7	15	15	15
1-5 YRS	49	3.8	22	<1	<1	2	4	8	16	23
6-12 YRS	77	3.5	10	<1	1	3	4	8	10	16
13-19 YRS	205	3.8	14	1	1	2	5	9	12	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.6	56	<1	<1	2	4	5	7	45
B. *Operated*	1625	2.4	5	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	45	2.9	29	<1	<1	1	2	4	10	35
B. *Operated*	349	3.8	14	<1	1	2	5	9	12	20
1. SINGLE DX	1659	2.4	6	<1	<1	2	3	5	6	10
2. MULTIPLE DX	394	3.7	16	<1	<1	2	4	9	12	21
A. NOT OPERATED	79	3.2	40	<1	<1	1	3	5	9	42
B. OPERATED	1974	2.7	7	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	9	4.6	7	2	2	3	7	8	9	9
1-11 MOS	87	3.0	10	<1	<1	2	3	7	11	15
1-5 YRS	231	2.9	16	<1	<1	2	3	5	8	21
6-12 YRS	536	2.5	7	<1	1	2	3	5	7	10
13-19 YRS	1190	2.6	6	<1	1	2	3	5	7	12
GRAND TOTAL	**2053**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.3	70	1	1	2	12	16	16	16
1-11 MOS	22	3.4	15	<1	<1	2	3	8	13	18
1-5 YRS	19	4.1	30	<1	<1	1	4	15	18	19
6-12 YRS	7	2.3	1	<1	<1	2	3	4	4	4
13-19 YRS	7	2.3	3	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS	11	2.5	4	1	1	2	3	6	8	8
1-11 MOS	228	2.9	11	<1	<1	2	3	6	9	19
1-5 YRS	614	2.1	11	<1	<1	1	2	4	6	10
6-12 YRS	397	2.1	4	<1	<1	1	2	4	5	11
13-19 YRS	335	2.5	18	<1	<1	2	3	4	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	31	4.6	55	<1	<1	2	5	10	11	41
1-5 YRS	35	3.4	14	<1	<1	2	4	11	12	17
6-12 YRS	14	2.8	13	<1	<1	1	3	7	12	14
13-19 YRS	13	2.5	6	<1	<1	2	3	6	8	9
B. *Operated*										
0-27 DYS	7	13.7	310	2	2	9	14	45	52	52
1-11 MOS	91	5.8	49	<1	1	2	8	14	22	32
1-5 YRS	152	4.5	60	<1	<1	2	4	10	15	53
6-12 YRS	104	4.1	47	<1	<1	2	4	8	17	41
13-19 YRS	112	5.3	106	<1	<1	2	4	13	22	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.5	19	<1	<1	2	3	8	17	19
B. *Operated*	1585	2.3	11	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	94	3.6	26	<1	<1	2	4	9	11	30
B. *Operated*	466	5.0	70	<1	<1	2	5	12	19	51
1. SINGLE DX	1643	2.3	11	<1	<1	1	2	5	7	14
2. MULTIPLE DX	560	4.8	63	<1	<1	2	5	11	17	45
A. NOT OPERATED	152	3.5	23	<1	<1	2	4	9	12	19
B. OPERATED	2051	2.9	26	<1	<1	2	3	6	9	24
TOTAL 0-27 DYS	22	6.5	124	1	1	2	8	15	30	52
1-11 MOS	372	3.8	25	<1	<1	2	4	9	12	26
1-5 YRS	820	2.7	22	<1	<1	1	3	5	8	18
6-12 YRS	522	2.5	13	<1	<1	1	3	5	8	17
13-19 YRS	467	3.2	40	<1	<1	2	3	6	9	25
GRAND TOTAL	**2203**	**3.0**	**25**	**<1**	**<1**	**2**	**3**	**6**	**9**	**23**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	16	2.5	4	<1	1	2	3	5	8	9
13-19 YRS	341	1.6		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	3	2.3	2	<1	<1	2	3	4	4	4
13-19 YRS	57	2.0	1	<1	<1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	360	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	61	2.0	1	<1	<1	2	2	3	4	7
1. SINGLE DX	360	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	62	2.0	1	<1	<1	2	2	3	4	7
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	421	1.7	1	<1	<1	2	2	2	3	5
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	2	<1	<1	3	4	4	4	4
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	19	2.5	4	<1	<1	2	3	5	7	9
13-19 YRS	399	1.6	1	<1	<1	1	2	2	3	4
GRAND TOTAL	**422**	**1.7**	**1**	**<1**	**<1**	**2**	**2**	**2**	**3**	**5**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	4	6.3		6	6	6	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	14	4.7	5	<1	1	5	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-27 DYS	6	6.7	4	4	4	6	8	10	10	10
1-11 MOS	33	6.1	5	2	3	6	7	8	9	13
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	17	6.4	32	2	2	5	6	13	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	18	5.1	4	<1	1	5	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	59	6.3	12	2	3	6	7	9	12	24
1. SINGLE DX	20	4.9	4	<1	1	5	6	7	8	8
2. MULTIPLE DX	61	6.2	12	2	3	6	7	9	11	24
A. NOT OPERATED	4	3.8	2	2	2	4	5	5	5	5
B. OPERATED	77	6.0	10	2	2	6	7	8	10	22
TOTAL 0-27 DYS	6	6.7	4	4	4	6	8	10	10	10
1-11 MOS	37	6.1	4	2	3	6	7	8	9	13
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	7.0		7	7	7	7	7	7	7
13-19 YRS	35	5.4	18	1	2	5	6	8	13	25
GRAND TOTAL	**81**	**5.9**	**10**	**2**	**2**	**6**	**7**	**8**	**10**	**22**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	3.8	6	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	6	3.8	5	1	1	4	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
1. SINGLE DX	6	3.8	5	1	1	4	5	7	7	7
2. MULTIPLE DX	1	1.0		1	1	1	1	1	1	1
A. NOT OPERATED										
B. OPERATED	7	3.4	5	1	1	4	5	7	7	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	3.3	6	1	1	3	5	7	7	7
GRAND TOTAL	**7**	**3.4**	**5**	**1**	**1**	**4**	**5**	**7**	**7**	**7**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	9	4.9	4	2	2	5	6	8	9	9
6-12 YRS	24	5.2	3	3	3	5	6	8	8	8
13-19 YRS	324	4.8	2	3	3	5	5	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	4.3	6	2	2	4	6	7	7	7
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	5	4.0	2	3	3	4	5	6	6	6
6-12 YRS	19	6.3	10	4	4	5	6	10	15	17
13-19 YRS	274	5.5	5	3	3	5	6	8	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	358	4.8	2	3	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	3	4.3	6	2	2	4	6	7	7	7
B. *Operated*	301	5.6	6	3	3	5	6	8	9	17
1. SINGLE DX	363	4.8	2	3	3	5	6	7	7	9
2. MULTIPLE DX	304	5.5	6	3	3	5	6	8	9	17
A. NOT OPERATED	8	2.6	4	<1	<1	2	3	6	7	7
B. OPERATED	659	5.1	4	3	3	5	6	7	8	11
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	5.3		5	5	5	6	6	6	6
1-5 YRS	14	4.6	3	2	3	4	5	7	9	9
6-12 YRS	43	5.7	6	3	4	5	6	8	10	17
13-19 YRS	606	5.1	4	3	3	5	6	7	8	11
GRAND TOTAL	**667**	**5.1**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	8	4.3	6	<1	1	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	4	5.5	4	3	3	5	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	12	3.3	6	<1	<1	3	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	7	4.6	4	2	2	5	6	8	8	8
1. SINGLE DX	13	3.3	5	<1	<1	3	4	7	8	8
2. MULTIPLE DX	8	4.1	5	1	1	4	6	7	8	8
A. NOT OPERATED	2	2.0	2	1	1	2	3	3	3	3
B. OPERATED	19	3.8	5	<1	1	3	5	7	8	8
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	2.8	2	1	1	3	4	5	5	5
13-19 YRS	13	4.4	6	<1	1	4	6	8	8	8
GRAND TOTAL	**21**	**3.6**	**5**	**<1**	**1**	**3**	**5**	**7**	**8**	**8**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.2		<1	<1	<1	1	2	2	2
6-12 YRS	4	1.3		<1	<1	1	2	2	2	2
13-19 YRS	13	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	5	2.0	1	<1	<1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	24	1.4	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	8	2.3	2	<1	<1	2	3	4	5	5
1. SINGLE DX	24	1.4	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	8	2.3	2	<1	<1	2	3	4	5	5
A. NOT OPERATED										
B. OPERATED	32	1.6	1	<1	<1	1	2	3	4	5
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	7	1.7	2	<1	<1	<1	2	4	5	5
6-12 YRS	6	1.3		<1	<1	1	2	2	2	2
13-19 YRS	18	1.7	1	<1	<1	1	3	3	4	4
GRAND TOTAL	**32**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**5**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	8.4	19	4	4	7	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	3	2.7	4	1	1	2	4	5	5	5
13-19 YRS	3	5.7	12	2	2	6	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	8	5.9	23	1	1	4	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	7	5.7	25	1	1	5	8	14	15	15
1. SINGLE DX	9	5.6	21	1	1	4	8	13	14	14
2. MULTIPLE DX	7	5.7	25	1	1	5	8	14	15	15
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	15	5.8	22	1	1	5	8	14	15	15
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	8.0	98	1	1	8	15	15	15	15
6-12 YRS	4	2.5	3	1	1	2	4	5	5	5
13-19 YRS	9	6.9	17	2	2	6	10	13	14	14
GRAND TOTAL	**16**	**5.6**	**21**	**1**	**1**	**4**	**8**	**14**	**15**	**15**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	12	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	13	1.7	1	<1	<1	1	2	3	5	5
6-12 YRS	10	1.2		<1	<1	<1	1	2	2	2
13-19 YRS	16	1.5	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	9	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	5	2.2	2	1	1	2	3	4	4	4
13-19 YRS	3	15.0	508	1	1	3	31	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	51	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	4	1.3		<1	<1	<1	1	2	2	2
B. *Operated*	19	3.8	82	<1	<1	1	3	4	24	41
1. SINGLE DX	51	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	23	3.3	68	<1	<1	1	2	3	17	41
A. NOT OPERATED	4	1.3		<1	<1	<1	1	2	2	2
B. OPERATED	70	2.0	23	<1	<1	1	2	3	3	34
TOTAL 0-27 DYS										
1-11 MOS	15	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	24	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	15	1.5	1	<1	<1	1	2	3	4	4
13-19 YRS	20	3.6	78	<1	<1	1	2	3	22	41
GRAND TOTAL	**74**	**2.0**	**22**	**<1**	**<1**	**1**	**2**	**3**	**3**	**32**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	5	9.8	25	3	3	13	13	14	14	14
1-5 YRS	3	5.7	2	4	4	6	7	7	7	7
6-12 YRS	9	8.7	14	3	4	8	10	14	16	16
13-19 YRS	13	9.5	30	1	3	7	13	17	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	6.7	96	1	1	1	14	18	18	18
6-12 YRS	3	1.7	1	1	1	1	3	3	3	3
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	3	21.7	177	7	7	25	31	33	33	33
1-5 YRS	7	10.4	22	6	6	9	14	18	18	18
6-12 YRS	12	13.7	111	2	4	11	17	31	38	39
13-19 YRS	32	16.3	187	5	6	13	17	31	50	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.8		<1	<1	2	2	2	2	2
B. *Operated*	30	8.9	21	3	3	8	12	15	16	21
2. MULTIPLE DX										
A. *Not Operated*	9	3.6	30	1	1	2	3	12	18	18
B. *Operated*	55	15.6	152	5	6	12	18	33	44	65
1. SINGLE DX	34	8.1	24	1	2	7	12	15	16	21
2. MULTIPLE DX	64	13.9	152	1	2	11	17	28	41	64
A. NOT OPERATED	13	3.0	21	<1	<1	2	2	6	16	18
B. OPERATED	85	13.2	116	4	5	10	15	25	36	61
TOTAL 0-27 DYS	2	18.5	545	2	2	18	35	35	35	35
1-11 MOS	10	11.8	107	<1	1	10	14	29	33	33
1-5 YRS	13	8.5	32	1	1	7	11	18	18	18
6-12 YRS	25	10.0	74	1	2	8	12	20	30	39
13-19 YRS	48	13.6	149	2	4	11	15	22	46	66
GRAND TOTAL	**98**	**11.9**	**115**	**1**	**2**	**9**	**15**	**22**	**34**	**59**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	100	2.9	2	1	1	3	4	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	18	3.4	4	1	1	3	4	6	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	109	2.8	2	1	1	3	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*	22	3.4	3	1	2	3	4	6	7	9
1. SINGLE DX	109	2.8	2	1	1	3	3	4	5	10
2. MULTIPLE DX	24	3.4	3	1	2	3	4	6	7	9
A. NOT OPERATED	2	3.5	5	2	2	3	5	5	5	5
B. OPERATED	131	2.9	3	1	1	3	4	4	5	10
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	7	2.6	2	1	1	3	4	4	4	4
13-19 YRS	120	3.0	3	1	1	3	4	5	6	10
GRAND TOTAL	**133**	**2.9**	**3**	**1**	**1**	**3**	**4**	**4**	**5**	**10**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	5	3.4	2	2	2	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	7.6	5	4	4	9	9	9	9	9
13-19 YRS	21	6.5	8	2	3	7	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.0	3	2	2	4	5	6	6	6
13-19 YRS	8	3.5	7	1	1	3	5	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	32	5	5	9	13	13	13	13
1-5 YRS	4	9.3	20	4	4	10	13	13	13	13
6-12 YRS	2	10.0	162	1	1	10	19	19	19	19
13-19 YRS	23	12.4	142	3	4	8	12	32	43	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	2	<1	<1	3	4	5	5	5
B. *Operated*	26	6.7	7	2	3	7	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	12	3.7	6	1	1	3	5	7	9	9
B. *Operated*	31	11.6	114	2	3	8	13	25	39	49
1. SINGLE DX	34	5.9	8	2	2	6	8	9	11	12
2. MULTIPLE DX	43	9.4	96	1	2	7	11	19	33	49
A. NOT OPERATED	20	3.4	4	<1	1	3	5	6	7	9
B. OPERATED	57	9.4	70	2	3	7	10	15	27	48
TOTAL 0-27 DYS										
1-11 MOS	2	9.0	32	5	5	9	13	13	13	13
1-5 YRS	5	7.6	29	<1	<1	7	13	13	13	13
6-12 YRS	13	6.2	23	1	2	5	9	11	18	19
13-19 YRS	57	8.2	73	2	2	6	9	12	27	48
GRAND TOTAL	**77**	**7.8**	**60**	**1**	**2**	**6**	**9**	**13**	**20**	**47**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	3	4	4	4	6	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	25	2.3	2	<1	1	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	3.0	3	1	1	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	14	3.1	5	1	1	2	5	6	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	28	2.6	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	17	3.1	5	1	1	2	4	6	7	8
1. SINGLE DX	28	2.6	3	1	1	2	3	6	7	7
2. MULTIPLE DX	17	3.1	5	1	1	2	4	6	7	8
A. NOT OPERATED										
B. OPERATED	45	2.8	4	1	1	2	4	6	7	8
TOTAL 0-27 DYS										
1-11 MOS	6	4.0	4	1	1	4	4	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	39	2.6	3	1	1	2	3	6	7	8
GRAND TOTAL	**45**	**2.8**	**4**	**1**	**1**	**2**	**4**	**6**	**7**	**8**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	2	7.5	85	1	1	7	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	6	1.8	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	7.7	42	1	1	8	12	14	14	14
1. SINGLE DX	7	2.0	2	<1	<1	1	3	4	4	4
2. MULTIPLE DX	3	7.7	42	1	1	8	12	14	14	14
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	9	3.8	20	<1	<1	1	5	12	14	14
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	4.5	25	<1	<1	4	8	8	8	8
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	5	5.0	27	1	1	3	6	14	14	14
GRAND TOTAL	**10**	**3.7**	**18**	**<1**	**<1**	**2**	**4**	**11**	**14**	**14**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.6	5	1	1	2	4	6	7	7
1-5 YRS	27	2.6	9	<1	<1	1	2	8	10	12
6-12 YRS	36	2.7	3	<1	<1	2	4	5	6	8
13-19 YRS	46	3.0	5	<1	1	3	4	5	9	10
B. *Operated*										
0-27 DYS	7	5.3	7	2	2	5	7	9	10	10
1-11 MOS	23	3.6	8	<1	1	3	5	8	10	11
1-5 YRS	86	4.7	33	<1	1	2	6	11	16	31
6-12 YRS	117	4.6	18	<1	1	3	6	10	13	22
13-19 YRS	212	4.3	14	1	1	3	6	9	11	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.0	37	<1	<1	2	9	12	12	12
1-11 MOS	16	5.4	144	<1	<1	2	4	6	37	50
1-5 YRS	36	2.8	7	<1	<1	2	4	4	7	15
6-12 YRS	55	3.6	14	<1	1	2	4	9	10	21
13-19 YRS	69	4.2	24	1	1	3	5	9	11	25
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	20	10.6	107	1	2	8	12	28	34	37
1-5 YRS	61	8.9	69	1	2	6	13	18	25	45
6-12 YRS	93	9.1	79	1	2	6	11	22	30	43
13-19 YRS	149	8.7	151	1	1	5	10	17	27	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	2.8	5	<1	<1	2	4	5	8	11
B. *Operated*	445	4.4	18	<1	1	3	6	9	12	25
2. MULTIPLE DX										
A. *Not Operated*	179	3.9	28	<1	1	2	4	8	10	25
B. *Operated*	325	8.9	111	1	2	6	11	20	29	51
1. SINGLE DX	562	4.1	16	<1	1	3	5	9	11	23
2. MULTIPLE DX	504	7.1	87	1	1	4	9	16	23	47
A. NOT OPERATED	296	3.4	19	<1	1	2	4	8	10	24
B. OPERATED	770	6.3	62	1	1	4	8	13	20	37
TOTAL 0-27 DYS	13	4.5	12	<1	1	4	6	10	12	12
1-11 MOS	66	6.0	77	1	1	3	6	12	25	48
1-5 YRS	210	5.3	42	<1	1	3	7	13	17	32
6-12 YRS	301	5.6	40	<1	1	3	7	12	18	32
13-19 YRS	476	5.5	62	1	1	3	7	10	15	42
GRAND TOTAL	**1066**	**5.5**	**52**	**<1**	**1**	**3**	**7**	**12**	**17**	**34**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	2.6	1	1	1	3	3	4	4	4
13-19 YRS	57	2.9	1	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	6	2.7	5	1	1	2	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.3	2	4	4	5	6	7	7	7
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	18	3.3	2	1	1	3	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*	67	2.9	1	1	1	3	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	10	2.3	3	1	1	2	3	5	6	6
B. *Operated*	22	3.5	3	1	1	3	5	6	7	7
1. SINGLE DX	70	2.9	1	1	1	3	4	4	5	5
2. MULTIPLE DX	32	3.2	3	1	1	3	5	6	6	7
A. NOT OPERATED	13	2.2	3	1	1	1	3	5	6	6
B. OPERATED	89	3.1	2	1	1	3	4	5	5	7
TOTAL 0-27 DYS										
1-11 MOS	5	4.0	5	1	1	4	5	7	7	7
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	12	2.5	1	1	1	2	3	4	4	4
13-19 YRS	82	3.0	2	1	1	3	4	5	5	6
GRAND TOTAL	**102**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**7**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	3.6	3	2	2	3	5	7	7	7
1-11 MOS										
1-5 YRS	12	4.3	10	<1	1	3	5	10	11	11
6-12 YRS	12	3.2	7	1	1	2	5	7	9	9
13-19 YRS	31	4.2	9	1	1	4	6	9	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	15	2.9	2	1	1	3	4	5	5	5
13-19 YRS	94	4.1	4	1	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.4	5	2	2	4	6	8	8	8
1-11 MOS	13	8.7	106	<1	<1	5	11	23	34	36
1-5 YRS	13	6.4	53	1	1	4	6	20	24	25
6-12 YRS	19	3.6	4	1	1	3	5	6	7	8
13-19 YRS	66	4.9	32	1	1	4	6	8	10	40
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	7	11.9	168	2	2	6	20	34	36	36
13-19 YRS	35	5.1	12	1	2	4	5	11	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	4.0	8	1	1	3	5	8	11	12
B. *Operated*	110	3.9	4	1	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	116	5.3	38	1	1	4	6	8	17	39
B. *Operated*	44	6.4	43	1	2	4	6	13	20	36
1. SINGLE DX	172	3.9	6	1	1	4	5	7	9	12
2. MULTIPLE DX	160	5.6	39	1	1	4	6	9	18	36
A. NOT OPERATED	178	4.8	28	1	1	4	6	8	12	33
B. OPERATED	154	4.6	16	1	2	4	5	7	12	24
TOTAL 0-27 DYS	13	5.0	19	2	2	3	6	10	16	18
1-11 MOS	13	8.7	106	<1	<1	5	11	23	34	36
1-5 YRS	27	5.1	31	1	1	4	6	11	20	25
6-12 YRS	53	4.4	31	1	1	3	5	7	9	36
13-19 YRS	226	4.5	14	1	1	4	5	8	11	15
GRAND TOTAL	**332**	**4.7**	**22**	**1**	**1**	**4**	**5**	**8**	**12**	**27**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	141	5.2	5	2	2	5	7	8	9	11
6-12 YRS	298	5.6	6	2	3	5	7	8	10	14
13-19 YRS	235	4.7	7	1	2	4	6	8	10	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.8	30	1	1	2	2	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	6.0	4	3	3	6	7	9	9	9
1-5 YRS	84	5.4	9	1	1	5	7	9	12	14
6-12 YRS	225	5.0	18	1	1	5	6	9	10	24
13-19 YRS	252	5.8	43	1	2	5	7	10	14	39
B. *Operated*										
0-27 DYS										
1-11 MOS	2	20.0	2	19	19	20	21	21	21	21
1-5 YRS	2	15.0	98	8	8	15	22	22	22	22
6-12 YRS										
13-19 YRS	9	4.3	20	1	1	3	4	12	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	675	5.2	6	1	2	5	7	8	9	13
B. *Operated*	6	3.8	30	1	1	2	2	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	569	5.4	28	1	1	5	7	9	12	36
B. *Operated*	13	8.4	64	1	2	3	16	21	22	22
1. SINGLE DX	681	5.2	6	1	2	5	7	8	9	14
2. MULTIPLE DX	582	5.5	29	1	1	5	7	9	12	34
A. NOT OPERATED	1244	5.3	16	1	2	5	7	8	10	16
B. OPERATED	19	6.9	56	1	1	3	13	20	22	22
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	10	8.6	39	3	3	6	9	20	21	21
1-5 YRS	227	5.4	8	1	2	5	7	8	10	14
6-12 YRS	523	5.3	11	1	2	5	7	8	10	14
13-19 YRS	502	5.2	26	1	2	4	7	9	11	24
GRAND TOTAL	**1263**	**5.3**	**17**	**1**	**2**	**5**	**7**	**9**	**10**	**17**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	6.4	24	<1	1	6	7	14	18	18
1-5 YRS	104	5.6	9	2	2	5	7	9	10	19
6-12 YRS	723	4.7	21	1	1	4	6	9	11	20
13-19 YRS	1733	3.5	6	1	1	3	5	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	8	5.3	5	3	3	5	7	9	9	9
13-19 YRS	9	5.6	12	2	2	5	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	2.8	2	1	1	3	4	5	5	5
1-11 MOS	16	6.4	13	1	1	7	9	11	11	11
1-5 YRS	128	5.9	11	1	2	6	7	11	12	16
6-12 YRS	801	4.9	25	1	1	4	6	9	11	19
13-19 YRS	2192	4.1	11	1	2	3	5	7	9	15
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.7	6	3	3	6	7	8	8	8
1-5 YRS	1	22.0		22	22	22	22	22	22	22
6-12 YRS	14	8.4	22	3	3	9	11	16	17	17
13-19 YRS	97	8.6	47	2	3	7	11	14	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2569	3.9	10	1	1	3	5	7	9	14
B. *Operated*	19	5.7	8	2	2	5	8	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	3143	4.4	15	1	1	4	6	8	10	16
B. *Operated*	115	8.6	44	2	3	7	11	15	20	39
1. SINGLE DX	2588	4.0	10	1	1	3	5	7	9	14
2. MULTIPLE DX	3258	4.6	17	1	2	4	6	8	10	17
A. NOT OPERATED	5712	4.2	13	1	1	3	5	8	9	15
B. OPERATED	134	8.2	40	2	3	7	10	14	19	35
TOTAL 0-27 DYS	6	2.8	2	1	1	3	4	5	5	5
1-11 MOS	29	6.3	14	1	1	7	8	11	12	18
1-5 YRS	234	5.9	12	1	2	6	7	10	11	18
6-12 YRS	1546	4.8	23	1	1	4	6	9	11	19
13-19 YRS	4031	4.0	10	1	1	3	5	7	9	14
GRAND TOTAL	**5846**	**4.3**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	41	<1	<1	5	10	10	10	10
1-11 MOS	6	8.2	14	3	3	7	12	13	13	13
1-5 YRS	138	5.3	8	1	2	5	7	9	10	14
6-12 YRS	455	5.4	8	2	2	5	7	9	11	16
13-19 YRS	729	4.8	8	1	2	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	12	3.3	4	<1	1	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	14.8	354	4	5	8	16	31	67	75
1-11 MOS	27	6.8	20	2	3	6	8	11	15	24
1-5 YRS	91	6.5	29	1	2	6	8	13	14	74
6-12 YRS	377	5.7	35	1	2	4	7	10	12	42
13-19 YRS	946	5.0	21	1	1	4	6	9	12	26
B. *Operated*										
0-27 DYS	3	15.0	112	7	7	11	23	27	27	27
1-11 MOS	12	25.8	769	3	4	15	36	70	91	95
1-5 YRS	1	19.0		19	19	19	19	19	19	19
6-12 YRS	8	5.0	7	1	1	5	7	8	9	9
13-19 YRS	59	9.3	96	2	2	5	11	20	34	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1330	5.1	8	1	2	5	7	9	10	15
B. *Operated*	14	3.4	4	<1	1	2	5	6	8	8
2. MULTIPLE DX										
A. *Not Operated*	1454	5.4	29	1	1	4	7	9	12	33
B. *Operated*	83	11.6	213	2	3	7	12	28	42	83
1. SINGLE DX	1344	5.0	8	1	2	5	7	9	10	15
2. MULTIPLE DX	1537	5.7	41	1	2	4	7	10	13	41
A. NOT OPERATED	2784	5.2	19	1	2	4	7	9	11	22
B. OPERATED	97	10.4	191	2	2	5	10	24	39	78
TOTAL 0-27 DYS	18	13.8	275	2	4	9	15	25	56	75
1-11 MOS	45	12.0	276	3	3	7	11	24	45	95
1-5 YRS	231	5.8	17	1	2	5	7	10	13	29
6-12 YRS	841	5.5	20	1	2	5	7	9	11	26
13-19 YRS	1746	5.0	18	1	2	4	6	9	11	22
GRAND TOTAL	**2881**	**5.4**	**26**	**1**	**2**	**5**	**7**	**9**	**12**	**28**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	11	1.6		1	1	2	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	42	3.5	5	<1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	13	4.1	8	1	1	3	5	8	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	70	3.5	7	<1	1	3	5	6	7	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.7		1	1	2	2	3	3	3
B. *Operated*	42	3.5	5	<1	1	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	15	3.9	7	1	1	3	5	7	10	11
B. *Operated*	71	3.5	7	<1	1	3	5	6	7	16
1. SINGLE DX	54	3.1	5	1	1	3	4	6	7	11
2. MULTIPLE DX	86	3.5	7	<1	1	3	5	6	8	15
A. NOT OPERATED	27	2.9	5	1	1	2	3	6	8	11
B. OPERATED	113	3.5	6	<1	1	3	5	6	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	136	3.4	6	<1	1	3	5	6	7	12
GRAND TOTAL	**140**	**3.4**	**6**	**<1**	**1**	**3**	**5**	**6**	**7**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	6.7	37	<1	<1	5	8	17	21	21
1-11 MOS	28	3.6	11	<1	<1	2	5	8	10	15
1-5 YRS	183	2.1	7	<1	1	1	2	4	7	15
6-12 YRS	144	1.9	2	<1	<1	1	2	3	4	9
13-19 YRS	149	2.6	3	<1	1	2	3	6	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.8	33	<1	<1	4	9	14	14	14
1-5 YRS	25	5.1	20	<1	2	3	7	12	14	18
6-12 YRS	23	4.3	9	<1	1	3	7	9	10	10
13-19 YRS	19	5.1	10	<1	1	4	8	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	9.6	208	<1	1	6	11	16	44	66
1-11 MOS	85	4.6	20	1	1	3	6	12	15	19
1-5 YRS	306	2.8	8	1	1	2	3	5	8	13
6-12 YRS	275	2.6	11	<1	1	2	3	5	7	18
13-19 YRS	353	3.1	7	<1	1	2	4	6	9	15
B. *Operated*										
0-27 DYS	3	20.7	352	4	4	29	70	99+	99+	99+
1-11 MOS	15	19.7	614	1	2	9	28	63	79	84
1-5 YRS	24	5.5	33	1	1	4	7	9	17	29
6-12 YRS	8	3.4	5	1	1	2	5	7	7	7
13-19 YRS	37	6.6	23	2	2	5	8	14	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	2.4	6	<1	1	2	3	5	7	14
B. *Operated*	71	4.9	14	<1	1	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1038	3.1	14	<1	1	2	4	6	9	17
B. *Operated*	87	8.7	160	1	2	5	9	19	37	94
1. SINGLE DX	586	2.7	8	<1	1	2	3	6	8	14
2. MULTIPLE DX	1125	3.6	28	1	1	2	4	7	10	23
A. NOT OPERATED	1553	2.9	12	<1	1	2	3	6	8	15
B. OPERATED	158	7.0	98	1	1	4	8	14	21	82
TOTAL 0-27 DYS	33	9.7	165	<1	1	6	12	23	61	99+
1-11 MOS	132	6.2	105	1	1	3	7	14	18	67
1-5 YRS	538	2.8	10	1	1	2	3	6	8	15
6-12 YRS	450	2.5	8	<1	1	2	3	5	7	12
13-19 YRS	558	3.3	8	1	1	2	4	7	9	15
GRAND TOTAL	**1711**	**3.3**	**21**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	6.5	34	2	2	4	10	15	15	15
1-11 MOS	10	5.2	32	1	1	3	7	14	20	20
1-5 YRS	9	4.0	5	1	1	4	6	7	7	7
6-12 YRS	2	7.5	25	4	4	7	11	11	11	11
13-19 YRS	3	7.3	14	3	3	9	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	6.7	30	3	3	5	8	16	21	21
1-11 MOS	65	9.3	98	2	3	6	11	21	26	60
1-5 YRS	48	8.5	174	1	2	4	8	15	42	72
6-12 YRS	20	17.4	354	1	1	9	34	74	99+	99+
13-19 YRS	39	14.3	342	1	1	8	14	53	60	63
B. *Operated*										
0-27 DYS										
1-11 MOS	6	15.7	620	1	1	6	11	60	66	66
1-5 YRS	18	14.2	357	2	3	9	21	90	99+	99+
6-12 YRS	10	18.4	377	5	5	12	24	47	70	70
13-19 YRS	18	6.8	27	1	3	5	9	19	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.4	19	1	1	4	7	11	15	20
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	183	10.9	200	1	2	6	12	30	57	90
B. *Operated*	52	12.6	276	1	3	8	15	66	95	99+
1. SINGLE DX	29	5.2	19	1	1	4	7	11	15	20
2. MULTIPLE DX	235	11.3	216	1	2	6	13	31	62	99+
A. NOT OPERATED	211	10.2	179	1	2	5	11	27	49	82
B. OPERATED	53	12.4	273	1	3	7	15	63	94	99+
TOTAL 0-27 DYS	15	6.7	29	2	3	5	8	15	19	21
1-11 MOS	81	9.3	126	1	2	6	10	20	27	66
1-5 YRS	75	9.4	203	1	2	5	10	27	64	99+
6-12 YRS	32	17.1	334	1	2	10	30	64	94	99+
13-19 YRS	61	11.5	239	1	1	6	12	36	60	96
GRAND TOTAL	**264**	**10.6**	**198**	**1**	**2**	**6**	**12**	**29**	**58**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	41	7.0	38	2	2	6	9	16	20	30
1-5 YRS	98	8.0	29	<1	1	8	11	14	16	25
6-12 YRS	154	10.9	32	3	4	10	14	17	20	28
13-19 YRS	184	11.0	20	3	6	10	14	16	18	27
B. *Operated*										
0-27 DYS	2	12.0	32	8	8	12	16	16	16	16
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	5.6	30	1	1	2	11	13	13	13
6-12 YRS	6	17.3	67	10	10	14	26	29	29	29
13-19 YRS	12	13.3	56	2	4	12	17	23	30	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	41	1	1	5	10	10	10	10
1-11 MOS	129	8.2	39	2	2	7	11	17	21	29
1-5 YRS	183	9.0	33	1	2	9	13	15	17	25
6-12 YRS	293	11.3	36	3	4	10	14	17	21	30
13-19 YRS	385	12.1	59	3	4	11	15	19	22	44
B. *Operated*										
0-27 DYS	5	51.8	488	30	30	61	76	98	99+	99+
1-11 MOS	18	19.8	460	2	2	14	23	48	74	87
1-5 YRS	17	16.9	79	2	6	16	21	26	35	40
6-12 YRS	29	14.0	100	1	3	13	24	28	29	31
13-19 YRS	52	15.3	144	3	5	14	17	26	35	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	10.0	30	2	3	10	13	16	19	28
B. *Operated*	26	12.3	63	2	2	11	16	25	29	31
2. MULTIPLE DX										
A. *Not Operated*	992	10.8	47	2	3	10	14	18	21	37
B. *Operated*	121	17.4	231	2	4	14	21	32	51	91
1. SINGLE DX	507	10.1	31	2	3	10	13	16	19	29
2. MULTIPLE DX	1113	11.5	71	2	3	10	14	19	23	46
A. NOT OPERATED	1473	10.5	41	2	3	10	14	17	20	31
B. OPERATED	147	16.5	205	2	3	14	20	31	41	87
TOTAL 0-27 DYS	13	23.1	740	1	1	13	49	78	95	99+
1-11 MOS	189	9.1	89	2	2	7	11	19	23	48
1-5 YRS	303	9.1	38	<1	2	9	13	16	20	27
6-12 YRS	482	11.4	40	3	4	10	14	18	22	30
13-19 YRS	633	12.1	56	3	5	11	15	19	22	41
GRAND TOTAL	**1620**	**11.1**	**59**	**2**	**3**	**10**	**14**	**18**	**22**	**40**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	9	3.1	3	2	2	2	4	6	7	7
6-12 YRS	15	2.7	4	1	1	2	3	5	7	8
13-19 YRS	12	4.4	56	1	1	2	3	11	26	28
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	36	6.1	2	3	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	14	8.2	352	1	1	3	5	14	60	73
6-12 YRS	20	8.9	186	1	2	4	7	28	47	52
13-19 YRS	42	15.7	643	1	1	5	12	44	93	99
B. *Operated*										
0-27 DYS										
1-11 MOS	4	7.8	9	4	4	8	10	11	11	11
1-5 YRS	2	9.0	8	7	7	9	11	11	11	11
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	59	8.6	69	4	5	7	9	14	16	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.3	19	1	1	2	4	5	8	28
B. *Operated*	37	6.0	2	3	4	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	77	12.4	468	1	1	5	10	35	69	99
B. *Operated*	66	8.5	62	4	5	7	9	12	16	56
1. SINGLE DX	75	4.7	13	1	2	4	6	8	8	23
2. MULTIPLE DX	143	10.6	282	1	2	6	9	16	45	98
A. NOT OPERATED	115	9.4	336	1	1	3	7	25	49	98
B. OPERATED	103	7.6	42	4	4	6	8	10	15	47
TOTAL 0-27 DYS										
1-11 MOS	8	5.4	11	1	2	4	8	10	11	11
1-5 YRS	25	6.4	198	1	1	3	5	7	26	73
6-12 YRS	36	6.3	112	1	1	3	5	13	34	52
13-19 YRS	149	9.7	226	1	2	6	8	15	32	98
GRAND TOTAL	**218**	**8.6**	**197**	**1**	**2**	**5**	**8**	**13**	**30**	**93**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	65	3.4	55	1	1	2	3	5	6	53
1-11 MOS	77	3.6	14	<1	<1	2	4	9	14	16
1-5 YRS	185	2.5	10	<1	<1	1	3	5	8	19
6-12 YRS	120	2.7	79	<1	<1	1	2	4	6	36
13-19 YRS	117	2.1	17	<1	<1	1	2	4	4	20
B. *Operated*										
0-27 DYS	2	29.5	13	27	27	29	32	32	32	32
1-11 MOS	17	9.3	146	1	1	5	10	22	40	49
1-5 YRS	53	3.4	9	<1	1	2	4	6	10	17
6-12 YRS	36	3.8	7	1	1	3	5	7	8	14
13-19 YRS	41	3.6	10	<1	1	3	4	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	37	4.5	18	1	1	3	6	9	12	24
1-11 MOS	161	7.2	120	<1	1	4	8	15	22	56
1-5 YRS	271	4.6	40	<1	<1	3	5	10	15	35
6-12 YRS	209	3.5	51	<1	<1	2	3	7	10	21
13-19 YRS	139	4.5	43	<1	<1	3	5	9	13	40
B. *Operated*										
0-27 DYS	6	14.7	265	2	2	8	36	87	99+	99+
1-11 MOS	36	16.9	420	1	2	10	30	78	99+	99+
1-5 YRS	76	12.3	288	1	1	7	16	40	83	99+
6-12 YRS	44	8.3	117	1	2	4	9	18	34	51
13-19 YRS	59	7.7	62	<1	1	6	10	17	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	2.7	32	<1	<1	1	3	5	7	18
B. *Operated*	149	4.6	35	1	1	3	5	8	14	32
2. MULTIPLE DX										
A. *Not Operated*	817	4.8	59	<1	<1	3	5	10	15	41
B. *Operated*	221	11.1	221	1	1	6	13	34	67	99+
1. SINGLE DX	713	3.1	33	<1	<1	2	3	6	8	22
2. MULTIPLE DX	1038	6.2	100	<1	<1	3	7	13	23	82
A. NOT OPERATED	1381	4.0	49	<1	<1	2	4	8	12	34
B. OPERATED	370	8.4	156	1	1	4	9	23	44	99+
TOTAL 0-27 DYS	110	4.9	68	1	1	3	5	8	27	76
1-11 MOS	291	7.5	143	<1	1	4	8	18	33	97
1-5 YRS	585	4.8	69	<1	<1	2	5	11	19	62
6-12 YRS	409	3.8	65	<1	<1	2	4	7	10	36
13-19 YRS	356	4.1	37	<1	<1	2	4	9	13	37
GRAND TOTAL	**1751**	**4.9**	**75**	**<1**	**<1**	**2**	**5**	**10**	**18**	**60**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	2.4	2	<1	<1	3	3	4	4	4
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX	5	2.4	2	<1	<1	3	3	4	4	4
A. NOT OPERATED	5	2.4	2	<1	<1	3	3	4	4	4
B. OPERATED										
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**5**	**2.4**	**2**	**<1**	**<1**	**3**	**3**	**4**	**4**	**4**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	3.6	3	1	1	4	5	7	7	7
1-11 MOS	82	3.1	5	<1	1	3	4	5	7	13
1-5 YRS	191	2.4	2	1	1	2	3	4	5	7
6-12 YRS	71	2.2	2	1	1	2	3	4	4	8
13-19 YRS	57	2.9	14	1	1	2	3	4	6	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	18.0		18	18	18	18	18	18	18
6-12 YRS	2	8.5	61	3	3	8	14	14	14	14
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	162	4.4	9	2	2	3	6	8	9	15
1-11 MOS	2102	3.7	10	1	1	3	4	6	8	16
1-5 YRS	4065	2.9	5	1	1	2	3	5	6	11
6-12 YRS	1401	2.8	5	1	1	2	3	5	6	12
13-19 YRS	1154	3.2	12	1	1	3	4	5	7	15
B. *Operated*										
0-27 DYS	7	16.7	188	5	5	12	24	40	43	43
1-11 MOS	61	12.4	275	1	2	6	12	32	50	81
1-5 YRS	61	10.4	184	1	1	5	14	23	41	64
6-12 YRS	26	7.3	66	1	1	4	11	18	22	36
13-19 YRS	43	6.7	74	<1	1	4	5	15	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	2.6	4	1	1	2	3	4	6	9
B. *Operated*	3	11.7	60	3	3	14	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	8884	3.2	7	1	1	3	4	5	7	13
B. *Operated*	198	10.0	177	1	1	5	13	24	39	68
1. SINGLE DX	421	2.7	5	1	1	2	3	4	6	11
2. MULTIPLE DX	9082	3.3	12	1	1	3	4	6	7	16
A. NOT OPERATED	9302	3.1	7	1	1	3	4	5	7	13
B. OPERATED	201	10.1	175	1	1	5	13	24	39	67
TOTAL 0-27 DYS	186	4.8	20	1	2	4	6	8	10	26
1-11 MOS	2245	3.9	18	1	1	3	4	7	9	19
1-5 YRS	4318	3.0	8	1	1	2	3	5	6	13
6-12 YRS	1500	2.9	6	1	1	2	3	5	7	13
13-19 YRS	1254	3.3	14	1	1	3	4	5	7	18
GRAND TOTAL	**9503**	**3.3**	**11**	**1**	**1**	**3**	**4**	**5**	**7**	**16**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	2.2	2	<1	<1	2	3	4	5	5
1-5 YRS	37	3.0	3	<1	1	3	5	6	6	7
6-12 YRS	5	2.8	2	1	1	3	4	4	4	4
13-19 YRS	23	4.0	8	1	1	3	6	9	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	10	3.7	5	1	1	4	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	46	4.5	7	1	1	4	5	8	9	12
1-5 YRS	81	4.6	32	<1	1	3	6	8	10	38
6-12 YRS	20	3.2	2	1	2	3	4	5	6	6
13-19 YRS	94	3.7	5	1	1	3	5	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.3	4	1	1	3	5	5	5	5
1-5 YRS	8	4.8	30	1	1	3	4	14	18	18
6-12 YRS	4	5.8	11	2	2	5	8	10	10	10
13-19 YRS	33	7.7	126	1	2	5	8	13	25	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.2	5	1	1	3	4	6	8	10
B. *Operated*	16	3.6	9	1	1	3	4	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	242	4.1	14	1	1	3	5	7	9	13
B. *Operated*	49	6.7	91	1	2	5	7	11	18	64
1. SINGLE DX	93	3.2	5	1	1	3	4	6	8	11
2. MULTIPLE DX	291	4.6	28	1	1	4	5	8	10	23
A. NOT OPERATED	319	3.9	12	1	1	3	5	7	9	12
B. OPERATED	65	5.9	73	1	1	4	6	10	16	58
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	63	4.1	7	1	1	4	5	8	10	12
1-5 YRS	130	4.1	23	1	1	3	5	7	9	24
6-12 YRS	30	3.4	4	1	2	3	5	6	6	10
13-19 YRS	160	4.6	32	1	1	4	5	8	10	26
GRAND TOTAL	**384**	**4.2**	**23**	**1**	**1**	**3**	**5**	**8**	**9**	**17**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	34	3.5	3	1	2	3	5	6	7	8
1-5 YRS	319	3.6	5	1	1	3	4	7	8	12
6-12 YRS	557	3.6	5	1	1	3	5	7	8	10
13-19 YRS	961	4.6	10	1	2	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	6	3.7	3	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	50	4.3	16	1	1	3	4	8	10	26
1-5 YRS	484	4.6	10	1	2	4	5	8	10	15
6-12 YRS	477	4.7	15	1	1	4	6	9	12	21
13-19 YRS	825	5.9	23	1	2	5	7	11	14	21
B. *Operated*										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	5	7.0	13	3	3	8	9	12	12	12
1-5 YRS	12	12.8	147	2	2	8	19	31	40	42
6-12 YRS	11	16.3	780	1	2	8	11	52	95	99
13-19 YRS	41	15.2	225	2	3	13	19	41	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1873	4.1	8	1	1	4	5	8	9	12
B. *Operated*	9	4.9	14	1	1	4	5	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	1838	5.2	18	1	2	4	6	10	12	20
B. *Operated*	70	14.5	276	2	2	10	18	30	61	99+
1. SINGLE DX	1882	4.1	8	1	1	4	5	8	9	12
2. MULTIPLE DX	1908	5.5	30	1	2	4	7	10	14	25
A. NOT OPERATED	3711	4.6	13	1	1	4	6	8	11	18
B. OPERATED	79	13.4	255	2	2	8	16	27	59	99+
TOTAL 0-27 DYS	5	8.4	113	1	1	4	12	27	27	27
1-11 MOS	89	4.1	11	1	2	3	5	8	10	21
1-5 YRS	817	4.3	11	1	2	3	5	8	10	15
6-12 YRS	1046	4.3	19	1	1	3	5	8	10	18
13-19 YRS	1833	5.4	23	1	2	4	7	10	13	22
GRAND TOTAL	**3790**	**4.8**	**20**	**1**	**1**	**4**	**6**	**9**	**11**	**20**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	2.7	2	1	1	3	3	5	5	5
1-11 MOS	79	2.1	3	<1	<1	1	3	5	6	8
1-5 YRS	214	2.5	8	<1	<1	1	3	6	8	13
6-12 YRS	208	2.0	5	<1	<1	1	2	4	6	11
13-19 YRS	224	1.7	3	<1	<1	1	1	4	5	11
B. *Operated*										
0-27 DYS	3	3.3	2	2	2	3	4	5	5	5
1-11 MOS	24	3.1	3	1	1	3	4	6	6	6
1-5 YRS	61	4.9	19	1	1	3	6	11	15	19
6-12 YRS	47	4.4	3	1	2	4	6	7	7	8
13-19 YRS	30	5.1	13	1	3	5	5	7	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	17	6.5	82	<1	1	4	5	25	30	30
1-11 MOS	140	3.6	21	<1	1	2	4	7	11	31
1-5 YRS	376	3.2	12	<1	<1	2	4	7	10	18
6-12 YRS	327	3.1	19	<1	<1	1	4	7	10	21
13-19 YRS	304	3.8	29	<1	1	2	4	9	13	22
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	35	6.3	57	1	1	3	7	14	22	38
1-5 YRS	89	9.6	132	1	1	6	11	22	33	64
6-12 YRS	100	11.2	179	1	3	6	13	28	37	73
13-19 YRS	95	8.0	56	1	2	6	10	16	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737	2.1	5	<1	<1	1	2	5	6	12
B. *Operated*	165	4.5	11	1	1	4	5	7	11	19
2. MULTIPLE DX										
A. *Not Operated*	1164	3.4	20	<1	<1	2	4	8	11	20
B. *Operated*	320	9.2	117	1	2	6	11	20	30	62
1. SINGLE DX	902	2.5	7	<1	<1	1	3	5	7	13
2. MULTIPLE DX	1484	4.7	47	<1	<1	2	5	10	15	36
A. NOT OPERATED	1901	2.9	15	<1	<1	1	3	6	10	17
B. OPERATED	485	7.6	86	1	2	5	8	16	24	54
TOTAL 0-27 DYS	33	4.7	45	1	1	3	5	6	26	30
1-11 MOS	278	3.5	20	<1	<1	2	4	7	10	29
1-5 YRS	740	3.9	30	<1	<1	2	5	9	12	28
6-12 YRS	682	4.0	46	<1	<1	2	5	8	13	35
13-19 YRS	653	3.7	27	<1	1	2	5	9	13	25
GRAND TOTAL	**2386**	**3.9**	**33**	**<1**	**<1**	**2**	**5**	**8**	**13**	**30**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.3	2	<1	<1	2	4	4	4	4
1-5 YRS	30	2.6	4	<1	<1	2	3	4	6	11
6-12 YRS	22	3.7	6	1	1	3	4	7	9	11
13-19 YRS	18	4.7	20	1	1	3	5	13	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	4	7.0	35	1	1	6	11	15	15	15
13-19 YRS	3	16.3	82	6	6	20	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	61	1	1	6	12	12	12	12
1-11 MOS	6	2.3	3	<1	<1	2	4	5	5	5
1-5 YRS	71	2.7	4	1	1	2	3	6	7	9
6-12 YRS	73	4.4	20	<1	1	3	5	7	16	24
13-19 YRS	90	4.9	15	1	1	4	7	11	14	66
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	10.6	70	1	1	12	15	22	24	24
6-12 YRS	9	13.0	319	2	2	8	12	42	59	59
13-19 YRS	12	10.2	73	2	3	7	15	24	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	3.4	9	<1	1	3	4	7	11	16
B. *Operated*	11	7.7	63	1	1	5	13	21	23	23
2. MULTIPLE DX										
A. *Not Operated*	242	4.1	14	1	1	3	5	9	12	22
B. *Operated*	28	11.2	141	2	2	8	15	23	31	59
1. SINGLE DX	87	3.9	17	<1	1	3	4	7	15	22
2. MULTIPLE DX	270	4.8	31	1	1	3	6	10	16	27
A. NOT OPERATED	318	3.9	13	1	1	3	5	8	11	20
B. OPERATED	39	10.2	120	1	1	6	15	23	26	59
TOTAL 0-27 DYS	2	6.5	61	1	1	6	12	12	12	12
1-11 MOS	12	2.3	2	<1	<1	2	4	5	5	5
1-5 YRS	112	3.2	11	<1	1	2	3	6	9	19
6-12 YRS	108	5.0	46	1	1	3	5	10	16	39
13-19 YRS	123	5.7	27	1	1	4	8	13	17	47
GRAND TOTAL	**357**	**4.6**	**28**	**1**	**1**	**3**	**6**	**10**	**15**	**25**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	2.5	1	2	2	2	3	4	4	4
1-11 MOS	48	3.2	16	<1	1	2	3	7	9	26
1-5 YRS	475	2.6	4	<1	<1	2	3	5	7	10
6-12 YRS	261	3.0	6	1	1	2	4	6	7	12
13-19 YRS	99	3.1	4	<1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	21	5.0	17	<1	1	4	7	9	14	19
1-5 YRS	173	4.1	14	1	1	3	5	7	12	20
6-12 YRS	112	4.8	10	1	1	4	6	9	11	16
13-19 YRS	161	5.9	12	2	2	5	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	8.6	233	1	1	3	6	35	46	46
1-11 MOS	98	3.6	8	1	1	3	4	8	9	15
1-5 YRS	521	4.1	12	1	1	3	5	8	10	18
6-12 YRS	405	4.5	14	1	1	4	5	9	13	18
13-19 YRS	269	4.6	20	1	1	4	6	9	12	22
B. *Operated*										
0-27 DYS										
1-11 MOS	26	9.6	128	1	2	7	11	17	28	59
1-5 YRS	132	8.0	144	1	2	5	8	14	28	77
6-12 YRS	86	8.1	119	1	1	4	8	24	34	88
13-19 YRS	162	8.1	91	1	2	6	9	14	18	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	887	2.8	5	<1	<1	2	4	5	7	11
B. *Operated*	468	5.0	13	1	1	5	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	1301	4.3	15	1	1	3	5	8	11	19
B. *Operated*	406	8.2	116	1	2	5	9	16	28	71
1. SINGLE DX	1355	3.5	9	<1	<1	3	5	7	9	15
2. MULTIPLE DX	1707	5.2	42	1	1	4	6	10	14	34
A. NOT OPERATED	2188	3.7	12	<1	1	3	5	7	9	17
B. OPERATED	874	6.4	63	1	1	5	7	12	17	48
TOTAL 0-27 DYS	13	6.5	145	1	1	2	4	16	40	46
1-11 MOS	193	4.5	31	1	1	3	5	9	12	23
1-5 YRS	1301	4.0	25	<1	<1	3	5	8	10	22
6-12 YRS	864	4.4	23	1	1	3	5	8	12	28
13-19 YRS	691	5.5	35	1	1	5	7	10	13	24
GRAND TOTAL	**3062**	**4.5**	**28**	**<1**	**1**	**3**	**5**	**9**	**12**	**24**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	158	1.7	2	<1	1	1	2	3	4	8
6-12 YRS	1027	1.8	1	1	1	2	2	3	3	5
13-19 YRS	1067	1.9	1	1	1	2	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	1	2	2	3	4	4	4	4
1-5 YRS	83	3.1	1	1	2	3	4	4	5	7
6-12 YRS	457	3.2	2	1	2	3	4	5	5	9
13-19 YRS	670	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.7	1	2	2	2	4	4	4	4
1-5 YRS	143	2.1	2	1	1	2	3	4	5	7
6-12 YRS	565	2.2	2	1	1	2	3	4	4	6
13-19 YRS	529	2.5	2	1	1	2	3	5	5	7
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	46	4.2	6	1	2	4	5	9	10	10
6-12 YRS	230	3.9	3	2	2	4	5	6	7	11
13-19 YRS	328	4.3	6	2	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2253	1.8	1	1	1	2	2	3	4	5
B. *Operated*	1214	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1245	2.3	2	1	1	2	3	4	5	7
B. *Operated*	606	4.1	5	2	2	4	5	7	9	12
1. SINGLE DX	3467	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1851	2.9	4	1	1	2	4	5	6	10
A. NOT OPERATED	3498	2.0	1	1	1	2	2	3	4	6
B. OPERATED	1820	3.6	3	2	2	3	4	5	7	10
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	13	2.7	1	1	1	3	3	4	4	4
1-5 YRS	430	2.4	3	1	1	2	3	4	5	9
6-12 YRS	2279	2.4	2	1	1	2	3	4	5	7
13-19 YRS	2594	2.7	3	1	1	2	4	5	6	9
GRAND TOTAL	**5318**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	9	1	1	3	6	7	7	7
1-11 MOS	54	4.3	4	2	2	4	5	7	8	11
1-5 YRS	246	4.0	5	1	1	4	5	7	8	10
6-12 YRS	131	4.1	6	1	2	4	5	7	9	12
13-19 YRS	54	3.5	4	1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	15	4.7	7	2	2	4	6	9	10	11
1-5 YRS	66	3.7	17	<1	<1	2	5	7	12	23
6-12 YRS	72	2.7	5	<1	<1	2	3	6	8	10
13-19 YRS	90	2.7	9	<1	<1	2	3	6	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.7		6	6	7	7	7	7	7
1-11 MOS	55	5.1	8	2	2	4	7	9	11	14
1-5 YRS	246	4.4	6	1	2	4	5	8	10	12
6-12 YRS	94	4.3	7	1	2	4	5	8	11	13
13-19 YRS	56	4.1	5	1	2	4	5	8	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	31	7.5	21	1	3	6	10	14	17	19
1-5 YRS	78	4.8	12	<1	1	4	7	10	11	13
6-12 YRS	46	5.0	16	1	1	4	7	10	12	19
13-19 YRS	35	4.2	10	1	1	3	7	9	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	488	4.0	5	1	2	4	5	7	8	11
B. *Operated*	243	3.1	10	<1	<1	2	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	454	4.5	6	1	2	4	6	8	10	13
B. *Operated*	190	5.2	15	1	1	4	8	10	12	18
1. SINGLE DX	731	3.7	7	<1	1	3	5	7	8	13
2. MULTIPLE DX	644	4.7	9	1	2	4	6	9	11	15
A. NOT OPERATED	942	4.2	6	1	2	4	5	7	9	12
B. OPERATED	433	4.0	13	<1	1	3	6	9	11	18
TOTAL 0-27 DYS	6	5.2	7	1	1	6	7	7	7	7
1-11 MOS	155	5.3	10	2	2	4	7	9	11	17
1-5 YRS	636	4.2	8	1	1	4	5	8	10	13
6-12 YRS	343	4.0	8	1	1	3	5	8	9	13
13-19 YRS	235	3.5	7	<1	1	3	4	7	8	14
GRAND TOTAL	**1375**	**4.2**	**8**	**1**	**1**	**4**	**5**	**8**	**10**	**14**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	4	1.0		<1	<1	1	1	1	1	1
13-19 YRS	27	7.8	112	1	1	4	11	25	55	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	10.3	124	2	2	6	19	23	23	23
1-5 YRS										
6-12 YRS	6	2.2	2	1	1	2	2	5	5	5
13-19 YRS	59	12.7	202	<1	1	6	22	32	47	96
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	6.3	93	1	1	2	9	16	44	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	68	11.7	188	1	1	5	21	29	43	93
B. *Operated*	1	6.0		6	6	6	6	6	6	6
1. SINGLE DX	35	6.3	93	1	1	2	9	16	44	99+
2. MULTIPLE DX	69	11.6	186	1	1	5	21	29	43	93
A. NOT OPERATED	103	9.9	161	1	1	3	15	29	45	99+
B. OPERATED	1	6.0		6	6	6	6	6	6	6
TOTAL 0-27 DYS										
1-11 MOS	4	8.3	100	2	2	4	14	23	23	23
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	10	1.7	2	<1	<1	1	2	4	5	5
13-19 YRS	87	11.1	176	1	1	5	17	29	50	99+
GRAND TOTAL	**104**	**9.8**	**160**	**1**	**1**	**4**	**15**	**29**	**44**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	2.9	25	1	1	1	2	10	17	17
1-5 YRS	108	1.4		<1	1	1	2	2	3	3
6-12 YRS	172	2.9	65	<1	1	1	2	3	6	53
13-19 YRS	223	3.0	22	<1	1	2	3	5	8	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	18.0	589	3	3	5	36	46	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	20	7.8	194	1	1	3	7	15	41	64
1-5 YRS	86	3.9	98	1	1	2	3	9	31	99+
6-12 YRS	167	6.1	214	1	1	2	4	16	69	99+
13-19 YRS	375	7.2	142	1	1	3	7	21	34	88
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	13.8	161	<1	<1	24	99+	99+	99+	99+
6-12 YRS	7	9.0	394	1	1	2	99+	99+	99+	99+
13-19 YRS	24	8.6	268	<1	1	2	6	39	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	2.6	32	<1	1	1	2	4	6	31
B. *Operated*	3	18.0	589	3	3	5	36	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	649	6.5	156	1	1	2	5	17	38	99+
B. *Operated*	35	9.3	267	<1	1	3	27	99+	99+	99+
1. SINGLE DX	516	2.7	36	<1	1	1	2	4	6	38
2. MULTIPLE DX	684	6.6	162	1	1	2	6	22	45	99+
A. NOT OPERATED	1162	4.8	105	1	1	2	4	9	24	87
B. OPERATED	38	9.9	283	<1	1	3	28	99+	99+	99+
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	30	6.1	140	1	1	2	5	14	18	64
1-5 YRS	198	2.7	49	<1	1	1	2	5	16	99+
6-12 YRS	346	4.6	145	1	1	1	3	7	39	99+
13-19 YRS	625	5.8	110	1	1	2	5	12	28	72
GRAND TOTAL	**1200**	**4.9**	**111**	**1**	**1**	**2**	**4**	**10**	**28**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	3.3	8	<1	<1	2	5	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.7	1	2	2	4	4	5	5	5
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	58	8.2	95	1	1	4	8	28	32	35
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.3	8	<1	<1	2	5	8	8	8
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	67	7.7	84	1	1	4	7	27	31	35
B. *Operated*										
1. SINGLE DX	13	3.8	10	<1	1	3	7	9	10	10
2. MULTIPLE DX	67	7.7	84	1	1	4	7	27	31	35
A. NOT OPERATED	79	7.0	75	1	1	4	7	23	31	34
B. OPERATED	1	10.0		10	10	10	10	10	10	10
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	3.7	1	2	2	4	4	5	5	5
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	71	7.4	82	1	1	4	8	26	31	35
GRAND TOTAL	**80**	**7.1**	**74**	**1**	**1**	**4**	**7**	**22**	**31**	**34**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	1.0		1	1	1	1	1	1	1
13-19 YRS	54	8.2	94	1	1	4	11	18	34	41
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	11	3.0	13	<1	<1	2	2	9	13	13
6-12 YRS	15	5.7	122	1	1	3	4	9	36	45
13-19 YRS	201	10.9	225	1	1	6	12	30	41	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	7.8	88	1	1	3	11	17	33	41
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	230	10.1	209	1	1	5	11	29	40	99+
B. *Operated*	1	7.0		7	7	7	7	7	7	7
1. SINGLE DX	60	7.8	88	1	1	3	11	17	33	41
2. MULTIPLE DX	231	10.1	208	1	1	5	11	29	40	99+
A. NOT OPERATED	290	9.6	184	1	1	5	11	27	38	99
B. OPERATED	1	7.0		7	7	7	7	7	7	7
TOTAL 0-27 DYS	3	9.0	19	4	4	11	12	12	12	12
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	12	3.3	13	<1	<1	2	4	8	12	13
6-12 YRS	18	4.9	104	1	1	2	3	8	31	45
13-19 YRS	256	10.3	197	1	1	6	11	29	39	99+
GRAND TOTAL	**291**	**9.6**	**184**	**1**	**1**	**5**	**11**	**27**	**38**	**99**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	10.3	9	7	7	11	12	13	13	13
1-11 MOS	6	11.3	21	4	4	13	13	17	17	17
1-5 YRS	2	8.5	113	1	1	8	16	16	16	16
6-12 YRS	6	33.2	1142	3	3	22	65	79	81	81
13-19 YRS	293	19.5	251	2	4	15	28	43	62	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	3	12.7	180	3	3	7	23	28	28	28
1-5 YRS										
6-12 YRS										
13-19 YRS	184	22.8	377	2	4	17	35	59	84	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	14.0	93	7	7	17	62	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	19.4	263	2	4	14	28	43	63	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	188	22.6	372	2	4	17	34	60	86	99+
B. *Operated*	3	14.0	93	7	7	17	62	99+	99+	99+
1. SINGLE DX	310	19.4	263	2	4	14	28	43	63	99+
2. MULTIPLE DX	191	22.5	369	2	4	17	34	60	92	99+
A. NOT OPERATED	498	20.6	306	2	4	15	29	50	66	99+
B. OPERATED	3	14.0	93	7	7	17	62	99+	99+	99+
TOTAL 0-27 DYS	4	12.3	21	7	7	12	15	18	18	18
1-11 MOS	9	11.8	59	3	3	13	14	24	28	28
1-5 YRS	2	8.5	113	1	1	8	16	16	16	16
6-12 YRS	6	33.2	1142	3	4	38	77	96	99+	99+
13-19 YRS	480	20.7	301	2	4	16	29	50	66	99+
GRAND TOTAL	**501**	**20.6**	**305**	**2**	**4**	**15**	**29**	**50**	**66**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	45.5	1861	15	15	45	76	76	76	76
13-19 YRS	109	21.3	287	3	5	19	34	51	67	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS										
6-12 YRS	3	65.0	489	48	48	73	95	99+	99+	99+
13-19 YRS	78	23.1	256	5	7	20	32	51	79	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	21.8	309	3	5	19	35	53	70	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	82	24.5	319	5	7	21	35	55	95	99+
B. *Operated*	1	8.0		8	8	8	8	8	8	8
1. SINGLE DX	111	21.8	309	3	5	19	35	53	70	99+
2. MULTIPLE DX	83	24.3	318	5	7	21	35	55	95	99+
A. NOT OPERATED	193	22.9	314	4	6	20	35	54	82	99+
B. OPERATED	1	8.0		8	8	8	8	8	8	8
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS										
1-5 YRS										
6-12 YRS	5	57.2	824	15	18	66	90	99	99+	99+
13-19 YRS	188	22.0	273	4	6	20	33	51	67	99+
GRAND TOTAL	**194**	**22.9**	**313**	**4**	**6**	**20**	**35**	**54**	**82**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	8	15.8	97	3	5	13	23	30	31	31
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	16	25.9	472	3	4	21	39	62	69	72
13-19 YRS	585	19.7	301	1	3	15	29	48	63	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	10.5	13	8	8	10	13	13	13	13
1-11 MOS	4	12.8	31	7	7	13	17	18	18	18
1-5 YRS										
6-12 YRS	15	45.3	592	6	13	48	68	99	99+	99+
13-19 YRS	479	22.3	378	2	4	18	36	62	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	15	30.5	409	10	12	26	77	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	19.8	303	2	3	15	29	48	63	99+
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	500	22.9	396	2	4	18	37	64	99+	99+
B. *Operated*	17	28.5	391	10	11	26	62	99+	99+	99+
1. SINGLE DX	612	19.8	303	2	3	15	29	48	63	99+
2. MULTIPLE DX	517	23.1	396	3	4	18	38	66	99+	99+
A. NOT OPERATED	1111	21.2	347	2	4	16	32	54	79	99+
B. OPERATED	18	27.1	404	7	11	24	55	99+	99+	99+
TOTAL 0-27 DYS	3	13.0	25	8	8	13	17	18	18	18
1-11 MOS	13	14.8	67	4	6	15	18	29	31	31
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	32	34.5	608	4	5	31	57	79	99	99+
13-19 YRS	1080	21.0	339	2	4	16	32	54	84	99+
GRAND TOTAL	**1129**	**21.3**	**348**	**2**	**4**	**17**	**33**	**55**	**84**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	59	16.3	145	1	2	19	21	27	33	71
6-12 YRS	187	21.2	232	3	7	21	21	41	71	99+
13-19 YRS	22	22.4	182	2	7	21	36	54	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	31	20.0	473	2	2	14	42	99+	99+	99+
6-12 YRS	79	30.3	711	2	3	36	73	99+	99+	99+
13-19 YRS	10	27.0	548	3	4	36	86	99+	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	51.0	4232	5	5	51	97	97	97	97
6-12 YRS	6	19.7	378	1	2	18	47	91	99+	99+
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	268	20.2	212	2	5	20	21	41	68	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	120	27.4	646	2	3	29	72	99+	99+	99+
B. *Operated*	8	27.5	1085	1	3	18	64	99	99+	99+
1. SINGLE DX	268	20.2	212	2	5	20	21	41	68	99+
2. MULTIPLE DX	128	27.4	665	2	3	29	71	99+	99+	99+
A. NOT OPERATED	383	22.4	356	2	4	21	31	77	99+	99+
B. OPERATED	8	27.5	1085	1	3	18	64	99	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	92	18.3	322	1	2	18	22	53	92	99+
6-12 YRS	272	23.8	388	2	4	21	35	82	99+	99+
13-19 YRS	32	23.8	287	2	5	21	45	99+	99+	99+
GRAND TOTAL	**396**	**22.5**	**368**	**2**	**4**	**21**	**31**	**80**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	17.5	242	3	3	10	30	42	43	43
1-11 MOS	2	7.5	61	2	2	7	13	13	13	13
1-5 YRS	4	17.8	211	4	4	14	27	30	38	38
6-12 YRS	86	27.4	527	2	3	27	41	73	97	99+
13-19 YRS	1009	22.5	419	2	3	16	33	57	78	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	4	13.5	145	2	2	11	22	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	30.5	685	12	12	30	49	49	49	49
1-11 MOS	10	17.3	761	1	1	7	20	60	92	92
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	142	38.4	592	4	7	43	66	99+	99+	99+
13-19 YRS	1826	23.8	467	2	3	19	37	67	95	99+
B. *Operated*										
0-27 DYS	2	15.5	5	14	14	15	17	17	17	17
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	60	28.9	550	2	5	29	47	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1107	22.8	427	2	3	17	34	58	79	99+
B. *Operated*	5	12.4	115	2	2	8	18	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	1981	24.8	491	2	3	20	41	71	99	99+
B. *Operated*	63	28.1	537	2	5	20	47	87	99+	99+
1. SINGLE DX	1112	22.8	426	2	3	17	34	58	79	99+
2. MULTIPLE DX	2044	24.9	493	2	3	20	41	71	99+	99+
A. NOT OPERATED	3088	24.1	469	2	3	19	38	67	93	99+
B. OPERATED	68	26.9	520	2	4	19	46	80	99+	99+
TOTAL 0-27 DYS	10	19.7	244	3	5	13	30	46	49	49
1-11 MOS	14	14.4	554	1	2	7	13	34	79	92
1-5 YRS	5	14.4	214	<1	<1	12	22	38	38	38
6-12 YRS	228	34.3	593	2	5	33	59	97	99+	99+
13-19 YRS	2899	23.4	453	2	3	18	36	63	90	99+
GRAND TOTAL	**3156**	**24.2**	**470**	**2**	**3**	**19**	**38**	**67**	**93**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	25	25.4	629	5	6	17	54	98	99+	99+
13-19 YRS	437	21.3	368	2	3	16	29	56	77	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	13.0	74	3	3	15	17	24	25	25
1-5 YRS										
6-12 YRS	39	22.6	341	4	7	16	44	99+	99+	99+
13-19 YRS	703	25.3	450	2	4	19	41	63	83	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	34.6	604	4	10	38	55	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	21.4	380	2	3	16	30	57	80	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	748	25.0	442	3	4	19	41	64	85	99+
B. *Operated*	15	34.6	604	4	10	38	55	99	99+	99+
1. SINGLE DX	465	21.4	360	2	3	16	30	57	80	99+
2. MULTIPLE DX	763	25.2	446	3	5	19	41	64	85	99+
A. NOT OPERATED	1213	23.7	421	2	4	18	36	61	83	99+
B. OPERATED	15	34.6	604	4	10	38	55	99	99+	99+
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	12.7	62	3	3	15	17	23	25	25
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	64	23.7	447	5	7	16	49	99+	99+	99+
13-19 YRS	1155	23.9	425	2	4	18	37	61	82	99+
GRAND TOTAL	**1228**	**23.8**	**424**	**2**	**4**	**18**	**37**	**61**	**84**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	29	18.6	564	1	1	9	38	78	99+	99+
13-19 YRS	296	14.5	248	1	1	9	20	37	44	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	7.3	14	3	3	9	10	10	10	10
1-5 YRS	4	8.8	166	1	1	3	16	28	28	28
6-12 YRS	23	14.9	450	1	2	8	22	94	99+	99+
13-19 YRS	369	15.9	297	1	2	11	21	40	66	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	17.4	311	2	3	13	25	38	58	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	14.8	275	1	1	9	21	40	53	99+
B. *Operated*	6	2.2	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	400	15.6	302	1	2	10	21	40	71	99+
B. *Operated*	17	17.4	311	2	3	13	25	38	58	69
1. SINGLE DX	333	14.6	273	1	1	9	20	40	53	99+
2. MULTIPLE DX	417	15.7	301	1	2	11	21	40	69	99+
A. NOT OPERATED	727	15.2	290	1	2	10	21	40	61	99+
B. OPERATED	23	13.4	273	1	2	5	18	37	49	69
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	3	7.3	14	3	3	9	10	10	10	10
1-5 YRS	6	6.3	114	1	1	2	4	26	28	28
6-12 YRS	53	16.7	502	1	1	8	31	88	99+	99+
13-19 YRS	686	15.2	275	1	2	10	21	38	55	99+
GRAND TOTAL	**750**	**15.2**	**289**	**1**	**2**	**10**	**21**	**40**	**60**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	21	3.9	22	<1	1	2	4	10	16	20
13-19 YRS	116	5.3	55	<1	1	3	5	15	24	68
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	7.0	63	1	1	4	13	16	16	16
1-5 YRS	7	24.4	1247	1	1	8	43	85	92	92
6-12 YRS	22	12.8	255	1	1	6	23	60	99+	99+
13-19 YRS	210	3.1	113	1	1	3	9	27	37	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	5.1	50	<1	1	3	4	14	19	57
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	242	9.0	161	1	1	4	11	30	43	99+
B. *Operated*	2	6.0	32	2	2	6	10	10	10	10
1. SINGLE DX	138	5.1	50	<1	1	3	4	14	19	57
2. MULTIPLE DX	244	8.9	160	1	1	4	11	30	43	99+
A. NOT OPERATED	380	7.6	124	1	1	3	8	20	37	99+
B. OPERATED	2	6.0	32	2	2	6	10	10	10	10
TOTAL 0-27 DYS										
1-11 MOS	3	7.0	63	1	1	4	13	16	16	16
1-5 YRS	8	21.6	1132	1	1	6	32	81	92	92
6-12 YRS	44	8.3	155	<1	1	3	12	31	65	99+
13-19 YRS	327	7.1	94	1	1	3	8	19	34	99+
GRAND TOTAL	**382**	**7.5**	**123**	**1**	**1**	**3**	**8**	**20**	**37**	**99+**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	1	82.0		82	82	82	82	82	82	82
6-12 YRS	63	28.9	445	2	3	30	45	59	68	97
13-19 YRS	707	21.0	420	1	2	13	33	53	68	98
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	4	4.0	7	1	1	4	6	7	7	7
1-5 YRS	3	19.0	256	3	3	19	31	35	35	35
6-12 YRS	141	36.8	705	3	7	36	63	93	99+	99+
13-19 YRS	1528	22.7	472	2	3	16	36	64	89	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	20.3	478	8	8	11	65	99+	99+	99+
13-19 YRS	41	33.1	825	3	4	26	45	91	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	772	21.7	430	1	2	14	35	54	68	98
B. *Operated*	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	1678	23.8	506	2	3	17	39	69	91	99+
B. *Operated*	45	32.0	797	3	5	26	51	92	96	99+
1. SINGLE DX	773	21.7	429	1	2	14	35	54	68	98
2. MULTIPLE DX	1723	24.1	515	2	3	17	40	69	92	99+
A. NOT OPERATED	2450	23.2	483	2	3	16	37	63	84	99+
B. OPERATED	46	31.8	780	3	5	25	49	91	95	99+
TOTAL 0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	5	8.0	85	1	1	5	11	24	24	24
1-5 YRS	4	34.8	1163	3	3	27	58	82	82	82
6-12 YRS	208	34.1	634	3	5	32	56	84	99+	99+
13-19 YRS	2277	22.4	464	2	3	15	36	61	83	99+
GRAND TOTAL	**2496**	**23.3**	**489**	**2**	**3**	**16**	**38**	**63**	**86**	**99+**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	11	9.9	473	1	1	2	6	35	72	75
6-12 YRS	87	10.1	276	1	1	4	8	48	76	99+
13-19 YRS	552	12.7	287	1	1	5	18	41	57	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	21.0		21	21	21	21	21	21	21
13-19 YRS	10	6.9	31	1	1	5	9	15	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	6.3	114	<1	<1	2	4	26	28	28
1-5 YRS	19	8.2	154	<1	1	4	8	40	75	99+
6-12 YRS	108	12.1	309	1	1	5	16	52	99+	99+
13-19 YRS	989	13.3	296	1	1	6	19	42	68	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	10.5	181	1	1	10	20	20	20	20
6-12 YRS	1	2.0		2	2	99+	99+	99+	99+	99+
13-19 YRS	39	19.9	482	1	2	10	37	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	652	12.3	288	1	1	5	16	41	59	99+
B. *Operated*	11	8.2	46	1	1	5	11	20	21	21
2. MULTIPLE DX										
A. *Not Operated*	1123	13.0	294	1	1	6	19	42	69	99+
B. *Operated*	42	19.0	463	1	1	10	38	95	99+	99+
1. SINGLE DX	663	12.2	284	1	1	5	16	41	59	99+
2. MULTIPLE DX	1165	13.3	301	1	1	6	20	44	73	99+
A. NOT OPERATED	1775	12.8	292	1	1	5	18	42	66	99+
B. OPERATED	53	16.8	393	1	1	9	31	75	99+	99+
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	8	5.1	87	<1	<1	1	3	21	28	28
1-5 YRS	32	8.9	249	1	1	4	7	34	71	99+
6-12 YRS	197	11.2	292	1	1	4	14	57	99+	99+
13-19 YRS	1590	13.2	297	1	1	6	19	42	64	99+
GRAND TOTAL	**1828**	**12.9**	**295**	**1**	**1**	**6**	**19**	**42**	**68**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	15.8	132	5	5	14	25	30	30	30
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	1.8	2	<1	<1	1	28	99+	99+	99+
13-19 YRS	324	8.5	150	<1	<1	2	10	29	35	53
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	17.7	342	6	6	8	31	39	39	39
1-11 MOS	20	10.9	100	1	2	5	20	26	28	29
1-5 YRS	9	6.6	22	1	2	6	8	14	17	17
6-12 YRS	12	20.8	679	1	1	14	29	50	89	95
13-19 YRS	2290	23.9	263	1	2	25	36	43	48	64
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	46	30.2	438	1	3	28	41	52	78	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	8.5	148	<1	<1	2	10	29	35	55
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2334	23.7	265	1	2	24	35	43	48	64
B. *Operated*	46	30.2	438	1	3	28	41	52	78	92
1. SINGLE DX	334	8.5	148	<1	<1	2	10	29	35	55
2. MULTIPLE DX	2380	23.8	269	1	2	24	36	43	48	67
A. NOT OPERATED	2668	21.8	276	1	1	22	34	42	47	64
B. OPERATED	46	30.2	438	1	3	28	41	52	78	92
TOTAL 0-27 DYS	4	14.0	282	3	3	7	23	39	39	39
1-11 MOS	24	11.7	103	1	2	6	20	28	29	30
1-5 YRS	10	6.1	21	1	1	5	7	13	17	17
6-12 YRS	16	16.1	571	<1	1	5	29	82	98	99+
13-19 YRS	2660	22.1	278	1	1	22	35	42	47	64
GRAND TOTAL	**2714**	**21.9**	**279**	**1**	**1**	**22**	**35**	**42**	**47**	**65**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	15.7	202	1	2	9	29	33	38	57
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS										
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS	79	15.8	155	2	3	12	28	32	39	44
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	32.0		32	32	32	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	15.7	202	1	2	9	29	33	38	57
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	82	15.6	152	2	3	11	27	31	38	44
B. *Operated*	1	32.0		32	32	32	32	32	32	32
1. SINGLE DX	26	15.7	202	1	2	9	29	33	38	57
2. MULTIPLE DX	83	15.8	153	2	3	12	28	32	38	44
A. NOT OPERATED	108	15.6	162	2	3	10	28	32	37	49
B. OPERATED	1	32.0		32	32	32	32	32	32	32
TOTAL 0-27 DYS										
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS										
6-12 YRS	1	18.0		18	18	18	18	18	18	18
13-19 YRS	106	15.9	166	2	3	11	29	32	38	50
GRAND TOTAL	**109**	**15.8**	**163**	**2**	**3**	**10**	**28**	**32**	**37**	**49**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	56.0		56	56	56	56	56	56	56
1-5 YRS										
6-12 YRS										
13-19 YRS	298	23.0	435	1	2	18	41	52	60	93
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	41.0	338	28	28	41	54	54	54	54
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	18.5	481	3	3	18	34	34	34	34
1-5 YRS										
6-12 YRS	10	22.2	385	1	1	15	34	52	53	53
13-19 YRS	1664	27.1	293	3	5	28	39	49	56	82
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	37.9	312	17	19	31	51	69	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	23.0	437	1	2	18	42	53	60	93
B. *Operated*	2	41.0	338	28	28	41	54	54	54	54
2. MULTIPLE DX										
A. *Not Operated*	1676	27.0	293	3	5	28	39	49	56	82
B. *Operated*	25	37.9	312	17	19	31	51	69	86	99+
1. SINGLE DX	302	23.1	438	1	2	19	42	54	59	93
2. MULTIPLE DX	1701	27.2	295	3	5	28	39	49	57	83
A. NOT OPERATED	1976	26.4	317	2	4	28	39	49	57	83
B. OPERATED	27	38.1	302	18	20	31	52	68	85	99+
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	31.0	709	3	3	34	50	56	56	56
1-5 YRS										
6-12 YRS	10	22.2	385	1	1	15	34	52	53	53
13-19 YRS	1989	26.6	318	2	4	28	39	49	58	84
GRAND TOTAL	**2003**	**26.6**	**318**	**2**	**4**	**28**	**39**	**49**	**57**	**84**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	6	6.7	125	<1	<1	1	7	27	29	29
6-12 YRS	50	1.2		<1	<1	1	1	2	2	3
13-19 YRS	734	1.4	4	<1	<1	1	1	2	2	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	6	2.2	2	1	1	2	3	4	4	4
6-12 YRS	34	4.9	141	<1	<1	1	2	6	40	51
13-19 YRS	926	9.4	249	<1	<1	1	7	38	47	60
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	22	8.6	353	<1	<1	1	2	37	59	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	792	1.4	5	<1	<1	1	1	2	2	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	968	9.2	244	<1	<1	1	7	37	47	60
B. *Operated*	23	8.3	339	<1	<1	1	2	35	58	74
1. SINGLE DX	792	1.4	5	<1	<1	1	1	2	2	11
2. MULTIPLE DX	991	9.2	246	<1	<1	1	6	37	47	60
A. NOT OPERATED	1760	5.7	151	<1	<1	1	2	24	41	56
B. OPERATED	23	8.3	339	<1	<1	1	2	35	58	74
TOTAL 0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	12	4.4	63	<1	<1	1	4	14	27	29
6-12 YRS	85	2.7	59	<1	<1	1	1	2	3	48
13-19 YRS	1682	5.9	159	<1	<1	1	2	27	42	57
GRAND TOTAL	**1783**	**5.7**	**154**	**<1**	**<1**	**1**	**2**	**25**	**41**	**57**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	9.0	50	4	4	9	14	14	14	14
13-19 YRS	171	13.0	295	<1	1	4	22	39	46	67
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	4	9.0	55	4	4	6	13	20	20	20
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	8	21.1	283	2	3	20	28	47	55	55
13-19 YRS	1054	25.0	371	1	2	26	41	50	60	81
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	29.0		29	29	29	29	29	29	29
13-19 YRS	19	35.8	465	3	4	41	53	63	67	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	12.7	289	<1	1	4	22	39	46	66
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1069	24.9	370	1	2	25	41	50	60	81
B. *Operated*	20	35.5	443	3	4	38	52	63	67	69
1. SINGLE DX	176	12.7	289	<1	1	4	22	39	46	66
2. MULTIPLE DX	1089	25.1	373	1	2	26	41	50	60	81
A. NOT OPERATED	1245	23.2	376	1	2	21	39	49	59	81
B. OPERATED	20	35.5	443	3	4	38	52	63	67	69
TOTAL 0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	6	6.5	48	<1	<1	4	7	19	20	20
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	11	19.6	236	2	3	17	28	40	54	55
13-19 YRS	1244	23.5	381	1	2	22	39	49	59	81
GRAND TOTAL	**1265**	**23.4**	**379**	**1**	**2**	**21**	**39**	**49**	**59**	**80**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	5	2.4	2	1	1	3	3	4	4	4
6-12 YRS	42	2.8	3	1	1	3	3	5	7	8
13-19 YRS	64	2.7	3	<1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	3	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	9	3.4	4	<1	<1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	17	6.1	96	1	1	3	4	15	32	41
6-12 YRS	52	3.8	12	1	1	3	4	6	9	19
13-19 YRS	141	4.5	43	1	1	3	5	8	11	64
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	14.6	915	1	1	2	6	68	83	83
13-19 YRS	14	10.1	117	3	3	7	12	19	39	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	2.7	3	1	1	2	3	4	6	8
B. *Operated*	14	2.9	3	<1	<1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	215	4.4	39	1	1	3	4	8	11	48
B. *Operated*	21	11.6	355	1	2	6	11	28	62	83
1. SINGLE DX	128	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX	236	5.0	70	1	1	3	5	8	15	64
A. NOT OPERATED	329	3.8	27	1	1	3	4	6	9	39
B. OPERATED	35	8.1	229	<1	1	4	7	13	38	83
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	6	2.0	1	1	1	2	3	3	3	3
1-5 YRS	24	5.0	70	1	1	3	4	11	23	41
6-12 YRS	104	4.1	69	1	1	3	4	6	8	48
13-19 YRS	228	4.3	37	1	1	3	5	8	11	48
GRAND TOTAL	**364**	**4.2**	**47**	**1**	**1**	**3**	**4**	**7**	**11**	**44**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	5	6.0	23	1	1	4	10	12	12	12
1-5 YRS	12	12.2	247	1	1	7	15	33	54	57
6-12 YRS	209	17.4	312	1	2	11	28	49	62	99+
13-19 YRS	2014	12.1	198	1	1	7	16	32	44	70
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	2	3.5	13	1	1	6	76	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	7.8	52	1	1	8	14	14	14	14
1-11 MOS	6	10.5	168	1	1	6	10	33	36	36
1-5 YRS	25	27.1	430	4	5	27	53	99+	99+	99+
6-12 YRS	335	21.9	464	2	2	15	31	62	84	99+
13-19 YRS	3148	14.1	260	1	1	8	20	39	51	92
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	5	15.2	222	4	4	11	23	40	40	40
13-19 YRS	96	19.6	457	<1	1	13	30	59	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2242	12.6	210	1	1	7	17	34	47	75
B. *Operated*	3	3.7	6	1	1	5	53	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	3518	14.9	287	1	1	8	21	42	56	99+
B. *Operated*	103	19.1	441	1	1	12	30	59	84	99+
1. SINGLE DX	2245	12.6	210	1	1	7	17	34	47	77
2. MULTIPLE DX	3621	15.0	291	1	1	9	21	42	57	99+
A. NOT OPERATED	5760	14.0	258	1	1	8	19	39	52	97
B. OPERATED	106	18.6	435	1	1	12	30	59	86	99+
TOTAL 0-27 DYS	6	6.2	39	1	1	3	14	14	14	14
1-11 MOS	11	8.5	99	1	1	4	10	22	35	36
1-5 YRS	39	21.2	412	1	2	18	40	84	99+	99+
6-12 YRS	550	20.1	408	1	2	13	31	57	72	99+
13-19 YRS	5260	13.4	241	1	1	7	18	36	49	87
GRAND TOTAL	**5866**	**14.1**	**262**	**1**	**1**	**8**	**20**	**39**	**53**	**98**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	54.0		54	54	54	54	54	54	54
1-11 MOS	17	3.6	27	<1	1	2	3	6	17	23
1-5 YRS	115	8.7	262	<1	1	2	5	33	46	78
6-12 YRS	548	19.0	440	1	2	10	31	53	70	99+
13-19 YRS	1887	20.6	435	1	2	14	32	55	75	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	6	8.8	223	<1	<1	3	6	36	39	39
13-19 YRS	12	16.4	162	<1	3	12	29	35	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	35	9.4	280	1	1	3	8	26	50	83
1-5 YRS	243	14.9	498	1	1	4	24	78	99+	99+
6-12 YRS	1204	28.9	654	2	3	27	53	90	99+	99+
13-19 YRS	3635	24.6	508	2	3	18	42	68	91	99+
B. *Operated*										
0-27 DYS	1	41.0		41	41	41	41	41	41	41
1-11 MOS	5	10.6	151	3	3	4	15	32	32	32
1-5 YRS	9	13.0	169	4	4	9	27	71	99+	99+
6-12 YRS	26	21.0	515	3	3	13	41	95	99+	99+
13-19 YRS	91	32.3	657	2	5	35	63	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2568	19.6	433	1	2	12	31	54	72	99+
B. *Operated*	22	11.7	171	<1	<1	6	19	35	38	39
2. MULTIPLE DX										
A. *Not Operated*	5118	25.1	550	2	3	19	44	74	99+	99+
B. *Operated*	132	28.0	616	3	4	28	58	99+	99+	99+
1. SINGLE DX	2590	19.6	431	1	2	12	31	54	72	99+
2. MULTIPLE DX	5250	25.1	552	2	3	19	44	75	99+	99+
A. NOT OPERATED	7686	23.3	518	1	2	16	41	68	91	99+
B. OPERATED	154	25.7	583	2	3	25	54	99+	99+	99+
TOTAL 0-27 DYS	3	32.3	732	2	2	41	51	54	54	54
1-11 MOS	57	7.8	196	1	1	3	7	21	31	81
1-5 YRS	371	12.8	419	1	1	4	14	56	90	99+
6-12 YRS	1784	25.7	606	1	2	20	47	83	99+	99+
13-19 YRS	5625	23.4	490	1	2	17	40	65	88	99+
GRAND TOTAL	**7840**	**23.3**	**519**	**1**	**2**	**16**	**41**	**69**	**92**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.0	1	2	2	3	4	4	4	4
6-12 YRS	6	10.7	77	<1	<1	12	14	23	24	24
13-19 YRS	14	5.1	38	<1	<1	2	8	12	20	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	10.5	25	7	7	10	14	14	14	14
13-19 YRS	6	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	16	12.8	369	2	2	5	15	25	63	79
6-12 YRS	41	7.3	110	1	1	3	7	21	44	99+
13-19 YRS	79	15.8	387	1	2	10	18	47	90	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	1	6	6	6	7	7	7	7
6-12 YRS	5	5.4	18	1	1	4	8	12	12	12
13-19 YRS	13	5.0	26	<1	1	4	5	9	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.2	46	<1	<1	3	10	15	23	24
B. *Operated*	9	5.3	12	3	3	4	5	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	137	12.8	310	1	2	7	15	32	82	99+
B. *Operated*	20	5.3	21	<1	1	4	6	10	16	21
1. SINGLE DX	33	5.9	36	<1	1	4	8	14	21	24
2. MULTIPLE DX	157	11.8	279	1	2	7	14	31	78	99+
A. NOT OPERATED	161	11.8	275	1	1	7	14	31	78	99+
B. OPERATED	29	5.3	17	1	1	4	6	10	14	21
TOTAL 0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	23	10.2	269	2	2	5	9	23	44	79
6-12 YRS	54	7.6	94	1	1	3	10	18	36	98
13-19 YRS	112	12.5	305	1	1	8	15	31	84	99+
GRAND TOTAL	**190**	**10.8**	**241**	**1**	**1**	**6**	**13**	**28**	**64**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	76	11.2	38	3	4	10	15	20	24	28
1-11 MOS	484	10.3	16	3	4	10	12	15	16	21
1-5 YRS	555	10.0	15	2	4	10	12	14	16	19
6-12 YRS	101	7.1	19	1	2	7	11	12	14	16
13-19 YRS	84	6.7	20	1	2	5	10	12	15	21
B. *Operated*										
0-27 DYS	5	19.6	65	11	11	20	24	32	32	32
1-11 MOS	47	11.7	9	8	9	11	13	16	16	20
1-5 YRS	33	12.5	57	3	6	11	12	20	29	43
6-12 YRS	13	16.9	108	4	5	12	26	32	34	34
13-19 YRS	20	12.9	149	2	2	8	17	35	41	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	72	13.5	85	2	3	13	20	24	29	49
1-11 MOS	740	11.3	24	3	4	11	13	17	20	28
1-5 YRS	655	10.8	23	3	4	11	12	15	18	34
6-12 YRS	94	7.9	89	1	2	6	10	14	17	57
13-19 YRS	81	10.2	145	1	2	8	11	20	30	69
B. *Operated*										
0-27 DYS	24	20.0	80	5	10	21	25	38	54	99+
1-11 MOS	188	17.1	102	8	10	15	20	29	37	72
1-5 YRS	112	18.8	191	9	10	14	21	40	56	84
6-12 YRS	27	21.3	180	2	5	18	30	42	44	49
13-19 YRS	47	30.9	362	5	7	30	48	58	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1300	9.7	18	2	3	10	12	15	16	21
B. *Operated*	118	13.0	61	3	5	11	14	22	32	43
2. MULTIPLE DX										
A. *Not Operated*	1642	10.9	37	2	3	11	13	16	20	32
B. *Operated*	398	19.7	178	7	10	15	23	43	52	99+
1. SINGLE DX	1418	10.0	23	2	3	10	12	15	17	27
2. MULTIPLE DX	2040	12.6	76	2	4	11	14	21	28	57
A. NOT OPERATED	2942	10.4	29	2	3	11	12	15	18	28
B. OPERATED	516	18.2	159	5	9	14	21	38	49	82
TOTAL 0-27 DYS	177	13.6	72	2	4	12	20	24	29	50
1-11 MOS	1459	11.7	35	3	4	11	14	17	21	31
1-5 YRS	1355	11.2	40	3	4	11	12	16	19	42
6-12 YRS	235	9.6	92	2	2	9	12	18	27	44
13-19 YRS	232	13.4	224	1	2	9	15	43	52	75
GRAND TOTAL	**3458**	**11.6**	**56**	**2**	**4**	**11**	**13**	**17**	**23**	**47**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0	32	3	3	7	11	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	1	3	3	4	5	6	6	6
B. *Operated*										
1. SINGLE DX	2	7.0	32	3	3	7	11	11	11	11
2. MULTIPLE DX	5	4.2	1	3	3	4	5	6	6	6
A. NOT OPERATED	7	5.0	8	3	3	4	6	10	11	11
B. OPERATED										
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS										
13-19 YRS	2	7.0	32	3	3	7	11	11	11	11
GRAND TOTAL	**7**	**5.0**	**8**	**3**	**3**	**4**	**6**	**10**	**11**	**11**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3		3	3	3	3	3	3	3
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS	26	9.0	85	2	3	6	9	20	29	44
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	4	3.0	3	1	1	3	4	5	5	5
13-19 YRS	26	7.5	26	2	3	6	11	18	33	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	20.0	81	11	11	20	27	29	29	29
13-19 YRS	11	17.6	512	1	2	9	38	75	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	8.9	80	2	3	6	10	20	27	44
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	33	7.6	34	2	2	6	11	19	25	99+
B. *Operated*	14	18.1	408	1	2	11	27	65	91	99+
1. SINGLE DX	29	8.6	79	2	2	6	10	20	26	44
2. MULTIPLE DX	47	10.7	163	2	2	7	13	28	67	99+
A. NOT OPERATED	61	8.2	55	2	3	6	11	19	25	93
B. OPERATED	15	17.1	396	1	2	10	24	64	89	99+
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	2	11.0		11	11	11	11	11	11	11
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS	7	10.3	111	1	1	5	18	27	29	29
13-19 YRS	64	9.8	139	2	2	6	11	21	60	99+
GRAND TOTAL	**76**	**9.9**	**130**	**2**	**2**	**6**	**11**	**24**	**53**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	3.7	18	1	1	2	3	10	15	16
1-11 MOS	183	4.3	28	1	1	3	5	9	13	29
1-5 YRS	757	3.3	18	1	1	2	4	6	8	22
6-12 YRS	671	3.1	25	1	1	2	3	5	8	20
13-19 YRS	751	3.2	17	1	1	2	4	6	8	22
B. *Operated*										
0-27 DYS										
1-11 MOS	6	7.7	45	1	1	6	13	17	18	18
1-5 YRS	11	3.5	16	<1	<1	2	4	10	14	14
6-12 YRS	17	9.1	61	1	1	8	15	18	25	28
13-19 YRS	19	8.5	54	1	1	7	15	19	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	5.0	12	1	1	4	7	11	13	13
1-11 MOS	347	5.7	33	1	1	4	7	10	16	33
1-5 YRS	1507	4.1	20	1	1	3	5	8	11	26
6-12 YRS	988	4.8	54	1	1	3	5	10	16	40
13-19 YRS	955	4.8	37	1	1	3	5	10	14	32
B. *Operated*										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	27	17.9	247	3	4	13	26	46	51	62
1-5 YRS	92	12.8	321	1	2	7	15	32	57	99+
6-12 YRS	41	15.5	204	2	2	11	22	29	50	64
13-19 YRS	54	10.8	147	1	1	7	13	25	42	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2373	3.3	20	1	1	2	4	6	9	22
B. *Operated*	53	7.5	50	1	1	4	13	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	3816	4.6	35	1	1	3	5	9	13	31
B. *Operated*	215	13.6	248	1	2	8	17	32	48	96
1. SINGLE DX	2426	3.4	21	1	1	2	4	6	9	23
2. MULTIPLE DX	4031	5.0	50	1	1	3	5	10	16	37
A. NOT OPERATED	6189	4.1	29	1	1	3	4	8	12	29
B. OPERATED	268	12.4	214	1	2	8	15	29	43	91
TOTAL 0-27 DYS	31	5.4	38	1	1	3	6	12	16	32
1-11 MOS	563	5.8	49	1	1	4	7	11	19	39
1-5 YRS	2367	4.2	34	1	1	3	4	8	12	30
6-12 YRS	1717	4.4	50	1	1	2	4	9	15	39
13-19 YRS	1779	4.3	34	1	1	3	4	9	13	32
GRAND TOTAL	**6457**	**4.4**	**40**	**1**	**1**	**3**	**5**	**9**	**14**	**33**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	17	2.5	1	1	1	2	3	4	5	5
1-11 MOS	94	2.9	9	<1	<1	2	3	5	10	18
1-5 YRS	239	2.9	12	<1	<1	2	3	6	9	99+
6-12 YRS	167	4.0	76	1	1	3	4	7	11	99+
13-19 YRS	260	4.3	44	1	1	3	5	9	12	82
B. *Operated*										
0-27 DYS	6	4.5	5	2	2	4	6	8	8	8
1-11 MOS	114	4.5	15	1	1	4	5	8	10	22
1-5 YRS	235	3.5	10	<1	1	3	4	8	10	16
6-12 YRS	217	4.3	11	<1	1	3	6	9	11	15
13-19 YRS	197	5.9	19	1	1	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	10.2	351	1	1	4	7	23	59	81
1-11 MOS	231	5.2	73	1	1	3	5	9	13	59
1-5 YRS	649	5.2	65	1	1	3	6	15	99	99+
6-12 YRS	671	7.2	191	1	1	4	6	49	99+	99+
13-19 YRS	588	8.0	165	1	1	4	8	25	59	99+
B. *Operated*										
0-27 DYS	8	15.6	340	2	3	7	24	47	50	50
1-11 MOS	201	12.2	262	2	2	7	14	45	83	99+
1-5 YRS	470	7.6	146	1	1	4	7	15	29	97
6-12 YRS	540	7.9	131	1	1	4	9	17	30	99+
13-19 YRS	438	10.3	191	1	2	6	12	26	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	777	3.6	36	<1	1	2	4	7	11	97
B. *Operated*	769	4.5	14	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	2157	6.6	136	1	1	4	6	22	90	99+
B. *Operated*	1657	9.0	171	1	2	5	10	21	41	99+
1. SINGLE DX	1546	4.0	25	<1	1	3	5	9	11	25
2. MULTIPLE DX	3814	7.7	152	1	1	4	8	21	58	99+
A. NOT OPERATED	2934	5.8	111	1	1	3	5	14	53	99+
B. OPERATED	2426	7.6	125	1	1	4	8	16	28	99+
TOTAL 0-27 DYS	49	7.7	198	1	1	3	6	13	40	81
1-11 MOS	640	6.9	126	1	1	4	7	14	29	99+
1-5 YRS	1593	5.3	76	<1	1	3	6	12	26	99+
6-12 YRS	1595	6.7	136	1	1	4	7	16	66	99+
13-19 YRS	1483	7.7	137	1	1	4	9	18	36	99+
GRAND TOTAL	**5360**	**6.6**	**118**	**1**	**1**	**4**	**7**	**15**	**37**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	28	1.6	1	<1	1	2	2	3	3	4
6-12 YRS	242	2.0	2	<1	1	2	2	3	4	7
13-19 YRS	495	2.5	4	<1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	14	2.9	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	3.6	6	2	2	3	4	8	8	8
1-5 YRS	24	2.2	2	<1	1	2	3	4	6	6
6-12 YRS	167	2.9	6	1	1	2	3	6	8	12
13-19 YRS	408	3.6	10	1	1	3	4	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	18	<1	<1	3	7	7	7	7
6-12 YRS	6	6.2	23	3	3	4	8	14	15	15
13-19 YRS	28	7.4	324	2	2	3	4	7	34	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	770	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	18	2.6	2	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	605	3.4	9	1	1	2	4	7	9	14
B. *Operated*	36	7.0	254	2	2	3	5	8	23	96
1. SINGLE DX	788	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	641	3.6	23	1	1	3	4	7	9	16
A. NOT OPERATED	1375	2.8	6	1	1	2	3	5	8	12
B. OPERATED	54	5.6	173	1	2	3	4	7	14	93
TOTAL 0-27 DYS	3	3.3	1	2	2	4	4	4	4	4
1-11 MOS	8	3.0	5	1	1	2	3	7	8	8
1-5 YRS	55	2.0	2	<1	1	2	2	4	5	7
6-12 YRS	418	2.4	4	1	1	2	3	4	7	11
13-19 YRS	945	3.1	17	1	1	2	4	6	8	13
GRAND TOTAL	**1429**	**2.9**	**13**	**1**	**1**	**2**	**3**	**5**	**8**	**12**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.3	5	1	1	1	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS										
6-12 YRS	4	1.5		<1	<1	1	2	2	2	2
13-19 YRS	39	1.3		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	3.3	5	1	1	3	4	7	8	8
13-19 YRS	29	2.2	8	<1	<1	1	2	4	6	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	4	1	1	1	3	5	5	5
B. *Operated*	46	1.3		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	38	2.4	7	<1	<1	2	3	5	7	16
1. SINGLE DX	50	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	40	2.4	7	<1	<1	2	3	4	7	16
A. NOT OPERATED	6	2.0	3	<1	<1	1	3	5	5	5
B. OPERATED	84	1.8	4	<1	<1	1	2	3	4	13
TOTAL 0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	13	2.5	4	<1	<1	2	3	6	8	8
13-19 YRS	72	1.7	4	<1	<1	1	2	3	4	14
GRAND TOTAL	**90**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	3.7	30	<1	<1	2	3	11	19	19
1-5 YRS	48	6.4	43	<1	1	4	8	14	24	30
6-12 YRS	59	7.3	41	1	1	6	9	20	27	99+
13-19 YRS	134	6.3	73	1	1	4	8	12	23	69
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	19	3.6	6	1	1	3	5	7	10	11
6-12 YRS	44	3.4	16	1	1	2	4	5	8	26
13-19 YRS	244	2.9	8	<1	1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	9	4.9	21	<1	1	3	6	13	14	14
1-5 YRS	37	5.1	18	<1	1	4	8	11	13	18
6-12 YRS	57	9.2	192	1	1	4	9	29	41	98
13-19 YRS	135	8.0	83	1	1	5	10	21	34	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	8	3.8	7	1	1	4	6	64	99+	99+
1-5 YRS	30	7.0	103	1	1	4	7	20	34	43
6-12 YRS	38	8.0	213	1	1	3	6	20	43	74
13-19 YRS	207	6.9	150	1	1	3	6	12	39	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	6.5	58	1	1	4	8	16	23	98
B. *Operated*	311	3.0	9	<1	1	2	3	5	8	20
2. MULTIPLE DX										
A. *Not Operated*	240	7.7	97	1	1	4	9	21	32	99+
B. *Operated*	283	7.0	149	1	1	3	6	13	39	87
1. SINGLE DX	562	4.5	34	1	1	3	5	10	16	35
2. MULTIPLE DX	523	7.3	125	1	1	4	7	19	34	91
A. NOT OPERATED	491	7.1	77	1	1	4	8	18	29	99+
B. OPERATED	594	4.9	79	1	1	3	5	8	15	61
TOTAL 0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	31	3.8	17	<1	1	3	4	12	18	99+
1-5 YRS	134	5.8	44	1	1	4	7	11	18	35
6-12 YRS	198	7.1	114	1	1	4	7	20	31	99+
13-19 YRS	720	5.6	79	1	1	3	6	11	21	65
GRAND TOTAL	**1085**	**5.9**	**80**	**1**	**1**	**3**	**6**	**12**	**24**	**76**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.8	24	1	1	3	8	12	12	12
1-5 YRS	13	2.7	3	1	1	3	4	5	5	5
6-12 YRS	50	3.4	3	1	1	3	5	6	7	7
13-19 YRS	136	3.5	8	1	1	3	4	5	6	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	1.5	1	<1	<1	1	2	3	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	2.8	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	13	3.2	5	1	1	3	4	5	9	10
1-5 YRS	24	3.2	2	1	1	3	4	5	6	6
6-12 YRS	71	4.3	8	1	1	4	5	8	10	16
13-19 YRS	131	4.1	9	1	2	3	5	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.0	2	<1	<1	1	3	4	5	5
B. *Operated*	203	3.4	6	1	1	3	4	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	13	1.9	2	<1	<1	1	3	4	5	5
B. *Operated*	239	4.0	8	1	2	3	5	6	9	16
1. SINGLE DX	211	3.4	6	1	1	3	4	5	6	16
2. MULTIPLE DX	252	3.9	8	1	1	3	5	6	9	16
A. NOT OPERATED	21	2.0	2	<1	<1	1	3	4	5	5
B. OPERATED	442	3.7	7	1	1	3	4	6	8	16
TOTAL 0-27 DYS										
1-11 MOS	18	3.5	9	1	1	3	4	8	11	12
1-5 YRS	48	2.6	2	1	1	2	4	5	5	6
6-12 YRS	123	3.9	6	1	1	3	5	7	8	13
13-19 YRS	274	3.7	8	1	1	3	4	6	8	20
GRAND TOTAL	**463**	**3.7**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	8	2.0	1	<1	<1	2	2	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	3.0	4	1	1	2	6	81	99+	99+
13-19 YRS	6	2.5	2	<1	<1	3	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	6	1.8	3	<1	<1	1	2	5	5	5
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	4	4.0	22	1	1	2	7	11	11	11
1-5 YRS	5	3.4	6	1	1	2	6	6	6	6
6-12 YRS	4	1.0		<1	<1	1	1	1	1	1
13-19 YRS	5	5.4	25	1	1	3	9	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.3	1	1	1	1	1	3	3	3
B. *Operated*	21	2.4	2	<1	1	2	3	5	44	99+
2. MULTIPLE DX										
A. *Not Operated*	13	1.8	2	<1	<1	1	2	4	5	5
B. *Operated*	18	3.6	14	<1	1	2	6	10	12	13
1. SINGLE DX	27	2.2	2	<1	1	2	3	5	15	99+
2. MULTIPLE DX	31	2.8	9	<1	<1	2	3	7	11	13
A. NOT OPERATED	19	1.7	1	<1	<1	1	2	4	5	5
B. OPERATED	39	2.9	7	<1	1	2	4	7	12	99+
TOTAL 0-27 DYS										
1-11 MOS	17	2.2	6	<1	1	2	2	4	9	11
1-5 YRS	15	2.2	3	<1	<1	1	2	6	6	6
6-12 YRS	12	2.3	3	<1	<1	2	4	25	86	99+
13-19 YRS	14	3.6	10	<1	1	3	3	8	12	13
GRAND TOTAL	**58**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**6**	**10**	**92**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	8	1.8	1	1	1	2	2	3	4	4
13-19 YRS	10	2.5	4	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	1.3	1	<1	<1	<1	1	3	3	3
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	7	2.4	3	1	1	2	4	5	5	5
13-19 YRS	17	3.5	11	<1	1	2	4	6	12	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	22	2.1	2	<1	1	2	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	13	1.3		<1	<1	1	1	2	3	3
B. *Operated*	29	2.9	8	<1	1	2	3	5	6	15
1. SINGLE DX	24	2.1	2	<1	1	2	2	4	6	7
2. MULTIPLE DX	42	2.4	5	<1	<1	2	3	5	6	15
A. NOT OPERATED	15	1.4		<1	<1	1	2	2	3	3
B. OPERATED	51	2.5	5	<1	1	2	3	5	6	15
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	2.0		2	2	2	2	2	2	2
1-5 YRS	12	1.3		<1	<1	1	2	2	3	3
6-12 YRS	18	2.0	2	1	1	2	2	5	5	5
13-19 YRS	31	2.9	8	<1	1	2	3	6	7	15
GRAND TOTAL	**66**	**2.3**	**4**	**<1**	**<1**	**2**	**2**	**5**	**6**	**14**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	40	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	50	1.9	2	<1	<1	2	2	4	5	7
13-19 YRS	41	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS	3	4.0	27	1	1	1	8	10	10	10
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	9	1.9	1	<1	<1	2	2	3	3	3
1-5 YRS	25	1.8	1	<1	<1	2	2	3	4	6
6-12 YRS	42	3.4	17	<1	1	2	3	6	11	24
13-19 YRS	48	2.6	5	<1	1	2	3	4	5	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	151	1.7	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	6	3.0	13	<1	<1	1	4	9	10	10
B. *Operated*	124	2.7	8	<1	1	2	3	4	6	18
1. SINGLE DX	152	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	130	2.7	8	<1	<1	2	3	4	6	18
A. NOT OPERATED	7	3.3	12	<1	<1	1	5	9	10	10
B. OPERATED	275	2.2	5	<1	<1	2	2	3	5	13
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	28	1.4		<1	<1	1	2	2	3	3
1-5 YRS	69	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	95	2.7	10	<1	1	2	3	5	7	20
13-19 YRS	89	2.3	3	<1	<1	2	3	4	4	12
GRAND TOTAL	**282**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**13**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	16	1.3	1	<1	<1	1	1	2	3	4
6-12 YRS	8	2.3	3	<1	<1	2	3	5	5	5
13-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	194	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	1594	1.3	1	<1	<1	1	1	2	2	2
6-12 YRS	756	1.3		<1	<1	1	2	2	2	2
13-19 YRS	335	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	1.8	2	<1	<1	1	2	4	5	5
1-5 YRS	77	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	18	1.2		<1	<1	1	1	2	2	2
13-19 YRS	14	2.8	11	<1	<1	1	3	7	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS	36	2.2	14	<1	<1	1	2	2	8	22
1-5 YRS	430	1.3		<1	<1	1	2	2	2	3
6-12 YRS	266	1.3		<1	<1	1	2	2	2	4
13-19 YRS	120	1.4	1	<1	<1	1	2	2	3	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	1.6	1	<1	<1	1	2	4	4	5
B. *Operated*	2879	1.3	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	119	1.5	2	<1	<1	1	1	3	4	9
B. *Operated*	852	1.4	1	<1	<1	1	2	2	2	4
1. SINGLE DX	2910	1.3	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX	971	1.4	1	<1	<1	1	2	2	2	5
A. NOT OPERATED	150	1.5	2	<1	<1	1	2	3	4	7
B. OPERATED	3731	1.3	1	<1	<1	1	2	2	2	3
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	242	1.3	2	<1	<1	<1	1	2	2	7
1-5 YRS	2117	1.3	1	<1	<1	1	1	2	2	3
6-12 YRS	1048	1.3		<1	<1	1	2	2	2	3
13-19 YRS	473	1.4	1	<1	<1	1	2	2	2	6
GRAND TOTAL	**3881**	**1.3**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	46	3.3	7	<1	1	3	4	5	9	15
1-11 MOS	188	1.9	15	<1	<1	<1	1	3	5	12
1-5 YRS	213	2.1	4	<1	<1	1	2	4	7	10
6-12 YRS	36	3.4	10	<1	1	3	4	6	8	18
13-19 YRS	46	3.0	4	<1	<1	2	4	5	7	9
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	21	1.7	2	<1	<1	<1	2	4	5	5
1-5 YRS	167	1.3		<1	<1	<1	1	2	2	4
6-12 YRS	108	1.5	2	<1	<1	1	2	2	3	8
13-19 YRS	107	1.8	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	64	4.0	4	1	2	3	5	7	8	8
1-11 MOS	147	3.4	4	<1	1	3	4	6	7	9
1-5 YRS	222	3.0	4	<1	1	3	4	5	7	12
6-12 YRS	60	3.9	10	<1	<1	3	5	7	10	18
13-19 YRS	52	3.1	4	<1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	9	3.7	23	<1	<1	2	4	12	16	16
1-5 YRS	82	2.3	4	<1	<1	1	3	5	7	10
6-12 YRS	81	2.3	3	<1	<1	2	3	4	6	10
13-19 YRS	120	2.1	2	<1	1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	2.3	9	<1	<1	1	3	5	6	11
B. *Operated*	405	1.5	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	545	3.3	5	<1	1	3	4	6	8	11
B. *Operated*	294	2.2	3	<1	<1	2	3	4	5	10
1. SINGLE DX	934	2.0	6	<1	<1	1	2	4	5	9
2. MULTIPLE DX	839	2.9	5	<1	1	2	4	6	7	10
A. NOT OPERATED	1074	2.8	7	<1	<1	2	4	5	7	11
B. OPERATED	699	1.8	2	<1	<1	1	2	3	4	9
TOTAL 0-27 DYS	114	3.7	5	1	1	3	5	7	8	12
1-11 MOS	365	2.5	10	<1	<1	1	3	5	7	11
1-5 YRS	684	2.2	4	<1	<1	1	3	4	6	10
6-12 YRS	285	2.5	6	<1	<1	2	3	5	7	12
13-19 YRS	325	2.3	3	<1	<1	2	3	4	5	9
GRAND TOTAL	**1773**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	4.8	11	1	2	4	6	9	12	13
1-11 MOS	233	3.4	4	1	1	3	4	6	7	10
1-5 YRS	654	3.3	4	1	2	3	4	5	6	11
6-12 YRS	209	3.7	4	1	2	3	5	6	8	11
13-19 YRS	134	3.7	5	1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	20	3.2	4	<1	1	3	4	6	7	8
1-5 YRS	47	3.0	7	<1	<1	2	3	8	9	11
6-12 YRS	58	3.3	9	<1	<1	2	5	8	9	16
13-19 YRS	52	3.3	20	<1	<1	2	4	6	11	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	4.3	3	2	2	4	6	7	7	7
1-11 MOS	357	4.3	7	1	2	4	5	7	10	12
1-5 YRS	737	3.8	5	1	2	3	5	7	8	11
6-12 YRS	258	4.0	5	1	1	3	5	7	9	11
13-19 YRS	153	4.8	10	1	2	4	6	9	11	15
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	29	4.1	28	1	1	3	5	7	9	29
1-5 YRS	67	4.5	18	<1	1	3	7	9	11	22
6-12 YRS	68	6.0	34	1	1	4	9	12	17	28
13-19 YRS	89	4.7	14	1	1	3	6	10	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1243	3.4	4	1	1	3	4	6	7	11
B. *Operated*	178	3.2	11	<1	<1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	1524	4.1	6	1	2	3	5	7	9	12
B. *Operated*	255	4.9	22	1	1	3	7	10	14	27
1. SINGLE DX	1421	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1779	4.2	8	1	2	3	5	7	10	14
A. NOT OPERATED	2767	3.8	5	1	2	3	5	7	8	12
B. OPERATED	433	4.2	18	<1	1	3	6	9	12	23
TOTAL 0-27 DYS	35	4.4	6	1	2	4	6	7	8	13
1-11 MOS	639	3.9	7	1	1	3	5	7	9	12
1-5 YRS	1505	3.6	5	1	1	3	4	6	8	11
6-12 YRS	593	4.0	9	1	1	3	5	8	10	15
13-19 YRS	428	4.3	11	1	1	3	6	8	10	16
GRAND TOTAL	**3200**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**13**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	13	2.3	1	<1	1	2	3	4	5	5
1-5 YRS	7	1.7	1	<1	<1	2	2	3	3	3
6-12 YRS	9	2.0	3	1	1	2	2	5	6	6
13-19 YRS	9	2.3	3	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	13	1.3		<1	<1	1	2	2	2	2
6-12 YRS	16	1.4		<1	<1	1	2	2	2	2
13-19 YRS	10	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	1.9	1	1	1	2	2	3	3	3
1-5 YRS	17	2.3	3	<1	<1	2	3	5	6	7
6-12 YRS	26	2.4	4	<1	<1	2	3	4	8	10
13-19 YRS	38	2.8	4	1	1	2	4	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	21.0	722	2	2	21	40	40	40	40
1-5 YRS	9	1.4	1	<1	<1	<1	2	3	3	3
6-12 YRS	25	2.2	3	<1	<1	1	3	5	6	8
13-19 YRS	22	2.8	7	<1	1	2	3	6	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.2	2	<1	1	2	3	4	6	6
B. *Operated*	41	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	95	2.5	4	<1	1	2	3	5	6	11
B. *Operated*	58	2.9	29	<1	<1	2	3	6	7	38
1. SINGLE DX	80	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	153	2.7	13	<1	1	2	3	5	7	12
A. NOT OPERATED	134	2.4	3	<1	1	2	3	5	6	10
B. OPERATED	99	2.3	17	<1	<1	1	2	4	6	26
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	31	3.2	48	<1	<1	2	3	4	5	40
1-5 YRS	46	1.8	2	<1	<1	1	2	3	4	7
6-12 YRS	76	2.1	3	<1	<1	2	2	4	6	9
13-19 YRS	79	2.6	4	1	1	2	3	5	6	12
GRAND TOTAL	**233**	**2.4**	**9**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	112	3.1	2	1	1	3	4	5	6	8
1-11 MOS	841	2.6	2	1	1	2	3	4	5	7
1-5 YRS	679	2.6	2	1	1	2	3	4	5	8
6-12 YRS	63	3.0	7	1	1	2	3	5	8	14
13-19 YRS	21	3.5	5	<1	1	3	4	7	8	9
B. *Operated*										
0-27 DYS	11	2.9	5	<1	<1	2	4	6	8	8
1-11 MOS	646	1.1		<1	<1	<1	<1	1	2	5
1-5 YRS	3954	1.0		<1	<1	<1	<1	1	1	2
6-12 YRS	1533	1.2		<1	<1	<1	1	2	2	3
13-19 YRS	483	1.4		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	184	3.4	4	1	2	3	4	6	7	11
1-11 MOS	2596	3.1	4	1	1	3	4	5	6	10
1-5 YRS	3487	3.0	4	1	1	3	4	5	7	9
6-12 YRS	376	3.1	5	<1	1	3	4	5	7	13
13-19 YRS	113	3.7	5	1	1	3	5	7	8	10
B. *Operated*										
0-27 DYS	8	2.8	3	<1	<1	3	3	5	6	6
1-11 MOS	277	3.2	8	<1	<1	2	4	7	10	14
1-5 YRS	3347	1.4	2	<1	<1	1	1	2	3	7
6-12 YRS	2040	1.4	2	<1	<1	1	2	2	3	5
13-19 YRS	661	1.6	2	<1	1	1	2	3	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1716	2.6	2	1	1	2	3	4	5	8
B. *Operated*	6627	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	6756	3.1	4	1	1	3	4	5	7	10
B. *Operated*	6333	1.5	2	<1	<1	1	2	2	3	8
1. SINGLE DX	8343	1.4	1	<1	<1	<1	1	3	3	6
2. MULTIPLE DX	13089	2.3	4	<1	<1	2	3	4	6	9
A. NOT OPERATED	8472	3.0	4	1	1	3	4	5	6	10
B. OPERATED	12960	1.3	1	<1	<1	<1	1	2	2	6
TOTAL 0-27 DYS	315	3.3	3	1	1	3	4	5	7	10
1-11 MOS	4360	2.7	4	<1	<1	2	4	5	6	10
1-5 YRS	11467	1.8	3	<1	<1	1	2	4	5	8
6-12 YRS	4012	1.5	2	<1	<1	1	2	2	3	7
13-19 YRS	1278	1.8	2	<1	<1	1	2	3	4	8
GRAND TOTAL	**21432**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	4.0	4	2	2	3	6	7	8	8
1-11 MOS	77	3.2	4	1	1	3	4	5	7	10
1-5 YRS	165	2.9	3	1	1	3	4	5	6	9
6-12 YRS	84	3.6	12	1	1	3	4	7	9	22
13-19 YRS	57	3.7	7	1	1	3	4	8	10	12
B. *Operated*										
0-27 DYS										
1-11 MOS	66	1.6	1	<1	<1	<1	2	3	4	5
1-5 YRS	354	1.4	1	<1	<1	<1	1	2	5	7
6-12 YRS	263	1.6	2	<1	<1	<1	1	3	4	9
13-19 YRS	77	2.3	4	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	3.6	2	1	2	4	4	5	6	7
1-11 MOS	246	3.2	4	1	1	3	4	6	7	11
1-5 YRS	573	3.7	10	1	1	3	5	6	9	15
6-12 YRS	138	4.1	8	1	2	3	5	8	10	14
13-19 YRS	116	4.4	9	1	2	4	6	8	9	17
B. *Operated*										
0-27 DYS	5	4.0	3	3	3	3	5	7	7	7
1-11 MOS	51	4.3	9	<1	1	4	6	8	10	17
1-5 YRS	402	2.1	7	<1	<1	1	2	4	6	11
6-12 YRS	296	2.7	16	<1	<1	1	2	6	9	20
13-19 YRS	172	3.3	13	<1	1	2	4	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	397	3.2	6	1	1	3	4	5	8	11
B. *Operated*	760	1.6	2	<1	<1	<1	1	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	1095	3.7	8	1	1	3	5	7	8	14
B. *Operated*	926	2.6	11	<1	<1	1	3	6	9	16
1. SINGLE DX	1157	2.1	4	<1	<1	1	3	4	6	9
2. MULTIPLE DX	2021	3.2	10	<1	1	2	4	6	9	15
A. NOT OPERATED	1492	3.6	8	1	1	3	4	6	8	13
B. OPERATED	1686	2.1	7	<1	<1	1	2	5	7	12
TOTAL 0-27 DYS	41	3.8	2	2	2	3	4	6	7	8
1-11 MOS	440	3.1	5	<1	<1	3	4	6	7	11
1-5 YRS	1494	2.6	7	<1	<1	2	3	5	7	11
6-12 YRS	781	2.7	10	<1	<1	2	3	6	8	14
13-19 YRS	422	3.5	10	<1	1	2	4	7	9	17
GRAND TOTAL	**3178**	**2.8**	**8**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	12	1.8	1	<1	<1	2	3	3	4	4
6-12 YRS	16	2.8	2	<1	1	3	4	5	5	5
13-19 YRS	47	3.0	4	1	1	3	4	5	5	12
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	8	2.3	10	<1	<1	<1	1	8	10	10
6-12 YRS	16	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	19	2.0	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	7	3.0	1	2	2	3	4	5	5	5
1-5 YRS	9	6.6	125	1	1	3	5	24	36	36
6-12 YRS	19	3.5	5	1	1	3	4	7	9	10
13-19 YRS	76	3.5	5	1	1	3	4	6	9	11
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	4.7	6	2	2	5	6	7	7	7
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	9	1.4	1	<1	<1	1	2	3	4	4
13-19 YRS	17	2.8	7	<1	<1	1	4	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.8	3	1	1	2	4	5	5	10
B. *Operated*	44	2.0	4	<1	<1	1	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	114	3.7	14	1	1	3	4	6	9	21
B. *Operated*	33	2.5	5	<1	<1	1	3	6	7	9
1. SINGLE DX	121	2.5	3	<1	<1	2	3	5	5	11
2. MULTIPLE DX	147	3.4	12	<1	1	3	4	6	8	13
A. NOT OPERATED	191	3.3	10	1	1	3	4	5	8	12
B. OPERATED	77	2.2	4	<1	<1	1	3	5	7	10
TOTAL 0-27 DYS	5	3.6	9	2	2	2	4	9	9	9
1-11 MOS	12	3.5	3	2	2	3	5	6	7	7
1-5 YRS	32	3.2	39	<1	<1	2	3	5	10	36
6-12 YRS	60	2.5	3	<1	<1	2	3	5	6	10
13-19 YRS	159	3.1	5	1	1	3	4	6	8	12
GRAND TOTAL	**268**	**3.0**	**8**	**<1**	**1**	**2**	**4**	**5**	**7**	**11**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	12	2.1	1	1	1	2	3	4	4	4
13-19 YRS	59	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	1.1		<1	<1	1	1	2	2	2
13-19 YRS	27	1.9	1	1	1	2	2	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	75	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	3	2.7	4	<1	<1	2	4	5	5	5
B. *Operated*	37	1.7	1	<1	1	2	2	3	4	4
1. SINGLE DX	77	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	40	1.8	1	<1	<1	2	2	3	4	5
A. NOT OPERATED	5	2.4	2	<1	<1	2	3	5	5	5
B. OPERATED	112	1.8	1	1	1	2	2	3	3	4
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	4	2.3	4	1	1	2	3	5	5	5
6-12 YRS	20	1.8	1	<1	<1	2	2	3	4	4
13-19 YRS	89	1.8	1	1	1	2	2	3	3	4
GRAND TOTAL	**117**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	29	1.3	1	<1	<1	<1	1	2	3	6
6-12 YRS	17	2.3	4	<1	<1	1	3	4	7	9
13-19 YRS	10	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*										
0-27 DYS	3	2.7	4	1	1	2	4	5	5	5
1-11 MOS	10	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	241	1.4	1	<1	<1	1	2	2	2	4
6-12 YRS	808	1.4	1	<1	<1	1	2	2	2	4
13-19 YRS	620	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.9		<1	<1	2	2	3	3	3
1-5 YRS	34	3.8	13	<1	<1	4	5	7	14	16
6-12 YRS	33	2.0	5	<1	<1	1	2	5	8	10
13-19 YRS	25	3.7	27	<1	<1	2	4	14	18	20
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.3	9	<1	<1	1	2	8	9	9
1-5 YRS	218	1.6	2	<1	<1	1	2	2	3	7
6-12 YRS	742	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	627	1.6	1	1	1	1	2	3	3	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	1.7	2	<1	<1	1	2	4	5	9
B. *Operated*	1682	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	99	3.0	14	<1	<1	1	4	7	12	19
B. *Operated*	1595	1.6	1	<1	1	1	2	2	3	5
1. SINGLE DX	1742	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	1694	1.7	2	<1	<1	1	2	3	3	7
A. NOT OPERATED	159	2.5	10	<1	<1	1	3	5	8	17
B. OPERATED	3277	1.5	1	<1	<1	1	2	2	3	5
TOTAL 0-27 DYS	4	2.3	4	1	1	2	3	5	5	5
1-11 MOS	28	1.5	2	<1	<1	<1	1	2	4	9
1-5 YRS	522	1.6	2	<1	<1	1	2	2	4	8
6-12 YRS	1600	1.5	1	<1	<1	1	2	2	3	5
13-19 YRS	1282	1.6	1	<1	1	1	2	3	3	5
GRAND TOTAL	**3436**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	25	5.1	19	1	1	4	7	9	13	21
6-12 YRS	112	5.8	15	1	2	5	8	11	14	18
13-19 YRS	53	6.3	35	1	1	5	8	12	15	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	14.1	392	2	3	6	13	43	67	73
6-12 YRS	62	7.7	89	1	2	5	8	16	21	52
13-19 YRS	41	5.9	28	1	2	4	7	15	16	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	15.0	18	12	12	15	18	18	18	18
6-12 YRS	7	16.1	178	2	3	13	19	38	43	43
13-19 YRS	9	10.3	52	2	3	7	16	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	5.8	21	1	2	5	8	11	14	21
B. *Operated*	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	116	7.8	103	1	2	5	8	16	21	59
B. *Operated*	18	13.1	96	2	3	10	18	22	35	43
1. SINGLE DX	192	5.8	21	1	2	5	8	11	14	21
2. MULTIPLE DX	134	8.5	105	1	2	5	10	18	22	55
A. NOT OPERATED	306	6.6	53	1	2	5	8	13	16	43
B. OPERATED	20	12.3	93	2	3	9	18	21	32	43
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	41	8.5	149	1	2	5	9	17	27	73
6-12 YRS	181	6.8	50	1	2	5	8	14	17	49
13-19 YRS	104	6.5	34	1	2	5	8	14	17	32
GRAND TOTAL	**326**	**6.9**	**57**	**1**	**2**	**5**	**8**	**14**	**18**	**45**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	3.0	7	1	1	2	5	6	6	6
13-19 YRS	5	5.0	22	1	1	4	8	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	4	1.8		<1	<1	2	2	2	2	2
13-19 YRS	6	4.7	11	1	1	4	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS										
6-12 YRS	7	3.7	6	2	2	3	4	8	9	9
13-19 YRS	17	4.5	30	<1	<1	2	5	11	18	22
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	9	3.9	22	1	1	2	5	12	13	13
6-12 YRS	12	7.8	167	<1	<1	2	11	25	42	45
13-19 YRS	23	11.2	115	1	1	11	17	21	31	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.9	15	1	1	2	6	10	12	12
B. *Operated*	12	3.2	7	<1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	27	4.4	22	<1	<1	3	5	11	14	22
B. *Operated*	48	8.4	107	1	1	3	13	19	24	48
1. SINGLE DX	21	3.5	10	<1	1	2	5	8	10	12
2. MULTIPLE DX	75	7.0	80	<1	1	3	11	18	22	47
A. NOT OPERATED	36	4.3	20	<1	1	3	5	11	12	22
B. OPERATED	60	7.4	91	1	1	3	11	18	21	48
TOTAL 0-27 DYS	3	5.7	25	1	1	5	9	11	11	11
1-11 MOS	4	4.5	26	1	1	2	7	12	12	12
1-5 YRS	12	3.3	17	1	1	2	3	12	13	13
6-12 YRS	26	5.2	82	<1	1	2	4	14	22	45
13-19 YRS	51	7.6	74	<1	1	4	12	19	22	48
GRAND TOTAL	**96**	**6.2**	**66**	**<1**	**1**	**3**	**9**	**16**	**20**	**47**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.2	3	1	1	1	3	5	5	5
1-5 YRS	5	5.4	18	2	2	4	8	12	12	12
6-12 YRS	22	3.2	7	1	1	2	4	6	9	13
13-19 YRS	68	3.3	6	1	1	3	4	5	7	16
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	5	7.0	62	2	2	2	12	20	20	20
6-12 YRS	3	3.7	9	<1	<1	3	6	7	7	7
13-19 YRS	16	4.1	31	1	1	2	4	7	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	3.9	2	2	2	4	5	5	5	5
1-11 MOS	24	5.5	27	1	1	4	7	11	17	23
1-5 YRS	20	4.3	5	1	1	4	6	7	8	8
6-12 YRS	49	4.8	17	1	1	4	6	9	11	25
13-19 YRS	136	4.1	9	1	2	3	5	7	9	15
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	5	10.2	82	3	3	4	19	22	22	22
1-5 YRS	4	8.8	108	1	1	5	15	24	24	24
6-12 YRS	13	5.2	10	2	2	5	7	9	12	13
13-19 YRS	45	5.2	23	1	1	3	8	11	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.3	7	1	1	3	4	6	7	15
B. *Operated*	27	4.4	30	1	1	3	4	9	21	24
2. MULTIPLE DX										
A. *Not Operated*	236	4.4	12	1	1	4	5	8	10	23
B. *Operated*	68	5.9	30	1	2	4	8	13	18	25
1. SINGLE DX	128	3.6	12	1	1	3	4	6	9	21
2. MULTIPLE DX	304	4.7	16	1	1	4	6	9	13	24
A. NOT OPERATED	337	4.1	10	1	1	3	5	7	10	19
B. OPERATED	95	5.5	30	1	1	3	7	13	19	25
TOTAL 0-27 DYS	10	4.5	13	1	1	4	5	10	14	14
1-11 MOS	36	5.5	32	1	1	4	6	15	21	23
1-5 YRS	34	5.4	25	1	1	4	7	9	18	24
6-12 YRS	87	4.4	13	1	1	4	5	9	11	21
13-19 YRS	265	4.1	12	1	1	3	5	8	10	23
GRAND TOTAL	**432**	**4.4**	**15**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	9.8	12	6	6	9	14	14	14	14
1-5 YRS	2	8.0	8	6	6	8	10	10	10	10
6-12 YRS	3	7.0	21	2	2	8	10	11	11	11
13-19 YRS	3	6.7	4	5	5	6	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	3	2	2	5	5	5	5	5
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*	14	8.3	11	3	5	8	10	14	14	14
B. *Operated*	2	10.0	8	8	8	10	12	12	12	12
1. SINGLE DX	4	3.3	4	<1	<1	3	5	5	5	5
2. MULTIPLE DX	16	8.5	11	3	5	8	11	14	14	14
A. NOT OPERATED	17	7.5	12	2	3	7	10	13	14	14
B. OPERATED	3	7.0	31	<1	<1	8	11	12	12	12
TOTAL 0-27 DYS										
1-11 MOS	7	10.1	11	6	6	10	13	14	14	14
1-5 YRS	5	6.0	12	<1	<1	6	8	10	10	10
6-12 YRS	4	6.5	15	2	2	6	9	11	11	11
13-19 YRS	4	5.5	8	2	2	5	7	9	9	9
GRAND TOTAL	**20**	**7.5**	**14**	**1**	**2**	**7**	**10**	**13**	**14**	**14**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	11.3	57	6	6	8	17	20	20	20
1-5 YRS	3	7.0	76	<1	<1	3	13	17	17	17
6-12 YRS	6	4.3	12	1	1	4	6	10	10	10
13-19 YRS	11	3.0	2	1	1	3	3	5	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS	5	4.4	14	1	1	2	8	9	9	9
13-19 YRS	8	2.5	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	4.0	27	<1	<1	2	3	12	18	18
1-5 YRS	17	4.1	17	<1	1	3	5	12	14	15
6-12 YRS	21	6.5	18	1	2	6	8	12	16	19
13-19 YRS	36	5.8	22	1	1	5	7	12	17	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	12.3	129	2	2	8	16	32	35	35
6-12 YRS	29	9.0	55	1	2	7	13	18	24	35
13-19 YRS	58	9.1	76	2	2	6	13	20	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.0	24	<1	1	3	6	11	18	20
B. *Operated*	16	3.6	8	1	1	3	4	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	84	5.4	21	1	1	4	7	12	16	20
B. *Operated*	96	9.4	74	2	2	7	13	20	28	38
1. SINGLE DX	39	4.4	18	1	1	3	6	9	14	20
2. MULTIPLE DX	180	7.5	53	1	2	6	9	17	22	36
A. NOT OPERATED	107	5.3	21	1	1	4	7	12	17	20
B. OPERATED	112	8.6	68	1	2	6	11	19	27	38
TOTAL 0-27 DYS										
1-11 MOS	14	5.5	38	<1	1	3	7	18	20	20
1-5 YRS	31	6.9	63	<1	1	3	9	16	26	35
6-12 YRS	61	7.3	37	1	2	6	9	15	18	34
13-19 YRS	113	7.0	52	1	2	5	8	16	21	37
GRAND TOTAL	**219**	**7.0**	**48**	**1**	**1**	**5**	**8**	**15**	**20**	**35**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	10.0	6	6	7	11	12	74	99+	99+
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	10.6	18	7	7	9	12	18	19	19
1-11 MOS	33	8.6	13	4	5	8	10	13	13	21
1-5 YRS	13	9.0	14	4	4	8	11	15	16	16
6-12 YRS	5	8.0	6	5	5	7	10	11	11	11
13-19 YRS	9	7.3	8	3	4	7	9	12	12	12
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	4	12.3	7	10	10	12	14	15	15	15
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	8	8.6	21	2	3	8	11	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	9.6	6	6	6	11	12	65	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	67	8.7	12	4	5	8	10	13	15	21
B. *Operated*	15	9.7	16	3	5	9	13	15	16	16
1. SINGLE DX	8	9.6	6	6	6	11	12	65	99+	99+
2. MULTIPLE DX	82	8.9	13	4	5	8	10	14	15	20
A. NOT OPERATED	75	8.8	12	4	5	8	11	13	16	79
B. OPERATED	15	9.7	16	3	5	9	13	15	16	16
TOTAL 0-27 DYS	8	10.8	15	7	7	9	12	17	19	19
1-11 MOS	44	9.2	12	5	6	9	11	13	16	99+
1-5 YRS	15	8.9	12	4	4	8	10	15	16	16
6-12 YRS	6	7.7	5	5	5	7	10	11	11	11
13-19 YRS	17	7.9	14	2	3	7	10	14	15	16
GRAND TOTAL	**90**	**8.9**	**12**	**4**	**5**	**8**	**11**	**14**	**16**	**68**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	4	3.3	2	1	1	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.3	5	1	1	3	5	6	6	6
1-11 MOS	32	4.4	9	1	2	3	5	9	10	15
1-5 YRS	9	4.2	3	2	2	5	5	7	7	7
6-12 YRS	5	3.2	5	2	2	2	4	7	7	7
13-19 YRS	21	4.0	8	1	1	3	6	7	10	13
B. *Operated*										
0-27 DYS	3	3.0	7	1	1	2	5	6	6	6
1-11 MOS	7	9.7	42	3	3	8	12	20	22	22
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.3	2	<1	<1	2	2	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.4	2	1	1	3	4	5	6	6
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	71	4.1	7	1	2	3	6	8	9	15
B. *Operated*	16	5.7	32	<1	1	3	7	13	19	22
1. SINGLE DX	9	3.2	2	1	1	3	4	5	6	6
2. MULTIPLE DX	87	4.4	12	1	2	3	6	8	11	19
A. NOT OPERATED	79	4.0	7	1	2	3	5	8	9	14
B. OPERATED	17	5.5	31	<1	1	3	7	13	19	22
TOTAL 0-27 DYS	7	3.1	5	1	1	2	5	6	6	6
1-11 MOS	41	5.3	18	1	2	3	7	10	14	22
1-5 YRS	9	4.2	3	2	2	5	5	7	7	7
6-12 YRS	7	3.1	3	2	2	3	3	6	7	7
13-19 YRS	32	3.6	6	1	1	3	5	6	8	13
GRAND TOTAL	**96**	**4.3**	**11**	**1**	**2**	**3**	**6**	**8**	**11**	**19**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.8	10	<1	<1	3	5	9	9	9
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	5.6	12	2	2	4	8	10	11	11
1-11 MOS	45	5.5	10	1	2	5	7	10	11	15
1-5 YRS	7	7.3	25	2	2	5	12	14	14	14
6-12 YRS	5	4.6	7	1	1	5	6	8	8	8
13-19 YRS	10	3.8	2	2	2	4	5	6	6	6
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	8	8.4	18	2	2	10	11	13	13	13
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	8	<1	<1	3	4	8	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	74	5.4	10	2	2	5	7	10	11	15
B. *Operated*	12	7.0	17	2	2	7	10	12	13	13
1. SINGLE DX	6	3.5	8	<1	<1	3	4	8	9	9
2. MULTIPLE DX	86	5.6	11	2	2	5	8	10	12	15
A. NOT OPERATED	80	5.2	10	1	2	4	7	10	11	15
B. OPERATED	12	7.0	17	2	2	7	10	12	13	13
TOTAL 0-27 DYS	9	4.9	11	2	2	3	8	10	11	11
1-11 MOS	58	5.7	12	1	2	5	9	10	12	15
1-5 YRS	8	6.6	25	2	2	5	11	14	14	14
6-12 YRS	5	4.6	7	1	1	5	6	8	8	8
13-19 YRS	12	4.2	3	2	2	4	6	6	6	6
GRAND TOTAL	**92**	**5.5**	**11**	**2**	**2**	**5**	**8**	**10**	**12**	**15**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	9	2	2	4	7	8	8	8
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	5	3.6	22	1	1	2	5	12	12	12
13-19 YRS	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	5.8	40	1	1	3	9	14	21	23
1-5 YRS	4	6.5	60	<1	<1	3	11	18	18	18
6-12 YRS	2	2.0	2	<1	<1	1	3	3	3	3
13-19 YRS	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	16	11.4	264	<1	1	5	11	47	52	53
1-5 YRS	11	2.8	17	<1	<1	2	2	7	14	15
6-12 YRS	10	3.3	17	1	1	1	3	11	12	12
13-19 YRS	3	4.3	9	1	1	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	8	<1	<1	2	5	8	8	8
B. *Operated*	13	3.3	12	1	1	2	3	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	22	5.2	34	<1	<1	3	6	14	20	23
B. *Operated*	41	7.0	132	<1	1	2	9	15	36	53
1. SINGLE DX	18	3.3	10	<1	1	2	4	9	11	12
2. MULTIPLE DX	63	6.3	97	<1	1	3	8	15	24	53
A. NOT OPERATED	27	4.9	29	<1	<1	3	6	11	19	23
B. OPERATED	54	6.1	105	<1	1	2	7	13	23	53
TOTAL 0-27 DYS	5	8.0	98	1	1	4	12	25	25	25
1-11 MOS	34	7.9	148	<1	1	3	9	17	45	53
1-5 YRS	17	3.8	25	<1	<1	2	3	13	17	18
6-12 YRS	17	3.2	16	<1	1	1	3	11	12	12
13-19 YRS	8	4.1	8	1	1	4	6	8	9	9
GRAND TOTAL	**81**	**5.7**	**79**	**<1**	**1**	**2**	**6**	**12**	**20**	**52**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	24	7.7	18	<1	2	8	9	11	15	21
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	6.3	5	2	2	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	7.5	5	6	6	7	9	9	9	9
6-12 YRS	1	24.0		24	24	24	24	24	24	24
13-19 YRS	40	9.1	21	2	3	9	11	16	18	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	13.3	140	6	6	7	22	27	27	27
13-19 YRS	8	16.9	212	6	6	13	19	41	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	7.7	18	<1	2	8	9	11	15	21
B. *Operated*	7	7.7	18	2	3	8	8	14	16	16
2. MULTIPLE DX										
A. *Not Operated*	44	9.3	25	2	3	9	11	16	19	24
B. *Operated*	11	15.9	179	6	6	9	19	36	49	50
1. SINGLE DX	31	7.7	17	<1	2	8	9	12	16	21
2. MULTIPLE DX	55	10.6	60	2	3	9	11	19	23	49
A. NOT OPERATED	68	8.7	23	1	2	8	10	16	19	23
B. OPERATED	18	12.7	129	3	6	8	18	25	41	50
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	7.5	5	6	6	7	9	9	9	9
6-12 YRS	4	16.0	122	6	6	15	25	27	27	27
13-19 YRS	78	9.3	43	2	3	8	11	17	19	42
GRAND TOTAL	**86**	**9.5**	**46**	**2**	**3**	**8**	**11**	**18**	**20**	**42**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	3	8.3	44	1	1	10	13	14	14	14
13-19 YRS	6	24.5	145	10	10	25	30	42	43	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	17.8	628	2	2	7	32	55	55	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	25.5	338	2	3	23	46	46	46	46
1-5 YRS	9	23.1	317	2	2	22	40	44	45	45
6-12 YRS	20	24.7	261	2	4	28	33	47	51	53
13-19 YRS	47	22.1	185	2	4	20	32	41	43	58
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	18.5	406	2	2	21	59	99+	99+	99+
6-12 YRS	9	31.8	193	6	10	31	45	46	46	46
13-19 YRS	15	27.7	202	5	16	27	36	49	54	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	17.5	175	1	2	14	29	36	43	43
B. *Operated*	4	17.8	628	2	2	7	32	55	55	55
2. MULTIPLE DX										
A. *Not Operated*	82	23.1	220	2	3	22	33	43	46	56
B. *Operated*	28	27.7	225	2	5	28	42	48	58	99+
1. SINGLE DX	14	17.6	266	1	2	12	29	44	53	55
2. MULTIPLE DX	110	24.3	223	2	3	27	35	46	49	74
A. NOT OPERATED	92	22.5	216	2	3	21	33	43	46	56
B. OPERATED	32	26.5	268	2	4	28	42	50	56	99+
TOTAL 0-27 DYS										
1-11 MOS	6	25.5	338	2	3	23	46	46	46	46
1-5 YRS	14	20.4	318	2	2	21	42	46	86	99+
6-12 YRS	32	25.2	253	1	4	28	36	46	49	53
13-19 YRS	72	23.2	203	2	4	21	32	42	48	58
GRAND TOTAL	**124**	**23.5**	**231**	**2**	**3**	**22**	**34**	**46**	**49**	**68**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	4.7	7	1	2	4	7	8	9	9
1-11 MOS	23	3.0	5	<1	1	2	5	6	7	9
1-5 YRS	19	1.8	1	<1	1	2	2	4	5	5
6-12 YRS	10	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	36	1.8	1	<1	1	1	2	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	5.1	7	2	2	4	7	9	9	9
1-11 MOS	37	3.8	21	1	1	3	4	5	10	28
1-5 YRS	37	2.1	1	1	1	2	3	4	5	5
6-12 YRS	17	2.1	2	<1	<1	2	3	4	5	5
13-19 YRS	46	2.4	3	<1	1	2	3	5	6	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	14.8	30	7	7	16	18	19	19	19
1-5 YRS	2	21.5	685	3	3	21	40	40	40	40
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	3.3	5	1	1	3	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	2.4	4	<1	1	2	3	5	6	9
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	146	2.8	8	<1	1	2	3	5	7	11
B. *Operated*	14	9.0	118	1	2	4	15	21	36	40
1. SINGLE DX	101	2.4	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	160	3.3	20	1	1	2	4	6	9	27
A. NOT OPERATED	246	2.6	6	<1	1	2	3	5	6	10
B. OPERATED	15	8.5	113	1	2	4	13	19	35	40
TOTAL 0-27 DYS	22	4.7	6	1	2	4	7	9	9	9
1-11 MOS	64	4.2	23	<1	1	3	5	9	16	27
1-5 YRS	58	2.7	26	1	1	2	3	4	5	37
6-12 YRS	29	1.9	1	<1	<1	2	3	3	5	5
13-19 YRS	88	2.2	2	<1	1	2	3	5	6	7
GRAND TOTAL	**261**	**3.0**	**14**	**<1**	**1**	**2**	**3**	**5**	**7**	**19**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3		4	4	4	5	5	5	5
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	25	2.4	8	<1	<1	1	3	5	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	20	4.3	8	1	1	3	6	9	9	10
1-5 YRS	13	3.2	5	<1	<1	3	5	6	7	7
6-12 YRS	7	3.4	6	1	1	3	5	7	8	8
13-19 YRS	57	2.6	3	<1	1	2	3	5	6	7
B. *Operated*										
0-27 DYS	1	39.0		39	39	39	39	39	39	39
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	4	2.0	2	<1	<1	2	28	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.6	7	<1	<1	1	4	5	6	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	98	3.1	5	<1	1	3	4	7	8	10
B. *Operated*	10	6.1	135	<1	<1	3	5	63	97	99+
1. SINGLE DX	33	2.6	7	<1	<1	1	4	5	6	14
2. MULTIPLE DX	108	3.4	17	<1	1	3	4	7	8	64
A. NOT OPERATED	131	3.0	5	<1	1	2	4	6	8	11
B. OPERATED	10	6.1	135	<1	<1	3	5	63	97	99+
TOTAL 0-27 DYS	5	12.2	229	4	4	5	16	39	39	39
1-11 MOS	26	3.8	7	1	1	3	6	8	9	10
1-5 YRS	14	3.0	5	<1	1	3	5	6	7	7
6-12 YRS	10	3.6	4	1	1	3	5	7	8	8
13-19 YRS	86	2.5	4	<1	<1	2	3	5	7	68
GRAND TOTAL	**141**	**3.2**	**14**	**<1**	**1**	**2**	**4**	**6**	**8**	**44**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	4.3	15	1	1	3	5	9	12	17
1-11 MOS	58	2.7	3	1	1	2	3	5	6	9
1-5 YRS	38	2.4	4	<1	1	2	3	5	7	8
6-12 YRS	46	2.3	6	<1	1	2	3	5	6	15
13-19 YRS	80	2.5	3	<1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	17	3.7	6	1	1	4	5	7	9	10
6-12 YRS	11	4.5	20	1	1	3	5	11	16	17
13-19 YRS	33	4.1	15	1	1	2	5	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	41	5.5	25	1	1	4	7	12	16	26
1-11 MOS	142	5.1	35	1	1	3	6	11	15	36
1-5 YRS	64	4.0	25	1	1	3	5	8	9	34
6-12 YRS	80	2.9	4	1	1	2	4	6	7	10
13-19 YRS	237	3.5	43	1	1	2	4	5	8	17
B. *Operated*										
0-27 DYS	5	22.2	200	8	8	25	31	42	42	42
1-11 MOS	22	19.1	410	1	2	10	39	49	61	67
1-5 YRS	32	6.7	49	1	1	5	10	35	99+	99+
6-12 YRS	33	4.3	8	1	1	4	6	8	10	12
13-19 YRS	91	5.7	53	1	1	4	7	10	24	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	2.7	5	1	1	2	3	5	7	10
B. *Operated*	65	4.1	12	1	1	3	5	8	13	17
2. MULTIPLE DX										
A. *Not Operated*	564	4.0	33	1	1	3	5	8	11	26
B. *Operated*	183	7.7	113	1	1	4	8	23	43	99+
1. SINGLE DX	309	3.0	7	1	1	2	4	6	8	15
2. MULTIPLE DX	747	4.9	55	1	1	3	5	10	15	53
A. NOT OPERATED	808	3.6	25	1	1	2	4	7	10	20
B. OPERATED	248	6.7	89	1	1	4	8	15	34	99+
TOTAL 0-27 DYS	70	6.3	51	1	1	4	8	13	25	39
1-11 MOS	224	5.8	82	1	1	3	5	11	20	48
1-5 YRS	151	4.1	24	1	1	3	5	9	12	99+
6-12 YRS	170	3.1	7	1	1	2	4	6	8	14
13-19 YRS	441	3.8	37	1	1	2	4	7	10	27
GRAND TOTAL	**1056**	**4.3**	**41**	**1**	**1**	**3**	**5**	**8**	**12**	**42**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	16	4.9	7	1	2	4	6	9	10	11
1-5 YRS	9	6.2	17	2	2	6	7	13	16	16
6-12 YRS	4	5.0	8	3	3	4	7	9	9	9
13-19 YRS	4	4.3	3	2	2	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	28	5.2	12	<1	2	4	7	11	12	14
1-11 MOS	260	6.5	59	1	2	5	8	11	16	62
1-5 YRS	161	6.5	49	1	1	5	8	12	18	42
6-12 YRS	50	6.2	32	1	2	5	8	12	18	33
13-19 YRS	76	6.5	32	1	2	5	8	14	21	27
B. *Operated*										
0-27 DYS	12	7.9	20	3	3	6	12	14	15	15
1-11 MOS	61	15.0	234	3	4	8	20	35	62	96
1-5 YRS	30	14.7	256	2	2	8	17	39	53	63
6-12 YRS	8	22.6	691	2	3	17	25	66	83	83
13-19 YRS	17	7.6	61	<1	1	4	14	22	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	5.0	9	1	2	4	6	9	11	16
B. *Operated*	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	575	6.4	48	1	2	5	8	12	17	41
B. *Operated*	128	13.8	231	2	2	8	17	35	53	87
1. SINGLE DX	37	5.1	10	1	2	4	6	9	11	16
2. MULTIPLE DX	703	7.8	89	1	2	5	9	16	24	63
A. NOT OPERATED	610	6.3	46	1	2	5	8	12	16	38
B. OPERATED	130	13.7	228	2	2	8	17	35	53	86
TOTAL 0-27 DYS	42	5.8	16	1	2	5	8	13	14	15
1-11 MOS	339	8.0	98	1	2	5	9	16	31	68
1-5 YRS	200	7.7	86	1	2	5	8	15	25	53
6-12 YRS	62	8.2	137	1	2	5	9	18	25	77
13-19 YRS	97	6.6	36	1	2	4	9	15	23	26
GRAND TOTAL	**740**	**7.6**	**85**	**1**	**2**	**5**	**9**	**15**	**24**	**63**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.0		2	2	2	2	2	2	2
1-11 MOS	14	3.1	6	1	1	2	4	5	10	11
1-5 YRS	12	3.5	14	<1	1	3	4	8	14	15
6-12 YRS	24	6.4	44	1	2	3	7	19	23	25
13-19 YRS	137	4.3	67	1	1	3	5	7	9	24
B. *Operated*										
0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	12	4.1	13	1	1	2	7	10	11	11
1-5 YRS	66	2.5	8	<1	1	2	2	6	9	13
6-12 YRS	67	3.6	15	1	1	2	5	8	12	19
13-19 YRS	91	4.0	16	1	1	2	6	9	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	10.8	104	2	2	7	16	28	29	29
1-11 MOS	50	5.9	16	1	2	5	8	10	14	19
1-5 YRS	67	5.1	16	1	2	4	6	11	16	20
6-12 YRS	72	5.2	27	<1	1	3	7	11	15	28
13-19 YRS	264	4.3	18	1	1	3	5	8	11	24
B. *Operated*										
0-27 DYS	10	14.4	351	1	1	7	16	43	64	64
1-11 MOS	45	8.8	44	1	2	7	12	17	20	33
1-5 YRS	108	7.3	93	1	1	3	8	22	28	47
6-12 YRS	82	7.0	75	1	1	4	9	17	22	50
13-19 YRS	122	7.0	63	1	1	4	9	15	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	4.4	55	1	1	3	5	8	11	24
B. *Operated*	238	3.5	14	1	1	2	4	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	459	4.8	21	1	1	4	6	9	12	24
B. *Operated*	367	7.5	80	1	1	5	9	18	25	42
1. SINGLE DX	428	3.9	32	1	1	2	5	8	11	20
2. MULTIPLE DX	826	6.0	49	1	1	4	7	13	19	35
A. NOT OPERATED	649	4.7	31	1	1	3	5	9	12	24
B. OPERATED	605	5.9	58	1	1	2	8	14	22	36
TOTAL 0-27 DYS	21	10.8	206	1	2	7	14	25	45	64
1-11 MOS	121	6.5	28	1	1	5	9	13	17	26
1-5 YRS	253	5.3	50	1	1	3	6	12	21	35
6-12 YRS	245	5.5	43	1	1	3	7	13	18	26
13-19 YRS	614	4.8	39	1	1	3	6	9	13	28
GRAND TOTAL	**1254**	**5.3**	**44**	**1**	**1**	**3**	**7**	**11**	**16**	**33**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	4.0	3	2	2	4	5	6	6	6
B. *Operated*	2	11.0		11	11	11	11	11	11	11
1. SINGLE DX										
2. MULTIPLE DX	7	6.0	13	2	2	5	10	11	11	11
A. NOT OPERATED	5	4.0	3	2	2	4	5	6	6	6
B. OPERATED	2	11.0		11	11	11	11	11	11	11
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	8.0	13	4	4	8	11	11	11	11
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**7**	**6.0**	**13**	**2**	**2**	**5**	**10**	**11**	**11**	**11**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	1.0	—	1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.3	9	5	5	9	10	11	11	11
13-19 YRS	4	9.3	12	5	5	9	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.5	1	7	7	7	8	8	8	8
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	19.3	52	11	11	23	24	24	24	24
1-5 YRS										
6-12 YRS	6	23.8	407	7	7	14	42	55	56	56
13-19 YRS	12	24.8	816	5	5	14	25	77	92	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	1	2	2	3	4	4	4	4
B. *Operated*	8	7.9	16	1	2	8	11	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	7	4.3	9	1	1	4	7	8	8	8
B. *Operated*	22	22.8	550	4	5	14	24	60	80	95
1. SINGLE DX	14	5.7	16	1	2	4	9	11	13	13
2. MULTIPLE DX	29	18.3	480	1	3	10	21	50	71	95
A. NOT OPERATED	13	3.6	6	1	1	3	5	7	8	8
B. OPERATED	30	18.8	447	4	5	11	20	49	70	95
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	7	11.1	80	2	2	8	20	24	24	24
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	12	14.4	289	1	2	9	14	46	55	56
13-19 YRS	21	16.8	544	2	3	8	18	47	81	95
GRAND TOTAL	**43**	**14.2**	**360**	**1**	**2**	**8**	**14**	**33**	**61**	**95**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	4	14.8	113	7	7	11	22	30	30	30
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	18.5	613	1	1	18	36	36	36	36
13-19 YRS	5	4.0	14	1	1	4	6	10	10	10
B. *Operated*										
0-27 DYS	2	10.0	8	8	8	10	12	12	12	12
1-11 MOS	20	8.3	46	1	1	6	13	16	21	26
1-5 YRS	8	6.5	9	3	3	6	8	11	12	12
6-12 YRS	8	6.5	18	2	2	5	9	13	14	14
13-19 YRS	15	11.9	274	1	2	8	11	17	57	70
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	11.8	48	2	2	13	16	18	18	18
1-11 MOS	12	6.3	54	<1	<1	3	9	18	23	24
1-5 YRS	12	5.6	33	<1	1	3	7	17	18	18
6-12 YRS	8	8.6	37	1	2	8	13	17	18	18
13-19 YRS	7	3.1	3	1	1	2	5	6	6	6
B. *Operated*										
0-27 DYS	3	10.0	43	4	4	9	15	17	17	17
1-11 MOS	23	13.0	125	<1	1	11	17	33	37	42
1-5 YRS	26	12.6	83	3	4	11	17	24	32	40
6-12 YRS	10	24.4	532	2	4	18	56	80	98	99+
13-19 YRS	33	15.7	148	2	4	12	23	41	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	9.1	131	<1	<1	4	11	31	35	36
B. *Operated*	53	8.8	99	1	2	8	11	15	17	69
2. MULTIPLE DX										
A. *Not Operated*	43	6.5	39	<1	1	4	10	17	18	24
B. *Operated*	95	14.9	167	2	4	12	20	35	46	99+
1. SINGLE DX	66	8.9	103	1	1	7	11	16	27	65
2. MULTIPLE DX	138	12.3	141	1	1	10	17	28	41	99+
A. NOT OPERATED	56	7.1	59	<1	1	4	10	18	22	36
B. OPERATED	148	12.7	150	1	2	10	16	28	42	99+
TOTAL 0-27 DYS	10	9.8	37	<1	1	10	15	17	18	18
1-11 MOS	59	10.2	88	1	1	8	15	24	32	41
1-5 YRS	47	9.5	67	1	1	7	14	20	25	40
6-12 YRS	28	14.4	281	1	2	11	18	54	68	99+
13-19 YRS	60	12.3	169	1	2	9	15	31	45	97
GRAND TOTAL	**204**	**11.2**	**131**	**1**	**1**	**8**	**15**	**24**	**37**	**83**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	44.5	1985	13	13	44	76	76	76	76
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	4.0		4	4	52	99+	99+	99+	99+
13-19 YRS	1	8.0		8	8	54	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	44.5	1985	13	13	44	76	76	76	76
B. *Operated*	3	4.7	9	2	2	8	99+	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	5	20.6	977	2	2	13	94	99+	99+	99+
A. NOT OPERATED	2	44.5	1985	13	13	44	76	76	76	76
B. OPERATED	3	4.7	9	2	2	8	99+	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	4.0		4	4	52	99+	99+	99+	99+
13-19 YRS	3	32.3	1436	8	8	44	88	99+	99+	99+
GRAND TOTAL	**5**	**20.6**	**977**	**2**	**2**	**13**	**94**	**99+**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	22.0	32	18	18	22	26	26	26	26
6-12 YRS										
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS	3	12.0	108	6	6	6	20	24	24	24
1-11 MOS	5	3.6	4	1	1	5	5	5	5	5
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	7	5.1	3	2	3	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	4	12.5	132	2	2	11	22	26	26	26
B. *Operated*	17	6.4	28	1	2	5	6	13	20	24
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	21	7.6	48	1	2	5	7	20	25	26
A. NOT OPERATED	4	12.5	132	2	2	11	22	26	26	26
B. OPERATED	18	6.1	28	1	1	5	6	12	20	24
TOTAL 0-27 DYS	3	12.0	108	6	6	6	20	24	24	24
1-11 MOS	5	3.6	4	1	1	5	5	5	5	5
1-5 YRS	3	19.3	37	14	14	18	24	26	26	26
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	10	4.3	4	1	1	5	5	7	7	7
GRAND TOTAL	**22**	**7.3**	**48**	**1**	**2**	**5**	**7**	**20**	**25**	**26**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	43.0		43	43	43	43	43	43	43
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.5	113	6	6	13	21	21	21	21
6-12 YRS										
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1	43.0		43	43	43	43	43	43	43
B. *Operated*	4	9.0	69	2	2	6	14	21	21	21
1. SINGLE DX										
2. MULTIPLE DX	5	15.8	283	2	2	7	26	43	43	43
A. NOT OPERATED	1	43.0		43	43	43	43	43	43	43
B. OPERATED	4	9.0	69	2	2	6	14	21	21	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	13.5	113	6	6	13	21	21	21	21
6-12 YRS	1	43.0		43	43	43	43	43	43	43
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
GRAND TOTAL	**5**	**15.8**	**283**	**2**	**2**	**7**	**26**	**43**	**43**	**43**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.0	3	2	2	4	6	6	6	6
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	3	4.7	12	<1	<1	5	7	8	8	8
13-19 YRS	3	4.3	6	2	2	4	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	3.5	10	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	14.0	60	7	7	12	19	25	25	25
1-11 MOS	14	6.7	11	2	3	7	9	11	12	13
1-5 YRS	15	12.0	86	1	2	10	22	26	27	27
6-12 YRS	4	9.8	10	7	7	10	35	99+	99+	99+
13-19 YRS	12	8.6	85	2	2	4	11	25	30	31
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	3	24.7	44	17	17	28	29	29	29	29
1-5 YRS	6	15.7	109	5	5	13	26	30	30	30
6-12 YRS	4	9.8	37	3	3	9	14	17	17	17
13-19 YRS	11	17.0	290	1	2	11	29	45	50	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.9	5	<1	1	3	6	7	8	8
B. *Operated*	7	3.7	7	1	1	3	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	49	9.6	58	2	2	8	13	25	27	99+
B. *Operated*	25	16.3	168	2	3	13	26	33	43	51
1. SINGLE DX	21	3.9	5	1	1	3	6	7	8	8
2. MULTIPLE DX	74	11.9	103	2	3	9	16	28	32	88
A. NOT OPERATED	63	8.4	51	2	2	6	11	24	26	90
B. OPERATED	32	13.5	160	1	2	8	17	31	40	51
TOTAL 0-27 DYS	5	13.8	45	7	7	13	16	25	25	25
1-11 MOS	23	8.3	54	2	3	6	10	19	28	29
1-5 YRS	25	11.5	89	1	2	8	19	26	28	30
6-12 YRS	12	7.8	23	<1	2	8	12	34	87	99+
13-19 YRS	30	10.6	162	1	2	5	13	32	41	51
GRAND TOTAL	**95**	**10.1**	**93**	**2**	**2**	**7**	**13**	**26**	**31**	**77**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	34.0		34	34	67	99+	99+	99+	99+
1-11 MOS	8	5.6	9	1	2	6	8	9	9	9
1-5 YRS	9	6.3	14	2	2	6	9	12	13	13
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	6	13.3	177	2	2	8	24	34	35	35
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	4	9.3	51	2	2	8	14	19	19	19
6-12 YRS	2	40.0	1682	11	11	40	69	69	69	69
13-19 YRS	3	12.0	1	11	11	12	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	25	9.2	82	2	2	7	10	33	48	99+
B. *Operated*	10	16.6	358	2	4	12	13	44	69	69
1. SINGLE DX										
2. MULTIPLE DX	35	11.3	164	2	2	9	13	33	59	99+
A. NOT OPERATED	25	9.2	82	2	2	7	10	33	48	99+
B. OPERATED	10	16.6	358	2	4	12	13	44	69	69
TOTAL 0-27 DYS	1	34.0		34	34	67	99+	99+	99+	99+
1-11 MOS	9	6.4	14	1	2	7	9	11	13	13
1-5 YRS	13	7.2	24	2	2	7	9	14	18	19
6-12 YRS	3	31.0	1084	11	11	13	55	69	69	69
13-19 YRS	9	12.9	111	2	2	11	16	31	35	35
GRAND TOTAL	**35**	**11.3**	**164**	**2**	**2**	**9**	**13**	**33**	**59**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	24	4.0	5	2	2	4	4	6	9	13
1-5 YRS	13	5.6	14	1	2	5	7	10	14	15
6-12 YRS	8	5.9	69	1	1	3	5	20	26	26
13-19 YRS	21	3.1	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS	1	20.0		20	20	20	20	20	20	20
1-11 MOS	4	11.3	102	1	1	10	19	23	23	23
1-5 YRS	3	6.3	14	2	2	8	9	9	9	9
6-12 YRS	1	35.0		35	35	35	35	35	35	35
13-19 YRS	6	6.0	28	1	1	4	9	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.1	1	1	1	2	3	4	4	4
B. *Operated*	4	8.8	95	2	2	5	15	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	68	4.3	14	1	1	3	5	7	10	24
B. *Operated*	15	10.3	96	1	1	8	16	23	32	35
1. SINGLE DX	13	4.2	35	1	1	2	3	10	21	23
2. MULTIPLE DX	83	5.3	33	1	1	4	6	10	17	32
A. NOT OPERATED	77	4.0	13	1	1	3	5	7	9	23
B. OPERATED	19	10.0	91	1	1	7	16	23	30	35
TOTAL 0-27 DYS	3	9.0	93	2	2	5	16	20	20	20
1-11 MOS	29	4.9	22	1	2	4	5	11	16	23
1-5 YRS	18	5.3	14	1	1	4	8	9	13	15
6-12 YRS	13	8.5	132	1	1	2	10	28	34	35
13-19 YRS	33	3.7	9	1	1	3	5	7	9	15
GRAND TOTAL	**96**	**5.2**	**33**	**1**	**1**	**3**	**6**	**9**	**19**	**31**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	6	2.7	3	<1	<1	2	4	5	5	5
6-12 YRS	4	2.3	4	1	1	2	3	5	5	5
13-19 YRS	4	3.5	3	<1	<1	4	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	3	3.7	4	2	2	3	5	6	6	6
13-19 YRS	3	4.0	7	<1	<1	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	36.0	288	24	24	36	48	48	48	48
1-11 MOS	4	4.8	5	3	3	4	6	8	8	8
1-5 YRS	10	6.2	22	1	1	5	11	12	13	13
6-12 YRS	4	4.5	16	1	1	3	7	10	10	10
13-19 YRS	10	7.4	27	2	2	5	10	16	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	2	5.5	1	5	5	5	6	6	6	6
13-19 YRS	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.8	3	<1	<1	3	4	5	5	5
B. *Operated*	7	4.4	6	<1	<1	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	30	8.2	86	1	2	5	10	16	24	48
B. *Operated*	5	5.6		5	5	6	6	6	6	6
1. SINGLE DX	23	3.3	4	<1	<1	3	5	6	7	8
2. MULTIPLE DX	35	7.8	74	1	2	5	10	15	22	48
A. NOT OPERATED	46	6.3	63	1	1	4	8	13	18	48
B. OPERATED	12	4.9	4	<1	1	5	6	7	8	8
TOTAL 0-27 DYS	2	36.0	288	24	24	36	48	48	48	48
1-11 MOS	7	4.4	5	1	1	4	6	8	8	8
1-5 YRS	18	5.1	16	<1	1	4	8	12	13	13
6-12 YRS	13	3.8	7	1	1	3	5	7	9	10
13-19 YRS	18	5.8	19	<1	1	5	6	13	16	17
GRAND TOTAL	**58**	**6.0**	**51**	**<1**	**1**	**4**	**6**	**12**	**16**	**46**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	4	5.3	8	2	2	5	7	8	8	8
1-5 YRS	4	12.5	207	4	4	6	20	34	34	34
6-12 YRS	3	34.7	1826	9	9	11	66	84	84	84
13-19 YRS	4	6.5	7	3	3	7	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	13.8	411	2	3	7	10	32	69	84
B. *Operated*	5	6.8	30	2	2	5	9	16	16	16
1. SINGLE DX										
2. MULTIPLE DX	21	12.1	323	2	3	7	10	25	56	84
A. NOT OPERATED	16	13.8	411	2	3	7	10	32	69	84
B. OPERATED	5	6.8	30	2	2	5	9	16	16	16
TOTAL 0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	5	5.0	6	2	2	4	7	8	8	8
1-5 YRS	6	9.5	147	2	2	5	7	31	34	34
6-12 YRS	4	30.0	1305	9	9	13	50	84	84	84
13-19 YRS	5	6.6	5	3	3	7	8	9	9	9
GRAND TOTAL	**21**	**12.1**	**323**	**2**	**3**	**7**	**10**	**25**	**56**	**84**

163: Other and Ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	7	2.9	4	<1	<1	2	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.5	5	7	7	8	10	10	10	10
1-5 YRS										
6-12 YRS	3	12.7	185	2	2	8	23	28	28	28
13-19 YRS	4	6.3	38	2	2	4	10	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	30	1	1	2	9	11	11	11
1-11 MOS	6	7.2	8	5	5	6	9	12	12	12
1-5 YRS	10	5.7	13	1	1	6	7	11	14	14
6-12 YRS	11	2.6	7	<1	<1	2	3	6	10	10
13-19 YRS	12	3.4	10	<1	<1	2	5	9	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.8	91	2	2	11	19	19	19	19
1-5 YRS	6	23.3	1245	2	2	9	21	87	94	94
6-12 YRS	12	9.6	94	1	2	6	11	28	31	31
13-19 YRS	10	18.0	688	2	2	6	25	57	88	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.5	3	<1	<1	2	4	5	6	6
B. *Operated*	9	8.9	70	2	2	7	11	23	28	28
2. MULTIPLE DX										
A. *Not Operated*	42	4.4	12	<1	1	3	6	10	11	14
B. *Operated*	32	14.9	472	2	2	7	19	28	82	94
1. SINGLE DX	21	5.2	40	<1	<1	3	6	12	21	28
2. MULTIPLE DX	74	8.9	235	1	1	5	9	19	27	93
A. NOT OPERATED	54	4.0	11	<1	1	3	6	9	11	14
B. OPERATED	41	13.6	387	2	2	7	16	28	57	94
TOTAL 0-27 DYS	3	4.7	30	1	1	2	9	11	11	11
1-11 MOS	12	8.6	32	2	3	7	11	19	19	19
1-5 YRS	19	10.7	432	<1	1	6	7	18	61	94
6-12 YRS	28	6.6	71	1	1	3	8	22	28	31
13-19 YRS	33	8.1	246	<1	1	4	7	17	27	88
GRAND TOTAL	**95**	**8.1**	**194**	**1**	**1**	**4**	**8**	**19**	**27**	**91**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	7.5	41	3	3	7	12	12	12	12
1-11 MOS	2	22.0	32	18	18	22	26	26	26	26
1-5 YRS	11	11.0	192	1	1	8	9	34	47	48
6-12 YRS	6	5.0	19	2	2	3	9	12	12	12
13-19 YRS	3	2.7		2	2	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	3.4	10	1	1	2	4	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	24	9.1	117	1	2	5	11	24	33	48
1. SINGLE DX	5	3.4	10	1	1	2	4	9	9	9
2. MULTIPLE DX	25	8.8	115	1	2	3	10	24	31	48
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	29	8.1	102	1	2	3	9	22	27	48
TOTAL 0-27 DYS	2	7.5	41	3	3	7	12	12	12	12
1-11 MOS	4	11.8	151	1	1	10	22	26	26	26
1-5 YRS	13	9.6	171	1	1	7	9	29	44	48
6-12 YRS	7	4.6	17	2	2	2	7	11	12	12
13-19 YRS	4	4.3	10	2	2	3	6	9	9	9
GRAND TOTAL	**30**	**7.9**	**100**	**1**	**1**	**3**	**9**	**21**	**26**	**48**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	85	<1	<1	7	14	14	14	14
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS										
6-12 YRS	3	11.7	44	6	6	10	17	19	19	19
13-19 YRS	7	25.9	552	6	7	17	37	66	72	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	3	4.0	19	1	1	2	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	4	5.0	38	<1	<1	2	9	14	14	14
B. *Operated*	13	18.7	359	3	5	14	24	75	94	99+
1. SINGLE DX	4	3.3	15	1	1	2	5	9	9	9
2. MULTIPLE DX	17	15.5	312	<1	1	11	19	63	89	99+
A. NOT OPERATED	5	4.2	32	<1	<1	1	6	14	14	14
B. OPERATED	16	15.9	324	1	2	10	20	66	90	99+
TOTAL 0-27 DYS	3	10.7	72	<1	<1	14	16	17	17	17
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	1	1.0		1	1	50	99+	99+	99+	99+
6-12 YRS	4	9.3	53	2	2	8	14	19	19	19
13-19 YRS	11	17.8	460	1	1	9	22	53	70	72
GRAND TOTAL	**21**	**13.1**	**276**	**<1**	**1**	**9**	**17**	**50**	**83**	**99+**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS	14	3.7	11	1	1	2	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	6	4.3	13	1	1	3	8	9	9	9
6-12 YRS	3	13.7	185	3	3	9	24	29	29	29
13-19 YRS	14	6.4	20	1	2	6	8	14	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	16	3.4	10	<1	1	2	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*	24	6.9	38	1	1	6	9	14	21	29
1. SINGLE DX	17	3.2	10	<1	1	2	6	8	10	11
2. MULTIPLE DX	26	6.7	37	1	1	6	9	14	19	29
A. NOT OPERATED	3	2.7	8	1	1	1	5	6	6	6
B. OPERATED	40	5.5	30	1	1	4	8	10	15	29
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	8	3.5	11	<1	<1	2	6	9	9	9
6-12 YRS	3	13.7	185	3	3	9	24	29	29	29
13-19 YRS	31	4.8	16	1	1	4	6	10	14	17
GRAND TOTAL	**43**	**5.3**	**28**	**1**	**1**	**4**	**7**	**10**	**15**	**29**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	4	4.8	15	<1	<1	4	8	9	9	9
13-19 YRS	8	6.4	9	2	2	7	9	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	4.0	18	1	1	4	7	7	7	7
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	19	6.1	12	1	2	5	9	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	12.0	128	4	4	12	20	20	20	20
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	6.8	21	<1	<1	7	10	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	7	8.0	54	2	2	4	14	19	20	20
1-5 YRS	3	14.3	136	4	4	12	23	27	27	27
6-12 YRS	3	7.0	31	2	2	6	11	13	13	13
13-19 YRS	13	9.0	31	3	3	8	12	16	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.1	10	<1	1	7	9	9	10	10
B. *Operated*	24	6.1	12	1	2	5	9	11	11	12
2. MULTIPLE DX										
A. *Not Operated*	6	8.5	46	<1	<1	7	12	19	20	20
B. *Operated*	26	9.1	45	2	2	7	13	19	23	27
1. SINGLE DX	37	6.1	11	1	2	6	9	10	11	12
2. MULTIPLE DX	32	9.0	44	2	2	7	13	20	22	27
A. NOT OPERATED	19	6.8	21	<1	1	7	9	11	16	20
B. OPERATED	50	7.7	31	2	2	6	11	14	20	27
TOTAL 0-27 DYS	2	12.0	128	4	4	12	20	20	20	20
1-11 MOS	8	8.3	47	2	2	7	13	18	20	20
1-5 YRS	6	10.0	84	1	1	8	12	25	27	27
6-12 YRS	9	5.8	17	<1	1	6	9	11	13	13
13-19 YRS	44	7.1	18	1	2	6	10	12	14	22
GRAND TOTAL	**69**	**7.4**	**28**	**1**	**2**	**6**	**10**	**13**	**20**	**26**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	55	5.2	9	2	2	4	7	10	11	13
1-5 YRS	321	5.0	16	1	2	5	8	11	14	18
6-12 YRS	41	4.9	13	1	1	4	6	10	12	19
13-19 YRS	24	4.4	18	<1	<1	3	5	9	15	18
B. *Operated*										
0-27 DYS										
1-11 MOS	4	9.5	18	5	5	9	12	15	15	15
1-5 YRS	12	6.4	40	<1	1	4	10	16	20	21
6-12 YRS	14	6.4	104	<1	<1	2	5	29	31	31
13-19 YRS	23	3.8	14	1	1	3	4	8	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	30.0		30	30	30	30	30	30	30
1-11 MOS	56	7.6	46	2	2	5	11	18	23	30
1-5 YRS	219	7.0	29	2	2	6	9	13	16	33
6-12 YRS	44	6.4	20	1	2	6	9	12	14	22
13-19 YRS	49	3.9	6	1	1	3	5	8	8	14
B. *Operated*										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	11	13.2	299	1	2	7	19	38	58	60
1-5 YRS	35	8.9	120	1	1	4	11	22	39	42
6-12 YRS	26	11.8	128	1	2	8	15	29	39	45
13-19 YRS	41	10.1	95	1	2	8	15	33	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	5.7	15	1	2	5	8	11	13	18
B. *Operated*	53	5.5	44	<1	1	3	8	14	20	31
2. MULTIPLE DX										
A. *Not Operated*	369	6.6	30	1	2	5	8	13	16	30
B. *Operated*	114	10.6	129	1	1	7	14	31	40	99+
1. SINGLE DX	494	5.7	18	1	2	5	8	11	14	20
2. MULTIPLE DX	483	7.6	56	1	2	5	9	15	24	42
A. NOT OPERATED	810	6.1	22	1	2	5	8	12	15	26
B. OPERATED	167	9.0	107	1	1	5	12	25	34	92
TOTAL 0-27 DYS	2	29.0	2	28	28	29	30	30	30	30
1-11 MOS	126	7.1	54	2	2	5	9	15	20	37
1-5 YRS	587	6.5	28	1	2	5	8	13	15	30
6-12 YRS	125	7.0	55	1	1	5	8	15	23	39
13-19 YRS	137	5.8	43	1	1	3	8	14	25	99+
GRAND TOTAL	**977**	**6.6**	**38**	**1**	**2**	**5**	**8**	**13**	**17**	**34**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.7	16	5	5	8	12	13	13	13
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	4	4.5	6	3	3	4	6	8	8	8
13-19 YRS	79	6.9	16	2	2	6	9	11	14	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	11.3	4	9	9	12	13	13	13	13
13-19 YRS	58	5.9	15	1	1	6	8	12	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	8.6	15	5	5	6	11	14	15	15
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	7	6.9	7	3	3	7	9	10	10	10
13-19 YRS	92	7.0	15	2	3	6	9	12	15	20
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	2	12.5	41	8	8	12	17	17	17	17
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	63	8.3	29	2	3	7	11	15	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	6.8	16	2	2	6	9	11	14	22
B. *Operated*	62	6.1	16	1	1	6	9	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	108	7.1	15	2	3	6	9	12	15	19
B. *Operated*	68	8.5	28	2	3	7	11	15	19	25
1. SINGLE DX	149	6.5	16	1	2	6	9	12	13	21
2. MULTIPLE DX	176	7.7	20	2	3	7	10	14	16	25
A. NOT OPERATED	195	7.0	15	2	3	6	9	12	15	21
B. OPERATED	130	7.4	24	1	2	7	10	13	15	25
TOTAL 0-27 DYS	2	10.0		10	10	10	10	10	10	10
1-11 MOS	12	9.3	17	5	5	8	12	16	17	17
1-5 YRS	4	6.3	18	1	1	6	9	11	11	11
6-12 YRS	15	7.3	11	3	3	8	10	12	13	13
13-19 YRS	292	7.1	19	1	2	7	9	12	15	23
GRAND TOTAL	**325**	**7.2**	**18**	**1**	**2**	**7**	**9**	**13**	**15**	**22**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	64	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	9.0	50	4	4	9	14	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	3	6.0	75	1	1	1	12	16	16	16
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	7.3	56	3	3	3	13	16	16	16
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	18	5.1	10	2	2	4	6	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	66	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	6	7.8	45	1	1	7	14	16	16	16
B. *Operated*	25	4.9	14	1	2	4	5	11	12	16
1. SINGLE DX	67	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	31	5.5	20	1	1	4	8	12	16	16
A. NOT OPERATED	7	6.9	44	1	1	4	13	16	16	16
B. OPERATED	91	3.2	6	<1	1	3	4	6	9	14
TOTAL 0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	6	7.2	37	3	3	4	14	16	16	16
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	86	3.2	7	<1	1	3	4	6	9	14
GRAND TOTAL	**98**	**3.4**	**9**	**<1**	**1**	**3**	**4**	**7**	**11**	**16**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	23	2.7	5	<1	<1	2	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.0	2	<1	<1	1	3	4	4	4
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	38	3.3	3	1	1	3	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	6.3	46	<1	<1	4	11	14	14	14
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	23	3.2	4	<1	1	3	4	7	7	7
B. *Operated*										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	6	5.3	3	3	3	5	6	8	8	8
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	3	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	115	3.8	3	1	1	4	5	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.7	4	<1	<1	2	4	5	6	10
B. *Operated*	44	3.1	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	32	3.5	7	<1	1	3	4	7	7	14
B. *Operated*	131	3.7	3	1	1	4	5	6	7	9
1. SINGLE DX	70	3.0	3	<1	1	3	4	5	6	10
2. MULTIPLE DX	163	3.7	4	1	1	4	4	6	7	10
A. NOT OPERATED	58	3.2	6	<1	1	3	4	6	7	14
B. OPERATED	175	3.6	3	1	1	4	4	6	7	9
TOTAL 0-27 DYS	4	4.0	5	2	2	3	5	7	7	7
1-11 MOS	14	4.4	12	<1	<1	4	6	9	13	14
1-5 YRS	6	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	10	2.6	1	<1	<1	3	4	4	4	4
13-19 YRS	199	3.5	3	1	1	3	4	6	7	10
GRAND TOTAL	**233**	**3.5**	**4**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	3.8	6	1	1	4	6	7	7	7
1-5 YRS	13	3.1	13	1	1	1	4	8	12	13
6-12 YRS	22	3.5	15	1	1	2	3	9	14	15
13-19 YRS	84	4.4	10	1	1	4	7	9	10	12
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.7	40	8	8	8	16	19	19	19
1-5 YRS	16	5.6	31	<1	<1	3	9	14	17	19
6-12 YRS	66	2.4	10	<1	<1	2	2	4	8	20
13-19 YRS	323	2.6	7	<1	1	2	3	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	12.0	2	11	11	12	13	13	13	13
1-11 MOS	20	5.2	14	1	1	4	7	11	14	15
1-5 YRS	34	3.6	8	1	1	2	5	8	10	11
6-12 YRS	42	2.6	3	<1	1	2	3	5	6	7
13-19 YRS	160	4.5	21	1	1	3	6	9	11	25
B. *Operated*										
0-27 DYS	5	14.8	267	3	3	7	24	42	42	42
1-11 MOS	16	12.1	109	1	2	10	16	30	32	33
1-5 YRS	26	4.9	37	<1	1	2	7	10	18	28
6-12 YRS	46	3.7	23	1	1	2	4	9	14	26
13-19 YRS	200	4.4	26	<1	1	2	6	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	4.1	11	1	1	3	6	9	10	14
B. *Operated*	408	2.7	10	<1	<1	2	3	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	258	4.2	17	1	1	3	5	9	11	17
B. *Operated*	293	4.9	39	<1	1	2	6	12	18	32
1. SINGLE DX	534	3.0	10	<1	1	2	3	8	10	14
2. MULTIPLE DX	551	4.6	28	1	1	3	6	10	15	29
A. NOT OPERATED	384	4.1	15	1	1	3	6	9	10	16
B. OPERATED	701	3.6	23	<1	1	2	3	9	13	25
TOTAL 0-27 DYS	8	12.4	175	1	2	9	15	35	42	42
1-11 MOS	45	7.9	59	1	1	6	10	16	29	33
1-5 YRS	89	4.2	21	<1	1	2	6	10	13	24
6-12 YRS	176	2.9	12	<1	1	2	3	6	9	20
13-19 YRS	767	3.6	16	<1	1	2	4	9	11	19
GRAND TOTAL	**1085**	**3.8**	**20**	**<1**	**1**	**2**	**4**	**9**	**12**	**23**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	178	2.6	2	1	1	2	3	5	5	8
1-11 MOS	2579	2.6	2	1	1	2	3	4	5	8
1-5 YRS	6205	2.2	3	1	1	2	3	4	5	7
6-12 YRS	962	2.2	2	<1	1	2	3	4	5	6
13-19 YRS	736	2.8	2	1	1	2	3	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS	13	3.1	7	<1	<1	2	4	7	9	9
1-5 YRS	226	2.1	4	<1	<1	1	2	5	6	12
6-12 YRS	416	1.5	1	<1	1	1	2	2	3	5
13-19 YRS	482	1.6	1	<1	1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	308	3.5	15	1	1	3	4	6	8	16
1-11 MOS	4227	3.3	5	1	1	3	4	6	7	12
1-5 YRS	8620	3.0	5	1	1	3	4	5	6	10
6-12 YRS	1990	2.9	5	1	1	2	4	5	6	10
13-19 YRS	2091	3.4	4	1	2	3	4	5	7	10
B. *Operated*										
0-27 DYS	7	3.4	2	1	1	4	5	5	5	5
1-11 MOS	63	9.2	107	1	2	6	11	18	29	64
1-5 YRS	494	3.2	16	<1	1	2	4	8	11	16
6-12 YRS	509	2.2	18	<1	1	2	2	3	6	13
13-19 YRS	437	3.0	10	1	1	2	4	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10660	2.4	2	1	1	2	3	4	5	7
B. *Operated*	1137	1.7	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	17236	3.1	5	1	1	3	4	5	7	11
B. *Operated*	1510	3.1	20	1	1	2	3	7	10	19
1. SINGLE DX	11797	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	18746	3.1	6	1	1	3	4	5	7	11
A. NOT OPERATED	27896	2.8	4	1	1	2	4	5	6	10
B. OPERATED	2647	2.5	13	<1	1	2	2	5	8	15
TOTAL 0-27 DYS	493	3.1	11	1	1	3	4	5	6	14
1-11 MOS	6882	3.1	6	1	1	3	4	5	7	11
1-5 YRS	15545	2.7	4	1	1	2	3	5	6	10
6-12 YRS	3877	2.5	6	1	1	2	3	4	5	9
13-19 YRS	3746	3.0	5	1	1	3	4	5	6	11
GRAND TOTAL	**30543**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	186	3.8	5	1	2	3	4	6	8	13
1-11 MOS	6423	3.6	4	1	2	3	4	6	7	10
1-5 YRS	4927	3.0	3	1	1	3	4	5	6	8
6-12 YRS	543	2.8	2	1	1	3	3	5	6	8
13-19 YRS	291	3.3	3	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	12	6.4	26	1	2	4	8	15	18	19
1-5 YRS	19	3.4	10	<1	<1	2	6	9	10	11
6-12 YRS	5	7.4	114	1	1	2	12	26	26	26
13-19 YRS	3	4.0	3	3	3	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	230	4.6	9	2	2	4	6	8	9	16
1-11 MOS	8838	4.2	7	1	2	4	5	7	9	13
1-5 YRS	5966	3.6	6	1	1	3	4	6	8	12
6-12 YRS	799	3.7	7	1	1	3	4	6	9	15
13-19 YRS	648	4.6	13	1	2	4	5	9	12	21
B. *Operated*										
0-27 DYS	6	11.2	9	9	9	10	11	16	17	17
1-11 MOS	81	9.6	67	2	3	7	11	19	22	51
1-5 YRS	46	8.3	87	1	1	5	11	17	21	57
6-12 YRS	11	10.8	53	1	2	8	16	20	24	24
13-19 YRS	25	8.0	50	2	2	7	11	15	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12370	3.3	4	1	1	3	4	6	7	9
B. *Operated*	39	4.9	27	<1	1	3	7	10	16	26
2. MULTIPLE DX										
A. *Not Operated*	16481	4.0	7	1	2	3	5	7	8	13
B. *Operated*	169	9.1	66	2	2	7	11	18	22	53
1. SINGLE DX	12409	3.3	4	1	1	3	4	6	7	9
2. MULTIPLE DX	16650	4.0	8	1	2	3	5	7	9	14
A. NOT OPERATED	28851	3.7	6	1	1	3	5	6	8	12
B. OPERATED	208	8.3	62	1	2	7	10	17	21	44
TOTAL 0-27 DYS	422	4.3	8	1	2	4	5	8	9	15
1-11 MOS	15354	4.0	6	1	2	3	5	7	8	12
1-5 YRS	10958	3.3	5	1	1	3	4	6	7	11
6-12 YRS	1358	3.4	7	1	1	3	4	6	8	15
13-19 YRS	967	4.3	11	1	2	3	5	8	11	21
GRAND TOTAL	**29059**	**3.7**	**6**	**1**	**1**	**3**	**5**	**6**	**8**	**12**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	6	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	54	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	1288	1.7	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	35	1.1		<1	<1	<1	1	1	2	3
B. *Operated*										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	9	1.4	1	1	1	1	2	3	3	3
1-5 YRS	9	1.1		1	1	1	1	2	2	2
6-12 YRS	160	1.6	1	<1	1	1	2	3	3	5
13-19 YRS	2843	1.7	1	1	1	1	2	3	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*	1352	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	37	1.1		<1	<1	<1	1	1	2	3
B. *Operated*	3024	1.7	1	1	1	1	2	3	3	5
1. SINGLE DX	1357	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	3061	1.7	1	1	1	1	2	3	3	5
A. NOT OPERATED	42	1.1		<1	<1	<1	1	2	2	3
B. OPERATED	4376	1.7	1	1	1	1	2	3	3	5
TOTAL 0-27 DYS	5	1.4		1	1	1	2	2	2	2
1-11 MOS	11	1.5		1	1	1	2	3	3	3
1-5 YRS	17	1.3		<1	<1	1	2	2	3	3
6-12 YRS	214	1.6	1	<1	1	1	2	3	3	5
13-19 YRS	4171	1.7	1	1	1	1	2	3	3	5
GRAND TOTAL	**4418**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	4	1.5	1	1	1	1	2	3	3	3
6-12 YRS	26	1.6	2	<1	1	1	1	3	5	8
13-19 YRS	43	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	8.0	98	<1	<1	7	15	15	15	15
13-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	49	2.5	6	<1	1	1	3	5	9	13
13-19 YRS	136	2.5	26	1	1	2	3	4	4	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	76	1.8	3	<1	1	1	2	3	4	12
2. MULTIPLE DX										
A. *Not Operated*	7	3.3	27	<1	<1	1	3	13	15	15
B. *Operated*	195	2.5	20	<1	1	2	3	4	4	14
1. SINGLE DX	77	1.8	3	<1	1	1	2	3	4	12
2. MULTIPLE DX	202	2.5	20	<1	1	2	3	4	4	15
A. NOT OPERATED	8	3.3	23	<1	<1	1	3	11	15	15
B. OPERATED	271	2.3	15	<1	1	2	3	4	4	14
TOTAL 0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	13	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	77	2.3	7	<1	1	1	3	4	8	14
13-19 YRS	185	2.3	19	<1	1	2	3	3	4	11
GRAND TOTAL	**279**	**2.3**	**15**	**<1**	**1**	**2**	**3**	**4**	**4**	**15**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.0	8	1	1	2	5	7	7	7
1-5 YRS	47	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	48	1.7	1	<1	<1	1	2	3	4	6
13-19 YRS	63	1.9	2	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS	5	1.2		<1	<1	1	1	2	2	2
1-11 MOS	33	1.2		<1	<1	1	1	2	2	2
1-5 YRS	8527	1.3		<1	<1	1	2	2	2	3
6-12 YRS	14940	1.3		<1	1	1	2	2	2	3
13-19 YRS	13173	1.4		1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	3.1	6	1	1	3	4	7	8	8
1-5 YRS	329	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	227	1.3	1	<1	<1	1	1	2	3	5
13-19 YRS	133	1.6	2	<1	<1	1	2	3	5	8
B. *Operated*										
0-27 DYS	7	1.9	1	1	1	2	3	3	3	3
1-11 MOS	51	1.7	2	<1	<1	1	2	3	5	8
1-5 YRS	10875	1.3	1	<1	<1	1	2	2	2	4
6-12 YRS	9338	1.3		<1	1	1	2	2	2	3
13-19 YRS	3749	1.5	1	1	1	1	2	2	3	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	1.8	2	<1	<1	1	2	3	4	7
B. *Operated*	36678	1.3		<1	1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	697	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	24020	1.4	1	<1	1	1	2	2	2	4
1. SINGLE DX	36840	1.3		<1	1	1	2	2	2	3
2. MULTIPLE DX	24717	1.4	1	<1	<1	1	2	2	2	4
A. NOT OPERATED	859	1.5	1	<1	<1	1	1	3	4	7
B. OPERATED	60698	1.3		<1	1	1	2	2	2	3
TOTAL 0-27 DYS	13	1.5	1	<1	<1	1	2	3	3	3
1-11 MOS	95	1.7	2	<1	<1	1	2	3	5	8
1-5 YRS	19778	1.3	1	<1	<1	1	2	2	2	3
6-12 YRS	24553	1.3		<1	1	1	2	2	2	3
13-19 YRS	17118	1.4	1	1	1	1	2	2	2	4
GRAND TOTAL	**61557**	**1.3**		**<1**	**1**	**1**	**2**	**2**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	1.9	1	<1	<1	1	3	4	4	4
1-11 MOS	114	2.5	7	<1	<1	2	3	4	6	17
1-5 YRS	446	2.2	3	<1	<1	2	3	4	5	9
6-12 YRS	307	2.8	4	<1	1	3	3	5	7	10
13-19 YRS	674	2.9	2	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS	4	4.0	12	1	1	3	6	9	9	9
1-11 MOS	73	3.0	14	<1	<1	2	3	7	8	24
1-5 YRS	301	2.2	5	<1	<1	1	2	4	7	12
6-12 YRS	380	2.1	4	<1	<1	2	2	4	5	9
13-19 YRS	989	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	4.4	26	1	1	3	6	8	12	27
1-11 MOS	210	4.1	52	<1	1	3	4	7	10	42
1-5 YRS	587	3.4	21	1	1	3	4	6	7	12
6-12 YRS	348	3.5	8	1	1	3	4	6	7	14
13-19 YRS	588	3.4	4	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS	9	4.1	17	<1	1	2	5	11	14	14
1-11 MOS	128	7.5	79	<1	1	4	12	21	25	61
1-5 YRS	431	3.4	18	<1	<1	2	4	8	11	20
6-12 YRS	491	2.8	20	<1	<1	1	3	5	8	20
13-19 YRS	1111	2.5	5	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1555	2.7	3	<1	1	2	3	5	6	8
B. *Operated*	1747	2.3	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	1760	3.5	16	1	1	3	4	6	8	14
B. *Operated*	2170	3.1	17	<1	1	2	3	6	9	22
1. SINGLE DX	3302	2.5	4	<1	1	2	3	4	6	9
2. MULTIPLE DX	3930	3.3	17	<1	1	2	4	6	8	19
A. NOT OPERATED	3315	3.1	10	1	1	3	4	5	7	11
B. OPERATED	3917	2.7	11	<1	1	2	3	5	8	17
TOTAL 0-27 DYS	54	3.7	18	<1	1	2	4	8	9	26
1-11 MOS	525	4.5	47	<1	<1	2	4	10	17	35
1-5 YRS	1765	2.9	13	<1	1	2	3	6	8	14
6-12 YRS	1526	2.8	10	<1	1	2	3	5	7	14
13-19 YRS	3362	2.7	4	1	1	2	3	5	6	10
GRAND TOTAL	**7232**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	407	4.5	7	2	2	4	6	8	10	13
1-11 MOS	5553	4.1	5	1	2	4	5	7	8	11
1-5 YRS	9442	3.6	5	1	2	3	4	6	7	10
6-12 YRS	2492	3.7	4	1	2	3	5	6	7	10
13-19 YRS	1371	4.1	4	2	2	4	5	7	8	11
B. *Operated*										
0-27 DYS	7	6.9	16	1	1	8	10	12	12	12
1-11 MOS	29	8.3	49	2	2	6	9	17	23	34
1-5 YRS	40	5.1	25	<1	1	3	7	11	16	24
6-12 YRS	21	7.0	43	1	1	5	9	15	22	30
13-19 YRS	22	9.2	41	2	2	9	11	17	26	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	467	5.5	14	2	2	4	7	10	13	19
1-11 MOS	9058	4.8	11	2	2	4	6	8	11	17
1-5 YRS	15796	4.2	9	1	2	4	5	7	9	15
6-12 YRS	3833	4.6	11	1	2	4	5	8	10	16
13-19 YRS	2157	5.7	17	2	2	5	7	11	14	21
B. *Operated*										
0-27 DYS	25	10.3	85	4	4	9	12	16	25	50
1-11 MOS	211	11.8	89	2	3	10	16	24	33	99+
1-5 YRS	307	11.4	113	2	3	8	14	24	34	64
6-12 YRS	106	12.8	120	1	3	10	18	22	28	60
13-19 YRS	165	14.2	125	3	4	12	19	25	32	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19265	3.8	5	1	2	3	5	6	8	11
B. *Operated*	119	7.1	38	1	2	6	9	15	20	31
2. MULTIPLE DX										
A. *Not Operated*	31311	4.6	11	1	2	4	5	8	10	16
B. *Operated*	814	12.2	110	2	3	10	16	24	33	63
1. SINGLE DX	19384	3.8	5	1	2	3	5	6	8	11
2. MULTIPLE DX	32125	4.8	15	1	2	4	6	8	11	19
A. NOT OPERATED	50576	4.3	9	1	2	4	5	7	9	14
B. OPERATED	933	11.6	104	2	3	9	15	23	31	61
TOTAL 0-27 DYS	906	5.2	14	2	2	4	6	10	12	17
1-11 MOS	14851	4.6	11	1	2	4	6	8	10	17
1-5 YRS	25585	4.1	9	1	2	3	5	7	9	14
6-12 YRS	6452	4.4	11	1	2	4	5	8	10	16
13-19 YRS	3715	5.5	21	2	2	4	6	10	14	23
GRAND TOTAL	**51509**	**4.4**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	20	3.1	3	1	2	3	4	5	7	9
1-11 MOS	109	3.3	4	1	1	3	4	6	7	9
1-5 YRS	252	2.8	2	1	1	3	4	5	6	8
6-12 YRS	168	2.6	2	1	1	2	3	4	5	8
13-19 YRS	159	3.0	3	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	4.0	3	2	2	4	5	7	7	7
1-11 MOS	174	4.6	39	1	2	3	5	8	10	29
1-5 YRS	679	3.2	3	1	1	3	4	5	7	9
6-12 YRS	380	3.1	4	1	1	3	4	5	7	10
13-19 YRS	334	3.0	4	1	1	3	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	22.7	306	5	5	23	36	40	40	40
1-5 YRS	9	6.6	21	1	2	5	10	14	14	14
6-12 YRS	4	4.5	10	2	2	3	6	9	9	9
13-19 YRS	9	6.1	19	<1	1	5	8	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	708	2.9	3	1	1	3	4	5	6	8
B. *Operated*	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1573	3.3	8	1	1	3	4	6	7	10
B. *Operated*	25	8.0	71	1	2	5	10	14	27	40
1. SINGLE DX	711	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1598	3.4	9	1	1	3	4	6	7	12
A. NOT OPERATED	2281	3.2	6	1	1	3	4	5	7	10
B. OPERATED	28	7.5	65	1	2	5	9	14	25	40
TOTAL 0-27 DYS	27	3.3	3	1	2	3	4	6	7	9
1-11 MOS	286	4.3	31	1	1	3	5	7	9	29
1-5 YRS	942	3.1	3	1	1	3	4	5	7	9
6-12 YRS	552	2.9	4	1	1	3	4	5	6	9
13-19 YRS	502	3.1	4	1	1	3	4	5	7	11
GRAND TOTAL	**2309**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	15	5.7	139	<1	1	3	4	5	37	48
1-11 MOS	617	3.4	4	1	1	3	4	6	7	10
1-5 YRS	1112	2.7	3	1	1	2	3	5	6	9
6-12 YRS	179	2.8	3	1	1	2	4	5	6	9
13-19 YRS	78	3.4	3	1	2	3	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	9	4.4	20	<1	<1	2	7	12	14	14
6-12 YRS	6	2.2	6	<1	<1	1	2	6	7	7
13-19 YRS	4	6.3	12	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	4.4	3	2	3	4	5	7	8	8
1-11 MOS	984	4.0	6	1	2	4	5	7	9	12
1-5 YRS	1384	3.3	4	1	1	3	4	6	7	11
6-12 YRS	266	4.0	8	1	2	3	5	7	11	14
13-19 YRS	205	4.3	12	1	2	3	5	7	12	20
B. *Operated*										
0-27 DYS	2	11.0	50	6	6	11	16	16	16	16
1-11 MOS	14	10.6	131	1	1	7	10	24	40	45
1-5 YRS	31	4.7	19	1	1	3	6	12	13	18
6-12 YRS	18	5.8	24	1	1	4	8	14	16	17
13-19 YRS	14	6.4	14	2	2	5	9	11	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2001	3.0	4	1	1	3	4	5	6	10
B. *Operated*	21	4.0	14	<1	<1	2	6	9	12	14
2. MULTIPLE DX										
A. *Not Operated*	2865	3.7	6	1	2	3	5	6	8	13
B. *Operated*	79	6.5	42	1	1	5	9	14	17	38
1. SINGLE DX	2022	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	2944	3.8	7	1	2	3	5	7	8	14
A. NOT OPERATED	4866	3.4	5	1	1	3	4	6	7	12
B. OPERATED	100	6.0	37	1	1	4	8	13	16	33
TOTAL 0-27 DYS	43	5.2	51	1	1	4	5	7	11	48
1-11 MOS	1617	3.9	7	1	2	3	5	7	8	12
1-5 YRS	2536	3.1	4	1	1	3	4	5	7	11
6-12 YRS	469	3.6	7	1	1	3	4	6	9	14
13-19 YRS	301	4.2	10	1	2	3	5	7	10	16
GRAND TOTAL	**4966**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	9.0	18	6	6	9	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	47.0		47	47	47	47	47	47	47
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	6	5.3	35	1	1	3	6	16	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	10	12.3	41	5	5	10	16	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	2	9.0	18	6	6	9	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	12	8.5	164	1	2	4	6	26	44	47
B. *Operated*	11	13.0	42	5	6	12	19	22	23	23
1. SINGLE DX	3	6.3	30	1	1	6	10	12	12	12
2. MULTIPLE DX	23	10.7	106	2	3	6	15	22	31	47
A. NOT OPERATED	13	7.9	154	1	1	4	6	23	42	47
B. OPERATED	13	12.4	39	5	6	12	17	22	23	23
TOTAL 0-27 DYS	1	47.0		47	47	47	47	47	47	47
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	2	12.0	128	4	4	12	20	20	20	20
13-19 YRS	19	9.2	45	1	2	8	14	20	23	23
GRAND TOTAL	**26**	**10.2**	**98**	**1**	**2**	**6**	**14**	**22**	**28**	**47**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	21	3.0	5	<1	1	2	4	6	8	8
1-11 MOS	1434	3.8	5	1	2	3	5	6	8	11
1-5 YRS	10338	2.9	3	1	1	3	4	5	6	8
6-12 YRS	7580	3.0	3	1	1	3	4	5	6	8
13-19 YRS	4464	3.3	5	1	1	3	4	5	7	10
B. Operated										
0-27 DYS										
1-11 MOS	9	4.2	10	1	1	3	5	10	10	10
1-5 YRS	14	3.8	7	<1	1	3	6	8	8	8
6-12 YRS	13	4.2	11	1	1	3	5	10	12	12
13-19 YRS	15	5.0	21	1	1	4	7	9	16	19
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	21	4.3	5	2	2	4	6	9	46	99+
1-11 MOS	2248	4.4	8	2	2	4	5	7	9	13
1-5 YRS	9768	3.4	4	1	1	3	4	6	7	10
6-12 YRS	4323	3.5	5	1	2	3	4	6	7	11
13-19 YRS	2885	3.9	16	1	2	3	5	6	8	13
B. Operated										
0-27 DYS										
1-11 MOS	59	10.5	102	2	3	8	13	20	31	60
1-5 YRS	93	7.8	67	1	2	5	8	14	27	43
6-12 YRS	38	6.1	23	1	2	5	7	13	18	22
13-19 YRS	47	8.5	48	2	3	7	11	16	23	34
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	23837	3.0	3	1	1	3	4	5	6	9
B. Operated	51	4.3	12	1	1	3	6	9	10	19
2. MULTIPLE DX										
A. Not Operated	19245	3.6	7	1	2	3	4	6	7	12
B. Operated	237	8.3	66	1	2	6	9	17	23	42
1. SINGLE DX	23888	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX	19482	3.7	8	1	2	3	4	6	7	12
A. NOT OPERATED	43082	3.3	5	1	1	3	4	5	7	10
B. OPERATED	288	7.6	59	1	2	5	9	15	22	40
TOTAL 0-27 DYS	42	3.7	5	1	1	3	5	8	9	99+
1-11 MOS	3750	4.3	9	1	2	4	5	7	9	14
1-5 YRS	20213	3.2	4	1	1	3	4	5	6	9
6-12 YRS	11954	3.2	4	1	1	3	4	5	6	9
13-19 YRS	7411	3.5	9	1	1	3	4	6	7	11
GRAND TOTAL	**43370**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	10	4.1	5	1	1	3	6	7	8	8
1-5 YRS	10	5.3	18	2	2	4	5	13	15	15
6-12 YRS	4	2.8	1	2	2	3	3	4	4	4
13-19 YRS	13	5.0	8	1	2	5	6	9	11	11
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	11	5.6	31	1	1	3	8	15	18	18
13-19 YRS	4	3.5	14	1	1	2	6	9	9	9
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	4	4.3	2	3	3	4	5	6	6	6
1-11 MOS	37	5.6	14	1	2	4	7	10	15	17
1-5 YRS	40	6.7	24	2	2	5	10	13	15	22
6-12 YRS	28	7.8	41	1	2	7	10	14	17	31
13-19 YRS	45	9.8	43	2	2	9	13	18	22	29
B. Operated										
0-27 DYS	2	16.0	200	6	6	16	26	26	26	26
1-11 MOS	5	16.8	396	5	5	7	23	52	52	52
1-5 YRS	13	13.5	108	3	5	10	20	45	88	99+
6-12 YRS	10	10.4	66	1	1	10	14	22	27	27
13-19 YRS	15	12.5	65	2	3	13	18	23	28	30
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	39	4.6	9	1	2	4	5	9	11	15
B. Operated	16	4.9	25	1	1	3	8	13	16	18
2. MULTIPLE DX										
A. Not Operated	154	7.4	32	2	2	6	10	16	18	29
B. Operated	45	13.0	108	2	3	10	18	29	42	99+
1. SINGLE DX	55	4.7	13	1	1	3	6	9	13	18
2. MULTIPLE DX	199	8.7	54	2	2	7	12	17	23	45
A. NOT OPERATED	193	6.9	28	2	2	5	10	14	17	27
B. OPERATED	61	10.9	98	1	2	9	14	26	34	94
TOTAL 0-27 DYS	8	7.3	61	2	2	5	7	20	26	26
1-11 MOS	52	6.4	54	1	2	4	7	11	16	51
1-5 YRS	64	7.8	47	2	2	5	11	15	24	91
6-12 YRS	53	7.5	43	1	1	7	10	15	18	31
13-19 YRS	77	9.2	46	1	2	8	12	18	23	30
GRAND TOTAL	**254**	**7.8**	**48**	**1**	**2**	**6**	**10**	**16**	**22**	**39**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	179	2.9	5	1	1	2	4	6	8	11
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS	5	5.0	10	1	1	4	7	9	9	9
13-19 YRS	426	6.0	17	2	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	98	1	1	8	15	15	15	15
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	4	8.0	45	2	2	7	13	16	16	16
13-19 YRS	62	3.6	12	1	1	3	4	8	12	17
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	6	5.2	7	3	3	4	8	9	9	9
1-5 YRS	3	8.3	8	5	5	10	10	10	10	10
6-12 YRS	7	11.1	20	4	5	13	15	16	16	16
13-19 YRS	151	9.7	45	3	3	8	12	18	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	2.9	5	1	1	2	4	6	7	11
B. *Operated*	433	6.0	17	2	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	71	4.0	15	1	1	3	4	10	15	17
B. *Operated*	168	9.6	42	3	3	8	12	17	24	33
1. SINGLE DX	619	5.1	15	1	1	4	6	10	13	19
2. MULTIPLE DX	239	8.0	41	1	2	6	11	16	20	32
A. NOT OPERATED	257	3.2	8	1	1	2	4	6	9	15
B. OPERATED	601	7.0	26	2	3	5	9	13	17	25
TOTAL 0-27 DYS	5	7.2	35	1	1	7	12	15	15	15
1-11 MOS	10	5.3	14	1	1	4	8	11	13	13
1-5 YRS	6	6.3	9	3	3	5	10	10	10	10
6-12 YRS	19	7.4	29	1	1	7	12	15	16	16
13-19 YRS	818	5.8	24	1	1	5	8	12	15	24
GRAND TOTAL	**858**	**5.9**	**24**	**1**	**1**	**5**	**8**	**12**	**15**	**24**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	3.7	14	1	1	3	5	6	6	21
1-11 MOS	278	3.4	4	1	1	3	4	6	7	11
1-5 YRS	579	2.8	3	1	1	2	3	5	6	9
6-12 YRS	199	2.6	3	1	1	2	3	5	6	9
13-19 YRS	231	3.0	7	<1	1	2	4	5	7	12
B. *Operated*										
0-27 DYS	2	8.0	50	3	3	8	13	13	13	13
1-11 MOS	42	8.9	188	<1	1	4	9	24	37	74
1-5 YRS	128	3.0	10	<1	1	2	4	8	11	15
6-12 YRS	61	3.8	17	<1	1	2	6	9	12	18
13-19 YRS	60	5.1	45	<1	<1	3	6	12	17	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	52	4.2	13	<1	1	4	6	8	10	21
1-11 MOS	816	5.5	40	1	2	4	6	10	14	36
1-5 YRS	1210	4.3	25	1	1	3	5	8	12	23
6-12 YRS	440	5.1	23	1	1	4	6	10	14	24
13-19 YRS	485	5.1	26	1	1	3	6	11	14	24
B. *Operated*										
0-27 DYS	10	14.6	298	3	3	9	14	41	61	61
1-11 MOS	105	12.2	213	1	1	8	16	36	51	99+
1-5 YRS	311	7.7	122	1	1	3	10	23	41	99+
6-12 YRS	162	7.6	83	<1	1	4	11	19	26	42
13-19 YRS	202	11.5	173	1	1	7	16	23	31	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1317	3.0	4	1	1	3	4	5	7	10
B. *Operated*	293	4.5	48	<1	1	2	5	10	14	38
2. MULTIPLE DX										
A. *Not Operated*	3003	4.9	29	1	1	3	6	9	13	27
B. *Operated*	790	9.3	145	1	1	5	13	22	37	95
1. SINGLE DX	1610	3.2	13	1	1	2	4	6	8	15
2. MULTIPLE DX	3793	5.8	56	1	1	4	7	12	18	43
A. NOT OPERATED	4320	4.3	22	1	1	3	5	8	11	23
B. OPERATED	1083	8.0	123	1	1	4	10	20	30	79
TOTAL 0-27 DYS	94	5.2	52	1	1	4	6	10	14	44
1-11 MOS	1241	5.7	56	1	1	4	6	11	16	43
1-5 YRS	2228	4.3	34	1	1	3	5	8	13	39
6-12 YRS	862	4.9	32	1	1	3	6	10	15	29
13-19 YRS	978	5.9	62	1	1	3	7	14	18	41
GRAND TOTAL	**5403**	**5.0**	**45**	**1**	**1**	**3**	**5**	**10**	**15**	**39**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	2.7	1	1	1	3	3	4	4	4
1-5 YRS	51	2.9	4	<1	<1	2	4	5	6	13
6-12 YRS	19	3.3	4	1	2	3	4	6	8	10
13-19 YRS	43	2.9	4	<1	1	2	4	5	7	10
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	5	2.2	5	<1	<1	1	3	6	6	6
1-5 YRS	604	1.2	1	<1	<1	<1	1	1	2	4
6-12 YRS	307	1.8	5	<1	<1	1	2	3	4	9
13-19 YRS	3251	2.1	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	21	4.0	8	2	2	3	5	7	10	14
1-5 YRS	197	2.9	6	<1	<1	2	4	6	7	11
6-12 YRS	81	2.9	3	<1	1	3	4	5	6	8
13-19 YRS	141	2.7	4	<1	<1	2	4	5	7	19
B. *Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	9	1.8	1	<1	<1	1	2	4	4	4
1-5 YRS	835	1.5	3	<1	<1	1	2	2	3	8
6-12 YRS	495	2.0	4	<1	<1	1	2	4	5	12
13-19 YRS	2448	2.8	3	<1	1	3	4	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	3.0	4	<1	1	2	4	5	6	11
B. *Operated*	4169	1.9	2	<1	<1	1	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	441	2.9	5	<1	<1	2	4	5	7	12
B. *Operated*	3789	2.4	3	<1	<1	2	3	4	5	8
1. SINGLE DX	4291	2.0	2	<1	<1	1	3	4	4	6
2. MULTIPLE DX	4230	2.5	4	<1	<1	2	3	4	5	9
A. NOT OPERATED	563	2.9	5	<1	<1	2	4	5	7	12
B. OPERATED	7958	2.2	3	<1	<1	2	3	4	5	7
TOTAL 0-27 DYS	5	5.4	26	1	1	5	7	14	14	14
1-11 MOS	44	3.1	5	<1	<1	2	4	6	7	14
1-5 YRS	1687	1.6	3	<1	<1	1	2	3	4	8
6-12 YRS	902	2.1	5	<1	<1	1	2	4	5	11
13-19 YRS	5883	2.4	2	<1	<1	2	3	4	5	7
GRAND TOTAL	**8521**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	18	5	5	8	11	11	11	11
1-11 MOS	29	3.3	4	<1	1	3	4	6	7	10
1-5 YRS	129	3.1	3	1	1	3	4	6	7	29
6-12 YRS	69	3.2	2	1	1	3	4	5	6	7
13-19 YRS	55	4.1	4	1	2	4	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	20	2.6	6	<1	<1	2	4	6	8	10
1-5 YRS	99	2.2	6	<1	<1	1	3	4	5	15
6-12 YRS	136	2.1	2	<1	<1	1	3	4	5	8
13-19 YRS	154	2.5	4	<1	1	2	3	5	6	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	4.5	10	2	2	3	6	9	9	9
1-11 MOS	72	3.8	5	1	2	3	5	7	9	11
1-5 YRS	312	3.5	4	1	2	3	4	6	7	10
6-12 YRS	118	3.7	4	1	1	4	5	6	7	11
13-19 YRS	113	4.6	11	1	2	4	6	9	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS	24	4.5	11	<1	1	4	6	8	12	13
1-5 YRS	93	3.6	7	<1	1	3	5	6	10	13
6-12 YRS	110	3.2	6	1	1	3	4	6	7	15
13-19 YRS	151	3.6	11	1	1	3	4	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	3.4	4	1	1	3	4	6	7	11
B. *Operated*	409	2.3	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	619	3.8	6	1	2	3	5	7	8	13
B. *Operated*	378	3.5	9	1	1	3	4	7	9	17
1. SINGLE DX	693	2.7	4	<1	<1	2	4	5	6	11
2. MULTIPLE DX	997	3.7	7	1	1	3	4	7	9	14
A. NOT OPERATED	903	3.7	5	1	1	3	4	6	8	12
B. OPERATED	787	2.9	7	<1	<1	2	4	6	7	16
TOTAL 0-27 DYS	6	5.7	13	2	2	4	9	11	11	11
1-11 MOS	145	3.6	6	<1	1	3	5	7	9	11
1-5 YRS	633	3.2	5	<1	1	3	4	6	7	11
6-12 YRS	433	3.0	4	<1	1	3	4	5	7	10
13-19 YRS	473	3.5	9	1	1	3	4	7	9	19
GRAND TOTAL	**1690**	**3.3**	**6**	**<1**	**1**	**3**	**4**	**6**	**8**	**13**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	193	2.6	3	1	1	2	3	5	6	9
1-11 MOS	539	2.9	6	1	1	2	4	6	7	12
1-5 YRS	126	2.6	5	1	1	2	3	5	6	12
6-12 YRS	62	2.3	8	1	1	1	2	4	5	19
13-19 YRS	107	2.7	4	<1	1	2	3	6	7	9
B. *Operated*										
0-27 DYS	2	10.5	145	2	2	10	19	19	19	19
1-11 MOS	94	4.1	17	<1	<1	3	6	8	12	22
1-5 YRS	117	4.9	42	<1	<1	2	7	10	18	35
6-12 YRS	71	3.4	9	<1	<1	2	6	8	9	11
13-19 YRS	87	4.0	13	<1	<1	2	7	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	226	3.9	6	1	1	3	5	7	8	12
1-11 MOS	835	4.2	13	1	1	3	5	8	10	20
1-5 YRS	207	4.8	61	1	1	3	5	10	14	34
6-12 YRS	104	3.8	10	1	1	3	5	9	10	16
13-19 YRS	252	3.8	10	1	1	3	5	7	9	20
B. *Operated*										
0-27 DYS	15	17.8	434	2	3	8	24	56	64	67
1-11 MOS	203	13.8	169	2	2	10	18	31	38	67
1-5 YRS	326	10.6	132	<1	1	8	14	22	31	51
6-12 YRS	163	11.0	138	1	1	8	14	25	33	58
13-19 YRS	170	8.4	105	1	1	5	10	16	25	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1027	2.8	5	1	1	2	3	5	7	11
B. *Operated*	371	4.2	23	<1	<1	2	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	1624	4.2	17	1	1	3	5	8	10	21
B. *Operated*	877	11.1	145	1	1	8	14	26	34	63
1. SINGLE DX	1398	3.1	10	<1	1	2	4	7	8	15
2. MULTIPLE DX	2501	6.6	73	1	1	4	8	14	22	43
A. NOT OPERATED	2651	3.6	13	1	1	3	4	7	9	19
B. OPERATED	1248	9.0	118	<1	1	6	11	21	30	59
TOTAL 0-27 DYS	436	3.8	26	1	1	3	4	7	8	20
1-11 MOS	1671	5.0	41	1	1	3	5	10	15	34
1-5 YRS	776	6.9	89	<1	1	3	9	17	23	43
6-12 YRS	400	6.4	76	<1	1	3	8	15	22	48
13-19 YRS	616	4.9	40	1	1	3	6	10	14	29
GRAND TOTAL	**3899**	**5.4**	**53**	**1**	**1**	**3**	**6**	**11**	**18**	**36**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	15	3.7	2	1	1	4	5	5	7	7
13-19 YRS	22	3.6	5	1	1	3	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	2.8	4	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	5.5	20	2	2	4	8	12	12	12
1-5 YRS	5	5.0	17	<1	<1	4	8	11	11	11
6-12 YRS	6	4.3	11	1	1	3	8	9	9	9
13-19 YRS	45	4.0	6	2	2	3	4	6	10	13
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	6.5	23	2	2	6	10	12	12	12
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	4	4.8	32	1	1	3	8	13	13	13
13-19 YRS	16	4.8	6	2	2	4	6	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.5	4	1	1	3	5	6	7	9
B. *Operated*	6	3.2	3	<1	<1	4	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	60	4.2	8	1	2	3	5	9	11	13
B. *Operated*	26	5.2	10	1	2	4	7	11	12	13
1. SINGLE DX	46	3.4	4	<1	1	3	5	6	7	9
2. MULTIPLE DX	86	4.5	9	1	2	4	5	9	12	13
A. NOT OPERATED	100	3.9	6	1	2	3	5	7	9	13
B. OPERATED	32	4.8	10	<1	1	4	6	10	12	13
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	5.6	18	2	2	3	10	12	12	12
1-5 YRS	9	4.1	11	<1	<1	4	5	9	11	11
6-12 YRS	26	4.0	8	1	1	4	5	8	10	13
13-19 YRS	87	4.0	6	1	2	3	5	7	9	13
GRAND TOTAL	**132**	**4.1**	**7**	**1**	**2**	**4**	**5**	**8**	**11**	**13**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	4.6	26	<1	<1	2	8	13	13	13
6-12 YRS	3	2.3	1	1	1	3	3	3	3	3
13-19 YRS	13	3.6	5	1	1	3	5	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS										
13-19 YRS	8	5.0	7	2	2	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	3	8.7	44	3	3	7	14	16	16	16
1-5 YRS	3	3.7	5	1	1	5	5	5	5	5
6-12 YRS	6	3.5	6	1	1	3	5	7	7	7
13-19 YRS	33	4.3	5	2	2	4	5	8	9	9
B. *Operated*										
0-27 DYS	4	11.3	56	4	4	10	17	21	21	21
1-11 MOS	2	9.5	1	9	9	9	10	10	10	10
1-5 YRS	5	6.4	3	5	5	6	7	9	9	9
6-12 YRS	6	10.7	37	5	5	8	15	20	21	21
13-19 YRS	21	9.4	86	2	2	8	10	16	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.5	9	<1	1	3	4	7	10	13
B. *Operated*	11	4.6	6	2	2	4	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	47	4.4	7	1	2	4	5	8	[illegible]	16
B. *Operated*	38	9.4	58	2	3	8	10	18	21	45
1. SINGLE DX	33	3.9	8	1	1	3	6	7	10	13
2. MULTIPLE DX	85	6.6	36	1	2	5	8	12	17	37
A. NOT OPERATED	69	4.1	8	1	1	3	5	8	9	15
B. OPERATED	49	8.3	50	2	3	7	10	15	21	45
TOTAL 0-27 DYS	6	8.7	50	3	3	6	13	20	21	21
1-11 MOS	7	7.0	27	1	1	7	10	15	16	16
1-5 YRS	15	4.9	11	<1	1	5	6	9	12	13
6-12 YRS	15	6.1	30	1	1	5	7	15	19	21
13-19 YRS	75	5.7	32	1	2	4	7	10	12	39
GRAND TOTAL	**118**	**5.9**	**29**	**1**	**2**	**5**	**7**	**10**	**15**	**29**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	52	99+	99+	99+	99+
1-11 MOS	3	4.3	2	3	3	4	5	6	6	6
1-5 YRS	8	2.4	5	<1	<1	2	2	6	8	8
6-12 YRS	46	3.0	2	<1	1	3	4	6	6	7
13-19 YRS	215	3.2	4	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	4.8	16	1	1	3	8	10	10	10
13-19 YRS	12	6.3	12	2	2	6	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	3.3	1	2	2	3	4	5	5	5
1-5 YRS	8	2.9	2	1	1	3	4	5	6	6
6-12 YRS	59	3.4	3	1	1	3	4	5	6	10
13-19 YRS	211	4.1	7	1	2	4	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	7.5	25	4	4	7	11	11	11	11
13-19 YRS	15	5.9	6	3	3	7	8	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	3.2	4	1	1	3	4	6	7	11
B. *Operated*	17	5.9	12	1	2	5	10	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	289	3.9	6	1	2	3	5	7	9	13
B. *Operated*	19	5.7	8	2	3	5	8	10	11	11
1. SINGLE DX	290	3.3	5	1	1	3	4	6	8	12
2. MULTIPLE DX	308	4.0	6	1	2	3	5	7	9	13
A. NOT OPERATED	562	3.5	5	1	1	3	4	6	8	13
B. OPERATED	36	5.8	10	1	2	5	8	10	11	11
TOTAL 0-27 DYS	2	3.5	5	2	2	5	76	99+	99+	99+
1-11 MOS	14	3.6	2	2	2	4	5	5	6	6
1-5 YRS	17	2.5	4	<1	<1	2	3	6	7	8
6-12 YRS	112	3.4	4	1	1	3	4	6	7	11
13-19 YRS	453	3.8	6	1	1	3	5	7	8	13
GRAND TOTAL	**598**	**3.7**	**5**	**1**	**1**	**3**	**5**	**7**	**8**	**12**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	5	2.4	1	1	1	2	3	4	4	4
6-12 YRS	4	3.3	3	1	1	3	4	5	5	5
13-19 YRS	85	3.6	4	1	2	3	4	7	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	4	5.3	10	1	1	6	7	8	8	8
13-19 YRS	28	6.3	8	2	3	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	8	5.4	28	1	1	4	5	14	18	18
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	17	3.4	3	1	2	3	4	7	8	8
13-19 YRS	81	3.9	5	1	2	3	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.3	60	5	5	9	17	20	20	20
1-5 YRS	6	16.7	305	6	6	10	13	48	52	52
6-12 YRS	2	10.0		10	10	10	10	10	10	10
13-19 YRS	20	13.6	417	3	5	8	10	24	61	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.5	4	1	2	3	4	7	7	11
B. *Operated*	34	6.0	9	1	2	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	109	3.9	6	1	2	3	5	7	8	16
B. *Operated*	31	13.7	322	5	5	8	11	24	51	97
1. SINGLE DX	130	4.2	6	1	2	4	6	7	9	13
2. MULTIPLE DX	140	6.1	91	1	2	4	6	10	14	56
A. NOT OPERATED	205	3.7	5	1	2	3	5	7	8	13
B. OPERATED	65	9.7	171	2	3	7	9	13	24	90
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	13	6.6	34	1	2	5	6	18	20	20
1-5 YRS	14	9.0	168	1	1	5	10	17	44	52
6-12 YRS	27	4.1	7	1	1	3	5	8	10	10
13-19 YRS	214	5.0	50	1	2	4	6	8	9	24
GRAND TOTAL	**270**	**5.2**	**51**	**1**	**2**	**4**	**6**	**8**	**11**	**24**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.6	7	1	1	4	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	6.8	3	5	5	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	8.0	32	4	4	8	12	12	12	12
13-19 YRS	7	3.6	5	2	2	2	5	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	6	18.2	137	8	8	14	27	36	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.6	7	1	1	4	6	8	8	8
B. *Operated*	4	6.8	3	5	5	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	9	4.6	12	2	2	4	6	10	12	12
B. *Operated*	8	15.5	123	6	7	10	22	34	37	37
1. SINGLE DX	9	5.6	6	1	2	6	7	9	9	9
2. MULTIPLE DX	17	9.7	91	2	2	8	10	25	33	37
A. NOT OPERATED	14	4.6	9	1	2	4	6	9	11	12
B. OPERATED	12	12.6	98	5	6	9	14	30	36	37
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	8.3	16	4	4	9	11	12	12	12
13-19 YRS	22	8.4	75	1	2	6	9	21	31	37
GRAND TOTAL	**26**	**8.3**	**64**	**1**	**2**	**6**	**9**	**17**	**29**	**37**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	2.5	5	<1	1	2	2	5	8	9
1-11 MOS	92	2.3	1	1	1	2	3	4	4	6
1-5 YRS	251	2.1	1	1	1	2	2	3	4	8
6-12 YRS	399	2.4	3	1	1	2	3	4	5	9
13-19 YRS	753	2.6	2	1	1	2	3	5	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	1	6	6	6	7	7	7	7
1-5 YRS	8	4.6	16	<1	1	4	5	11	14	14
6-12 YRS	18	3.7	4	<1	1	3	4	6	8	9
13-19 YRS	24	4.0	5	1	2	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	17	2.4	1	1	1	3	3	3	4	4
1-11 MOS	252	3.0	5	1	1	3	4	5	7	12
1-5 YRS	1032	2.6	2	1	1	2	3	4	5	8
6-12 YRS	929	2.6	3	1	1	2	3	4	5	9
13-19 YRS	1424	3.1	5	1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	8	5.9	10	2	2	6	9	10	10	10
1-5 YRS	16	9.8	514	<1	1	3	6	13	70	94
6-12 YRS	28	3.7	5	<1	1	3	5	7	8	9
13-19 YRS	102	4.6	9	1	2	4	6	7	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1509	2.4	2	1	1	2	3	4	5	8
B. *Operated*	52	4.1	6	<1	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	3654	2.8	4	1	1	2	3	5	6	10
B. *Operated*	154	5.0	61	1	2	4	6	8	11	21
1. SINGLE DX	1561	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	3808	2.9	6	1	1	2	3	5	6	10
A. NOT OPERATED	5163	2.7	3	1	1	2	3	5	6	9
B. OPERATED	206	4.8	47	1	2	4	6	8	10	17
TOTAL 0-27 DYS	31	2.5	3	1	1	2	3	4	5	9
1-11 MOS	354	2.9	4	1	1	2	3	5	7	12
1-5 YRS	1307	2.6	9	1	1	2	3	4	5	8
6-12 YRS	1374	2.6	3	1	1	2	3	4	5	9
13-19 YRS	2303	3.0	5	1	1	3	4	5	7	10
GRAND TOTAL	**5369**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	2.3	3	<1	<1	2	3	5	6	6
1-11 MOS	47	1.9	1	<1	1	2	3	4	4	5
1-5 YRS	46	2.5	3	1	1	2	4	5	5	8
6-12 YRS	70	2.2	2	1	1	2	3	4	5	6
13-19 YRS	118	2.6	3	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS	52	3.5	3	2	2	3	4	5	6	11
1-11 MOS	174	3.3	3	1	2	3	4	5	6	9
1-5 YRS	12	4.8	12	2	2	4	5	11	13	13
6-12 YRS	5	7.0	36	<1	<1	6	9	17	17	17
13-19 YRS	7	5.3	9	<1	<1	6	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	3.6	4	1	1	4	5	6	7	8
1-11 MOS	77	3.6	6	1	2	3	4	6	9	14
1-5 YRS	134	4.0	35	1	1	2	4	7	11	31
6-12 YRS	134	3.0	4	1	1	3	4	6	6	9
13-19 YRS	264	5.4	72	1	1	3	5	8	26	43
B. *Operated*										
0-27 DYS	13	5.6	18	2	2	5	6	11	17	18
1-11 MOS	55	6.8	138	2	2	4	6	11	21	81
1-5 YRS	25	10.3	90	2	2	7	16	19	32	42
6-12 YRS	11	6.1	18	1	2	5	8	13	15	15
13-19 YRS	27	6.3	35	1	1	5	8	14	21	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	2.4	2	1	1	2	3	4	5	7
B. *Operated*	250	3.5	4	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	627	4.3	40	1	1	3	4	7	10	40
B. *Operated*	131	7.2	86	1	2	4	8	16	21	50
1. SINGLE DX	542	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	758	4.8	49	1	1	3	5	8	15	40
A. NOT OPERATED	919	3.7	29	1	1	2	4	6	8	39
B. OPERATED	381	4.8	35	1	2	3	5	8	12	27
TOTAL 0-27 DYS	94	3.6	6	1	1	3	5	6	7	15
1-11 MOS	353	3.7	26	1	1	3	4	6	8	19
1-5 YRS	217	4.5	38	1	1	3	4	9	16	33
6-12 YRS	220	3.0	5	1	1	2	4	6	6	14
13-19 YRS	416	4.7	50	1	1	3	5	7	12	40
GRAND TOTAL	**1300**	**4.0**	**31**	**1**	**1**	**3**	**4**	**7**	**9**	**36**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	5TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.2	1	<1	<1	2	3	3	3	3
6-12 YRS	58	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	90	2.4	3	<1	1	2	3	4	5	9
B. *Operated*										
0-27 DYS	3	4.0	1	3	3	4	5	5	5	5
1-11 MOS	16	3.3	1	2	2	3	4	5	5	5
1-5 YRS	507	3.4	3	1	2	3	4	6	7	10
6-12 YRS	6066	3.1	2	1	2	3	4	5	5	8
13-19 YRS	9952	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	3.2	15	<1	<1	1	4	10	12	12
6-12 YRS	37	2.2	2	1	1	2	3	4	5	7
13-19 YRS	57	2.2	3	<1	1	2	3	4	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.4	4	3	3	3	6	7	7	7
1-5 YRS	161	5.2	11	2	2	4	7	9	11	18
6-12 YRS	1013	4.3	7	2	2	4	5	7	10	15
13-19 YRS	1893	4.3	6	2	2	4	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	16544	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	103	2.3	4	<1	1	2	3	4	7	10
B. *Operated*	3072	4.3	7	2	2	4	5	7	9	14
1. SINGLE DX	16698	3.2	2	2	2	3	4	5	6	8
2. MULTIPLE DX	3175	4.2	7	2	2	4	5	7	9	14
A. NOT OPERATED	257	2.3	3	<1	1	2	3	4	6	9
B. OPERATED	19616	3.4	3	2	2	3	4	5	6	10
TOTAL 0-27 DYS	3	4.0	1	3	3	4	5	5	5	5
1-11 MOS	21	3.5	2	2	2	3	4	6	6	7
1-5 YRS	683	3.8	6	1	2	3	4	7	9	14
6-12 YRS	7174	3.3	3	1	2	3	4	5	6	10
13-19 YRS	11992	3.4	3	2	2	3	4	5	6	9
GRAND TOTAL	**19873**	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	6.8	11	1	2	8	9	11	12	12
6-12 YRS	24	7.3	21	2	2	7	10	13	16	20
13-19 YRS	25	6.6	13	2	3	6	7	12	15	17
B. *Operated*										
0-27 DYS										
1-11 MOS	6	6.8	9	3	3	6	8	12	12	12
1-5 YRS	420	7.3	9	3	4	7	9	11	13	17
6-12 YRS	1502	6.5	10	3	3	6	8	10	12	17
13-19 YRS	1608	6.2	9	2	3	6	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.7		6	6	7	7	7	7	7
6-12 YRS	12	8.8	39	1	2	8	10	17	24	25
13-19 YRS	8	4.9	12	1	1	4	8	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	6	9.0	48	5	5	6	8	21	23	23
1-5 YRS	326	9.6	38	4	5	8	11	15	18	27
6-12 YRS	1020	8.8	24	4	4	8	10	14	18	26
13-19 YRS	1031	8.6	23	4	4	7	10	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	6.9	16	2	3	6	9	12	14	20
B. *Operated*	3536	6.5	10	3	3	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	23	7.2	27	1	1	7	9	12	18	25
B. *Operated*	2383	8.8	26	4	4	8	10	14	18	27
1. SINGLE DX	3597	6.5	10	3	3	6	8	10	12	17
2. MULTIPLE DX	2406	8.8	26	4	4	8	10	14	18	27
A. NOT OPERATED	84	7.0	18	1	2	7	9	12	14	23
B. OPERATED	5919	7.4	18	3	3	7	9	12	15	23
TOTAL 0-27 DYS										
1-11 MOS	12	7.9	28	3	4	6	8	15	22	23
1-5 YRS	761	8.3	23	3	4	8	10	13	15	22
6-12 YRS	2558	7.4	17	3	3	7	9	12	15	24
13-19 YRS	2672	7.1	16	3	3	6	8	11	14	23
GRAND TOTAL	**6003**	**7.4**	**18**	**3**	**3**	**7**	**9**	**12**	**15**	**23**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.7	2	<1	<1	1	2	4	5	5
6-12 YRS	75	1.9	1	1	1	2	2	4	4	6
13-19 YRS	129	1.9	2	<1	1	1	2	4	4	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	43	3.1	1	1	2	3	4	4	5	6
6-12 YRS	363	3.1	2	2	2	3	4	5	6	9
13-19 YRS	730	3.6	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.4		1	1	1	2	2	2	2
6-12 YRS	43	2.6	5	1	1	2	3	5	8	11
13-19 YRS	89	2.5	2	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	26	5.6	11	2	2	5	7	9	12	17
6-12 YRS	186	4.0	5	2	2	3	5	6	9	14
13-19 YRS	465	4.5	6	2	2	4	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	1.9	2	<1	1	1	2	4	4	6
B. *Operated*	1138	3.4	3	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	139	2.4	3	1	1	2	3	4	5	9
B. *Operated*	677	4.4	6	2	2	4	5	7	9	16
1. SINGLE DX	1349	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX	816	4.1	6	1	2	4	5	7	9	15
A. NOT OPERATED	350	2.1	2	1	1	2	3	4	5	7
B. OPERATED	1815	3.8	4	2	2	3	4	6	8	12
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	83	3.6	6	1	1	3	4	6	8	15
6-12 YRS	667	3.2	3	1	1	3	4	5	6	10
13-19 YRS	1413	3.7	5	1	2	3	4	6	7	12
GRAND TOTAL	**2165**	**3.5**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	37	1.3	1	<1	<1	1	1	2	2	8
1-5 YRS	24	1.3		<1	<1	1	2	2	2	2
6-12 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	10	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-27 DYS	70	1.6	2	<1	<1	1	2	3	4	9
1-11 MOS	1848	1.4	1	<1	<1	1	2	2	2	4
1-5 YRS	2368	1.3		<1	<1	1	2	2	2	4
6-12 YRS	1247	1.4		<1	<1	1	2	2	3	4
13-19 YRS	2160	2.0	1	<1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	2.7	11	<1	<1	1	3	9	10	10
1-11 MOS	163	1.7	4	<1	<1	1	1	3	4	16
1-5 YRS	152	1.4	4	<1	<1	1	1	2	3	18
6-12 YRS	28	1.5	1	<1	<1	1	2	3	4	6
13-19 YRS	25	1.4	2	<1	<1	1	1	2	4	7
B. *Operated*										
0-27 DYS	52	1.8	2	<1	<1	1	2	4	5	7
1-11 MOS	1564	2.0	11	<1	<1	1	2	3	5	11
1-5 YRS	1832	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	640	1.7	2	<1	<1	1	2	3	3	6
13-19 YRS	710	2.4	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	1.3	1	<1	<1	1	1	2	2	7
B. *Operated*	7693	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	375	1.6	4	<1	<1	1	1	3	4	15
B. *Operated*	4798	1.8	5	<1	<1	1	2	3	4	8
1. SINGLE DX	7767	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	5173	1.8	5	<1	<1	1	2	3	4	9
A. NOT OPERATED	449	1.5	4	<1	<1	1	1	2	4	10
B. OPERATED	12491	1.7	2	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS	130	1.7	2	<1	<1	1	2	3	5	10
1-11 MOS	3612	1.7	5	<1	<1	1	2	2	3	8
1-5 YRS	4376	1.4	1	<1	<1	1	2	2	3	5
6-12 YRS	1917	1.5	1	<1	<1	1	2	2	3	4
13-19 YRS	2905	2.1	2	<1	1	2	3	4	4	6
GRAND TOTAL	**12940**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	16	1.3	1	<1	<1	1	1	3	3	3
1-5 YRS	15	1.2	1	<1	<1	1	1	1	3	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	68	1.9	2	<1	1	1	2	4	5	9
1-11 MOS	480	1.6	1	<1	1	1	2	3	3	4
1-5 YRS	350	1.5	1	<1	1	1	2	3	3	4
6-12 YRS	51	1.7	1	<1	<1	1	2	3	3	5
13-19 YRS	145	2.4	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	28	1.9	3	<1	<1	1	2	3	5	10
1-5 YRS	15	3.5	31	1	1	1	3	9	19	22
6-12 YRS										
13-19 YRS	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*										
0-27 DYS	60	3.3	12	<1	1	2	4	8	11	17
1-11 MOS	470	2.7	13	1	1	2	3	5	6	16
1-5 YRS	249	2.0	2	<1	1	2	2	4	5	7
6-12 YRS	37	2.3	6	<1	<1	1	2	5	8	13
13-19 YRS	65	2.9	4	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	1.2		<1	<1	1	1	2	3	4
B. *Operated*	1094	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	47	2.4	12	<1	1	1	2	4	9	22
B. *Operated*	881	2.6	9	1	1	2	3	5	6	14
1. SINGLE DX	1131	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX	928	2.6	9	<1	1	2	3	5	6	14
A. NOT OPERATED	84	1.9	7	<1	<1	1	2	3	5	18
B. OPERATED	1975	2.1	5	<1	1	2	2	4	5	9
TOTAL 0-27 DYS	132	2.5	7	<1	1	2	3	5	9	15
1-11 MOS	994	2.1	7	<1	1	2	2	4	5	10
1-5 YRS	629	1.8	2	<1	1	1	2	3	4	7
6-12 YRS	89	1.9	3	<1	<1	1	2	3	5	11
13-19 YRS	215	2.5	3	1	1	2	3	4	5	8
GRAND TOTAL	**2059**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**4**	**5**	**10**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	5	1.8	1	<1	<1	1	3	3	3	3
6-12 YRS										
13-19 YRS	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	104	1.5	1	<1	<1	1	2	2	3	4
1-5 YRS	605	1.6	1	<1	<1	1	2	2	3	5
6-12 YRS	308	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	117	2.0	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	13	1.8	4	<1	<1	1	2	4	7	8
1-5 YRS	30	1.3	1	<1	<1	1	1	2	4	5
6-12 YRS	11	1.5	1	<1	<1	1	2	3	4	4
13-19 YRS	5	1.8	2	1	1	1	2	4	4	4
B. *Operated*										
0-27 DYS	4	37.8	1828	2	2	25	66	99	99	99+
1-11 MOS	51	2.4	8	<1	<1	1	3	5	7	17
1-5 YRS	133	2.1	2	<1	<1	2	2	4	5	8
6-12 YRS	71	2.3	4	<1	<1	2	3	4	5	12
13-19 YRS	36	3.3	10	<1	1	2	4	7	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.8	1	<1	<1	1	3	3	3	3
B. *Operated*	1134	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	60	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	295	2.8	40	<1	<1	2	3	5	6	18
1. SINGLE DX	1146	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	355	2.6	34	<1	<1	2	3	4	6	17
A. NOT OPERATED	72	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	1429	1.9	9	<1	<1	1	2	3	4	7
TOTAL 0-27 DYS	6	26.2	1419	2	2	10	33	92	99	99+
1-11 MOS	171	1.8	3	<1	<1	1	2	3	4	10
1-5 YRS	773	1.7	1	<1	<1	1	2	3	3	6
6-12 YRS	390	1.8	1	<1	<1	1	2	3	4	6
13-19 YRS	161	2.3	4	<1	<1	2	3	4	5	12
GRAND TOTAL	**1501**	**1.9**	**9**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	17	2.2	2	<1	<1	2	4	4	5	5
1-5 YRS	65	2.0	4	<1	<1	1	2	5	7	11
6-12 YRS	54	1.5	1	<1	<1	1	2	2	4	6
13-19 YRS	115	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	4.5	25	1	1	4	8	8	8	8
13-19 YRS	5	2.6	5	1	1	1	4	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	20	4.1	8	<1	1	4	6	8	9	11
1-5 YRS	41	5.2	108	<1	<1	2	5	8	18	65
6-12 YRS	27	2.4	4	<1	<1	2	4	5	6	10
13-19 YRS	44	3.6	9	1	1	3	4	6	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	251	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	8	2.9	8	<1	<1	1	5	7	8	8
B. *Operated*	132	3.9	39	<1	<1	3	4	7	9	29
1. SINGLE DX	258	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX	140	3.9	37	<1	<1	3	4	7	9	25
A. NOT OPERATED	15	2.5	4	<1	<1	2	3	6	7	8
B. OPERATED	383	2.7	16	<1	<1	2	3	5	7	15
TOTAL 0-27 DYS										
1-11 MOS	39	3.2	6	<1	<1	3	4	7	8	11
1-5 YRS	108	3.2	46	<1	<1	1	3	7	8	39
6-12 YRS	86	1.9	3	<1	<1	1	2	4	5	9
13-19 YRS	165	2.6	4	<1	1	2	3	5	6	9
GRAND TOTAL	**398**	**2.7**	**15**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	3.0	3	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	6	5.5	2	3	3	6	7	7	7	7
1-5 YRS	6	6.2	4	4	4	6	8	9	9	9
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	7.7	34	1	1	10	11	12	12	12
1-5 YRS	10	4.2	5	<1	1	4	6	7	8	8
6-12 YRS	4	3.8	2	2	2	4	5	5	5	5
13-19 YRS	28	3.1	2	1	1	3	4	5	6	6
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	7	11.1	107	<1	1	9	12	29	33	33
1-5 YRS	15	9.2	59	2	4	7	11	21	28	30
6-12 YRS	13	8.8	32	2	3	10	13	17	19	20
13-19 YRS	12	6.8	16	<1	1	7	10	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.8	2	1	1	3	4	5	5	5
B. *Operated*	17	5.9	5	2	3	6	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	45	3.7	6	<1	1	3	5	6	8	12
B. *Operated*	48	8.8	45	1	2	8	11	16	22	33
1. SINGLE DX	25	4.9	6	1	2	5	7	8	9	10
2. MULTIPLE DX	93	6.3	32	1	1	5	8	13	16	32
A. NOT OPERATED	53	3.5	5	1	1	3	5	6	8	12
B. OPERATED	65	8.0	36	1	3	7	10	13	20	33
TOTAL 0-27 DYS	3	6.7	10	3	3	8	9	9	9	9
1-11 MOS	18	7.7	52	<1	1	6	9	13	25	33
1-5 YRS	32	6.9	34	1	2	5	8	13	20	30
6-12 YRS	19	7.5	28	2	2	5	11	15	18	20
13-19 YRS	46	4.1	9	1	1	3	5	8	11	13
GRAND TOTAL	**118**	**6.0**	**27**	**1**	**1**	**5**	**8**	**12**	**14**	**31**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7		<1	<1	2	2	2	2	2
1-5 YRS	9	1.3	1	<1	<1	1	1	3	3	3
6-12 YRS	12	1.2		<1	<1	1	1	2	2	2
13-19 YRS	16	1.9	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	12	2.9	10	<1	<1	2	3	7	11	12
6-12 YRS	9	2.8	4	<1	<1	3	4	6	7	7
13-19 YRS	13	4.6	10	1	1	4	7	21	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	40	1.6	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	7	3.0	4	1	1	3	3	6	7	7
B. *Operated*	37	3.5	8	<1	1	3	5	8	12	99+
1. SINGLE DX	41	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	44	3.4	7	<1	1	3	5	7	12	99+
A. NOT OPERATED	8	2.8	4	1	1	2	3	6	7	7
B. OPERATED	77	2.5	5	<1	<1	2	3	6	8	75
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	2.3	2	<1	<1	2	2	5	5	5
1-5 YRS	23	2.4	7	<1	<1	2	2	5	9	12
6-12 YRS	23	1.9	2	<1	<1	1	3	4	6	7
13-19 YRS	32	3.1	6	1	1	2	4	7	11	99+
GRAND TOTAL	**85**	**2.5**	**5**	**<1**	**<1**	**2**	**3**	**6**	**7**	**68**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.2		1	1	1	2	2	2	2
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	25	2.4	7	<1	1	1	2	5	10	12
1-5 YRS	52	2.8	11	<1	1	2	3	6	9	18
6-12 YRS	20	2.1	2	<1	<1	2	3	4	5	5
13-19 YRS	49	3.1	7	<1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.2	9	<1	<1	2	5	8	8	8
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	15	3.9	20	<1	1	2	5	13	14	15
1-5 YRS	25	7.0	159	<1	1	3	4	13	40	58
6-12 YRS	6	4.5	14	1	1	3	7	11	11	11
13-19 YRS	25	5.6	14	1	2	5	8	9	14	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.2		1	1	1	1	2	2	2
B. *Operated*	148	2.7	8	<1	1	2	3	5	9	15
2. MULTIPLE DX										
A. *Not Operated*	8	2.6	6	<1	<1	2	3	7	8	8
B. *Operated*	71	5.6	65	1	1	3	6	12	15	53
1. SINGLE DX	158	2.6	7	<1	1	2	3	5	8	15
2. MULTIPLE DX	79	5.3	60	<1	1	3	6	11	14	51
A. NOT OPERATED	18	1.8	3	<1	1	1	2	4	6	8
B. OPERATED	219	3.7	28	<1	1	2	4	8	12	23
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	46	2.9	11	<1	1	2	3	8	12	15
1-5 YRS	84	3.9	57	<1	1	2	3	8	14	50
6-12 YRS	29	2.5	5	<1	1	2	3	5	7	11
13-19 YRS	76	3.9	10	1	1	3	5	8	10	15
GRAND TOTAL	**237**	**3.5**	**26**	**<1**	**1**	**2**	**4**	**8**	**11**	**20**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	2.7	5	<1	<1	2	3	6	8	8
1-11 MOS	157	2.1	2	<1	1	2	3	5	5	8
1-5 YRS	209	2.2	3	<1	1	2	3	4	6	8
6-12 YRS	75	3.1	7	1	1	2	4	6	8	15
13-19 YRS	162	3.2	5	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS	4	12.5	87	4	4	10	19	25	25	25
1-11 MOS	190	4.7	8	2	2	4	6	8	9	16
1-5 YRS	138	5.5	11	2	2	5	7	9	12	19
6-12 YRS	55	6.9	9	3	4	7	9	10	12	16
13-19 YRS	132	8.0	49	3	4	7	9	11	13	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	6.2	31	<1	<1	4	9	12	19	21
1-11 MOS	119	3.8	17	1	1	2	5	7	11	23
1-5 YRS	176	3.1	6	<1	1	2	4	6	8	12
6-12 YRS	117	5.2	90	1	1	3	5	8	10	71
13-19 YRS	179	5.0	20	1	1	4	6	10	14	21
B. *Operated*										
0-27 DYS	6	15.0	146	5	5	9	23	35	36	36
1-11 MOS	200	8.6	89	2	3	6	9	14	23	72
1-5 YRS	189	9.7	89	3	4	7	11	16	28	77
6-12 YRS	96	9.2	44	3	4	8	10	17	19	43
13-19 YRS	205	10.9	64	3	4	9	14	20	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	2.5	4	1	1	2	3	5	7	10
B. *Operated*	519	6.0	22	2	3	5	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	606	4.3	30	1	1	3	5	8	11	21
B. *Operated*	696	9.7	77	3	4	7	11	17	23	58
1. SINGLE DX	1132	4.2	15	1	1	3	6	8	10	15
2. MULTIPLE DX	1302	7.2	62	1	1	5	8	14	19	41
A. NOT OPERATED	1219	3.4	18	1	1	2	4	6	8	18
B. OPERATED	1215	8.1	56	2	3	6	9	15	19	41
TOTAL 0-27 DYS	35	7.4	63	<1	1	5	10	21	24	36
1-11 MOS	666	5.1	39	1	1	4	6	9	13	32
1-5 YRS	712	5.0	37	1	1	3	6	10	14	33
6-12 YRS	343	6.1	51	1	1	5	7	10	15	40
13-19 YRS	678	6.9	45	1	2	5	8	14	18	32
GRAND TOTAL	**2434**	**5.8**	**43**	**1**	**1**	**4**	**7**	**11**	**15**	**33**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	284	3.0	2	1	1	3	4	5	6	9
1-11 MOS	2781	3.0	4	1	1	3	4	5	6	9
1-5 YRS	3811	2.6	2	1	1	2	3	4	5	7
6-12 YRS	2409	2.0	2	1	1	2	2	3	4	6
13-19 YRS	2784	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	4	15.5	320	3	3	8	26	42	42	42
1-11 MOS	25	4.9	11	2	2	4	5	8	12	18
1-5 YRS	46	3.8	14	<1	<1	3	4	8	10	22
6-12 YRS	69	3.4	5	1	1	3	4	6	8	13
13-19 YRS	185	3.8	4	1	2	3	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	483	4.2	21	1	2	3	5	7	9	21
1-11 MOS	7359	3.7	7	1	2	3	4	6	7	13
1-5 YRS	11802	3.0	4	1	1	3	4	5	6	10
6-12 YRS	3506	2.6	3	1	1	2	3	4	6	9
13-19 YRS	3074	2.8	5	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	7	9.1	28	3	4	8	10	18	20	20
1-11 MOS	142	14.7	370	2	3	6	16	45	65	91
1-5 YRS	150	9.0	109	2	2	5	11	21	30	70
6-12 YRS	69	5.7	29	1	2	4	7	13	20	86
13-19 YRS	176	5.6	19	1	2	5	7	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12069	2.5	3	1	1	2	3	4	5	7
B. *Operated*	329	4.0	11	1	2	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	26224	3.1	5	1	1	3	4	5	7	11
B. *Operated*	544	9.0	150	2	2	5	9	20	36	82
1. SINGLE DX	12398	2.5	3	1	1	2	3	4	5	8
2. MULTIPLE DX	26768	3.3	9	1	1	3	4	5	7	12
A. NOT OPERATED	38293	2.9	4	1	1	3	4	5	6	10
B. OPERATED	873	7.1	103	1	2	4	7	14	24	69
TOTAL 0-27 DYS	778	3.9	16	1	2	3	4	6	8	18
1-11 MOS	10307	3.6	13	1	2	3	4	6	7	14
1-5 YRS	15809	3.0	5	1	1	3	4	5	6	10
6-12 YRS	6053	2.4	3	1	1	2	3	4	5	8
13-19 YRS	6219	2.6	4	1	1	2	3	5	6	9
GRAND TOTAL	**39166**	**3.0**	**7**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	2	4	[illegible]	5	6	6	6	6
1-11 MOS	1	7.0		7	[illegible]	7	7	7	7	7
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	3	2.7	2	1	1	[illegible]	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS										
13-19 YRS	4	8.0	3	6	6	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	4.8	4	2	2	5	6	7	7	7
1-11 MOS	15	5.5	7	1	2	5	8	9	10	10
1-5 YRS	7	4.6	4	2	2	5	6	7	7	7
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	9	4.0	3	2	2	3	5	7	7	7
B. *Operated*										
0-27 DYS	3	13.7	94	3	3	16	20	22	22	22
1-11 MOS	5	10.0	18	6	6	8	14	15	15	15
1-5 YRS	3	8.7	66	3	3	5	15	18	18	18
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	11	6.6	6	2	3	7	8	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.9	7	1	1	4	7	9	9	9
B. *Operated*	5	9.2	10	6	6	9	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	37	4.9	5	2	2	5	7	8	9	10
B. *Operated*	23	8.7	26	2	3	7	10	16	19	22
1. SINGLE DX	12	6.7	12	1	2	6	9	11	14	14
2. MULTIPLE DX	60	6.4	16	2	2	6	8	10	15	22
A. NOT OPERATED	44	4.9	5	1	2	5	7	8	9	10
B. OPERATED	28	8.8	23	3	3	8	10	16	18	22
TOTAL 0-27 DYS	10	7.5	41	2	2	5	7	19	22	22
1-11 MOS	21	6.7	12	2	2	7	8	12	14	15
1-5 YRS	11	6.5	25	2	2	5	7	16	18	18
6-12 YRS	3	8.3	1	7	7	9	9	9	9	9
13-19 YRS	27	5.5	7	2	2	6	7	10	10	10
GRAND TOTAL	**72**	**6.4**	**15**	**2**	**2**	**6**	**8**	**10**	**15**	**21**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.4	1	1	1	2	3	4	4	4
1-11 MOS	14	2.6	2	1	1	2	3	5	5	5
1-5 YRS	9	2.2	3	<1	<1	2	3	5	6	6
6-12 YRS	14	3.9	5	1	2	3	4	6	9	10
13-19 YRS	28	2.6	2	<1	<1	2	4	5	5	7
B. *Operated*										
0-27 DYS	10	2.8	2	1	1	3	4	5	5	5
1-11 MOS	88	2.0	3	<1	<1	2	2	3	4	10
1-5 YRS	54	2.3	3	<1	<1	2	3	5	5	8
6-12 YRS	34	2.6	7	<1	1	2	3	4	8	15
13-19 YRS	248	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	4.4	25	1	1	3	4	10	18	20
1-11 MOS	27	4.2	50	<1	1	3	4	6	13	38
1-5 YRS	27	3.7	12	1	1	3	5	6	9	18
6-12 YRS	18	3.6	7	1	1	3	6	8	8	8
13-19 YRS	41	4.0	9	1	1	3	5	8	10	15
B. *Operated*										
0-27 DYS	4	3.3	2	2	2	3	4	5	5	5
1-11 MOS	43	2.0	2	<1	<1	2	2	4	5	6
1-5 YRS	26	4.4	13	<1	1	3	6	10	12	14
6-12 YRS	25	3.9	10	<1	1	3	4	9	11	13
13-19 YRS	197	4.6	26	1	1	3	5	10	13	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.8	3	<1	1	3	4	5	6	9
B. *Operated*	434	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	126	3.9	19	1	1	3	5	7	9	24
B. *Operated*	295	4.2	20	1	1	3	5	9	11	25
1. SINGLE DX	504	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	421	4.1	20	1	1	3	5	8	11	23
A. NOT OPERATED	196	3.5	14	1	1	3	4	6	8	19
B. OPERATED	729	3.2	11	<1	1	2	4	6	9	15
TOTAL 0-27 DYS	32	3.4	11	1	1	3	4	5	7	20
1-11 MOS	172	2.4	10	<1	<1	2	3	4	5	11
1-5 YRS	116	3.1	8	<1	<1	2	4	6	9	15
6-12 YRS	91	3.3	8	<1	1	3	4	7	9	14
13-19 YRS	514	3.6	13	1	1	3	4	7	10	16
GRAND TOTAL	**925**	**3.3**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	29	2.7	3	1	1	2	3	6	7	8
1-11 MOS	84	2.3	3	<1	1	2	3	4	7	10
1-5 YRS	273	2.4	4	<1	1	2	3	5	6	9
6-12 YRS	524	2.7	5	<1	1	2	3	5	7	12
13-19 YRS	872	4.0	17	1	1	3	5	8	11	19
B. *Operated*										
0-27 DYS	4	23.5	1634	<1	<1	4	45	84	84	84
1-11 MOS	42	5.5	35	<1	1	4	7	11	14	35
1-5 YRS	140	3.2	10	<1	<1	2	4	7	10	19
6-12 YRS	192	5.9	37	<1	1	4	8	11	17	31
13-19 YRS	369	6.8	49	1	2	5	8	13	17	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	3.4	16	<1	1	2	4	7	10	21
1-11 MOS	139	4.1	17	1	1	3	5	9	13	22
1-5 YRS	412	3.3	8	<1	1	2	4	6	9	15
6-12 YRS	636	3.6	11	1	1	3	4	7	9	17
13-19 YRS	1038	4.8	22	1	1	3	6	9	13	25
B. *Operated*										
0-27 DYS	12	28.4	811	4	5	23	61	99+	99+	99+
1-11 MOS	86	11.5	202	1	2	7	13	44	61	99+
1-5 YRS	190	8.7	108	<1	1	5	10	21	28	52
6-12 YRS	271	7.5	47	1	2	5	9	15	23	38
13-19 YRS	709	10.4	111	2	2	7	12	22	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1782	3.2	11	1	1	2	4	7	9	17
B. *Operated*	747	5.9	48	<1	1	4	8	11	16	32
2. MULTIPLE DX										
A. *Not Operated*	2252	4.1	16	1	1	3	5	8	11	22
B. *Operated*	1268	9.8	114	1	2	7	11	22	32	62
1. SINGLE DX	2529	4.0	23	<1	1	3	5	8	11	24
2. MULTIPLE DX	3520	6.2	59	1	1	4	7	13	20	44
A. NOT OPERATED	4034	3.7	14	1	1	3	4	7	10	20
B. OPERATED	2015	8.4	93	1	2	6	10	18	27	58
TOTAL 0-27 DYS	72	8.4	305	1	1	3	6	26	79	99+
1-11 MOS	351	5.6	73	1	1	3	6	12	21	62
1-5 YRS	1015	4.0	31	<1	1	2	5	8	12	27
6-12 YRS	1623	4.2	21	1	1	3	5	9	12	25
13-19 YRS	2988	6.1	51	1	1	4	7	12	19	38
GRAND TOTAL	**6049**	**5.3**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**37**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS										
13-19 YRS	6	10.0	41	4	4	7	18	18	18	18
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	7	9.0	41	3	3	6	16	18	18	18
B. *Operated*	2	2.5	5	1	1	2	4	4	4	4
1. SINGLE DX	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX	9	7.6	40	1	2	5	11	18	18	18
A. NOT OPERATED	7	9.0	41	3	3	6	16	18	18	18
B. OPERATED	4	2.3	2	1	1	2	3	4	4	4
TOTAL 0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	8	8.1	42	1	2	5	13	18	18	18
GRAND TOTAL	**11**	**6.5**	**37**	**1**	**1**	**4**	**8**	**18**	**18**	**18**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	5.4	5	2	2	5	7	8	8	8
6-12 YRS	6	4.7	37	1	1	3	3	16	17	17
13-19 YRS	10	2.6	1	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	20	1.7	1	1	1	2	2	2	4	5
6-12 YRS	17	2.6	5	1	1	2	3	6	8	9
13-19 YRS	20	2.9	3	1	1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.9	10	<1	<1	4	8	9	9	9
1-5 YRS	24	5.2	69	1	1	3	5	8	21	42
6-12 YRS	18	2.6	2	1	1	2	3	5	6	6
13-19 YRS	35	6.2	97	1	1	4	6	9	13	60
B. *Operated*										
0-27 DYS										
1-11 MOS	13	6.2	28	1	1	4	9	15	17	17
1-5 YRS	19	5.1	22	1	1	4	6	13	17	18
6-12 YRS	34	6.7	148	1	1	3	6	12	29	67
13-19 YRS	47	6.1	29	1	1	4	9	14	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.9	13	1	1	3	4	7	12	17
B. *Operated*	59	2.4	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	84	5.0	62	1	1	3	5	9	12	54
B. *Operated*	113	6.1	62	1	1	4	8	14	18	45
1. SINGLE DX	80	2.8	6	1	1	2	3	6	7	15
2. MULTIPLE DX	197	5.6	62	1	1	3	6	11	16	52
A. NOT OPERATED	105	4.8	52	1	1	3	5	8	12	50
B. OPERATED	172	4.8	45	1	1	3	6	11	16	29
TOTAL 0-27 DYS										
1-11 MOS	22	5.5	20	1	1	4	9	11	16	17
1-5 YRS	68	4.1	33	1	1	2	5	8	12	38
6-12 YRS	75	4.7	74	1	1	2	5	9	15	58
13-19 YRS	112	5.2	44	1	1	3	6	11	14	35
GRAND TOTAL	**277**	**4.8**	**47**	**1**	**1**	**3**	**5**	**10**	**15**	**39**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	13.0	128	5	5	13	21	21	21	21
1-5 YRS	19	2.8	3	<1	1	2	4	5	6	6
6-12 YRS	35	3.5	5	1	2	3	4	7	9	11
13-19 YRS	71	4.7	8	1	1	4	6	8	10	15
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	2	6.0	32	2	2	6	10	10	10	10
1-5 YRS	5	10.6	154	2	2	2	21	29	29	29
6-12 YRS	9	5.1	14	1	1	4	7	11	12	12
13-19 YRS	18	5.2	15	1	1	4	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	13	6.7	22	2	2	6	9	15	15	15
1-5 YRS	48	5.9	35	1	1	5	6	11	20	30
6-12 YRS	36	5.0	18	1	1	4	6	10	13	23
13-19 YRS	111	6.2	49	1	2	5	7	9	18	45
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	9	6.3	33	1	1	4	12	15	16	16
1-5 YRS	26	8.7	77	1	1	5	12	22	28	34
6-12 YRS	42	10.1	161	1	1	4	15	27	45	47
13-19 YRS	47	8.5	122	1	1	4	12	23	29	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	4.2	9	1	1	4	6	8	10	17
B. *Operated*	35	6.1	33	1	2	4	8	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	210	6.0	38	1	2	5	7	10	15	36
B. *Operated*	125	8.9	117	1	1	4	13	24	29	51
1. SINGLE DX	162	4.6	15	1	1	4	6	9	11	21
2. MULTIPLE DX	335	7.1	69	1	1	5	8	15	24	46
A. NOT OPERATED	337	5.3	28	1	2	4	6	9	14	28
B. OPERATED	160	8.3	100	1	1	4	12	21	28	47
TOTAL 0-27 DYS	4	7.0	1	6	6	7	8	8	8	8
1-11 MOS	26	7.0	31	1	2	5	11	15	17	21
1-5 YRS	98	6.3	48	1	1	4	6	15	24	32
6-12 YRS	122	6.3	70	1	1	3	6	14	24	47
13-19 YRS	247	6.1	50	1	1	4	7	12	16	45
GRAND TOTAL	**497**	**6.3**	**53**	**1**	**1**	**4**	**7**	**13**	**21**	**45**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	3.5	4	1	1	3	5	6	6	6
6-12 YRS	3	3.3	5	2	2	2	5	6	6	6
13-19 YRS	122	2.7	4	1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS	7	6.9	8	4	4	6	8	11	12	12
1-11 MOS	8	6.1	3	4	4	6	7	9	9	9
1-5 YRS	8	5.9	6	3	3	5	7	9	10	10
6-12 YRS	24	5.1	3	2	3	5	6	8	8	9
13-19 YRS	902	5.5	5	3	3	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	10	3.9	8	<1	<1	3	6	8	8	8
1-5 YRS	7	4.4	29	<1	<1	2	5	14	16	16
6-12 YRS	11	3.4	11	1	1	3	4	8	13	13
13-19 YRS	133	3.6	7	<1	1	3	4	7	9	14
B. *Operated*										
0-27 DYS	8	10.6	35	6	6	9	13	21	23	23
1-11 MOS	26	8.1	18	3	4	7	11	13	16	22
1-5 YRS	19	6.9	14	2	3	6	9	12	15	16
6-12 YRS	39	8.8	110	3	3	6	9	15	15	69
13-19 YRS	731	7.0	15	3	4	6	8	11	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.7	4	1	1	2	4	6	7	9
B. *Operated*	949	5.5	5	3	3	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	163	3.6	8	<1	1	3	5	7	9	15
B. *Operated*	823	7.1	20	3	4	6	8	11	14	23
1. SINGLE DX	1079	5.2	6	2	2	5	6	8	9	13
2. MULTIPLE DX	986	6.5	20	2	3	6	8	11	13	21
A. NOT OPERATED	293	3.2	6	<1	1	2	4	6	8	13
B. OPERATED	1772	6.3	13	3	3	6	7	10	12	16
TOTAL 0-27 DYS	17	8.2	25	3	4	7	10	14	20	23
1-11 MOS	45	6.7	16	1	2	6	8	12	13	22
1-5 YRS	38	5.9	15	<1	1	5	8	11	15	16
6-12 YRS	77	6.7	63	1	2	5	8	11	15	54
13-19 YRS	1888	5.8	11	2	3	5	7	9	11	16
GRAND TOTAL	**2065**	**5.8**	**13**	**2**	**3**	**5**	**7**	**9**	**12**	**16**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	4.8	5	2	2	5	6	8	8	8
13-19 YRS	89	3.1	4	1	1	3	4	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.4	8	1	1	2	5	8	8	8
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	5	3.8	1	3	3	3	5	5	5	5
13-19 YRS	62	5.8	8	3	4	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	6.3	47	2	2	4	6	19	20	20
1-5 YRS	7	4.4	13	2	2	4	5	11	12	12
6-12 YRS	6	4.7	19	2	2	3	6	12	13	13
13-19 YRS	88	3.7	7	1	2	3	5	6	8	16
B. *Operated*										
0-27 DYS	4	11.5	25	6	6	11	15	18	18	18
1-11 MOS	10	8.8	30	1	1	9	12	16	18	18
1-5 YRS	4	6.3	15	4	4	5	8	12	12	12
6-12 YRS	7	8.7	62	4	4	5	11	23	25	25
13-19 YRS	85	7.2	17	3	4	6	9	12	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	3.2	4	1	1	3	4	6	6	11
B. *Operated*	73	5.6	8	2	3	5	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	107	3.9	10	1	2	3	5	7	9	19
B. *Operated*	110	7.6	21	3	4	6	10	13	14	27
1. SINGLE DX	171	4.2	7	1	2	4	5	7	9	13
2. MULTIPLE DX	217	5.8	19	2	2	5	7	12	13	22
A. NOT OPERATED	205	3.6	7	1	2	3	4	6	8	16
B. OPERATED	183	6.8	17	3	3	6	9	12	13	23
TOTAL 0-27 DYS	4	11.5	25	6	6	11	15	18	18	18
1-11 MOS	23	6.4	31	1	1	4	10	15	19	20
1-5 YRS	13	5.4	15	2	2	4	7	12	12	12
6-12 YRS	24	5.7	26	2	2	4	6	13	17	25
13-19 YRS	324	4.9	11	1	2	4	6	9	12	15
GRAND TOTAL	**388**	**5.1**	**14**	**1**	**2**	**4**	**6**	**10**	**12**	**19**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	2	15.0	2	14	14	15	16	16	16	16
1-5 YRS										
6-12 YRS	1	19.0		19	19	19	19	19	19	19
13-19 YRS	39	6.3	8	2	3	6	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	3.6	3	2	2	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	4	8.5	20	5	5	7	11	15	15	15
13-19 YRS	42	8.7	16	4	4	8	11	14	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*	42	7.0	15	2	3	6	9	12	15	19
2. MULTIPLE DX										
A. *Not Operated*	9	4.1	7	1	1	4	5	8	10	10
B. *Operated*	47	8.8	17	4	4	8	11	15	17	21
1. SINGLE DX	45	6.8	15	2	3	6	9	12	14	19
2. MULTIPLE DX	56	8.1	18	3	4	7	10	15	17	21
A. NOT OPERATED	12	3.8	6	1	1	4	4	7	10	10
B. OPERATED	89	8.0	17	4	4	7	10	14	16	20
TOTAL 0-27 DYS										
1-11 MOS	4	10.5	38	2	2	12	15	16	16	16
1-5 YRS	3	7.3	72	1	1	4	14	17	17	17
6-12 YRS	6	9.5	37	4	4	7	15	19	19	19
13-19 YRS	88	7.2	14	2	4	6	9	12	14	20
GRAND TOTAL	**101**	**7.5**	**17**	**2**	**4**	**6**	**10**	**14**	**16**	**20**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	9.8	22	4	4	10	13	14	14	14
1-5 YRS	8	5.1	10	2	2	4	7	10	11	11
6-12 YRS	2	10.5	1	10	10	10	11	11	11	11
13-19 YRS	5	4.2	20	1	1	2	6	12	12	12
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	5	11.6	59	6	6	10	14	25	25	25
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	4	4.3	5	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	31	10.8	94	1	2	8	14	24	31	43
1-5 YRS	39	9.1	42	1	2	8	12	19	23	26
6-12 YRS	7	4.7	4	3	3	4	6	8	8	8
13-19 YRS	12	6.0	19	2	2	4	8	14	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS	13	17.8	90	5	7	14	26	31	34	35
1-5 YRS	17	13.4	128	2	3	12	17	31	40	44
6-12 YRS	6	8.5	12	3	3	9	11	12	12	12
13-19 YRS	17	13.2	210	1	2	9	17	42	48	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.4	18	1	2	5	11	13	14	14
B. *Operated*	11	7.8	43	1	2	7	10	16	24	25
2. MULTIPLE DX										
A. *Not Operated*	89	8.9	57	1	2	7	11	20	24	38
B. *Operated*	53	13.9	134	2	3	11	17	31	43	49
1. SINGLE DX	30	6.9	27	1	2	6	10	12	14	25
2. MULTIPLE DX	142	10.8	90	2	2	8	14	24	30	46
A. NOT OPERATED	108	8.5	51	1	2	6	11	17	22	36
B. OPERATED	64	12.8	122	2	2	10	16	27	38	49
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	48	12.6	94	1	3	10	16	27	31	43
1-5 YRS	69	9.9	65	2	2	8	12	21	25	42
6-12 YRS	16	7.2	11	3	3	7	10	11	12	12
13-19 YRS	38	8.8	116	1	2	5	10	18	38	49
GRAND TOTAL	**172**	**10.1**	**81**	**1**	**2**	**8**	**13**	**22**	**27**	**46**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	17	4.3	5	2	2	4	5	8	9	9
6-12 YRS	55	4.4	10	1	2	4	5	7	9	18
13-19 YRS	239	4.6	10	1	2	4	6	8	10	20
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	1	35.0		35	35	35	35	35	35	35
1-5 YRS	3	16.3	184	8	8	9	26	32	32	32
6-12 YRS	7	11.1	25	5	5	10	14	19	20	20
13-19 YRS	25	9.4	70	1	1	7	12	20	29	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	14.0	91	3	3	14	21	25	25	25
1-11 MOS	11	4.9	6	2	2	4	7	8	9	9
1-5 YRS	17	7.3	36	1	2	6	8	17	21	23
6-12 YRS	50	6.7	18	2	2	6	8	12	16	21
13-19 YRS	245	5.1	15	1	2	4	6	8	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS	4	14.5	220	1	1	11	25	35	35	35
1-5 YRS	11	21.1	178	7	8	15	31	43	45	45
6-12 YRS	12	18.2	393	3	4	12	19	57	60	61
13-19 YRS	70	15.9	225	3	4	10	21	37	49	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	4.5	10	1	2	4	6	8	10	19
B. *Operated*	37	11.0	81	1	1	9	14	26	32	35
2. MULTIPLE DX										
A. *Not Operated*	327	5.6	18	2	2	5	7	10	13	23
B. *Operated*	97	16.7	235	3	4	11	21	40	52	68
1. SINGLE DX	352	5.2	21	1	2	4	6	9	13	28
2. MULTIPLE DX	424	8.1	90	2	2	5	8	16	26	54
A. NOT OPERATED	642	5.1	14	1	2	4	6	9	12	21
B. OPERATED	134	15.1	198	2	3	10	19	35	48	67
TOTAL 0-27 DYS	7	10.3	75	2	2	10	16	24	25	25
1-11 MOS	18	8.6	103	1	2	5	8	29	35	35
1-5 YRS	48	10.0	105	2	2	6	11	25	34	45
6-12 YRS	124	7.0	64	1	2	5	8	14	19	57
13-19 YRS	579	6.4	54	1	2	4	7	12	18	43
GRAND TOTAL	**776**	**6.8**	**60**	**1**	**2**	**5**	**7**	**13**	**20**	**46**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	21	2.1	2	<1	1	2	3	4	5	5
1-11 MOS	58	2.1	2	<1	<1	2	3	4	5	7
1-5 YRS	50	2.6	2	1	1	2	4	5	6	7
6-12 YRS	56	2.6	3	<1	1	2	3	5	6	7
13-19 YRS	91	2.9	3	1	1	3	4	6	6	8
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	5.4	9	2	2	5	7	10	10	10
1-5 YRS										
6-12 YRS	4	9.8	70	4	4	6	15	22	22	22
13-19 YRS	10	4.2	8	<1	<1	4	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	24	3.6	12	1	1	3	4	5	9	19
1-11 MOS	106	3.5	7	1	1	3	4	7	8	15
1-5 YRS	148	3.5	9	1	1	3	4	7	10	17
6-12 YRS	102	3.5	8	1	1	3	4	6	9	16
13-19 YRS	288	3.5	7	1	1	3	4	7	8	15
B. *Operated*										
0-27 DYS	2	36.5	1513	9	9	36	64	64	64	64
1-11 MOS	13	9.0	77	<1	1	6	11	26	28	29
1-5 YRS	20	10.7	226	2	2	4	10	34	50	57
6-12 YRS	20	7.1	32	1	2	5	10	15	20	22
13-19 YRS	42	7.2	98	1	2	4	6	17	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	2.6	2	1	1	2	3	5	6	7
B. *Operated*	20	5.7	21	<1	1	5	6	10	16	22
2. MULTIPLE DX										
A. *Not Operated*	668	3.5	8	1	1	3	4	7	9	17
B. *Operated*	97	8.7	137	1	2	5	9	24	32	61
1. SINGLE DX	296	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX	765	4.2	27	1	1	3	5	7	11	25
A. NOT OPERATED	944	3.2	7	1	1	3	4	6	7	15
B. OPERATED	117	8.2	118	1	2	5	8	21	28	59
TOTAL 0-27 DYS	48	4.4	85	1	1	3	4	5	10	64
1-11 MOS	182	3.5	13	<1	1	3	4	7	9	22
1-5 YRS	218	4.0	31	1	1	3	4	7	11	31
6-12 YRS	182	3.7	12	1	1	3	4	7	11	21
13-19 YRS	431	3.8	16	1	1	3	4	7	8	23
GRAND TOTAL	**1061**	**3.8**	**21**	**1**	**1**	**3**	**4**	**7**	**9**	**22**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	42	2.9	2	1	1	3	3	5	6	7
1-11 MOS	102	4.4	16	1	1	3	5	9	14	20
1-5 YRS	37	4.5	20	<1	<1	3	6	9	11	26
6-12 YRS	6	6.0	6	3	3	6	8	9	9	9
13-19 YRS	9	3.0	10	1	1	1	5	8	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.0	50	1	1	6	11	11	11	11
1-5 YRS	17	3.0	7	<1	<1	2	4	7	8	9
6-12 YRS	5	8.2	82	<1	<1	2	17	20	20	20
13-19 YRS	6	10.3	167	<1	<1	3	22	30	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	61	3.9	6	1	1	3	5	7	9	12
1-11 MOS	203	5.6	65	1	2	3	6	12	15	74
1-5 YRS	76	7.1	110	1	1	4	7	13	32	60
6-12 YRS	13	3.9	9	1	1	3	4	10	11	11
13-19 YRS	22	3.0	7	1	1	1	4	8	8	8
B. *Operated*										
0-27 DYS	3	25.3	1496	3	3	3	53	70	70	70
1-11 MOS	27	14.2	156	1	1	17	23	43	99+	99+
1-5 YRS	31	12.0	196	<1	1	6	24	47	92	99+
6-12 YRS	5	5.0	6	3	3	4	6	9	9	9
13-19 YRS	5	4.6	7	2	2	4	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	4.1	13	1	1	3	5	8	11	20
B. *Operated*	30	5.5	55	<1	<1	2	7	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	375	5.4	60	1	1	3	6	10	14	60
B. *Operated*	71	12.4	202	1	2	6	21	45	92	99+
1. SINGLE DX	226	4.3	19	1	1	3	5	9	13	23
2. MULTIPLE DX	446	6.5	89	1	1	4	6	15	29	99
A. NOT OPERATED	571	5.0	44	1	1	3	5	9	13	37
B. OPERATED	101	10.3	167	<1	1	5	19	32	53	99+
TOTAL 0-27 DYS	106	4.1	46	1	1	3	4	6	8	37
1-11 MOS	334	5.9	63	1	2	3	6	14	20	78
1-5 YRS	161	7.0	101	<1	1	4	7	21	34	95
6-12 YRS	29	5.3	20	1	2	4	7	11	16	20
13-19 YRS	42	4.2	33	1	1	2	5	9	15	31
GRAND TOTAL	**672**	**5.8**	**66**	**1**	**1**	**3**	**6**	**12**	**21**	**73**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	138	5.6	25	1	2	4	7	12	15	25
6-12 YRS	101	4.7	9	1	2	4	6	9	11	14
13-19 YRS	67	4.0	11	1	1	3	5	9	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.7	6	2	2	5	6	7	7	7
1-5 YRS	47	4.6	30	1	2	2	3	14	18	23
6-12 YRS	75	2.7	3	1	2	2	3	4	7	10
13-19 YRS	103	2.4	4	1	1	2	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	4.3		4	4	4	5	5	5	5
1-5 YRS	201	6.2	36	1	2	5	7	12	16	30
6-12 YRS	188	5.2	23	1	1	4	6	12	15	22
13-19 YRS	95	4.7	30	1	1	3	5	9	13	35
B. *Operated*										
0-27 DYS										
1-11 MOS	6	8.8	43	1	1	7	14	18	19	19
1-5 YRS	56	8.5	87	2	2	5	14	21	31	97
6-12 YRS	77	5.5	44	1	1	3	6	12	18	38
13-19 YRS	140	6.9	81	1	1	3	8	16	30	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	4.9	17	1	2	4	7	10	13	17
B. *Operated*	228	3.0	9	1	1	2	3	5	8	18
2. MULTIPLE DX										
A. *Not Operated*	488	5.5	30	1	1	4	7	11	15	30
B. *Operated*	279	6.9	72	1	1	3	9	17	25	54
1. SINGLE DX	538	4.1	14	1	1	3	5	9	12	17
2. MULTIPLE DX	767	6.0	46	1	1	4	7	13	18	38
A. NOT OPERATED	798	5.3	25	1	1	4	7	10	15	23
B. OPERATED	507	5.1	47	1	1	2	5	12	19	45
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	15	5.9	23	1	2	5	7	14	18	19
1-5 YRS	442	6.1	39	1	2	4	7	14	17	35
6-12 YRS	441	4.7	21	1	1	3	6	10	13	21
13-19 YRS	405	4.8	41	1	1	3	5	10	15	37
GRAND TOTAL	**1305**	**5.2**	**34**	**1**	**1**	**3**	**6**	**11**	**16**	**34**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	34	5.1	8	1	2	5	7	9	11	12
6-12 YRS	60	4.7	8	1	2	4	6	9	10	12
13-19 YRS	36	4.0	7	1	2	3	6	9	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.7	14	1	1	2	6	8	8	8
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	14	3.9	8	1	1	3	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	37	5.4	11	2	3	4	7	8	13	18
6-12 YRS	112	5.6	13	2	2	5	7	9	13	21
13-19 YRS	53	4.5	8	1	2	4	5	9	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.7	9	2	2	5	7	10	11	11
6-12 YRS	8	3.0	1	1	1	3	4	5	5	5
13-19 YRS	17	5.2	13	1	2	3	8	10	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	4.6	8	1	2	4	6	9	10	12
B. *Operated*	19	4.1	9	1	1	3	5	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	204	5.3	11	2	2	4	7	9	11	18
B. *Operated*	32	4.8	10	1	2	4	7	9	11	14
1. SINGLE DX	149	4.6	8	1	2	4	6	9	10	12
2. MULTIPLE DX	236	5.2	11	2	2	4	7	9	11	18
A. NOT OPERATED	334	5.0	10	2	2	4	7	9	10	16
B. OPERATED	51	4.5	9	1	1	3	7	9	11	14
TOTAL 0-27 DYS										
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	81	5.2	9	2	2	5	7	9	11	17
6-12 YRS	182	5.2	11	2	2	4	7	9	11	18
13-19 YRS	120	4.4	8	1	2	3	6	9	10	14
GRAND TOTAL	**385**	**5.0**	**10**	**1**	**2**	**4**	**7**	**9**	**10**	**16**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	5	2.0	1	<1	<1	2	3	3	3	3
6-12 YRS	7	1.1		<1	<1	1	1	2	2	2
13-19 YRS	13	4.8	51	<1	<1	2	5	13	24	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	4.8	22	1	1	3	6	13	13	13
6-12 YRS	23	7.7	49	1	2	5	10	17	25	28
13-19 YRS	51	6.1	36	1	2	4	8	12	18	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	17	11.8	192	<1	1	6	15	30	45	52
1-5 YRS	86	4.7	62	<1	1	1	5	13	26	39
6-12 YRS	56	4.5	24	<1	1	3	5	14	17	21
13-19 YRS	70	5.1	40	<1	1	3	5	13	15	33
B. *Operated*										
0-27 DYS	3	6.7	25	2	2	6	10	12	12	12
1-11 MOS	6	10.0	64	1	1	9	12	23	24	24
1-5 YRS	45	16.8	157	2	3	15	24	35	39	48
6-12 YRS	76	19.2	347	2	4	13	25	43	61	86
13-19 YRS	221	12.7	149	2	2	9	18	27	35	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.1	26	<1	<1	1	3	6	11	27
B. *Operated*	79	6.5	39	1	2	4	8	14	20	32
2. MULTIPLE DX										
A. *Not Operated*	230	5.3	58	<1	1	2	5	14	21	36
B. *Operated*	351	14.5	197	2	2	10	20	32	42	70
1. SINGLE DX	107	5.6	37	1	1	3	8	12	19	31
2. MULTIPLE DX	581	10.9	162	1	1	6	15	27	36	63
A. NOT OPERATED	258	5.1	55	<1	1	2	5	14	21	33
B. OPERATED	430	13.0	178	2	2	8	18	30	37	69
TOTAL 0-27 DYS	5	6.0	22	1	1	6	10	12	12	12
1-11 MOS	25	10.6	148	<1	1	6	13	28	36	52
1-5 YRS	141	8.5	120	1	1	3	12	26	32	45
6-12 YRS	162	11.7	228	1	1	5	15	28	41	80
13-19 YRS	355	9.9	120	1	1	6	13	23	32	54
GRAND TOTAL	**688**	**10.0**	**146**	**1**	**1**	**5**	**14**	**25**	**33**	**61**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	3.3	10	1	1	2	6	7	7	7
1-5 YRS	6	4.8	12	1	1	4	6	10	11	11
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	5	5.0	62	1	1	2	6	19	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	15	5.2	42	<1	1	3	6	8	22	27
1-5 YRS	22	7.9	53	<1	1	6	13	17	22	28
6-12 YRS	9	5.6	24	<1	<1	5	7	14	15	15
13-19 YRS	26	5.1	14	1	1	5	7	9	13	15
B. *Operated*										
0-27 DYS	4	25.0	382	12	12	17	36	54	54	54
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	8	14.9	152	<1	2	11	32	74	99+	99+
6-12 YRS	16	11.3	81	<1	1	10	16	25	29	30
13-19 YRS	40	13.3	266	1	1	8	15	30	53	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.9	20	1	1	3	4	9	15	19
B. *Operated*	3	3.0	3	1	1	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	73	6.0	33	<1	1	5	8	14	17	28
B. *Operated*	69	13.6	213	1	1	10	16	31	54	95
1. SINGLE DX	22	3.8	17	1	1	3	4	8	14	19
2. MULTIPLE DX	142	9.7	134	1	1	6	13	24	31	77
A. NOT OPERATED	92	5.6	31	1	1	4	7	13	17	28
B. OPERATED	72	13.1	209	1	1	9	16	31	52	94
TOTAL 0-27 DYS	6	17.7	358	3	3	13	19	50	54	54
1-11 MOS	19	4.9	34	<1	1	3	7	8	19	27
1-5 YRS	36	8.9	76	<1	1	6	13	26	34	99+
6-12 YRS	31	7.9	61	<1	1	5	13	18	26	30
13-19 YRS	72	9.6	172	1	1	5	10	22	31	73
GRAND TOTAL	**164**	**8.9**	**122**	**1**	**1**	**5**	**12**	**21**	**30**	**74**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	28	3.0	1	1	2	3	4	5	5	5
1-5 YRS	165	3.7	3	2	2	3	4	6	7	9
6-12 YRS	233	3.5	3	1	2	3	4	6	6	8
13-19 YRS	676	3.7	3	2	2	4	5	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	3.4	2	<1	<1	4	5	5	6	6
6-12 YRS	14	3.9	1	2	3	4	4	5	7	7
13-19 YRS	28	4.8	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	7.2	14	2	2	8	10	11	11	11
1-11 MOS	66	4.5	9	1	2	4	5	9	10	17
1-5 YRS	328	4.2	4	2	2	4	5	6	7	11
6-12 YRS	405	4.0	4	2	2	4	5	7	8	11
13-19 YRS	1223	4.3	5	2	2	4	5	7	8	13
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	10	7.3	16	3	3	6	9	14	14	14
1-5 YRS	44	6.6	11	3	3	6	8	10	14	16
6-12 YRS	37	5.4	22	2	2	5	6	7	13	29
13-19 YRS	99	6.7	19	2	3	6	8	11	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1104	3.7	3	1	2	3	5	6	7	9
B. *Operated*	57	4.2	5	1	2	4	5	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	2028	4.3	5	2	2	4	5	7	8	12
B. *Operated*	191	6.4	17	2	3	5	7	11	14	27
1. SINGLE DX	1161	3.7	3	1	2	3	5	6	7	9
2. MULTIPLE DX	2219	4.5	6	2	2	4	5	7	9	14
A. NOT OPERATED	3132	4.1	4	2	2	4	5	6	8	11
B. OPERATED	248	5.9	15	2	2	5	7	10	13	25
TOTAL 0-27 DYS	9	7.2	9	2	2	8	9	11	11	11
1-11 MOS	104	4.4	9	1	2	3	5	8	10	16
1-5 YRS	552	4.2	5	2	2	4	5	7	8	11
6-12 YRS	689	3.9	5	2	2	4	5	6	7	11
13-19 YRS	2026	4.3	5	2	2	4	5	7	8	13
GRAND TOTAL	**3380**	**4.2**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	4.5	14	2	2	3	7	10	10	10
1-11 MOS	34	3.6	2	2	2	3	4	6	6	8
1-5 YRS	139	3.8	4	1	2	3	5	6	7	11
6-12 YRS	192	3.8	4	2	2	3	4	6	8	12
13-19 YRS	515	3.7	3	1	2	3	5	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	1	4	4	5	6	6	6	6
1-5 YRS	18	6.8	31	<1	1	5	9	16	19	21
6-12 YRS	14	5.6	11	2	3	4	6	11	12	13
13-19 YRS	27	4.6	11	2	2	4	5	7	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	8.3	15	3	3	9	11	13	14	14
1-11 MOS	85	5.3	10	2	2	4	7	10	12	15
1-5 YRS	251	4.6	6	2	2	4	5	8	10	13
6-12 YRS	270	4.3	5	1	2	4	5	8	9	12
13-19 YRS	722	4.4	6	2	2	4	5	7	8	14
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	19	8.8	50	2	4	6	11	22	25	26
1-5 YRS	55	7.3	22	1	1	7	10	15	17	20
6-12 YRS	65	5.9	19	<1	3	5	7	11	13	27
13-19 YRS	101	8.1	66	2	3	6	8	14	20	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	884	3.7	3	1	2	3	4	6	7	11
B. *Operated*	62	5.5	16	1	2	4	6	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	1335	4.5	6	2	2	4	5	8	10	14
B. *Operated*	241	7.4	42	1	3	6	9	13	17	31
1. SINGLE DX	946	3.8	4	1	2	3	5	6	7	12
2. MULTIPLE DX	1576	4.9	13	2	2	4	6	8	11	17
A. NOT OPERATED	2219	4.2	5	1	2	4	5	7	8	13
B. OPERATED	303	7.0	37	1	2	5	8	13	17	28
TOTAL 0-27 DYS	12	6.8	15	2	2	6	10	12	14	14
1-11 MOS	141	5.4	15	2	2	4	6	10	13	23
1-5 YRS	463	4.8	9	2	2	4	6	8	11	17
6-12 YRS	541	4.3	7	1	2	4	5	8	10	13
13-19 YRS	1365	4.4	11	1	2	4	5	7	9	15
GRAND TOTAL	**2522**	**4.5**	**10**	**1**	**2**	**4**	**5**	**8**	**10**	**15**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	24	2.1	2	1	1	2	3	3	5	7
13-19 YRS	176	2.2	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.3	4	2	2	5	6	6	6	6
1-5 YRS	3	4.3	17	1	1	3	7	9	9	9
6-12 YRS	11	4.9	4	2	2	5	6	7	9	9
13-19 YRS	66	5.2	13	1	2	4	7	9	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	2.3	3	1	1	2	4	5	5	5
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	24	2.6	4	<1	1	2	3	4	8	9
13-19 YRS	151	2.8	6	1	1	2	3	6	8	13
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	11.7	25	7	7	11	15	17	17	17
1-5 YRS	6	9.7	57	1	1	9	13	21	22	22
6-12 YRS	18	8.6	18	3	4	8	13	15	15	15
13-19 YRS	73	5.7	17	1	2	5	8	9	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	2.2	2	1	1	2	3	4	5	8
B. *Operated*	83	5.1	11	1	2	5	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	185	2.7	6	1	1	2	3	5	8	13
B. *Operated*	101	6.6	21	1	2	6	9	12	15	24
1. SINGLE DX	287	3.0	6	1	1	2	4	6	8	14
2. MULTIPLE DX	286	4.1	15	1	1	3	5	9	11	19
A. NOT OPERATED	389	2.4	4	1	1	2	3	4	6	11
B. OPERATED	184	5.9	17	1	2	5	8	11	14	21
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	14	4.6	21	1	1	3	6	12	16	17
1-5 YRS	15	5.3	38	<1	1	2	9	13	20	22
6-12 YRS	77	4.2	13	1	1	3	5	9	13	15
13-19 YRS	466	3.4	9	1	1	2	4	7	9	15
GRAND TOTAL	**573**	**3.6**	**11**	**1**	**1**	**2**	**4**	**8**	**10**	**16**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	1.9	2	1	1	2	2	4	5	5
1-5 YRS	7	1.6	1	1	1	1	2	4	4	4
6-12 YRS	49	2.3	3	1	1	2	3	4	5	10
13-19 YRS	574	1.9	1	1	1	2	2	3	4	6
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	5.7	8	3	3	5	8	10	10	10
1-5 YRS	7	3.3	5	2	2	2	4	7	8	8
6-12 YRS	29	5.1	7	<1	1	5	7	9	9	11
13-19 YRS	305	3.8	5	1	2	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	7	2.6	1	1	1	3	3	4	4	4
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	12	3.1	4	<1	<1	3	5	6	6	6
13-19 YRS	221	2.4	3	1	1	2	3	4	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	7	8.1	42	2	2	6	12	19	20	20
1-5 YRS	6	4.8	8	<1	<1	5	7	8	8	8
6-12 YRS	12	6.3	9	2	3	6	8	10	12	12
13-19 YRS	178	5.6	18	1	2	5	7	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	642	1.9	1	1	1	2	2	3	4	6
B. *Operated*	348	4.0	5	1	2	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	246	2.4	3	1	1	2	3	5	5	8
B. *Operated*	203	5.7	18	1	2	5	7	10	13	22
1. SINGLE DX	990	2.6	4	1	1	2	3	5	7	10
2. MULTIPLE DX	449	3.9	12	1	1	3	5	8	10	18
A. NOT OPERATED	888	2.0	2	1	1	2	3	3	4	7
B. OPERATED	551	4.6	11	1	2	4	6	9	10	16
TOTAL 0-27 DYS	4	2.8	4	1	1	3	4	5	5	5
1-11 MOS	31	4.2	17	1	1	3	5	9	13	20
1-5 YRS	24	3.0	5	<1	1	2	4	7	8	8
6-12 YRS	102	3.6	7	<1	1	3	5	7	9	11
13-19 YRS	1278	2.9	6	1	1	2	4	6	8	11
GRAND TOTAL	**1439**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	**11**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7		<1	<1	2	2	2	2	2
1-11 MOS	20	4.0	8	<1	1	3	5	8	10	11
1-5 YRS	32	2.2	3	<1	1	2	2	4	6	9
6-12 YRS	28	2.6	4	<1	<1	2	3	6	7	9
13-19 YRS	47	2.0	1	1	1	2	2	3	4	6
B. *Operated*										
0-27 DYS	4	8.3	90	<1	<1	5	14	22	22	22
1-11 MOS	62	4.8	8	<1	1	5	7	9	10	12
1-5 YRS	396	5.8	9	<1	1	6	7	9	11	16
6-12 YRS	420	6.0	8	1	2	6	8	9	11	14
13-19 YRS	189	6.2	12	1	1	6	8	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	10.5	9	7	7	11	13	14	14	14
1-11 MOS	67	5.1	49	1	1	4	5	9	12	43
1-5 YRS	110	3.3	10	1	1	2	4	6	8	18
6-12 YRS	73	3.5	10	<1	1	2	4	7	10	16
13-19 YRS	97	3.1	5	1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS	10	4.3	7	1	1	4	5	8	9	9
1-11 MOS	126	7.3	35	1	1	6	10	14	18	30
1-5 YRS	556	6.7	23	<1	1	6	9	12	15	23
6-12 YRS	502	6.6	23	<1	1	6	9	12	15	28
13-19 YRS	332	7.6	31	1	2	7	10	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.5	4	<1	1	2	3	5	6	10
B. *Operated*	1071	5.9	10	<1	1	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	353	3.7	17	1	1	3	5	7	10	19
B. *Operated*	1526	6.9	26	<1	1	6	9	12	16	27
1. SINGLE DX	1201	5.5	10	<1	1	6	7	9	11	15
2. MULTIPLE DX	1879	6.3	26	<1	1	5	8	12	15	26
A. NOT OPERATED	483	3.4	14	<1	1	2	4	7	9	16
B. OPERATED	2597	6.5	19	<1	1	6	8	11	14	22
TOTAL 0-27 DYS	23	6.3	27	<1	1	5	9	13	17	22
1-11 MOS	275	6.0	32	<1	1	5	8	12	15	34
1-5 YRS	1094	5.9	18	<1	1	6	8	10	13	21
6-12 YRS	1023	6.0	16	<1	1	6	8	10	12	20
13-19 YRS	665	6.2	23	1	1	5	8	12	14	23
GRAND TOTAL	**3080**	**6.0**	**20**	**<1**	**1**	**6**	**8**	**11**	**14**	**22**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	4	2.3	2	1	1	2	3	4	4	4
13-19 YRS	34	2.1	3	<1	1	2	2	3	5	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.7	4	<1	<1	2	4	5	5	5
6-12 YRS	5	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	8	5.4	21	1	1	4	7	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	18	2.9	5	1	1	2	3	5	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	5.0	21	1	1	4	8	10	10	10
6-12 YRS	6	3.2	3	1	1	3	4	6	6	6
13-19 YRS	24	5.4	29	<1	1	4	7	11	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.1	3	<1	1	2	2	3	5	11
B. *Operated*	16	3.7	14	<1	<1	2	5	8	13	15
2. MULTIPLE DX										
A. *Not Operated*	23	3.0	4	1	1	3	4	5	7	10
B. *Operated*	34	4.8	23	1	1	4	6	10	14	24
1. SINGLE DX	57	2.5	6	<1	1	2	3	5	8	15
2. MULTIPLE DX	57	4.1	16	1	1	3	5	9	11	23
A. NOT OPERATED	64	2.4	4	1	1	2	3	4	6	11
B. OPERATED	50	4.5	20	<1	1	3	5	10	15	24
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	10	3.6	8	<1	<1	3	5	8	10	10
6-12 YRS	17	2.4	2	<1	1	2	4	4	5	6
13-19 YRS	84	3.5	14	1	1	2	4	9	11	21
GRAND TOTAL	**114**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.2	1	2	2	3	4	4	4	4
1-5 YRS	25	2.5	1	1	1	2	3	4	5	5
6-12 YRS	50	2.8	3	1	1	2	4	5	7	8
13-19 YRS	68	2.9	3	1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	37	2.3	3	<1	<1	2	3	4	5	9
6-12 YRS	47	2.1	3	<1	<1	1	3	4	6	9
13-19 YRS	64	2.4	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	17	6.2	36	2	2	4	5	19	22	22
1-5 YRS	74	3.1	3	1	1	3	4	6	6	11
6-12 YRS	76	3.2	4	1	1	3	4	5	7	9
13-19 YRS	152	3.3	4	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	4	5.0	18	<1	<1	4	8	10	10	10
1-5 YRS	68	4.0	47	<1	<1	2	4	6	10	46
6-12 YRS	82	2.8	4	<1	<1	2	4	6	7	8
13-19 YRS	134	3.6	9	<1	1	3	5	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	2.8	3	1	1	2	4	5	6	8
B. *Operated*	149	2.3	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	320	3.4	6	1	1	3	4	6	7	13
B. *Operated*	290	3.5	17	<1	<1	2	4	7	9	18
1. SINGLE DX	297	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX	610	3.4	11	<1	1	3	4	6	8	15
A. NOT OPERATED	468	3.2	5	1	1	3	4	6	7	11
B. OPERATED	439	3.1	12	<1	<1	2	4	6	8	13
TOTAL 0-27 DYS	3	5.3	17	2	2	4	8	10	10	10
1-11 MOS	27	5.3	26	1	2	4	5	10	21	22
1-5 YRS	204	3.2	18	<1	1	2	4	6	6	20
6-12 YRS	255	2.8	4	<1	<1	2	4	5	7	9
13-19 YRS	418	3.2	6	<1	1	3	4	6	7	12
GRAND TOTAL	**907**	**3.1**	**9**	**<1**	**1**	**2**	**4**	**6**	**7**	**12**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	5	2.8	5	1	1	2	4	6	6	6
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	331	1.4	2	<1	<1	<1	1	2	3	11
6-12 YRS	272	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	164	2.7	11	<1	<1	2	3	5	7	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	18	1.2		<1	<1	<1	1	2	2	2
6-12 YRS	4	1.3		<1	<1	1	1	2	2	2
13-19 YRS	11	2.6	3	<1	<1	2	4	5	6	6
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	12	5.6	30	<1	<1	4	7	16	16	16
1-5 YRS	296	1.8	3	<1	<1	1	2	3	4	9
6-12 YRS	247	1.9	9	<1	<1	1	2	3	4	12
13-19 YRS	181	3.0	9	<1	<1	2	4	6	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.1	4	1	1	1	3	5	6	6
B. *Operated*	774	1.8	4	<1	<1	1	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*	34	1.7	1	<1	<1	1	2	3	5	6
B. *Operated*	737	2.2	7	<1	<1	1	2	4	7	15
1. SINGLE DX	782	1.8	4	<1	<1	1	2	3	5	12
2. MULTIPLE DX	771	2.2	7	<1	<1	1	2	4	6	15
A. NOT OPERATED	42	1.8	2	<1	<1	1	2	4	5	6
B. OPERATED	1511	2.0	6	<1	<1	1	2	4	5	14
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	19	4.1	23	<1	<1	2	6	12	16	16
1-5 YRS	648	1.6	3	<1	<1	1	2	3	4	9
6-12 YRS	523	1.8	5	<1	<1	1	2	3	4	9
13-19 YRS	361	2.9	10	<1	<1	2	3	6	8	19
GRAND TOTAL	**1553**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**4**	**5**	**14**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	45	4.0	6	1	1	3	5	7	9	11
1-11 MOS	213	3.7	6	1	2	3	4	7	9	12
1-5 YRS	400	2.9	3	1	1	3	4	5	6	10
6-12 YRS	381	2.6	3	1	1	2	3	5	6	8
13-19 YRS	395	2.8	3	1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS	7	4.6	4	1	1	5	6	7	7	7
1-11 MOS	33	3.8	8	<1	1	3	6	8	10	12
1-5 YRS	254	2.2	6	<1	<1	1	2	5	7	15
6-12 YRS	225	2.1	3	<1	<1	1	2	5	6	8
13-19 YRS	193	2.5	6	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	213	5.3	7	2	2	5	7	9	10	13
1-11 MOS	859	4.5	8	2	2	4	5	8	10	15
1-5 YRS	1347	4.0	8	1	1	3	5	7	10	13
6-12 YRS	815	3.4	5	1	1	3	4	6	8	12
13-19 YRS	1196	3.7	7	1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS	29	6.7	11	2	3	7	9	11	13	15
1-11 MOS	134	6.4	20	1	2	6	8	11	16	24
1-5 YRS	447	4.0	20	<1	<1	2	6	9	11	24
6-12 YRS	385	3.6	13	<1	<1	2	5	8	10	18
13-19 YRS	393	5.0	34	<1	1	3	6	10	14	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1434	2.9	4	1	1	2	4	5	6	10
B. *Operated*	712	2.3	5	<1	<1	1	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	4430	4.0	7	1	1	3	5	7	9	13
B. *Operated*	1388	4.5	23	<1	<1	3	6	9	12	26
1. SINGLE DX	2146	2.7	4	<1	<1	2	4	5	7	10
2. MULTIPLE DX	5818	4.1	11	1	1	3	5	8	10	16
A. NOT OPERATED	5864	3.7	7	1	1	3	5	7	9	13
B. OPERATED	2100	3.8	18	<1	<1	2	5	8	11	21
TOTAL 0-27 DYS	294	5.2	7	2	2	5	7	9	10	14
1-11 MOS	1239	4.6	9	1	2	4	6	8	10	16
1-5 YRS	2448	3.7	10	<1	1	3	5	7	9	15
6-12 YRS	1806	3.1	6	<1	1	2	4	6	8	13
13-19 YRS	2177	3.7	12	1	1	3	5	7	9	16
GRAND TOTAL	**7964**	**3.7**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**15**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	9	4.8	9	2	2	4	7	10	10	10
1-5 YRS	2	3.0	8	<1	<1	2	5	5	5	5
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
B. *Operated*										
0-27 DYS	5	7.2	17	3	3	5	11	13	13	13
1-11 MOS	24	4.8	5	1	2	5	6	7	9	11
1-5 YRS	7	6.3	14	1	1	8	9	11	11	11
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	15	4.5	7	<1	1	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	2	10.5	25	7	7	10	14	14	14	14
B. *Operated*	38	5.5	9	1	2	5	7	11	12	13
1. SINGLE DX	15	4.5	7	<1	1	4	6	9	10	10
2. MULTIPLE DX	40	5.8	11	1	2	5	8	11	12	14
A. NOT OPERATED	2	10.5	25	7	7	10	14	14	14	14
B. OPERATED	53	5.2	9	1	2	5	7	10	11	13
TOTAL 0-27 DYS	7	7.0	12	3	3	6	9	12	13	13
1-11 MOS	33	4.8	6	1	2	4	6	8	10	11
1-5 YRS	10	6.4	19	<1	<1	6	9	12	14	14
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	3	6.0	31	1	1	5	10	12	12	12
GRAND TOTAL	**55**	**5.4**	**10**	**1**	**2**	**5**	**7**	**10**	**12**	**14**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	3.0	4	1	1	3	5	5	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	2.1	2	<1	<1	1	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	23	4.0	5	2	2	4	4	5	8	13
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	22	3.6	6	<1	<1	3	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.9	4	<1	1	2	5	5	6	7
B. *Operated*	20	2.1	2	<1	<1	1	3	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	24	4.0	5	2	2	4	4	5	8	13
B. *Operated*	26	4.3	14	<1	<1	3	6	8	11	18
1. SINGLE DX	38	2.4	3	<1	<1	2	4	5	6	7
2. MULTIPLE DX	50	4.1	9	<1	1	3	5	8	9	18
A. NOT OPERATED	42	3.5	5	1	1	3	4	5	6	13
B. OPERATED	46	3.3	10	<1	<1	2	4	8	8	18
TOTAL 0-27 DYS	3	4.0	13	<1	<1	3	7	8	8	8
1-11 MOS	2	11.5	85	5	5	11	18	18	18	18
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	81	3.2	5	<1	<1	3	4	6	7	12
GRAND TOTAL	**88**	**3.4**	**7**	**<1**	**<1**	**3**	**4**	**6**	**8**	**16**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	6	1.3		1	1	1	2	2	2	2
1-5 YRS	3	1.7	1	1	1	1	3	3	3	3
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	89	1.4	1	<1	<1	1	1	2	4	6
1-5 YRS	258	1.3		<1	<1	1	2	2	3	3
6-12 YRS	107	1.5	1	<1	<1	1	2	3	4	5
13-19 YRS	181	1.9	1	<1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	3.0	13	<1	<1	2	3	9	12	13
1-5 YRS	33	1.2	1	<1	<1	1	1	1	2	5
6-12 YRS	6	1.0		<1	<1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	20.0	338	7	7	20	33	33	33	33
1-11 MOS	84	1.8	2	<1	<1	1	2	3	5	8
1-5 YRS	281	1.7	1	<1	<1	1	2	3	4	8
6-12 YRS	127	1.6	1	<1	<1	1	2	3	3	4
13-19 YRS	111	2.2	2	1	1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.5	1	<1	1	1	2	3	3	3
B. *Operated*	636	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	52	1.6	4	<1	<1	1	1	2	5	13
B. *Operated*	605	1.8	3	<1	<1	1	2	3	4	7
1. SINGLE DX	651	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	657	1.8	3	<1	<1	1	2	3	4	8
A. NOT OPERATED	67	1.6	3	<1	<1	1	1	3	4	12
B. OPERATED	1241	1.7	2	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS	5	9.0	186	<1	<1	3	13	33	33	33
1-11 MOS	191	1.7	2	<1	<1	1	2	3	4	8
1-5 YRS	575	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	243	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	294	2.0	1	<1	1	2	3	4	4	6
GRAND TOTAL	**1308**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.3		<1	<1	1	2	2	2	2
6-12 YRS	72	3.0	4	1	1	3	4	6	6	8
13-19 YRS	254	3.7	4	1	1	3	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.0	1	1	1	2	3	3	3	3
1-5 YRS	20	1.7	1	<1	1	1	2	4	4	5
6-12 YRS	44	2.0	2	1	1	2	2	3	6	7
13-19 YRS	90	3.1	7	1	1	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	3.7	6	1	1	3	6	7	7	7
6-12 YRS	28	3.3	3	1	1	3	4	6	7	9
13-19 YRS	118	4.0	5	1	2	4	5	7	7	12
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	1.8	2	1	1	1	3	4	4	4
6-12 YRS	16	3.3	10	<1	<1	2	4	9	10	11
13-19 YRS	71	4.0	10	1	1	4	5	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	3.5	4	1	1	3	5	6	7	9
B. *Operated*	158	2.6	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	153	3.8	5	1	1	3	5	6	7	12
B. *Operated*	93	3.8	10	1	1	3	5	7	10	17
1. SINGLE DX	489	3.2	5	1	1	3	5	6	7	10
2. MULTIPLE DX	246	3.8	7	1	1	3	5	7	9	12
A. NOT OPERATED	484	3.6	4	1	1	3	5	6	7	10
B. OPERATED	251	3.0	7	1	1	2	4	6	9	12
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	3.0	4	1	1	2	4	6	7	7
1-5 YRS	34	2.0	3	<1	1	1	3	4	6	7
6-12 YRS	160	2.8	4	1	1	2	4	6	7	9
13-19 YRS	533	3.7	6	1	1	3	5	7	8	12
GRAND TOTAL	**735**	**3.4**	**5**	**1**	**1**	**3**	**5**	**6**	**8**	**11**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	18	1.4	1	<1	<1	1	1	2	5	6
6-12 YRS	4	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	5	2.6	2	1	1	2	3	5	5	5
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	196	1.2		<1	<1	<1	1	2	2	3
1-5 YRS	954	1.2		<1	<1	<1	1	2	2	3
6-12 YRS	380	1.3		<1	<1	1	2	2	2	3
13-19 YRS	221	1.4	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	14	1.2		<1	<1	1	1	2	3	3
1-5 YRS	61	1.2		<1	<1	1	1	2	2	3
6-12 YRS	16	1.7	2	<1	<1	<1	2	3	6	7
13-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	50	1.6	1	<1	<1	1	2	2	3	7
1-5 YRS	247	1.4	1	<1	<1	1	2	2	3	4
6-12 YRS	112	1.6	1	<1	<1	1	2	3	3	7
13-19 YRS	64	2.0	2	<1	<1	2	2	3	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.4	1	<1	<1	1	1	2	4	6
B. *Operated*	1752	1.3		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	97	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	473	1.6	1	<1	<1	1	2	3	3	6
1. SINGLE DX	1790	1.3		<1	<1	1	1	2	2	3
2. MULTIPLE DX	570	1.5	1	<1	<1	1	2	2	3	6
A. NOT OPERATED	135	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	2225	1.3	1	<1	<1	1	2	2	2	4
TOTAL 0-27 DYS	11	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	263	1.3		<1	<1	1	1	2	2	5
1-5 YRS	1280	1.3		<1	<1	1	1	2	2	3
6-12 YRS	512	1.4	1	<1	<1	1	2	2	2	5
13-19 YRS	294	1.6	1	<1	<1	1	2	2	3	7
GRAND TOTAL	**2360**	**1.3**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	3.0	2	<1	<1	3	4	4	4	4
1-11 MOS	10	3.3	4	1	1	3	4	6	8	8
1-5 YRS	42	2.0	1	<1	1	2	2	4	5	6
6-12 YRS	53	1.7	1	<1	<1	1	2	3	4	6
13-19 YRS	48	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*										
0-27 DYS	7	1.6	1	<1	<1	1	2	3	3	3
1-11 MOS	22	2.4	4	<1	1	2	3	5	7	9
1-5 YRS	217	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	658	1.5	1	<1	<1	1	2	2	3	6
13-19 YRS	1304	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	3.3	4	<1	1	3	4	6	9	9
1-11 MOS	8	2.8	2	<1	<1	3	4	4	4	4
1-5 YRS	53	2.6	3	<1	1	3	3	4	5	11
6-12 YRS	36	2.7	3	<1	1	2	3	5	6	7
13-19 YRS	47	2.9	5	<1	1	2	4	7	8	10
B. *Operated*										
0-27 DYS	8	2.6	15	<1	<1	1	2	9	12	12
1-11 MOS	31	2.3	2	<1	<1	2	3	4	5	6
1-5 YRS	158	2.0	3	<1	<1	1	2	4	5	11
6-12 YRS	257	2.0	3	<1	1	1	2	4	5	10
13-19 YRS	448	2.4	3	1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	2.0	2	<1	<1	1	2	4	5	7
B. *Operated*	2208	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	156	2.8	3	<1	1	2	3	5	7	10
B. *Operated*	902	2.2	3	<1	1	2	3	4	6	10
1. SINGLE DX	2365	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1058	2.3	3	<1	1	2	3	4	6	10
A. NOT OPERATED	313	2.4	3	<1	1	2	3	4	6	9
B. OPERATED	3110	1.8	2	<1	1	1	2	3	4	7
TOTAL 0-27 DYS	31	2.7	6	<1	<1	2	3	4	9	12
1-11 MOS	71	2.5	3	<1	<1	2	3	5	5	9
1-5 YRS	470	1.8	2	<1	<1	1	2	3	4	7
6-12 YRS	1004	1.7	2	<1	<1	1	2	3	4	7
13-19 YRS	1847	1.9	2	<1	1	1	2	3	5	8
GRAND TOTAL	**3423**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**	**7**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	8	1.3	1	<1	<1	1	1	3	3	3
13-19 YRS	108	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	4	3.0	3	1	1	3	4	5	5	5
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	37	2.1	1	<1	<1	2	2	3	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	118	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	44	2.5	3	<1	<1	2	3	5	6	10
1. SINGLE DX	118	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	46	2.5	3	<1	<1	2	3	5	6	10
A. NOT OPERATED	2	3.0	2	2	2	3	4	4	4	4
B. OPERATED	162	2.0	2	<1	<1	2	2	3	5	7
TOTAL 0-27 DYS	3	6.0	13	3	3	5	9	10	10	10
1-11 MOS	5	2.8	3	1	1	2	4	5	5	5
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	8	1.3	1	<1	<1	1	1	3	3	3
13-19 YRS	147	1.9	1	<1	<1	2	2	3	4	5
GRAND TOTAL	**164**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**3**	**5**	**7**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	4.1	8	1	1	3	5	9	10	10
1-11 MOS	6	4.5	8	1	1	4	7	8	8	8
1-5 YRS	5	5.0	3	3	3	5	6	7	7	7
6-12 YRS	7	4.0	5	2	2	3	5	8	8	8
13-19 YRS	41	3.0	2	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS	10	3.5	9	<1	<1	3	4	8	10	10
1-11 MOS	5	3.8	1	3	3	3	5	5	5	5
1-5 YRS	6	3.5	4	2	2	3	4	7	7	7
6-12 YRS	50	2.1	3	<1	<1	2	3	3	4	12
13-19 YRS	1074	2.5	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	4.2	8	1	2	3	5	9	10	10
1-11 MOS	10	4.2	3	2	2	4	5	7	8	8
1-5 YRS	3	5.0	12	1	1	7	7	7	7	7
6-12 YRS	5	2.6	3	1	1	3	4	5	5	5
13-19 YRS	24	2.9	8	<1	<1	2	4	7	9	12
B. *Operated*										
0-27 DYS	3	3.7	8	2	2	2	6	7	7	7
1-11 MOS	11	3.7	8	<1	1	3	4	8	11	11
1-5 YRS	4	5.3	13	2	2	4	8	10	10	10
6-12 YRS	10	2.7	4	<1	<1	2	3	6	8	8
13-19 YRS	330	2.9	3	1	1	3	4	5	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.6	4	1	2	3	5	7	8	10
B. *Operated*	1145	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	51	3.5	7	<1	1	3	5	7	8	12
B. *Operated*	358	3.0	3	1	1	3	4	5	6	10
1. SINGLE DX	1214	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	409	3.0	4	1	1	3	4	5	7	11
A. NOT OPERATED	120	3.5	5	1	1	3	5	7	8	11
B. OPERATED	1503	2.6	2	<1	1	2	3	4	5	8
TOTAL 0-27 DYS	32	3.9	8	1	1	3	5	9	10	10
1-11 MOS	32	4.0	5	1	2	4	5	7	8	11
1-5 YRS	18	4.6	6	1	2	4	7	7	9	10
6-12 YRS	72	2.4	4	<1	<1	2	3	4	6	11
13-19 YRS	1469	2.6	2	<1	1	2	3	4	5	8
GRAND TOTAL	**1623**	**2.7**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	75	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	1176	2.1	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	7	5.0	8	2	2	4	8	9	9	9
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	2	5.5	1	5	5	5	6	6	6	6
6-12 YRS	40	3.8	4	1	1	4	5	6	7	11
13-19 YRS	1365	3.6	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	7.0	50	2	2	7	12	12	12	12
6-12 YRS	42	2.4	2	1	1	2	3	4	5	8
13-19 YRS	787	2.7	14	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	10	4.1	3	2	2	4	5	7	8	8
1-5 YRS	8	4.9	2	3	3	5	6	7	7	7
6-12 YRS	32	4.7	5	1	2	4	6	8	10	11
13-19 YRS	1414	4.4	10	1	2	4	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1259	2.1	2	1	1	2	3	4	5	7
B. *Operated*	1417	3.6	4	1	1	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	833	2.7	13	1	1	2	3	5	6	8
B. *Operated*	1464	4.4	9	1	2	4	5	7	8	13
1. SINGLE DX	2676	2.9	3	1	1	2	4	5	6	9
2. MULTIPLE DX	2297	3.8	11	1	1	3	5	6	8	12
A. NOT OPERATED	2092	2.4	6	1	1	2	3	4	5	8
B. OPERATED	2881	4.0	7	1	1	4	5	6	8	11
TOTAL 0-27 DYS	10	4.4	8	1	1	4	6	9	9	9
1-11 MOS	19	3.2	3	<1	1	3	4	5	7	8
1-5 YRS	13	5.0	7	<1	2	5	6	8	11	12
6-12 YRS	189	3.0	4	1	1	3	4	5	6	10
13-19 YRS	4742	3.3	7	1	1	3	4	6	7	10
GRAND TOTAL	**4973**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	3.0	2	2	2	3	4	5	5	5
1-5 YRS	5	4.8	2	3	3	5	6	6	6	6
6-12 YRS	17	5.3	12	1	2	5	6	7	13	17
13-19 YRS	3022	4.0	4	1	2	4	5	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	4	5.0	5	3	3	4	6	8	8	8
1-5 YRS	2	4.5	25	<1	<1	4	8	8	8	8
6-12 YRS	10	7.2	20	2	3	5	10	14	16	16
13-19 YRS	600	4.8	7	1	2	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.7	11	3	3	5	6	11	12	12
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	16	4.9	9	2	2	4	6	11	12	12
13-19 YRS	2218	4.4	6	2	2	4	5	7	9	12
B. *Operated*										
0-27 DYS	4	5.0	2	3	3	5	6	6	6	6
1-11 MOS	10	5.6	6	2	2	5	7	9	10	10
1-5 YRS	3	7.3	33	4	4	4	12	14	14	14
6-12 YRS	21	7.7	13	3	4	7	9	13	15	16
13-19 YRS	1238	5.7	12	1	2	5	7	10	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3051	4.0	4	1	2	4	5	6	8	11
B. *Operated*	616	4.8	7	1	2	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	2241	4.4	6	2	2	4	5	7	9	12
B. *Operated*	1276	5.7	12	1	2	5	7	10	12	17
1. SINGLE DX	3667	4.1	5	1	2	4	5	7	8	12
2. MULTIPLE DX	3517	4.9	8	1	2	4	6	8	10	14
A. NOT OPERATED	5292	4.1	5	1	2	4	5	7	8	12
B. OPERATED	1892	5.5	11	1	2	5	7	9	11	16
TOTAL 0-27 DYS	5	5.0	2	3	3	5	6	6	6	6
1-11 MOS	26	4.9	6	2	2	5	6	8	10	12
1-5 YRS	11	5.3	12	<1	2	4	6	10	14	14
6-12 YRS	64	6.3	14	2	3	5	8	12	15	17
13-19 YRS	7078	4.5	7	1	2	4	6	7	9	13
GRAND TOTAL	**7184**	**4.5**	**7**	**1**	**2**	**4**	**6**	**7**	**9**	**13**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	24	2.8	4	<1	<1	2	4	6	7	8
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	4.7	9	2	2	4	7	8	8	8
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	111	2.8	4	<1	<1	2	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	29	2.8	2	<1	1	3	3	5	6	6
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	14	5.1	4	<1	2	5	6	7	9	9
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	6.5	5	5	5	6	8	8	8	8
13-19 YRS	213	3.7	6	<1	1	4	5	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.8	4	<1	<1	2	4	6	7	8
B. *Operated*	117	2.9	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	29	2.8	2	<1	1	3	3	5	6	6
B. *Operated*	231	3.8	6	<1	1	4	5	7	8	11
1. SINGLE DX	141	2.9	4	<1	<1	2	4	6	7	8
2. MULTIPLE DX	260	3.7	6	<1	1	3	5	7	8	11
A. NOT OPERATED	53	2.8	3	<1	1	3	4	6	6	8
B. OPERATED	348	3.5	5	<1	<1	3	5	6	8	10
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	17	5.0	4	1	2	5	6	8	9	9
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	3	5.7	4	4	4	5	7	8	8	8
13-19 YRS	377	3.3	5	<1	<1	3	5	6	7	10
GRAND TOTAL	**401**	**3.4**	**5**	**<1**	**<1**	**3**	**5**	**6**	**8**	**10**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	4	1.3		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	14	3.1	1	<1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	41.0		41	41	41	41	41	41	41
6-12 YRS										
13-19 YRS	22	2.5	4	<1	<1	2	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	5	1.4		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	15	3.0	1	<1	2	3	4	5	5	5
B. *Operated*	25	4.2	63	<1	<1	2	5	6	15	41
1. SINGLE DX	7	1.7	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX	40	3.8	39	<1	<1	3	4	6	7	41
A. NOT OPERATED	17	2.9	1	1	2	3	4	5	5	5
B. OPERATED	30	3.8	53	<1	<1	2	4	6	7	41
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	21.5	761	2	2	21	41	41	41	41
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	42	2.6	3	<1	<1	2	4	5	6	7
GRAND TOTAL	**47**	**3.5**	**34**	**<1**	**<1**	**2**	**4**	**5**	**6**	**41**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	20	2.9	6	<1	<1	2	4	5	8	12
6-12 YRS	16	2.6	8	<1	<1	1	3	6	9	11
13-19 YRS	106	3.2	2	1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	3.7	9	1	1	3	6	7	7	7
6-12 YRS	6	2.0	4	1	1	1	2	6	6	6
13-19 YRS	165	2.0	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0		2	2	2	2	2	2	2
1-5 YRS	27	4.1	7	1	1	3	5	8	9	11
6-12 YRS	20	3.4	4	<1	1	3	4	7	8	8
13-19 YRS	170	4.1	5	1	2	4	5	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	3	2.7	4	<1	<1	2	4	5	5	5
6-12 YRS	7	4.3	4	2	2	5	6	7	7	7
13-19 YRS	118	3.8	10	<1	1	3	5	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.1	3	<1	1	3	4	5	6	11
B. *Operated*	175	2.0	2	<1	<1	1	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	220	4.0	5	1	2	4	5	7	8	11
B. *Operated*	130	3.8	10	<1	1	3	5	8	9	17
1. SINGLE DX	318	2.5	3	<1	1	2	3	5	6	8
2. MULTIPLE DX	350	3.9	7	1	1	3	5	7	9	11
A. NOT OPERATED	363	3.7	4	1	1	3	5	6	8	11
B. OPERATED	305	2.8	6	<1	1	2	4	6	8	11
TOTAL 0-27 DYS										
1-11 MOS	7	2.9	3	2	2	2	3	6	7	7
1-5 YRS	53	3.5	7	<1	1	3	4	7	9	12
6-12 YRS	49	3.1	6	<1	<1	2	5	7	7	11
13-19 YRS	559	3.3	5	<1	1	3	4	6	8	11
GRAND TOTAL	**668**	**3.3**	**5**	**<1**	**1**	**3**	**4**	**6**	**8**	**11**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.6	2	3	3	4	5	7	7	7
1-5 YRS	3	4.0	19	1	1	2	7	9	9	9
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	6	4.5	2	2	2	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-27 DYS	4	8.0	14	4	4	7	10	13	13	13
1-11 MOS	9	5.9	6	3	3	6	7	9	10	10
1-5 YRS	2	7.5	1	7	7	8	77	99+	99+	99+
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	11	5.2	12	<1	1	4	7	11	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	15	4.3	4	1	2	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	27	6.0	9	2	3	6	8	12	22	99+
1. SINGLE DX	17	3.9	5	1	1	4	5	7	8	9
2. MULTIPLE DX	29	5.8	9	1	2	6	8	11	13	99+
A. NOT OPERATED	4	2.0	4	1	1	1	3	5	5	5
B. OPERATED	42	5.4	8	1	2	5	7	9	13	99+
TOTAL 0-27 DYS	5	6.6	20	1	1	7	9	13	13	13
1-11 MOS	14	5.4	5	3	3	5	7	8	10	10
1-5 YRS	6	4.7	14	1	1	7	9	82	99+	99+
6-12 YRS	2	4.5	5	3	3	4	6	6	6	6
13-19 YRS	19	4.7	8	<1	1	4	6	8	11	13
GRAND TOTAL	**46**	**5.1**	**8**	**1**	**1**	**5**	**7**	**9**	**13**	**99+**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	9	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	2.2	3	<1	1	1	3	4	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		1	1	1	2	2	2	2
B. *Operated*	12	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	10	1.9	1	<1	<1	2	2	4	4	4
B. *Operated*	14	2.2	3	<1	1	1	3	4	6	6
1. SINGLE DX	15	1.7	1	<1	1	2	2	2	4	4
2. MULTIPLE DX	24	2.1	2	<1	1	1	3	4	5	6
A. NOT OPERATED	13	1.8	1	<1	<1	1	2	4	4	4
B. OPERATED	26	2.0	2	<1	1	2	3	4	5	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	38	1.9	2	<1	1	1	2	4	4	6
GRAND TOTAL	**39**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**4**	**4**	**6**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	11	1.9	2	1	1	2	2	4	5	5
13-19 YRS	212	1.9	2	<1	<1	2	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.2	7	1	1	2	4	8	8	8
13-19 YRS	339	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	28	2.3	1	1	1	2	3	4	4	4
13-19 YRS	314	2.4	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	19	3.8	12	1	1	2	6	9	12	13
13-19 YRS	457	2.8	6	<1	1	2	3	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	1.9	1	<1	<1	2	2	3	4	7
B. *Operated*	345	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	342	2.4	2	1	1	2	3	4	5	8
B. *Operated*	476	2.8	6	<1	1	2	3	6	7	11
1. SINGLE DX	568	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	818	2.6	5	<1	1	2	3	5	6	9
A. NOT OPERATED	565	2.2	2	<1	1	2	3	4	5	7
B. OPERATED	821	2.3	4	<1	1	2	3	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	64	2.8	5	1	1	2	3	5	7	13
13-19 YRS	1322	2.3	3	<1	1	2	3	4	5	8
GRAND TOTAL	**1386**	**2.3**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.7		2	2	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	2.7		2	2	3	3	3	3	3
1. SINGLE DX	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	3	2.7		2	2	3	3	3	3	3
A. NOT OPERATED										
B. OPERATED	5	2.4		2	2	2	3	3	3	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	2.4		2	2	2	3	3	3	3
GRAND TOTAL	**5**	**2.4**		**2**	**2**	**2**	**3**	**3**	**3**	**3**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	11	1.6	1	<1	<1	1	2	4	4	4
6-12 YRS	11	3.0	15	<1	<1	1	3	9	13	13
13-19 YRS	91	2.2	3	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.5	4	<1	<1	3	6	6	6	6
1-5 YRS	13	2.5	3	<1	<1	2	3	5	6	6
6-12 YRS	42	3.3	4	<1	<1	3	4	6	6	10
13-19 YRS	253	2.6	4	<1	<1	2	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	2.4	1	<1	<1	3	3	4	4	4
6-12 YRS	12	3.3	7	<1	<1	3	4	7	10	10
13-19 YRS	113	2.7	8	<1	1	2	3	5	7	17
B. *Operated*										
0-27 DYS	6	8.0	59	1	1	6	7	21	23	23
1-11 MOS	18	4.9	13	<1	1	4	7	9	13	15
1-5 YRS	13	5.5	20	1	2	4	7	13	15	16
6-12 YRS	38	4.9	7	<1	2	4	6	8	10	13
13-19 YRS	376	3.6	8	<1	1	3	5	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.3	4	<1	<1	2	3	5	6	10
B. *Operated*	314	2.7	4	<1	<1	2	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	135	2.7	7	<1	1	2	3	5	7	15
B. *Operated*	451	3.9	10	<1	1	3	5	7	9	16
1. SINGLE DX	432	2.6	4	<1	<1	2	4	5	6	10
2. MULTIPLE DX	586	3.6	9	<1	1	3	5	7	8	16
A. NOT OPERATED	253	2.5	6	<1	<1	2	3	5	6	13
B. OPERATED	765	3.4	8	<1	<1	3	5	6	8	13
TOTAL 0-27 DYS	8	6.5	50	1	1	5	7	18	23	23
1-11 MOS	28	4.2	10	<1	1	3	6	8	10	15
1-5 YRS	46	3.1	9	<1	<1	2	4	6	10	16
6-12 YRS	103	3.8	7	<1	<1	4	5	7	9	13
13-19 YRS	833	3.0	7	<1	1	2	4	6	7	13
GRAND TOTAL	**1018**	**3.2**	**7**	**<1**	**<1**	**2**	**4**	**6**	**8**	**13**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	49	1.8	1	1	1	1	2	3	4	5
13-19 YRS	539	1.8	2	<1	1	1	2	3	4	5
B. *Operated*										
0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	4	2.0	1	<1	<1	2	3	3	3	3
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	10	2.3	2	1	1	2	3	4	5	5
13-19 YRS	249	2.5	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	3	2.0	3	<1	<1	1	3	4	4	4
6-12 YRS	23	2.1	3	<1	1	1	2	4	6	9
13-19 YRS	431	2.2	3	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	4	4.0	1	3	3	4	5	5	5	5
1-11 MOS	15	6.7	23	2	4	6	7	14	19	21
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	3.3	10	<1	<1	2	5	9	9	9
13-19 YRS	302	3.1	6	<1	1	2	4	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	589	1.8	2	<1	1	1	2	3	4	5
B. *Operated*	266	2.5	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	460	2.2	3	<1	1	2	3	4	5	7
B. *Operated*	328	3.3	7	<1	1	2	5	6	8	14
1. SINGLE DX	855	2.0	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX	788	2.6	5	<1	1	2	3	5	6	11
A. NOT OPERATED	1049	2.0	2	<1	1	2	2	3	4	6
B. OPERATED	594	2.9	5	<1	<1	2	4	6	7	11
TOTAL 0-27 DYS	7	3.6	2	<1	1	4	5	5	5	5
1-11 MOS	22	5.2	21	<1	1	4	6	9	17	21
1-5 YRS	5	2.4	2	<1	<1	2	4	4	4	4
6-12 YRS	88	2.0	2	1	1	2	2	4	5	9
13-19 YRS	1521	2.3	3	<1	1	2	3	4	6	9
GRAND TOTAL	**1643**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	503	4.2	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	1.9	2	<1	<1	1	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	453	4.7	5	2	3	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.8	1	<1	<1	1	2	4	4	4
B. *Operated*	504	4.2	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	19	1.9	2	<1	<1	1	3	4	5	5
B. *Operated*	454	4.7	5	2	3	4	5	7	8	12
1. SINGLE DX	531	4.0	2	1	2	4	5	6	6	8
2. MULTIPLE DX	473	4.6	5	2	3	4	5	7	8	12
A. NOT OPERATED	46	1.8	1	<1	<1	1	2	4	4	5
B. OPERATED	958	4.4	4	2	3	4	5	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	1002	4.3	4	2	2	4	5	6	7	11
GRAND TOTAL	**1004**	**4.3**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	93	1.7	3	<1	<1	1	2	2	4	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	1.5		<1	<1	1	2	3	3	3
13-19 YRS	2523	1.3		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	86	1.6	1	<1	<1	<1	2	3	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1010	1.4	2	<1	<1	<1	1	2	3	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	1.7	3	<1	<1	1	2	2	4	11
B. *Operated*	2535	1.3		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	86	1.6	1	<1	<1	<1	2	3	5	6
B. *Operated*	1011	1.4	2	<1	<1	<1	1	2	3	7
1. SINGLE DX	2628	1.3	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	1097	1.4	2	<1	<1	<1	1	2	3	7
A. NOT OPERATED	179	1.6	2	<1	<1	1	2	3	4	10
B. OPERATED	3546	1.3	1	<1	<1	<1	1	2	2	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	1.5		<1	<1	1	2	3	3	3
13-19 YRS	3712	1.4	1	<1	<1	<1	1	2	3	5
GRAND TOTAL	**3725**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	3	2.7	2	<1	<1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	3.0	8	1	1	3	5	5	5	5
1. SINGLE DX	4	2.5	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX	2	3.0	8	1	1	3	5	5	5	5
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	5	2.8	3	<1	<1	3	4	5	5	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	2.7	3	<1	<1	2	4	5	5	5
GRAND TOTAL	**6**	**2.7**	**3**	**<1**	**<1**	**2**	**4**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	669	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	1.7	2	<1	<1	1	2	4	5	5
13-19 YRS	4795	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	181	2.1	2	<1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	852	2.0	3	<1	1	1	2	4	5	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	1.5	1	<1	<1	1	2	2	3	5
B. *Operated*	4804	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	181	2.1	2	<1	1	2	3	4	5	8
B. *Operated*	854	2.0	3	<1	1	1	2	4	5	9
1. SINGLE DX	5474	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	1035	2.0	3	<1	1	1	2	4	5	9
A. NOT OPERATED	851	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	5658	1.5	1	<1	<1	1	2	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	1.8	2	<1	<1	1	2	4	5	5
13-19 YRS	6497	1.5	1	<1	<1	1	2	3	3	6
GRAND TOTAL	**6509**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	240	2.8	3	1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	577	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	116	3.2	4	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	246	2.8	8	<1	1	2	3	6	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	2.8	3	1	1	2	4	5	6	8
B. *Operated*	580	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	116	3.2	4	1	1	3	4	6	7	11
B. *Operated*	247	2.8	8	<1	1	2	3	6	7	17
1. SINGLE DX	820	2.1	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	363	2.9	7	1	1	2	4	6	7	12
A. NOT OPERATED	356	2.9	3	1	1	3	4	5	6	10
B. OPERATED	827	2.1	4	<1	<1	1	2	4	5	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.5		3	3	3	4	4	4	4
13-19 YRS	1179	2.3	4	<1	1	2	3	5	6	10
GRAND TOTAL	**1183**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	669	1.9	1	<1	1	2	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	1.7	1	<1	<1	1	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	176	2.7	5	<1	1	2	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	3.0	4	1	1	3	5	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	1.9	1	<1	1	2	2	3	4	6
B. *Operated*	15	1.7	1	<1	<1	1	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*	176	2.7	5	<1	1	2	3	4	6	11
B. *Operated*	23	3.0	4	1	1	3	5	5	6	8
1. SINGLE DX	684	1.9	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	199	2.7	5	<1	1	2	3	5	6	11
A. NOT OPERATED	845	2.0	2	<1	1	2	2	4	4	7
B. OPERATED	38	2.5	3	<1	1	2	4	5	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	883	2.1	2	<1	1	2	3	4	5	7
GRAND TOTAL	**883**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	55	1.7	1	<1	1	1	2	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	1.8	1	<1	1	2	2	3	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	1.7	1	<1	1	1	2	3	4	5
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	27	1.8	1	<1	1	2	2	3	3	4
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
1. SINGLE DX	57	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX	29	1.8	1	1	1	2	2	3	3	4
A. NOT OPERATED	82	1.8	1	<1	1	2	2	3	4	5
B. OPERATED	4	2.0	1	1	1	2	3	3	3	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	86	1.8	1	<1	1	2	2	3	4	5
GRAND TOTAL	**86**	**1.8**	**1**	**<1**	**1**	**2**	**2**	**3**	**4**	**5**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	14.0	338	1	1	14	27	27	27	27
13-19 YRS	928	3.0	5	1	1	2	4	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	96	3.0	4	<1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	288	3.4	10	<1	1	3	4	6	9	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	68	3.3	7	<1	<1	2	4	7	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	930	3.0	6	1	1	2	4	5	7	13
B. *Operated*	96	3.0	4	<1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	288	3.4	10	<1	1	3	4	6	9	21
B. *Operated*	68	3.3	7	<1	<1	2	4	7	10	13
1. SINGLE DX	1026	3.0	6	1	1	2	4	5	7	13
2. MULTIPLE DX	356	3.3	9	<1	1	3	4	6	9	20
A. NOT OPERATED	1218	3.1	7	1	1	2	4	5	8	14
B. OPERATED	164	3.1	6	<1	<1	3	4	6	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	14.0	338	1	1	14	27	27	27	27
13-19 YRS	1380	3.1	6	<1	1	2	4	5	8	13
GRAND TOTAL	**1382**	**3.1**	**7**	**<1**	**1**	**2**	**4**	**5**	**8**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1234	3.2	5	1	1	3	4	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	6.4	119	<1	<1	2	6	18	37	40
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	673	3.4	8	1	1	3	4	6	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	24	4.0	4	1	1	4	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1235	3.2	5	1	1	3	4	5	7	12
B. *Operated*	12	6.4	119	<1	<1	2	6	18	37	40
2. MULTIPLE DX										
A. *Not Operated*	674	3.4	8	1	1	3	4	6	7	13
B. *Operated*	24	4.0	4	1	1	4	5	7	7	7
1. SINGLE DX	1247	3.2	6	1	1	3	4	5	7	13
2. MULTIPLE DX	698	3.4	8	1	1	3	4	6	7	13
A. NOT OPERATED	1909	3.3	6	1	1	3	4	6	7	13
B. OPERATED	36	4.8	41	<1	<1	4	6	7	9	40
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	1943	3.3	7	1	1	3	4	6	7	13
GRAND TOTAL	**1945**	**3.3**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	3970	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	517	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	469	1.7	4	<1	<1	1	2	3	4	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	77	1.5	2	<1	<1	1	1	3	3	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3971	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	517	1.2	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	471	1.7	4	<1	<1	1	2	3	4	9
B. *Operated*	77	1.5	2	<1	<1	1	1	3	3	10
1. SINGLE DX	4488	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	548	1.6	4	<1	<1	1	2	3	4	9
A. NOT OPERATED	4442	1.2	1	<1	<1	1	1	1	2	5
B. OPERATED	594	1.2	1	<1	<1	<1	1	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	5033	1.2	1	<1	<1	<1	1	1	2	5
GRAND TOTAL	**5036**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	159	2.7	10	<1	1	2	3	5	7	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	3.1	18	<1	1	2	3	4	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	60	4.1	33	1	1	3	5	7	8	40
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	5.7	53	1	1	4	4	18	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	2.7	10	<1	1	2	3	5	7	17
B. *Operated*	15	3.1	18	<1	1	2	3	4	14	18
2. MULTIPLE DX										
A. *Not Operated*	60	4.1	33	1	1	3	5	7	8	40
B. *Operated*	7	5.7	53	1	1	4	4	18	22	22
1. SINGLE DX	174	2.7	10	<1	1	2	3	5	7	18
2. MULTIPLE DX	67	4.2	35	1	1	3	5	7	10	39
A. NOT OPERATED	219	3.1	16	<1	1	2	3	5	8	22
B. OPERATED	22	3.9	29	<1	1	2	4	8	20	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	241	3.2	17	<1	1	2	3	5	8	23
GRAND TOTAL	**241**	**3.2**	**17**	**<1**	**1**	**2**	**3**	**5**	**8**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	474	1.7	2	<1	<1	1	2	3	4	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	45	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	185	2.6	11	<1	<1	1	3	5	8	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	2.7	3	<1	<1	2	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	474	1.7	2	<1	<1	1	2	3	4	10
B. *Operated*	45	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	185	2.6	11	<1	<1	1	3	5	8	20
B. *Operated*	16	2.7	3	<1	<1	2	3	6	7	7
1. SINGLE DX	519	1.7	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	201	2.6	10	<1	<1	2	3	5	8	19
A. NOT OPERATED	659	2.0	5	<1	<1	1	2	3	5	13
B. OPERATED	61	1.9	2	<1	<1	1	2	4	5	7
TOTAL 0-27 DYS	—									
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	720	1.9	5	<1	<1	1	2	3	5	12
GRAND TOTAL	**720**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1089	2.9	4	<1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	2.7	4	<1	<1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1549	3.4	6	<1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	67	4.2	10	1	1	4	5	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1089	2.9	4	<1	1	3	4	5	6	7
B. *Operated*	43	2.7	4	<1	<1	2	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	1550	3.4	6	<1	1	3	4	6	7	10
B. *Operated*	68	4.2	10	1	1	4	5	8	11	14
1. SINGLE DX	1132	2.9	4	<1	1	3	4	5	6	8
2. MULTIPLE DX	1618	3.5	6	<1	1	3	4	6	7	11
A. NOT OPERATED	2639	3.2	5	<1	1	3	4	5	6	9
B. OPERATED	111	3.6	8	<1	1	3	5	7	9	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	2748	3.2	5	<1	1	3	4	5	7	9
GRAND TOTAL	**2750**	**3.2**	**5**	**<1**	**1**	**3**	**4**	**5**	**7**	**9**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	320	3.2	7	<1	1	2	4	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	4.7	23	<1	<1	3	5	11	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	1401	3.3	15	<1	<1	2	4	6	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	170	4.0	45	<1	<1	3	5	8	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	3.2	7	<1	1	2	4	7	9	14
B. *Operated*	19	4.7	23	<1	<1	3	5	11	17	20
2. MULTIPLE DX										
A. *Not Operated*	1402	3.3	15	<1	<1	2	4	6	8	16
B. *Operated*	170	4.0	45	<1	<1	3	5	8	9	13
1. SINGLE DX	339	3.3	8	<1	1	3	4	7	9	15
2. MULTIPLE DX	1572	3.4	19	<1	<1	2	4	7	9	15
A. NOT OPERATED	1722	3.3	14	<1	<1	2	4	6	8	15
B. OPERATED	189	4.0	43	<1	<1	3	5	8	10	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	1910	3.3	17	<1	<1	2	4	7	9	15
GRAND TOTAL	**1911**	**3.4**	**17**	**<1**	**<1**	**2**	**4**	**7**	**9**	**15**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	3.5		3	3	3	4	4	4	4
13-19 YRS	3584	2.1	6	<1	<1	1	2	4	5	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	904	2.2	8	<1	<1	1	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1837	2.8	13	<1	<1	2	3	5	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	593	3.4	23	<1	<1	2	4	7	10	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3588	2.1	6	<1	<1	1	2	4	5	13
B. *Operated*	904	2.2	8	<1	<1	1	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	1838	2.8	13	<1	<1	2	3	5	8	16
B. *Operated*	593	3.4	23	<1	<1	2	4	7	10	26
1. SINGLE DX	4492	2.1	6	<1	<1	1	2	4	6	13
2. MULTIPLE DX	2431	3.0	15	<1	<1	2	3	6	8	18
A. NOT OPERATED	5426	2.3	8	<1	<1	1	3	4	6	14
B. OPERATED	1497	2.7	14	<1	<1	1	3	5	8	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	5.2	15	3	3	4	6	12	12	12
13-19 YRS	6918	2.4	10	<1	<1	1	3	5	7	15
GRAND TOTAL	**6923**	**2.4**	**10**	**<1**	**<1**	**1**	**3**	**5**	**7**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	356	2.7	1	1	1	3	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	167	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	597	2.9	4	1	1	3	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	51	99+	99+	99+	99+
13-19 YRS	789	4.3	17	2	2	3	5	7	10	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	2.7	1	1	1	3	3	4	4	7
B. *Operated*	167	3.2	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	597	2.9	4	1	1	3	3	4	5	10
B. *Operated*	790	4.3	17	2	2	3	5	7	10	28
1. SINGLE DX	524	2.8	2	1	1	3	3	4	5	7
2. MULTIPLE DX	1387	3.7	12	1	2	3	4	6	8	21
A. NOT OPERATED	954	2.8	3	1	1	3	3	4	5	8
B. OPERATED	957	4.1	15	1	2	3	5	7	9	25
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	4	76	99+	99+	99+
13-19 YRS	1909	3.5	9	1	2	3	4	5	7	18
GRAND TOTAL	**1911**	**3.5**	**9**	**1**	**2**	**3**	**4**	**5**	**7**	**19**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.6		2	2	3	3	3	3	3
13-19 YRS	23369	2.4	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	1	1	1	2	3	3	3	3
13-19 YRS	6011	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	906	2.6	1	1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	524	2.8	2	1	1	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23374	2.4	1	1	1	2	3	3	4	5
B. *Operated*	6016	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	908	2.6	1	1	1	2	3	4	4	7
B. *Operated*	524	2.8	2	1	1	3	3	4	5	7
1. SINGLE DX	29390	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1432	2.6	1	1	1	3	3	4	4	7
A. NOT OPERATED	24282	2.4	1	1	1	2	3	3	4	5
B. OPERATED	6540	2.5	1	1	1	2	3	3	4	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	2.3	1	1	1	2	3	3	3	3
13-19 YRS	30810	2.4	1	1	1	2	3	3	4	5
GRAND TOTAL	**30822**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	2.6	3	<1	1	2	3	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	35	6.7	105	3	3	4	5	8	22	61
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	3.2	3	1	1	3	4	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	90	7.7	123	1	2	4	7	11	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.6	3	<1	1	2	3	6	7	7
B. *Operated*	35	6.7	105	3	3	4	5	8	22	61
2. MULTIPLE DX										
A. *Not Operated*	12	3.2	3	1	1	3	4	6	7	7
B. *Operated*	90	7.7	123	1	2	4	7	11	40	59
1. SINGLE DX	51	5.4	76	1	2	4	5	7	10	61
2. MULTIPLE DX	102	7.1	111	1	2	4	6	10	33	59
A. NOT OPERATED	28	2.8	3	1	1	3	3	6	7	7
B. OPERATED	125	7.4	118	2	2	4	6	10	31	61
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	153	6.6	100	1	2	4	6	9	26	61
GRAND TOTAL	**153**	**6.6**	**100**	**1**	**2**	**4**	**6**	**9**	**26**	**61**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	79	2.3	2	<1	1	2	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	113	3.6	3	1	1	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	136	2.7	2	1	1	2	3	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0		5	5	5	5	5	5	5
13-19 YRS	397	4.4	11	1	2	4	5	7	8	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.3	2	<1	1	2	3	4	4	7
B. *Operated*	113	3.6	3	1	1	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	137	2.7	2	1	1	2	3	5	5	7
B. *Operated*	399	4.4	11	1	2	4	5	7	8	20
1. SINGLE DX	192	3.0	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	536	4.0	9	1	1	3	5	6	8	15
A. NOT OPERATED	216	2.6	2	<1	1	2	3	4	5	7
B. OPERATED	512	4.2	9	1	2	4	5	6	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.7		4	4	5	5	5	5	5
13-19 YRS	725	3.7	8	1	1	3	5	6	7	13
GRAND TOTAL	**728**	**3.7**	**8**	**1**	**1**	**3**	**5**	**6**	**7**	**13**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	2.2	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	227	2.4	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	2.1	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	163	2.6	1	1	1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.2	1	1	1	2	3	4	4	4
B. *Operated*	228	2.4	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	13	2.1	1	1	1	2	3	3	4	4
B. *Operated*	163	2.6	1	1	1	2	3	4	5	6
1. SINGLE DX	242	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX	176	2.5	1	1	1	2	3	4	4	6
A. NOT OPERATED	27	2.1	1	1	1	2	3	4	4	4
B. OPERATED	391	2.5	1	1	1	2	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	417	2.4	1	1	1	2	3	4	4	5
GRAND TOTAL	**418**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	147	2.5	2	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	79	2.6	2	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	106	2.8	1	1	1	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	145	3.1	3	1	2	3	3	4	5	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	2.5	2	1	1	3	3	4	4	5
B. *Operated*	79	2.6	2	1	1	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	106	2.8	1	1	1	3	3	4	5	7
B. *Operated*	145	3.1	3	1	2	3	3	4	5	12
1. SINGLE DX	226	2.5	2	1	1	3	3	4	4	6
2. MULTIPLE DX	251	3.0	2	1	2	3	3	4	5	8
A. NOT OPERATED	253	2.7	2	1	1	3	3	4	4	7
B. OPERATED	224	2.9	2	1	1	3	3	4	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	477	2.8	2	1	1	3	3	4	5	8
GRAND TOTAL	**477**	**2.8**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	2.8	1	1	2	3	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	3.8	2	1	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	45	4.0	7	1	2	3	4	7	11	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	197	5.3	23	2	2	4	6	8	9	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.8	1	1	2	3	3	4	4	4
B. *Operated*	17	3.8	2	1	2	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	45	4.0	7	1	2	3	4	7	11	13
B. *Operated*	197	5.3	23	2	2	4	6	8	9	29
1. SINGLE DX	40	3.3	1	1	2	3	4	5	5	7
2. MULTIPLE DX	242	5.0	20	2	2	4	6	8	10	26
A. NOT OPERATED	68	3.6	5	1	2	3	4	6	8	13
B. OPERATED	214	5.1	22	2	2	4	6	8	9	28
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	282	4.8	18	2	2	4	5	8	9	23
GRAND TOTAL	**282**	**4.8**	**18**	**2**	**2**	**4**	**5**	**8**	**9**	**23**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	53	2.3	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	824	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	49	2.5	3	1	1	2	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	976	4.9	5	2	3	5	6	7	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.3	1	1	1	2	3	3	4	5
B. *Operated*	826	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	49	2.5	3	1	1	2	3	4	5	10
B. *Operated*	976	4.9	5	2	3	5	6	7	8	13
1. SINGLE DX	879	4.2	2	2	2	4	5	6	6	8
2. MULTIPLE DX	1025	4.8	5	2	3	5	6	7	8	13
A. NOT OPERATED	102	2.4	2	1	1	2	3	4	5	9
B. OPERATED	1802	4.6	4	2	3	4	5	6	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	1902	4.5	4	2	3	4	5	6	8	12
GRAND TOTAL	**1904**	**4.5**	**4**	**2**	**3**	**4**	**5**	**6**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	215	2.6	4	1	1	2	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	460	3.4	5	1	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	169	2.5	1	1	1	2	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	1813	4.1	7	1	2	4	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.6	4	1	1	2	3	4	4	6
B. *Operated*	460	3.4	5	1	2	3	4	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	169	2.5	1	1	1	2	3	4	4	6
B. *Operated*	1815	4.1	7	1	2	4	5	6	8	13
1. SINGLE DX	675	3.2	5	1	2	3	4	5	6	8
2. MULTIPLE DX	1984	4.0	7	1	2	4	5	6	7	12
A. NOT OPERATED	384	2.6	3	1	1	2	3	4	4	6
B. OPERATED	2275	4.0	7	1	2	4	5	6	7	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2657	3.8	7	1	2	3	5	6	7	12
GRAND TOTAL	**2659**	**3.8**	**7**	**1**	**2**	**3**	**5**	**6**	**7**	**12**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	3.1	2	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1319	4.9	2	3	3	5	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	3.5	3	2	2	3	4	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.0	1	3	3	4	5	5	5	5
13-19 YRS	3703	5.4	5	3	4	5	6	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.1	2	1	1	3	4	5	5	5
B. *Operated*	1319	4.9	2	3	3	5	6	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	17	3.5	3	2	2	3	4	6	7	7
B. *Operated*	3707	5.4	5	3	4	5	6	7	9	13
1. SINGLE DX	1331	4.8	2	3	3	5	6	6	7	9
2. MULTIPLE DX	3724	5.4	5	3	4	5	6	7	9	13
A. NOT OPERATED	29	3.3	2	2	2	3	4	5	7	7
B. OPERATED	5026	5.2	4	3	3	5	6	7	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.0	1	3	3	4	5	5	5	5
13-19 YRS	5051	5.2	4	3	3	5	6	7	8	13
GRAND TOTAL	**5055**	**5.2**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**13**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	418	2.7	1	1	2	3	3	4	4	5
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	713	3.7	2	1	2	3	5	5	6	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	378	2.9	1	1	2	3	3	4	4	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2142	4.2	5	1	2	4	5	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	418	2.7	1	1	2	3	3	4	4	5
B. Operated	713	3.7	2	1	2	3	5	5	6	8
2. MULTIPLE DX										
A. Not Operated	378	2.9	1	1	2	3	3	4	4	6
B. Operated	2142	4.2	5	1	2	4	5	7	8	11
1. SINGLE DX	1131	3.3	2	1	2	3	4	5	6	7
2. MULTIPLE DX	2520	4.0	5	1	2	4	5	6	7	11
A. NOT OPERATED	796	2.8	1	1	2	3	3	4	4	6
B. OPERATED	2855	4.0	5	1	2	4	5	6	7	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3651	3.8	4	1	2	3	5	6	7	10
GRAND TOTAL	**3651**	**3.8**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	48	2.7	1	1	2	3	3	4	4	6
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	183	4.1	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	50	2.8	5	1	1	2	3	5	7	14
B. Operated										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	425	4.9	5	2	2	5	6	8	8	11
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	48	2.7	1	1	2	3	3	4	4	6
B. Operated	183	4.1	3	1	2	4	5	6	7	8
2. MULTIPLE DX										
A. Not Operated	50	2.8	5	1	1	2	3	5	7	14
B. Operated	425	4.9	5	2	2	5	6	8	8	11
1. SINGLE DX	231	3.8	3	1	2	4	5	6	7	8
2. MULTIPLE DX	475	4.7	5	2	2	5	6	7	8	11
A. NOT OPERATED	98	2.8	3	1	1	3	3	4	5	12
B. OPERATED	608	4.6	4	2	2	5	6	7	8	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	706	4.4	5	2	2	4	5	7	8	10
GRAND TOTAL	**706**	**4.4**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**10**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	28	2.4	2	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1267	4.7	1	3	3	5	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	2.9	4	<1	1	2	3	6	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1122	5.0	5	3	3	5	6	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.4	2	1	1	2	3	5	6	6
B. *Operated*	1267	4.7	1	3	3	5	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	19	2.9	4	<1	1	2	3	6	8	8
B. *Operated*	1122	5.0	5	3	3	5	6	7	8	11
1. SINGLE DX	1295	4.6	2	3	3	5	5	6	6	8
2. MULTIPLE DX	1141	5.0	5	3	3	5	6	7	8	11
A. NOT OPERATED	47	2.6	3	1	1	2	3	5	6	8
B. OPERATED	2389	4.8	3	3	3	5	6	6	7	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2436	4.8	3	3	3	5	6	6	7	10
GRAND TOTAL	**2436**	**4.8**	**3**	**3**	**3**	**5**	**6**	**6**	**7**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	661	2.9	1	1	2	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	512	3.0	3	1	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	648	3.4	4	1	2	3	4	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1919	4.1	8	2	2	4	5	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	661	2.9	1	1	2	3	3	4	5	7
B. *Operated*	513	3.0	3	1	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	648	3.4	4	1	2	3	4	5	7	13
B. *Operated*	1920	4.1	8	2	2	4	5	6	8	15
1. SINGLE DX	1174	2.9	2	1	2	3	3	4	5	7
2. MULTIPLE DX	2568	3.9	7	1	2	3	5	6	8	14
A. NOT OPERATED	1309	3.1	3	1	2	3	4	5	6	10
B. OPERATED	2433	3.9	7	1	2	3	5	6	7	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	3740	3.6	6	1	2	3	4	6	7	13
GRAND TOTAL	**3742**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2228	2.4	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1221	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	720	2.6	1	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1426	2.9	3	1	1	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2229	2.4	1	1	1	2	3	3	4	5
B. *Operated*	1221	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	720	2.6	1	1	1	2	3	4	5	7
B. *Operated*	1427	2.9	3	1	1	3	3	4	5	8
1. SINGLE DX	3450	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	2147	2.8	2	1	1	3	3	4	5	7
A. NOT OPERATED	2949	2.4	1	1	1	2	3	3	4	5
B. OPERATED	2648	2.6	2	1	1	2	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	5595	2.5	1	1	1	2	3	4	4	6
GRAND TOTAL	**5597**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	555	2.2	1	1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4392	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	295	2.7	4	1	1	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.0	3	1	1	3	4	5	5	5
13-19 YRS	2374	2.6	4	1	1	2	3	4	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	2.2	1	1	1	2	3	3	4	4
B. *Operated*	4392	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	295	2.7	4	1	1	3	3	4	5	7
B. *Operated*	2379	2.6	4	1	1	2	3	4	4	7
1. SINGLE DX	4947	2.3	1	1	1	2	3	3	4	4
2. MULTIPLE DX	2674	2.6	4	1	1	2	3	4	4	7
A. NOT OPERATED	850	2.4	2	1	1	2	3	3	4	6
B. OPERATED	6771	2.4	2	1	1	2	3	3	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	3.0	3	1	1	3	4	5	5	5
13-19 YRS	7616	2.4	2	1	1	2	3	3	4	6
GRAND TOTAL	**7621**	**2.4**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	230	2.5	1	1	1	2	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	3615	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	153	2.9	1	2	2	3	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	2794	2.9	2	1	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	2.5	1	1	1	2	3	4	4	5
B. *Operated*	3618	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	154	2.9	1	2	2	3	3	4	5	8
B. *Operated*	2796	2.9	2	1	2	3	3	4	5	8
1. SINGLE DX	3848	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX	2950	2.9	2	1	2	3	3	4	5	8
A. NOT OPERATED	384	2.6	1	1	1	3	3	4	4	7
B. OPERATED	6414	2.7	1	1	2	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.0		2	2	3	3	4	4	4
13-19 YRS	6792	2.7	1	1	2	3	3	4	4	6
GRAND TOTAL	**6798**	**2.7**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	285	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1487	2.5	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	172	2.8	2	1	2	3	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1203	2.7	1	1	1	3	3	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	2.2	1	1	1	2	3	3	4	5
B. *Operated*	1487	2.5	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	172	2.8	2	1	2	3	3	4	5	10
B. *Operated*	1203	2.7	1	1	1	3	3	4	4	6
1. SINGLE DX	1774	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1375	2.7	1	1	2	3	3	4	5	6
A. NOT OPERATED	459	2.4	1	1	1	2	3	3	4	7
B. OPERATED	2690	2.5	1	1	1	2	3	4	4	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	3147	2.5	1	1	1	2	3	4	4	6
GRAND TOTAL	**3149**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	4599	2.6	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	8408	3.0	3	1	2	3	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	10.2	379	<1	<1	2	13	45	45	45
13-19 YRS	3447	3.0	7	1	1	3	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	5.2	43	1	2	3	6	12	23	26
13-19 YRS	14051	4.0	9	1	2	3	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4602	2.6	2	1	1	2	3	4	5	7
B. *Operated*	8411	3.0	3	1	2	3	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	3452	3.0	7	1	1	3	3	5	6	11
B. *Operated*	14064	4.0	9	1	2	3	5	7	8	15
1. SINGLE DX	13013	2.9	3	1	1	3	3	4	5	8
2. MULTIPLE DX	17516	3.8	9	1	2	3	5	6	8	14
A. NOT OPERATED	8054	2.8	4	1	1	3	3	4	5	9
B. OPERATED	22475	3.6	7	1	2	3	4	6	7	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	24	5.8	94	1	1	3	4	10	32	45
13-19 YRS	30505	3.4	7	1	2	3	4	6	7	12
GRAND TOTAL	**30529**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	192	3.3	2	1	2	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	5.4	12	<1	1	4	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	114	4.0	4	2	2	3	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	5.5	15	1	1	5	8	10	14	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	3.3	2	1	2	3	4	5	6	8
B. *Operated*	9	5.4	12	<1	1	4	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	115	4.0	4	2	2	3	5	7	8	11
B. *Operated*	19	5.5	15	1	1	5	8	10	14	17
1. SINGLE DX	201	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX	134	4.2	6	2	2	3	5	7	9	14
A. NOT OPERATED	307	3.5	3	1	2	3	4	6	7	9
B. OPERATED	28	5.5	14	1	1	5	7	11	12	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	334	3.7	4	1	2	3	4	6	7	11
GRAND TOTAL	**335**	**3.7**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**11**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	1.6		<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	127	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	2.2	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	91	2.6	5	1	1	2	3	5	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	1.6		<1	<1	1	2	3	3	3
B. *Operated*	128	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	23	2.2	2	1	1	2	3	4	5	8
B. *Operated*	91	2.6	5	1	1	2	3	5	6	15
1. SINGLE DX	161	1.5	1	<1	<1	1	2	3	3	4
2. MULTIPLE DX	114	2.5	5	1	1	2	3	4	6	13
A. NOT OPERATED	56	1.8	1	<1	1	2	2	3	3	8
B. OPERATED	219	2.0	3	<1	<1	1	2	4	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	274	1.9	2	<1	1	1	2	3	4	8
GRAND TOTAL	**275**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	69	3.0	4	1	1	2	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	134	2.7	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	54	3.8	6	<1	1	4	5	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	90	3.6	10	1	2	3	4	6	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.0	4	1	1	2	4	6	7	11
B. *Operated*	134	2.7	3	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	54	3.8	6	<1	1	4	5	7	8	14
B. *Operated*	91	3.7	11	1	2	3	4	6	10	20
1. SINGLE DX	203	2.8	4	1	1	2	3	5	7	10
2. MULTIPLE DX	145	3.7	9	1	2	3	4	7	10	15
A. NOT OPERATED	123	3.4	5	1	1	3	4	6	8	12
B. OPERATED	225	3.1	7	1	1	2	3	5	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	347	3.2	6	1	1	3	4	6	8	11
GRAND TOTAL	**348**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**11**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	4.1	11	1	2	3	5	8	12	16
1-11 MOS	210	3.7	4	1	2	3	4	6	8	11
1-5 YRS	815	3.5	4	1	2	3	4	6	7	11
6-12 YRS	703	3.7	5	1	2	3	5	6	8	11
13-19 YRS	818	3.7	4	1	2	3	5	6	7	11
B. *Operated*										
0-27 DYS	3	5.3	44	1	1	2	10	13	13	13
1-11 MOS	91	3.8	9	1	1	3	5	7	10	17
1-5 YRS	355	3.8	7	<1	1	3	5	7	9	13
6-12 YRS	252	4.7	15	<1	1	4	6	10	14	18
13-19 YRS	363	4.9	13	1	2	4	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	36	5.2	14	2	2	4	6	11	13	19
1-11 MOS	378	5.1	12	2	2	4	7	9	10	18
1-5 YRS	1022	4.0	6	1	2	3	5	7	9	14
6-12 YRS	850	4.2	8	1	2	3	5	7	9	16
13-19 YRS	1036	4.5	10	2	2	4	5	8	10	16
B. *Operated*										
0-27 DYS	11	7.5	115	2	2	4	7	22	38	39
1-11 MOS	121	5.6	19	1	2	5	7	9	15	24
1-5 YRS	364	6.1	56	1	2	4	7	11	15	58
6-12 YRS	320	6.3	26	1	2	5	8	11	16	25
13-19 YRS	499	6.9	46	2	2	5	8	13	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2569	3.7	4	1	2	3	4	6	7	11
B. *Operated*	1064	4.4	11	1	1	4	6	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	3322	4.3	9	2	2	4	5	7	10	16
B. *Operated*	1315	6.4	42	1	2	5	8	12	16	30
1. SINGLE DX	3633	3.9	7	1	2	3	5	7	9	14
2. MULTIPLE DX	4637	4.9	19	1	2	4	6	9	11	21
A. NOT OPERATED	5891	4.0	7	1	2	3	5	7	9	14
B. OPERATED	2379	5.5	29	1	1	4	7	10	14	25
TOTAL 0-27 DYS	73	5.2	29	1	2	4	6	10	14	34
1-11 MOS	800	4.6	11	1	2	4	6	9	10	18
1-5 YRS	2556	4.1	13	1	2	3	5	7	9	15
6-12 YRS	2125	4.4	11	1	2	4	5	8	11	17
13-19 YRS	2716	4.8	16	1	2	4	6	8	11	21
GRAND TOTAL	**8270**	**4.5**	**14**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	97	3.5	3	1	2	3	4	6	7	9
1-11 MOS	91	4.1	6	1	2	4	5	7	10	14
1-5 YRS	351	4.1	5	1	2	4	5	7	8	11
6-12 YRS	148	3.9	4	1	2	4	5	7	8	10
13-19 YRS	167	3.5	5	1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	53	3.9	13	<1	<1	4	6	7	9	22
1-5 YRS	186	3.8	10	<1	1	3	5	8	10	14
6-12 YRS	126	4.2	11	<1	1	3	6	9	12	14
13-19 YRS	157	3.4	10	<1	<1	2	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	76	3.8	3	1	2	3	5	6	7	10
1-11 MOS	141	4.7	8	1	2	4	6	8	10	13
1-5 YRS	491	4.1	6	1	2	4	5	7	9	12
6-12 YRS	265	4.1	12	1	2	3	5	7	10	21
13-19 YRS	269	4.3	7	1	2	4	5	8	10	15
B. *Operated*										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	66	6.0	19	1	2	5	7	11	15	22
1-5 YRS	177	4.8	12	1	1	4	7	8	10	18
6-12 YRS	127	5.7	33	<1	1	4	7	11	17	30
13-19 YRS	167	5.4	27	1	1	4	6	10	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	854	3.9	5	1	2	3	5	7	8	11
B. *Operated*	522	3.8	10	<1	<1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1242	4.2	7	1	2	4	5	7	9	14
B. *Operated*	539	5.4	22	1	1	4	7	10	14	26
1. SINGLE DX	1376	3.8	7	1	1	3	5	7	9	13
2. MULTIPLE DX	1781	4.6	12	1	2	4	6	8	10	18
A. NOT OPERATED	2096	4.1	6	1	2	3	5	7	9	13
B. OPERATED	1061	4.6	17	<1	1	4	6	9	12	20
TOTAL 0-27 DYS	175	3.7	3	1	2	3	5	6	7	10
1-11 MOS	351	4.7	11	1	1	4	6	8	11	17
1-5 YRS	1205	4.2	7	1	1	4	5	8	9	12
6-12 YRS	666	4.4	14	1	1	3	5	8	11	21
13-19 YRS	760	4.2	12	1	1	3	5	8	10	18
GRAND TOTAL	**3157**	**4.3**	**10**	**1**	**1**	**4**	**5**	**8**	**10**	**16**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	2.0	4	<1	<1	1	3	5	5	5
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	20	3.8	6	<1	1	3	6	8	50	99+
B. *Operated*										
0-27 DYS	3	3.3	10	1	1	2	6	7	7	7
1-11 MOS	19	2.1	2	<1	<1	2	3	4	5	5
1-5 YRS	10	2.5	3	<1	<1	2	2	5	7	7
6-12 YRS	26	2.9	5	<1	1	2	4	6	9	9
13-19 YRS	2303	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS										
13-19 YRS	22	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	7	3.3	4	1	1	4	5	6	6	6
1-5 YRS	10	3.9	7	1	1	3	5	8	9	9
6-12 YRS	5	2.0	1	1	1	2	2	3	3	3
13-19 YRS	323	3.5	7	1	1	3	4	6	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.4	5	<1	<1	3	5	7	19	99+
B. *Operated*	2361	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	27	2.1	3	<1	<1	1	3	5	6	6
B. *Operated*	345	3.5	7	1	1	3	4	6	8	12
1. SINGLE DX	2388	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	372	3.4	7	1	1	3	4	6	8	12
A. NOT OPERATED	54	2.7	4	<1	<1	2	4	6	7	95
B. OPERATED	2706	2.9	4	1	1	2	4	5	6	10
TOTAL 0-27 DYS	4	3.5	7	1	1	3	5	7	7	7
1-11 MOS	32	2.4	3	<1	<1	2	4	5	6	6
1-5 YRS	24	3.0	5	<1	1	2	4	7	8	9
6-12 YRS	32	2.7	5	<1	1	2	4	5	8	9
13-19 YRS	2668	2.9	4	1	1	2	4	5	6	10
GRAND TOTAL	**2760**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	26	1.6	2	<1	<1	<1	2	3	5	7
1-5 YRS	138	1.4	1	<1	<1	<1	1	2	3	5
6-12 YRS	67	1.1		<1	<1	<1	1	2	2	3
13-19 YRS	106	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	10	2.7	11	<1	<1	1	3	8	12	12
6-12 YRS	3	2.0	3	<1	<1	1	3	4	4	4
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	6	2.7	5	<1	<1	1	5	6	6	6
1-5 YRS	16	1.8	2	<1	<1	1	2	5	6	6
6-12 YRS	16	4.3	82	<1	<1	2	3	5	28	38
13-19 YRS	43	2.1	3	<1	<1	1	3	4	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	337	1.4	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	15	2.8	8	<1	<1	2	4	5	10	12
B. *Operated*	81	2.5	19	<1	<1	1	3	5	6	29
1. SINGLE DX	339	1.4	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX	96	2.6	17	<1	<1	1	3	5	6	26
A. NOT OPERATED	17	2.6	8	<1	<1	1	3	5	10	12
B. OPERATED	418	1.6	4	<1	<1	1	2	3	4	7
TOTAL 0-27 DYS										
1-11 MOS	35	1.8	3	<1	<1	1	2	5	6	7
1-5 YRS	164	1.5	2	<1	<1	1	2	2	3	9
6-12 YRS	86	1.8	16	<1	<1	<1	1	2	3	26
13-19 YRS	150	1.7	2	<1	<1	1	2	3	4	6
GRAND TOTAL	**435**	**1.6**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	3.5	1	1	2	4	4	5	6	6
1-11 MOS	135	2.8	3	1	1	2	4	5	6	9
1-5 YRS	393	3.0	7	1	1	2	4	5	7	11
6-12 YRS	245	3.9	16	1	1	3	5	7	10	23
13-19 YRS	263	5.3	50	1	1	3	6	13	18	33
B. *Operated*										
0-27 DYS	4	3.5	3	2	2	3	5	6	6	6
1-11 MOS	21	5.4	123	<1	<1	2	5	10	29	52
1-5 YRS	192	2.5	10	<1	<1	1	2	5	8	19
6-12 YRS	358	2.4	10	<1	<1	2	2	4	8	16
13-19 YRS	659	2.7	16	<1	<1	2	3	5	8	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	46	3.9	6	1	2	3	4	8	10	13
1-11 MOS	259	3.9	13	1	1	3	5	7	10	19
1-5 YRS	586	3.9	19	1	1	3	4	7	9	22
6-12 YRS	333	4.9	52	1	1	3	5	10	15	42
13-19 YRS	455	6.1	56	1	1	4	7	12	20	36
B. *Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	30	6.2	39	<1	1	5	8	13	16	30
1-5 YRS	244	4.8	39	<1	<1	2	5	12	20	31
6-12 YRS	312	5.5	54	<1	1	3	6	13	20	38
13-19 YRS	695	7.3	132	<1	1	3	8	19	33	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1058	3.8	20	1	1	3	4	7	10	23
B. *Operated*	1234	2.6	15	<1	<1	2	3	5	8	21
2. MULTIPLE DX										
A. *Not Operated*	1679	4.7	35	1	1	3	5	9	13	30
B. *Operated*	1283	6.3	94	<1	1	3	7	16	24	59
1. SINGLE DX	2292	3.1	18	<1	<1	2	3	6	9	21
2. MULTIPLE DX	2962	5.4	61	<1	1	3	6	11	19	45
A. NOT OPERATED	2737	4.3	29	1	1	3	5	8	12	27
B. OPERATED	2517	4.5	59	<1	<1	2	4	10	18	45
TOTAL 0-27 DYS	74	3.7	5	1	2	3	4	6	8	12
1-11 MOS	445	3.8	17	1	1	3	5	7	9	19
1-5 YRS	1415	3.6	19	<1	1	2	4	7	10	22
6-12 YRS	1248	4.1	35	<1	<1	2	4	9	13	30
13-19 YRS	2072	5.3	71	<1	<1	3	5	12	20	48
GRAND TOTAL	**5254**	**4.4**	**43**	**<1**	**1**	**2**	**5**	**9**	**15**	**37**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	2.3	2	<1	<1	2	3	5	5	5
6-12 YRS	48	3.3	10	<1	<1	2	4	9	10	13
13-19 YRS	72	3.8	7	<1	<1	3	5	7	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	9.0	83	1	1	7	16	21	21	21
6-12 YRS	15	4.1	14	2	2	2	5	11	13	14
13-19 YRS	51	4.8	17	1	1	3	7	10	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	10.3	44	6	6	7	15	18	18	18
1-5 YRS	12	4.7	24	<1	<1	3	7	14	15	15
6-12 YRS	58	7.4	119	1	1	5	8	16	32	98
13-19 YRS	173	6.9	38	1	2	5	8	15	20	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	12.4	181	<1	<1	8	18	34	38	38
6-12 YRS	18	9.6	113	1	2	6	10	27	36	40
13-19 YRS	88	11.2	143	2	2	8	13	28	32	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	3.5	8	<1	<1	3	5	7	10	13
B. *Operated*	70	4.9	20	1	1	3	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	246	6.9	56	1	2	5	8	15	20	39
B. *Operated*	113	11.0	139	2	2	8	13	28	37	66
1. SINGLE DX	198	4.0	13	<1	1	3	5	9	11	17
2. MULTIPLE DX	359	8.2	85	1	2	5	10	18	28	62
A. NOT OPERATED	374	5.8	42	<1	1	4	7	12	17	33
B. OPERATED	183	8.7	102	1	2	5	11	19	29	56
TOTAL 0-27 DYS										
1-11 MOS	3	10.3	44	6	6	7	15	18	18	18
1-5 YRS	31	6.4	69	<1	<1	2	9	18	21	38
6-12 YRS	139	5.9	73	1	1	3	7	11	20	77
13-19 YRS	384	7.0	60	1	2	5	9	15	21	36
GRAND TOTAL	**557**	**6.7**	**63**	**1**	**1**	**4**	**8**	**14**	**21**	**38**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.8	8	3	3	7	9	10	10	10
1-5 YRS	107	4.0	8	1	1	4	5	7	10	16
6-12 YRS	143	5.1	24	1	1	4	6	10	13	29
13-19 YRS	71	5.6	16	1	1	5	7	12	14	17
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	15	4.3	21	<1	<1	2	6	9	16	18
6-12 YRS	20	3.9	16	<1	<1	2	5	10	14	15
13-19 YRS	20	6.5	31	<1	<1	5	10	14	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	6.0	3	4	4	6	7	8	8	8
1-5 YRS	83	6.4	52	1	2	4	8	13	22	41
6-12 YRS	104	7.3	31	2	2	6	10	15	18	27
13-19 YRS	97	7.3	45	2	2	5	9	12	22	37
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	12.8	240	5	5	5	21	36	36	36
1-5 YRS	11	5.3	35	1	1	3	6	16	20	20
6-12 YRS	23	11.1	150	1	2	7	13	25	39	55
13-19 YRS	28	9.5	96	1	2	6	12	19	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	4.9	17	1	1	4	6	10	13	18
B. *Operated*	56	5.1	24	<1	<1	3	8	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	288	7.1	41	2	2	5	9	14	19	35
B. *Operated*	67	9.4	111	1	2	5	12	21	33	53
1. SINGLE DX	381	4.9	18	1	1	4	6	10	13	18
2. MULTIPLE DX	355	7.5	55	2	2	5	9	15	22	39
A. NOT OPERATED	613	5.9	29	1	2	4	7	11	16	29
B. OPERATED	123	7.4	76	<1	1	5	10	15	22	48
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	13	8.8	73	3	4	6	8	17	32	36
1-5 YRS	216	5.0	28	1	1	4	6	10	14	29
6-12 YRS	290	6.3	38	1	2	4	8	13	18	29
13-19 YRS	216	7.0	42	1	2	5	9	13	18	36
GRAND TOTAL	**736**	**6.2**	**37**	**1**	**2**	**4**	**8**	**12**	**17**	**35**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	4.0	18	1	1	4	7	7	7	7
13-19 YRS	4	7.0	101	1	1	2	12	22	22	22
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	6	6.2	37	1	1	4	11	15	16	16
1-5 YRS	2	13.5	13	11	11	13	16	16	16	16
6-12 YRS	4	11.5	70	2	2	11	17	22	22	22
13-19 YRS	33	3.1	7	<1	1	2	3	8	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	4	3.5	9	2	2	2	5	8	8	8
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	7	8.3	30	3	3	7	10	17	19	19
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	13	6.8	22	<1	1	5	12	13	13	13
1-5 YRS	7	15.6	75	3	6	14	26	79	99+	99+
6-12 YRS	2	11.0	32	7	7	11	15	15	15	15
13-19 YRS	34	5.2	57	<1	1	3	5	11	14	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.3	49	1	1	3	5	17	22	22
B. *Operated*	46	4.8	25	<1	1	3	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	13	6.6	22	2	2	7	8	13	18	19
B. *Operated*	57	6.9	59	<1	1	4	12	15	27	95
1. SINGLE DX	54	4.9	28	1	1	3	7	12	16	22
2. MULTIPLE DX	70	6.9	52	<1	1	4	11	14	21	88
A. NOT OPERATED	21	6.1	31	1	1	4	8	14	20	22
B. OPERATED	103	6.0	44	<1	1	3	9	14	18	69
TOTAL 0-27 DYS	2	6.5	61	<1	<1	6	12	12	12	12
1-11 MOS	21	6.4	23	<1	1	4	11	13	14	16
1-5 YRS	14	10.9	72	2	2	12	16	31	83	99+
6-12 YRS	9	9.2	43	1	1	7	13	19	22	22
13-19 YRS	78	4.7	36	<1	1	3	5	10	13	37
GRAND TOTAL	**124**	**6.0**	**42**	**<1**	**1**	**3**	**9**	**14**	**19**	**57**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	24	9.4	41	2	2	8	12	20	23	24
1-5 YRS	151	7.9	47	1	2	6	11	18	23	29
6-12 YRS	117	6.1	36	1	1	4	8	13	18	30
13-19 YRS	100	6.1	28	2	2	4	7	12	16	30
B. *Operated*										
0-27 DYS										
1-11 MOS	28	13.2	64	2	4	12	20	24	27	29
1-5 YRS	81	12.6	65	3	4	10	17	24	27	39
6-12 YRS	67	11.7	58	2	3	11	15	21	25	42
13-19 YRS	116	6.7	39	1	1	5	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	11.7	76	2	2	14	18	19	19	19
1-11 MOS	53	11.2	42	2	5	10	14	19	25	37
1-5 YRS	128	7.7	84	1	1	5	10	15	21	41
6-12 YRS	116	7.0	42	1	2	5	9	14	17	38
13-19 YRS	134	7.6	40	2	2	5	9	18	22	31
B. *Operated*										
0-27 DYS	8	20.8	77	4	7	22	28	30	30	30
1-11 MOS	72	15.2	106	4	5	14	19	25	41	52
1-5 YRS	123	15.1	130	5	6	12	17	25	32	75
6-12 YRS	85	17.3	88	5	7	15	23	29	36	43
13-19 YRS	126	10.9	96	1	1	8	15	23	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	7.0	39	1	2	5	9	14	21	29
B. *Operated*	292	10.1	60	1	2	8	15	21	24	37
2. MULTIPLE DX										
A. *Not Operated*	434	7.9	55	1	2	6	10	16	21	32
B. *Operated*	414	14.4	111	2	3	13	20	27	33	50
1. SINGLE DX	686	8.3	51	1	2	6	11	18	22	31
2. MULTIPLE DX	848	11.1	93	1	2	9	15	23	29	44
A. NOT OPERATED	828	7.5	48	1	2	5	10	15	21	31
B. OPERATED	706	12.6	95	1	2	11	17	24	29	44
TOTAL 0-27 DYS	13	16.2	99	2	3	16	24	29	30	30
1-11 MOS	177	12.9	75	2	4	11	17	22	28	43
1-5 YRS	483	10.5	90	1	2	8	14	21	26	41
6-12 YRS	385	9.8	73	1	2	8	14	21	27	42
13-19 YRS	476	7.9	56	1	2	5	11	18	22	38
GRAND TOTAL	**1534**	**9.9**	**76**	**1**	**2**	**8**	**14**	**21**	**25**	**42**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	24	1.8	2	<1	1	1	2	3	5	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	2.0	2	<1	<1	1	3	4	4	4
1-5 YRS	6	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	56	1.9	1	<1	<1	2	2	3	5	6
13-19 YRS	1374	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	40	1.9	3	<1	<1	1	2	4	5	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	2.3	3	1	1	2	3	5	6	6
1-5 YRS	3	4.0	12	2	2	2	7	8	8	8
6-12 YRS	43	2.4	2	<1	1	2	3	4	5	6
13-19 YRS	1337	2.5	3	<1	1	2	3	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.0	3	<1	1	1	2	4	7	8
B. *Operated*	1441	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	42	2.1	3	<1	<1	1	3	5	6	8
B. *Operated*	1391	2.5	3	<1	1	2	3	5	6	8
1. SINGLE DX	1466	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	1433	2.5	3	<1	1	2	3	5	6	8
A. NOT OPERATED	67	2.0	3	<1	<1	1	2	4	6	8
B. OPERATED	2832	2.3	3	<1	<1	2	3	5	6	7
TOTAL 0-27 DYS	3	2.0	3	1	1	1	3	4	4	4
1-11 MOS	11	2.2	3	<1	<1	2	3	5	6	6
1-5 YRS	9	2.0	5	<1	<1	1	2	6	8	8
6-12 YRS	101	2.2	2	<1	<1	2	3	4	5	7
13-19 YRS	2775	2.3	3	<1	<1	2	3	5	6	8
GRAND TOTAL	**2899**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**8**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.2	1	1	1	2	3	3	3	3
1-5 YRS	152	2.9	6	1	1	2	3	6	7	10
6-12 YRS	142	3.2	6	1	1	3	4	6	7	16
13-19 YRS	111	3.2	7	<1	1	2	4	6	8	14
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	18	6.1	34	<1	1	3	10	14	18	21
1-5 YRS	67	2.4	2	<1	1	2	3	4	5	9
6-12 YRS	181	3.3	15	<1	1	2	3	6	10	21
13-19 YRS	2890	2.7	3	1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.7	9	<1	<1	3	6	8	10	10
1-5 YRS	112	3.7	16	1	1	3	4	7	11	24
6-12 YRS	146	4.9	37	1	1	3	5	10	14	38
13-19 YRS	212	4.6	51	<1	<1	3	5	9	15	41
B. *Operated*										
0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	18	3.9	11	1	1	2	6	9	11	13
1-5 YRS	256	4.1	11	1	1	3	5	7	10	21
6-12 YRS	401	5.2	27	1	1	4	6	10	16	30
13-19 YRS	1390	3.5	17	1	1	3	4	6	9	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	411	3.1	6	1	1	2	4	6	7	14
B. *Operated*	3158	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	481	4.5	38	<1	1	3	5	9	12	33
B. *Operated*	2068	3.9	18	1	1	3	5	7	11	24
1. SINGLE DX	3569	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX	2549	4.0	22	1	1	3	5	8	11	26
A. NOT OPERATED	892	3.8	24	1	1	3	4	7	11	24
B. OPERATED	5226	3.2	10	1	1	3	4	5	7	17
TOTAL 0-27 DYS	5	2.4	3	<1	<1	2	3	5	5	5
1-11 MOS	53	4.4	18	1	1	3	6	11	13	21
1-5 YRS	587	3.5	10	1	1	3	4	7	9	18
6-12 YRS	870	4.5	23	1	1	3	5	8	13	30
13-19 YRS	4603	3.1	10	1	1	2	4	5	7	15
GRAND TOTAL	**6118**	**3.3**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**19**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	6	6.7	15	2	2	6	11	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.0	7	2	2	3	6	7	7	7
13-19 YRS	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.4	13	2	2	5	10	11	11	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	3.3	4	1	1	3	4	6	7	7
B. *Operated*	1	7.0		7	7	7	7	7	7	7
1. SINGLE DX	7	6.4	13	2	2	5	10	11	11	11
2. MULTIPLE DX	8	3.8	5	1	1	3	5	7	7	7
A. NOT OPERATED	14	4.9	10	1	2	4	7	11	11	11
B. OPERATED	1	7.0		7	7	7	7	7	7	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	4.3	5	2	2	4	6	7	7	7
13-19 YRS	11	5.3	12	1	2	4	8	11	11	11
GRAND TOTAL	**15**	**5.0**	**10**	**1**	**2**	**4**	**7**	**11**	**11**	**11**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	4.0	9	<1	<1	4	6	7	7	7
13-19 YRS	7	5.6	30	2	2	3	7	15	17	17
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.3	4	1	1	3	5	6	6	6
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	4	3.0	5	1	1	3	5	5	5	5
13-19 YRS	13	6.2	33	1	1	6	7	12	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	3	10.0	129	2	2	5	18	23	23	23
1-5 YRS	5	4.6	11	<1	<1	4	6	10	10	10
6-12 YRS	6	3.5	11	<1	<1	2	6	9	9	9
13-19 YRS	13	5.1	24	1	1	4	6	11	17	19
B. *Operated*										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	4	7.5	35	2	2	7	12	14	14	14
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	12	7.2	36	1	2	6	9	14	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.0	20	<1	1	4	6	12	17	17
B. *Operated*	22	5.3	23	1	1	5	7	9	15	23
2. MULTIPLE DX										
A. *Not Operated*	28	5.4	29	<1	<1	4	7	11	19	23
B. *Operated*	21	6.8	27	1	2	6	9	12	18	24
1. SINGLE DX	33	5.2	22	1	1	4	7	9	16	23
2. MULTIPLE DX	49	6.0	28	<1	1	5	9	12	19	24
A. NOT OPERATED	39	5.3	26	<1	<1	4	7	11	18	23
B. OPERATED	43	6.0	25	1	1	5	8	10	17	24
TOTAL 0-27 DYS	3	9.0	9	6	6	9	11	12	12	12
1-11 MOS	11	6.6	46	1	1	3	10	18	23	23
1-5 YRS	8	5.0	11	<1	1	4	7	10	10	10
6-12 YRS	15	3.5	7	<1	<1	2	6	7	8	9
13-19 YRS	45	6.0	29	1	1	5	8	10	20	24
GRAND TOTAL	**82**	**5.7**	**25**	**<1**	**1**	**4**	**7**	**11**	**18**	**24**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	5.0	6	2	2	5	7	8	8	8
1-5 YRS	11	5.4	29	<1	<1	3	8	13	18	18
6-12 YRS	12	6.7	22	1	2	4	10	14	14	14
13-19 YRS	123	6.2	15	1	2	5	8	11	12	20
B. *Operated*										
0-27 DYS	3	9.0	57	1	1	10	14	16	16	16
1-11 MOS	22	4.9	13	1	1	4	8	10	12	14
1-5 YRS	5	5.0	16	1	1	5	7	11	11	11
6-12 YRS	10	5.0	8	1	1	5	6	9	11	11
13-19 YRS	602	5.0	15	1	1	4	6	9	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	5	6.8	9	4	4	5	9	11	11	11
1-5 YRS	5	6.8	60	1	1	4	10	20	20	20
6-12 YRS	2	11.0	98	4	4	11	18	18	18	18
13-19 YRS	54	7.1	26	1	1	6	10	13	17	24
B. *Operated*										
0-27 DYS	2	10.0	50	5	5	10	15	15	15	15
1-11 MOS	8	7.0	17	1	1	7	10	12	12	12
1-5 YRS	3	8.0		8	8	8	8	8	8	8
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	141	7.8	38	1	1	6	10	16	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	6.1	16	1	2	5	8	11	13	18
B. *Operated*	642	5.0	15	1	1	4	6	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	68	7.1	27	1	1	6	10	15	18	23
B. *Operated*	155	7.7	36	1	1	6	10	15	19	32
1. SINGLE DX	796	5.2	15	1	1	4	7	10	13	19
2. MULTIPLE DX	223	7.5	33	1	1	6	10	15	19	30
A. NOT OPERATED	222	6.4	19	1	2	5	9	12	15	21
B. OPERATED	797	5.5	20	1	1	4	7	11	14	23
TOTAL 0-27 DYS	7	8.1	33	1	1	7	14	16	16	16
1-11 MOS	43	5.5	12	1	1	5	8	10	12	14
1-5 YRS	24	5.9	27	<1	1	5	8	12	19	20
6-12 YRS	25	6.2	20	1	2	4	9	14	15	18
13-19 YRS	920	5.7	20	1	1	5	7	11	14	24
GRAND TOTAL	**1019**	**5.7**	**20**	**1**	**1**	**5**	**7**	**11**	**14**	**23**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	5.2	37	1	1	3	[illegible]	16	17	17
6-12 YRS	8	5.1	14	<1	<1	4	9	10	10	10
13-19 YRS	17	4.9	13	<1	1	4	6	11	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.8	8	1	1	3	6	7	7	7
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	4	3.5	6	2	2	3	5	7	7	7
13-19 YRS	25	4.9	15	1	1	4	6	8	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	7.9	40	1	1	7	12	17	19	19
6-12 YRS										
13-19 YRS	10	6.7	16	2	2	6	7	13	16	16
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	2	7.0	32	3	3	7	11	11	11	11
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	15	5.5	25	1	1	5	8	9	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	5.0	16	<1	1	4	8	11	12	17
B. *Operated*	35	4.6	12	1	1	4	6	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	18	7.2	25	1	2	6	10	15	18	19
B. *Operated*	19	6.1	23	1	1	6	8	11	16	20
1. SINGLE DX	66	4.8	14	1	1	4	7	10	12	18
2. MULTIPLE DX	37	6.6	24	1	1	6	9	12	18	20
A. NOT OPERATED	49	5.8	20	<1	1	5	9	12	16	19
B. OPERATED	54	5.1	16	1	1	4	7	9	12	20
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	4	3.8	8	1	1	3	6	7	7	7
1-5 YRS	18	6.6	31	1	1	5	11	16	18	19
6-12 YRS	13	5.1	13	<1	<1	3	9	10	11	11
13-19 YRS	67	5.3	17	1	1	5	7	11	13	20
GRAND TOTAL	**103**	**5.5**	**18**	**1**	**1**	**5**	**8**	**11**	**14**	**19**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	16	5.9	27	2	2	4	7	16	17	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	8	2.1	3	1	1	2	2	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	9.5	41	5	5	9	14	14	14	14
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	13	8.3	34	2	3	8	10	15	22	24
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	7.0	8	5	5	7	9	9	9	9
13-19 YRS	9	4.2	18	1	1	3	5	11	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.3	21	1	2	4	5	14	17	18
B. *Operated*	9	3.0	9	1	1	2	3	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	16	8.4	30	2	4	8	11	14	21	24
B. *Operated*	13	4.9	14	1	1	4	7	10	13	14
1. SINGLE DX	31	4.6	18	1	1	3	5	11	16	18
2. MULTIPLE DX	29	6.9	25	1	1	5	9	13	15	24
A. NOT OPERATED	38	6.6	26	2	2	4	9	14	17	24
B. OPERATED	22	4.1	13	1	1	3	6	9	12	14
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	7.0	22	4	4	5	10	14	14	14
1-5 YRS	3	5.7	4	4	4	5	7	8	8	8
6-12 YRS	6	6.2	12	1	1	6	9	10	10	10
13-19 YRS	46	5.6	26	1	1	4	8	13	16	24
GRAND TOTAL	**60**	**5.7**	**23**	**1**	**1**	**4**	**8**	**13**	**15**	**23**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	9	5.6	9	2	2	5	7	10	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	5.0	26	1	1	2	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	3	8.7	4	7	7	8	10	11	11	11
13-19 YRS	19	5.2	6	1	2	5	8	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	11	7.7	45	1	1	5	11	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.8	8	1	2	4	6	10	11	11
B. *Operated*	7	5.0	26	1	1	2	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	23	5.4	8	1	2	5	8	9	10	11
B. *Operated*	12	7.6	41	1	2	5	10	18	21	22
1. SINGLE DX	19	4.9	14	1	1	4	7	11	13	14
2. MULTIPLE DX	35	6.2	19	1	2	5	8	11	16	22
A. NOT OPERATED	35	5.2	8	1	2	5	8	9	10	11
B. OPERATED	19	6.6	36	1	1	5	10	16	20	22
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	4	8.0	5	6	6	7	9	11	11	11
13-19 YRS	46	5.8	19	1	2	5	8	11	15	22
GRAND TOTAL	**54**	**5.7**	**18**	**1**	**1**	**5**	**8**	**11**	**14**	**22**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	2.9	8	<1	<1	1	5	6	9	10
1-5 YRS	41	2.9	30	<1	1	2	2	5	6	36
6-12 YRS	57	3.7	27	1	1	3	4	7	10	36
13-19 YRS	251	4.1	9	1	1	3	6	8	10	15
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	8	1.5	1	<1	<1	1	2	3	4	4
1-5 YRS	10	3.6	7	1	1	3	5	8	10	10
6-12 YRS	32	2.9	4	<1	1	2	3	6	8	9
13-19 YRS	210	3.3	39	1	1	2	3	6	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	12.3	117	1	1	10	19	27	27	27
1-11 MOS	13	7.2	17	1	3	7	8	12	17	18
1-5 YRS	27	2.7	6	<1	1	2	3	6	10	10
6-12 YRS	73	3.0	6	1	1	3	3	6	8	13
13-19 YRS	295	4.4	16	1	1	3	6	10	11	18
B. *Operated*										
0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	10	5.5	21	<1	<1	4	7	13	15	15
1-5 YRS	5	12.2	403	2	2	3	16	48	48	48
6-12 YRS	20	8.9	155	1	1	4	9	20	39	55
13-19 YRS	152	4.8	23	1	1	3	7	10	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	3.9	14	1	1	3	5	8	10	16
B. *Operated*	261	3.2	33	1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	412	4.2	15	1	1	3	5	9	11	18
B. *Operated*	189	5.5	47	1	1	3	7	11	15	43
1. SINGLE DX	625	3.6	22	1	1	2	4	7	9	16
2. MULTIPLE DX	601	4.6	25	1	1	3	6	10	12	27
A. NOT OPERATED	776	4.0	15	1	1	3	5	8	10	17
B. OPERATED	450	4.2	40	1	1	2	5	9	12	28
TOTAL 0-27 DYS	7	9.7	73	1	1	9	11	24	27	27
1-11 MOS	46	4.4	16	<1	<1	4	6	10	12	18
1-5 YRS	83	3.5	42	<1	1	2	3	6	10	44
6-12 YRS	182	3.9	31	1	1	3	4	7	10	34
13-19 YRS	908	4.1	21	1	1	3	5	9	11	17
GRAND TOTAL	**1226**	**4.1**	**24**	**1**	**1**	**3**	**5**	**9**	**11**	**18**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	9	1	1	3	6	7	7	7
1-5 YRS	283	2.7	4	1	1	2	4	5	6	9
6-12 YRS	203	3.5	5	1	1	3	4	7	8	12
13-19 YRS	91	3.6	5	1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.3	3	<1	<1	2	3	5	5	5
1-5 YRS	73	2.0	5	<1	<1	1	2	4	7	12
6-12 YRS	81	3.4	26	<1	<1	2	4	6	9	33
13-19 YRS	546	2.2	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	4.1	16	<1	<1	2	6	11	11	11
1-5 YRS	122	4.1	67	1	1	3	4	6	7	33
6-12 YRS	110	4.3	11	1	2	3	6	8	9	18
13-19 YRS	99	4.5	10	<1	1	3	6	9	12	14
B. *Operated*										
0-27 DYS										
1-11 MOS	5	6.6	45	<1	<1	5	18	92	99+	99+
1-5 YRS	20	4.0	7	1	1	4	6	8	9	9
6-12 YRS	52	5.8	31	<1	<1	4	8	13	16	24
13-19 YRS	290	3.2	22	<1	1	2	4	6	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	3.1	5	1	1	3	4	6	7	11
B. *Operated*	707	2.3	6	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	340	4.3	30	1	1	3	5	7	9	13
B. *Operated*	367	3.6	24	<1	1	2	4	7	9	24
1. SINGLE DX	1287	2.7	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	707	3.9	27	1	1	3	5	7	9	22
A. NOT OPERATED	920	3.6	14	1	1	3	4	7	8	13
B. OPERATED	1074	2.8	12	<1	<1	2	3	5	7	14
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	23	4.1	18	<1	<1	3	6	12	43	99+
1-5 YRS	498	3.0	20	<1	1	2	4	5	7	11
6-12 YRS	446	4.0	14	<1	1	3	5	8	10	23
13-19 YRS	1026	2.8	10	<1	1	2	3	6	7	12
GRAND TOTAL	**1994**	**3.1**	**13**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	5	2.4	3	1	1	2	3	5	5	5
1-5 YRS	10	2.5	3	<1	<1	2	3	5	6	6
6-12 YRS	78	2.4	2	<1	1	2	3	4	5	7
13-19 YRS	673	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	17	1.1		<1	<1	<1	1	2	2	2
B. *Operated*										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	10	3.4	3	1	1	3	5	6	7	7
1-5 YRS	7	2.9	6	1	1	2	4	7	8	8
6-12 YRS	68	2.5	1	1	1	3	3	4	5	6
13-19 YRS	848	2.7	2	1	1	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	2	1	1	2	3	4	4	4
B. *Operated*	769	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	19	1.1		<1	<1	<1	1	2	2	2
B. *Operated*	936	2.7	2	1	1	3	3	4	5	7
1. SINGLE DX	773	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	955	2.7	2	1	1	3	3	4	5	7
A. NOT OPERATED	23	1.3		<1	<1	1	1	2	3	4
B. OPERATED	1705	2.6	2	1	1	2	3	4	5	7
TOTAL 0-27 DYS	6	2.3	1	1	1	2	3	4	4	4
1-11 MOS	15	3.1	3	1	1	3	4	5	7	7
1-5 YRS	17	2.6	4	<1	1	2	3	6	7	8
6-12 YRS	149	2.4	2	<1	1	2	3	4	5	7
13-19 YRS	1541	2.6	2	1	1	2	3	4	5	7
GRAND TOTAL	**1728**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	112	1.4	1	<1	<1	1	2	2	3	6
6-12 YRS	192	1.4		<1	<1	1	2	2	3	4
13-19 YRS	392	1.4		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	20	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	22	1.9	2	<1	<1	1	3	4	5	5
13-19 YRS	62	1.9	3	<1	<1	1	3	3	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	1	<1	<1	2	2	3	3	3
B. *Operated*	701	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	9	1.2		<1	<1	<1	1	2	3	3
B. *Operated*	107	1.9	2	<1	<1	1	3	3	5	8
1. SINGLE DX	706	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	116	1.8	2	<1	<1	1	2	3	5	8
A. NOT OPERATED	14	1.4	1	<1	<1	<1	2	3	3	3
B. OPERATED	808	1.5	1	<1	<1	1	2	2	3	5
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	6	2.0	2	<1	<1	1	2	5	5	5
1-5 YRS	135	1.5	1	<1	<1	1	2	2	3	5
6-12 YRS	220	1.5	1	<1	<1	1	2	2	3	4
13-19 YRS	459	1.5	1	<1	<1	1	2	2	3	5
GRAND TOTAL	**822**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	22.0		22	22	22	22	22	22	22
1-11 MOS	24	11.8	30	3	5	12	15	18	21	24
1-5 YRS	76	10.7	65	1	1	9	16	22	26	32
6-12 YRS	119	12.0	73	2	3	10	16	23	29	43
13-19 YRS	88	11.1	80	2	3	8	14	26	29	42
B. *Operated*										
0-27 DYS										
1-11 MOS	12	14.6	87	1	1	15	23	27	28	28
1-5 YRS	52	13.1	106	<1	2	9	21	30	34	36
6-12 YRS	104	15.4	151	2	3	13	21	31	40	59
13-19 YRS	145	12.5	153	1	2	9	17	28	35	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	20.5	36	14	14	20	25	28	28	28
1-11 MOS	28	12.5	56	3	4	11	16	23	28	33
1-5 YRS	92	13.3	69	3	4	11	20	26	28	34
6-12 YRS	122	15.3	112	2	4	13	22	29	37	45
13-19 YRS	84	13.9	102	3	4	11	20	29	37	81
B. *Operated*										
0-27 DYS	6	23.0	131	10	10	20	33	39	40	40
1-11 MOS	27	18.4	126	3	6	15	24	34	42	45
1-5 YRS	80	16.1	179	1	3	12	22	33	41	69
6-12 YRS	195	17.8	183	2	4	15	24	38	48	91
13-19 YRS	243	16.9	204	3	4	12	24	40	44	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	11.4	69	1	2	9	15	23	28	41
B. *Operated*	313	13.7	143	1	2	10	21	29	36	53
2. MULTIPLE DX										
A. *Not Operated*	330	14.2	92	3	4	12	21	28	32	44
B. *Operated*	551	17.2	188	2	4	14	24	39	44	69
1. SINGLE DX	621	12.6	107	1	2	10	17	27	32	45
2. MULTIPLE DX	881	16.1	154	3	4	13	22	33	42	61
A. NOT OPERATED	638	12.9	83	2	3	10	18	27	30	43
B. OPERATED	864	15.9	174	2	3	13	22	34	42	63
TOTAL 0-27 DYS	11	22.0	78	10	12	22	27	36	40	40
1-11 MOS	91	14.3	79	3	4	13	18	26	31	44
1-5 YRS	300	13.4	106	1	2	11	20	27	32	45
6-12 YRS	540	15.5	140	2	3	13	21	32	42	55
13-19 YRS	560	14.4	161	2	3	10	20	31	41	60
GRAND TOTAL	**1502**	**14.6**	**138**	**2**	**3**	**11**	**21**	**30**	**39**	**56**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7	1	<1	<1	1	2	3	3	3
1-11 MOS	7	6.4	77	<1	<1	3	8	22	25	25
1-5 YRS	111	4.8	16	<1	<1	4	7	9	14	18
6-12 YRS	199	6.4	49	<1	1	4	8	15	18	39
13-19 YRS	149	3.6	30	<1	1	2	4	8	9	29
B. *Operated*										
0-27 DYS										
1-11 MOS	12	2.8	5	<1	<1	2	3	6	9	9
1-5 YRS	154	3.9	17	<1	<1	3	5	8	13	22
6-12 YRS	891	4.8	21	<1	1	4	6	9	13	24
13-19 YRS	1943	3.7	14	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.3	4	1	1	4	5	5	5	5
1-11 MOS	14	6.4	14	1	2	6	8	12	14	14
1-5 YRS	65	7.4	95	1	1	4	9	17	34	92
6-12 YRS	121	7.3	63	1	1	5	9	16	25	39
13-19 YRS	183	4.9	50	<1	<1	3	6	10	17	89
B. *Operated*										
0-27 DYS	3	4.3	4	2	2	5	6	6	6	6
1-11 MOS	12	8.8	55	<1	1	7	13	22	23	23
1-5 YRS	80	4.9	21	<1	1	3	6	11	14	25
6-12 YRS	341	6.8	52	1	1	4	8	16	22	38
13-19 YRS	953	5.0	34	1	1	3	6	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	5.1	36	<1	1	3	7	12	16	29
B. *Operated*	3000	4.0	16	<1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	386	6.1	61	<1	1	4	7	14	21	63
B. *Operated*	1389	5.4	38	1	1	3	7	12	17	31
1. SINGLE DX	3469	4.2	19	<1	1	3	5	8	12	22
2. MULTIPLE DX	1775	5.6	43	1	1	3	7	12	18	35
A. NOT OPERATED	855	5.6	48	<1	1	3	7	12	18	42
B. OPERATED	4389	4.5	24	1	1	3	5	9	13	24
TOTAL 0-27 DYS	9	3.1	4	<1	<1	3	5	6	6	6
1-11 MOS	45	6.1	35	<1	1	4	8	14	21	25
1-5 YRS	410	4.9	31	<1	1	3	6	10	16	29
6-12 YRS	1552	5.6	36	1	1	4	7	12	17	32
13-19 YRS	3228	4.1	23	1	1	3	5	8	12	23
GRAND TOTAL	**5244**	**4.6**	**28**	**<1**	**1**	**3**	**6**	**10**	**14**	**27**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	6	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	16	3.6	3	<1	1	3	5	6	7	7
1-5 YRS	95	2.7	3	<1	1	2	4	5	6	9
6-12 YRS	275	4.3	28	1	1	3	5	6	8	40
13-19 YRS	378	3.5	9	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	17	1.6	2	<1	<1	1	2	4	5	6
6-12 YRS	31	4.5	32	<1	<1	1	6	15	17	18
13-19 YRS	24	7.3	326	<1	<1	1	7	17	39	89
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	2.4	1	<1	1	2	3	4	4	4
1-5 YRS	253	3.2	8	<1	1	3	4	5	8	13
6-12 YRS	515	4.6	38	1	1	3	5	8	10	43
13-19 YRS	586	5.6	57	1	2	4	6	9	13	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.0	5	<1	<1	1	2	5	8	8
B. *Operated*	764	3.7	15	1	1	3	4	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	74	4.9	121	<1	<1	1	5	12	17	72
B. *Operated*	1367	4.8	41	1	1	3	5	8	11	34
1. SINGLE DX	774	3.7	15	<1	1	3	4	6	8	16
2. MULTIPLE DX	1441	4.8	45	1	1	3	5	8	11	34
A. NOT OPERATED	84	4.5	108	<1	<1	1	4	11	17	65
B. OPERATED	2131	4.4	32	1	1	3	5	7	10	30
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	30	3.5	5	<1	1	3	4	7	8	10
1-5 YRS	366	3.0	6	<1	1	3	4	5	7	11
6-12 YRS	827	4.5	34	1	1	3	5	7	10	42
13-19 YRS	990	4.8	46	1	1	3	5	8	11	31
GRAND TOTAL	**2215**	**4.4**	**35**	**1**	**1**	**3**	**5**	**8**	**10**	**30**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	11	3.1	2	2	2	3	3	5	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	6	5.3	41	1	1	3	6	17	18	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	5.3	26	1	1	4	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.1	14	2	2	3	4	9	14	15
B. *Operated*	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	10	4.0	26	1	1	2	3	12	18	18
B. *Operated*	4	5.5	18	1	1	5	8	11	11	11
1. SINGLE DX	16	3.4	11	1	1	3	3	7	13	15
2. MULTIPLE DX	14	4.4	23	1	1	3	6	12	17	18
A. NOT OPERATED	22	4.0	18	1	1	3	3	9	16	18
B. OPERATED	8	3.5	12	1	1	2	5	9	11	11
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	7	4.3	25	1	1	2	5	13	15	15
13-19 YRS	22	3.9	15	1	1	3	4	8	14	18
GRAND TOTAL	**30**	**3.9**	**16**	**1**	**1**	**3**	**4**	**9**	**15**	**18**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	14	2.6	3	1	1	2	4	5	7	7
1-5 YRS	59	2.6	7	<1	<1	2	3	6	9	15
6-12 YRS	142	2.2	4	<1	<1	2	3	4	6	11
13-19 YRS	278	2.4	3	<1	<1	2	3	5	6	9
B. *Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	21	2.7	5	<1	<1	2	3	6	8	9
1-5 YRS	152	2.4	3	<1	<1	2	3	5	6	10
6-12 YRS	405	5.3	17	<1	1	4	8	11	13	16
13-19 YRS	1369	5.5	22	<1	1	4	9	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	12.0	32	8	8	12	16	16	16	16
1-11 MOS	24	4.1	24	1	1	3	4	8	17	23
1-5 YRS	78	3.2	24	<1	<1	2	3	7	10	32
6-12 YRS	163	3.8	34	<1	1	2	4	7	11	21
13-19 YRS	343	4.2	45	<1	1	2	5	7	12	28
B. *Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	27	3.2	7	<1	<1	2	4	8	9	10
1-5 YRS	358	3.7	40	<1	1	3	4	6	10	28
6-12 YRS	564	6.7	63	1	1	4	9	15	20	41
13-19 YRS	1494	6.1	61	1	1	3	9	14	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	2.4	4	<1	<1	2	3	5	6	10
B. *Operated*	1949	5.2	20	<1	1	3	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	610	4.0	39	<1	1	2	5	7	11	27
B. *Operated*	2445	5.9	59	1	1	3	8	14	19	38
1. SINGLE DX	2444	4.6	18	<1	<1	3	8	10	12	18
2. MULTIPLE DX	3055	5.5	55	<1	1	3	7	13	18	37
A. NOT OPERATED	1105	3.3	24	<1	<1	2	4	6	9	22
B. OPERATED	4394	5.6	42	<1	1	3	8	12	16	30
TOTAL 0-27 DYS	8	6.4	22	2	2	6	8	14	16	16
1-11 MOS	86	3.3	11	<1	1	2	4	7	9	20
1-5 YRS	647	3.3	27	<1	1	2	3	6	9	24
6-12 YRS	1274	5.4	40	<1	1	3	8	12	15	32
13-19 YRS	3484	5.4	41	<1	1	3	8	12	15	29
GRAND TOTAL	**5499**	**5.1**	**39**	**<1**	**1**	**3**	**7**	**11**	**15**	**29**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	10	3.5	3	2	2	3	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	13	3.8	4	2	2	3	5	7	8	8
B. *Operated*										
1. SINGLE DX	5	1.6		1	1	2	2	2	2	2
2. MULTIPLE DX	13	3.8	4	2	2	3	5	7	8	8
A. NOT OPERATED	15	3.5	5	1	1	3	5	7	8	8
B. OPERATED	3	2.0		2	2	2	2	2	2	2
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	14	3.0	3	1	2	2	3	6	7	7
GRAND TOTAL	**18**	**3.2**	**4**	**1**	**1**	**3**	**4**	**7**	**8**	**8**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	2.1	5	<1	<1	1	2	6	7	7
1-11 MOS	51	3.0	27	<1	<1	1	3	7	9	34
1-5 YRS	68	2.2	14	<1	<1	1	2	4	4	26
6-12 YRS	19	1.9	2	<1	<1	1	2	4	6	7
13-19 YRS	12	2.4	2	1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS	42	8.7	43	2	3	6	12	17	20	34
1-11 MOS	141	6.0	22	2	3	5	7	9	13	33
1-5 YRS	68	4.5	11	1	1	4	6	9	11	16
6-12 YRS	72	5.1	17	1	1	4	7	10	14	22
13-19 YRS	37	5.8	19	1	1	5	8	13	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	20	6.1	31	1	1	4	9	13	18	22
1-11 MOS	122	4.9	40	1	1	3	6	11	15	36
1-5 YRS	213	4.6	87	<1	1	2	5	7	13	91
6-12 YRS	92	7.0	139	<1	1	3	8	17	25	71
13-19 YRS	56	6.3	129	1	1	3	7	27	89	99+
B. *Operated*										
0-27 DYS	56	15.5	158	3	5	11	20	33	47	61
1-11 MOS	228	10.3	92	2	3	7	12	22	32	69
1-5 YRS	268	8.5	88	1	2	6	9	20	31	53
6-12 YRS	174	7.9	55	2	2	6	10	16	24	38
13-19 YRS	120	10.5	117	2	2	7	12	23	35	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	2.5	15	<1	<1	1	2	4	7	29
B. *Operated*	360	5.8	22	1	2	5	7	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	503	5.3	88	<1	1	3	5	11	22	92
B. *Operated*	846	9.6	94	2	2	7	11	22	32	54
1. SINGLE DX	517	4.8	22	<1	1	4	6	10	13	26
2. MULTIPLE DX	1349	8.0	96	1	1	5	9	19	30	61
A. NOT OPERATED	660	4.7	72	<1	<1	2	5	10	16	80
B. OPERATED	1206	8.5	76	2	2	6	10	19	27	51
TOTAL 0-27 DYS	125	11.0	109	1	2	8	13	22	34	56
1-11 MOS	542	7.3	63	1	1	5	8	15	23	44
1-5 YRS	617	6.0	76	<1	1	3	7	12	23	54
6-12 YRS	357	6.8	68	1	1	4	9	14	22	42
13-19 YRS	225	8.3	104	1	1	5	10	20	34	99+
GRAND TOTAL	**1866**	**7.1**	**78**	**1**	**1**	**5**	**8**	**16**	**24**	**54**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	95	1.2		<1	<1	<1	1	1	2	5
1-5 YRS	114	1.3	2	<1	<1	<1	1	1	2	10
6-12 YRS	14	1.6	2	<1	<1	1	1	3	5	5
13-19 YRS	10	3.7	5	<1	<1	4	5	6	7	7
B. *Operated*										
0-27 DYS	26	1.7	2	<1	<1	1	2	4	4	5
1-11 MOS	176	1.7	3	<1	<1	1	2	3	4	10
1-5 YRS	563	1.7	1	<1	<1	1	2	3	4	7
6-12 YRS	489	1.9	2	<1	<1	1	2	3	5	8
13-19 YRS	303	2.3	7	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	8.4	205	<1	<1	2	11	34	34	34
1-11 MOS	25	2.0	3	<1	<1	1	2	4	7	8
1-5 YRS	58	1.7	6	<1	<1	<1	1	3	5	16
6-12 YRS	25	2.6	25	<1	<1	1	2	4	10	26
13-19 YRS	15	1.3	1	<1	<1	1	1	2	4	5
B. *Operated*										
0-27 DYS	8	4.9	21	1	1	3	7	12	14	14
1-11 MOS	120	2.7	12	<1	<1	1	3	7	10	19
1-5 YRS	238	2.0	2	<1	<1	2	2	4	5	9
6-12 YRS	204	2.2	4	<1	<1	2	3	4	6	12
13-19 YRS	136	2.8	5	1	1	2	3	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	1.4	2	<1	<1	<1	1	2	4	7
B. *Operated*	1557	1.9	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	128	2.1	16	<1	<1	1	2	4	6	28
B. *Operated*	706	2.4	5	<1	<1	2	3	5	7	12
1. SINGLE DX	1793	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	834	2.3	7	<1	<1	1	3	4	7	14
A. NOT OPERATED	364	1.6	7	<1	<1	<1	1	3	5	12
B. OPERATED	2263	2.0	4	<1	<1	1	2	4	5	10
TOTAL 0-27 DYS	42	3.2	30	<1	<1	1	4	5	11	34
1-11 MOS	416	1.9	5	<1	<1	1	2	3	5	13
1-5 YRS	973	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	732	2.0	4	<1	<1	1	2	4	5	9
13-19 YRS	464	2.5	6	<1	1	2	3	5	6	11
GRAND TOTAL	**2627**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	32	2.0	1	1	1	2	3	4	4	5
1-11 MOS	44	2.9	9	<1	1	2	3	6	9	17
1-5 YRS	48	2.3	3	<1	<1	2	3	4	5	10
6-12 YRS	14	2.4	2	<1	1	2	3	5	5	5
13-19 YRS	19	2.9	4	<1	1	2	4	7	8	8
B. *Operated*										
0-27 DYS	36	6.1	15	<1	1	6	9	12	12	15
1-11 MOS	474	4.8	19	1	1	3	8	10	12	22
1-5 YRS	1237	4.2	12	1	1	2	7	8	10	15
6-12 YRS	481	3.9	11	1	1	2	6	8	10	15
13-19 YRS	259	4.1	13	<1	1	2	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	107	7.1	94	<1	1	4	8	16	19	62
1-11 MOS	366	4.1	19	<1	1	3	5	9	11	23
1-5 YRS	277	3.4	13	<1	<1	2	4	8	10	20
6-12 YRS	62	3.2	23	<1	1	2	3	6	8	33
13-19 YRS	69	3.0	6	<1	1	2	4	6	8	13
B. *Operated*										
0-27 DYS	224	11.2	136	1	2	9	14	25	37	99+
1-11 MOS	1614	8.3	99	1	1	6	11	18	28	77
1-5 YRS	2359	6.2	49	1	1	5	9	13	17	35
6-12 YRS	788	6.1	63	1	1	4	8	13	16	47
13-19 YRS	417	5.5	40	1	1	3	8	12	15	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	2.5	5	<1	1	2	3	5	6	11
B. *Operated*	2487	4.3	13	1	1	2	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	881	4.1	27	<1	1	3	5	9	12	23
B. *Operated*	5402	7.0	71	1	1	5	9	15	21	50
1. SINGLE DX	2644	4.2	13	1	1	2	7	9	10	16
2. MULTIPLE DX	6283	6.6	65	1	1	4	9	14	20	47
A. NOT OPERATED	1038	3.8	24	<1	1	2	4	8	11	22
B. OPERATED	7889	6.1	54	1	1	4	8	13	18	40
TOTAL 0-27 DYS	399	8.9	111	1	1	6	11	20	29	97
1-11 MOS	2498	6.9	74	1	1	4	9	15	22	49
1-5 YRS	3921	5.3	35	1	1	3	8	11	15	30
6-12 YRS	1345	5.2	43	1	1	2	7	11	14	26
13-19 YRS	764	4.7	28	1	1	2	7	10	13	26
GRAND TOTAL	**8927**	**5.9**	**51**	**1**	**1**	**3**	**8**	**12**	**17**	**39**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	3.9	23	<1	<1	2	4	12	16	16
1-11 MOS	8	1.8	2	<1	<1	1	2	4	5	5
1-5 YRS	7	1.7	1	<1	<1	1	2	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	18	3.5	7	<1	<1	3	4	8	9	9
1-11 MOS	776	3.7	3	1	2	3	5	6	7	9
1-5 YRS	590	3.4	3	1	2	3	4	6	7	8
6-12 YRS	222	3.0	2	1	1	3	4	5	6	8
13-19 YRS	180	2.9	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	17	4.2	6	2	2	3	5	9	10	10
1-11 MOS	51	2.1	7	<1	<1	1	2	5	7	15
1-5 YRS	61	1.5	3	<1	<1	1	1	3	4	11
6-12 YRS	9	1.4	1	<1	<1	1	2	3	4	4
13-19 YRS	6	1.5	2	<1	<1	1	1	4	4	4
B. *Operated*										
0-27 DYS	7	9.1	86	1	1	6	14	25	27	27
1-11 MOS	544	4.2	9	1	2	4	5	7	8	14
1-5 YRS	658	3.7	5	1	2	3	4	6	7	10
6-12 YRS	174	3.0	3	1	2	3	4	5	6	11
13-19 YRS	229	3.0	4	1	1	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.5	9	<1	<1	1	3	5	8	16
B. *Operated*	1786	3.4	3	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	144	2.0	5	<1	<1	1	2	5	7	11
B. *Operated*	1612	3.7	7	1	2	3	4	6	8	13
1. SINGLE DX	1812	3.4	3	1	2	3	4	6	7	8
2. MULTIPLE DX	1756	3.6	7	1	1	3	4	6	7	13
A. NOT OPERATED	170	2.1	6	<1	<1	1	2	5	6	14
B. OPERATED	3398	3.6	5	1	2	3	4	6	7	10
TOTAL 0-27 DYS	51	4.6	22	<1	1	3	6	9	15	27
1-11 MOS	1379	3.8	6	1	2	3	5	6	8	11
1-5 YRS	1316	3.5	5	1	1	3	4	6	7	9
6-12 YRS	406	3.0	3	1	1	3	4	5	6	9
13-19 YRS	416	2.9	3	1	1	3	4	5	6	8
GRAND TOTAL	**3568**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	2.4	2	<1	1	2	3	4	5	7
1-11 MOS	40	2.2	2	1	1	2	3	4	5	7
1-5 YRS	6	1.5		1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	549	3.5	3	2	2	3	4	6	7	9
1-11 MOS	1189	3.3	2	2	2	3	4	5	6	8
1-5 YRS	119	3.8	2	2	2	4	5	6	7	9
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	2.8	8	<1	<1	2	4	6	10	12
1-11 MOS	49	3.9	16	1	1	3	4	9	10	23
1-5 YRS	10	3.0	2	1	1	3	4	5	5	5
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	154	4.1	4	2	2	4	5	6	8	10
1-11 MOS	399	4.4	8	2	2	4	5	7	9	14
1-5 YRS	38	6.3	26	2	3	5	8	10	24	99+
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.2	2	1	1	2	3	4	5	7
B. *Operated*	1857	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	77	3.6	12	1	1	3	4	6	10	21
B. *Operated*	591	4.5	9	2	2	4	5	7	9	15
1. SINGLE DX	1929	3.3	2	1	2	3	4	5	6	9
2. MULTIPLE DX	668	4.4	9	2	2	4	5	7	9	16
A. NOT OPERATED	149	2.9	8	1	1	2	4	5	7	16
B. OPERATED	2448	3.6	4	2	2	3	4	6	7	10
TOTAL 0-27 DYS	747	3.6	3	1	2	3	4	6	7	10
1-11 MOS	1677	3.5	4	1	2	3	4	5	7	10
1-5 YRS	173	4.2	9	2	2	4	5	7	9	28
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**2597**	**3.6**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	**10**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	33	2.5	6	<1	1	2	3	4	6	14
1-11 MOS	122	2.6	6	<1	<1	2	3	6	8	13
1-5 YRS	98	3.0	25	<1	<1	2	3	6	9	31
6-12 YRS	22	2.8	6	<1	<1	2	3	6	9	11
13-19 YRS	12	2.9	6	<1	1	2	4	6	9	9
B. *Operated*										
0-27 DYS	73	9.4	69	2	2	7	12	20	27	43
1-11 MOS	352	5.8	30	<1	1	5	8	12	17	27
1-5 YRS	349	4.7	39	<1	<1	3	6	10	13	29
6-12 YRS	172	3.9	11	<1	1	3	5	8	12	16
13-19 YRS	148	3.4	6	<1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	54	3.5	12	<1	1	2	4	7	10	21
1-11 MOS	193	8.0	108	1	1	4	9	22	33	55
1-5 YRS	177	4.7	30	<1	1	3	6	11	14	25
6-12 YRS	30	5.0	20	<1	1	3	8	10	12	20
13-19 YRS	26	5.1	15	<1	<1	5	7	11	14	15
B. *Operated*										
0-27 DYS	132	17.0	370	2	3	10	20	50	94	99+
1-11 MOS	441	10.7	154	1	2	7	13	26	43	99+
1-5 YRS	536	8.1	101	1	1	6	9	16	24	51
6-12 YRS	209	5.1	20	1	1	4	7	11	12	26
13-19 YRS	211	5.2	21	1	1	4	7	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	2.7	13	<1	<1	2	3	6	8	14
B. *Operated*	1094	5.1	31	<1	1	3	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	480	5.9	61	<1	1	3	7	12	21	48
B. *Operated*	1529	8.8	128	1	2	6	10	19	33	98
1. SINGLE DX	1381	4.6	28	<1	<1	3	6	10	13	26
2. MULTIPLE DX	2009	8.1	113	1	1	5	9	18	28	84
A. NOT OPERATED	767	4.7	45	<1	<1	2	5	11	15	44
B. OPERATED	2623	7.2	91	1	1	5	9	15	24	71
TOTAL 0-27 DYS	292	10.9	222	1	1	6	13	31	49	99+
1-11 MOS	1108	7.8	98	<1	1	5	9	18	27	94
1-5 YRS	1160	6.1	69	<1	1	4	8	13	18	44
6-12 YRS	433	4.5	16	1	1	3	6	9	12	20
13-19 YRS	397	4.4	15	1	1	3	6	9	12	19
GRAND TOTAL	**3390**	**6.7**	**82**	**<1**	**1**	**4**	**8**	**14**	**22**	**59**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	16	1.2		<1	<1	1	1	2	2	2
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	30	1.6	1	<1	<1	1	2	3	3	5
1-5 YRS	862	1.6	1	<1	<1	1	2	3	4	5
6-12 YRS	793	1.8	1	<1	<1	1	2	3	4	6
13-19 YRS	207	1.9	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	1.0		<1	<1	1	1	1	1	1
1-5 YRS	72	1.4	1	<1	<1	1	1	3	4	7
6-12 YRS	25	1.1		<1	<1	1	1	1	2	2
13-19 YRS	9	1.2		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS	4	1.8		1	1	2	2	2	2	2
1-11 MOS	59	1.7	1	<1	<1	1	2	3	4	6
1-5 YRS	937	1.8	2	<1	<1	1	2	3	4	6
6-12 YRS	629	2.0	2	<1	<1	2	2	4	5	7
13-19 YRS	181	2.3	2	1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.2		<1	<1	1	1	2	2	2
B. *Operated*	1892	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	111	1.3	1	<1	<1	1	1	2	3	6
B. *Operated*	1810	1.9	2	<1	<1	2	2	3	4	7
1. SINGLE DX	1909	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	1921	1.9	2	<1	<1	1	2	3	4	7
A. NOT OPERATED	128	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	3702	1.8	2	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS	5	2.0	1	1	1	2	2	3	3	3
1-11 MOS	93	1.7	1	<1	<1	1	2	3	4	6
1-5 YRS	1887	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	1447	1.9	2	<1	<1	2	2	3	4	6
13-19 YRS	398	2.1	2	<1	1	2	3	4	4	7
GRAND TOTAL	**3830**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	15	2.3	8	<1	<1	1	3	4	10	12
1-11 MOS	7	1.7	1	<1	<1	1	2	4	4	4
1-5 YRS	22	2.7	7	<1	<1	1	4	6	9	11
6-12 YRS	12	1.6		<1	<1	1	2	3	3	3
13-19 YRS	15	2.9	2	<1	1	2	4	4	6	7
B. *Operated*										
0-27 DYS	38	6.8	24	1	1	6	10	13	14	24
1-11 MOS	324	4.2	12	<1	<1	3	6	10	11	14
1-5 YRS	1509	4.4	14	<1	1	3	7	9	12	15
6-12 YRS	358	4.2	13	<1	<1	3	6	9	11	17
13-19 YRS	314	3.9	12	<1	<1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	4.1	9	<1	1	3	6	9	10	10
1-11 MOS	41	4.0	31	<1	<1	2	4	9	16	30
1-5 YRS	91	2.1	4	<1	<1	1	2	5	7	10
6-12 YRS	36	4.9	145	<1	<1	3	4	5	10	74
13-19 YRS	33	3.1	14	1	1	2	3	5	7	22
B. *Operated*										
0-27 DYS	34	10.8	48	2	3	10	14	19	23	33
1-11 MOS	249	7.0	32	1	1	6	10	14	18	29
1-5 YRS	860	5.2	25	<1	1	4	7	11	14	26
6-12 YRS	277	4.7	17	<1	1	4	7	9	13	19
13-19 YRS	335	5.7	28	1	1	4	8	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.4	5	<1	<1	2	3	4	7	12
B. *Operated*	2543	4.3	13	<1	1	3	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	214	3.2	35	<1	<1	2	4	6	8	25
B. *Operated*	1755	5.6	27	<1	1	4	8	12	15	24
1. SINGLE DX	2614	4.3	13	<1	1	3	6	9	11	15
2. MULTIPLE DX	1969	5.3	28	<1	1	4	7	11	14	24
A. NOT OPERATED	285	3.0	28	<1	<1	2	3	6	7	21
B. OPERATED	4298	4.8	19	<1	1	3	7	10	13	19
TOTAL 0-27 DYS	100	7.1	37	<1	1	5	10	14	19	29
1-11 MOS	621	5.3	23	<1	<1	4	8	11	14	22
1-5 YRS	2482	4.6	18	<1	1	3	7	10	12	18
6-12 YRS	683	4.4	21	<1	1	3	6	9	12	18
13-19 YRS	697	4.7	21	<1	1	3	6	10	13	22
GRAND TOTAL	**4583**	**4.7**	**20**	**<1**	**1**	**3**	**7**	**10**	**13**	**19**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	1.4	1	<1	<1	<1	2	3	4	4
1-5 YRS	20	1.4	1	<1	<1	<1	1	3	4	4
6-12 YRS	4	1.5	1	<1	<1	<1	2	3	3	3
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	2	3.0	8	<1	<1	2	5	5	5	5
1-11 MOS	564	3.1	4	1	1	3	4	5	7	10
1-5 YRS	565	3.2	5	1	1	3	4	6	8	12
6-12 YRS	194	3.5	4	1	1	3	4	6	8	10
13-19 YRS	137	3.4	3	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.3	26	2	2	5	10	12	12	12
1-11 MOS	40	1.2		<1	<1	1	1	2	2	3
1-5 YRS	64	1.3	1	<1	<1	1	1	2	3	4
6-12 YRS	15	1.8	2	<1	<1	1	3	5	71	99+
13-19 YRS	6	1.7	1	1	1	1	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	164	4.0	8	1	1	3	5	8	10	16
1-5 YRS	339	3.8	13	1	1	3	4	7	9	21
6-12 YRS	224	3.6	4	1	1	3	5	6	7	10
13-19 YRS	265	4.0	13	1	1	3	5	7	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.4	1	<1	<1	<1	1	3	4	4
B. *Operated*	1462	3.2	4	1	1	3	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	128	1.5	2	<1	<1	1	1	3	4	30
B. *Operated*	992	3.8	10	1	1	3	5	7	8	15
1. SINGLE DX	1504	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1120	3.6	10	<1	1	3	4	6	8	15
A. NOT OPERATED	170	1.4	1	<1	<1	1	1	3	4	11
B. OPERATED	2454	3.5	7	1	1	3	4	6	8	12
TOTAL 0-27 DYS	6	4.5	16	<1	<1	3	5	11	12	12
1-11 MOS	784	3.1	5	<1	1	3	4	6	8	12
1-5 YRS	988	3.3	8	<1	1	3	4	6	8	13
6-12 YRS	437	3.5	4	1	1	3	4	6	8	10
13-19 YRS	409	3.8	10	1	1	3	5	6	8	13
GRAND TOTAL	**2624**	**3.3**	**7**	**<1**	**1**	**3**	**4**	**6**	**8**	**12**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	3.7	14	<1	<1	3	5	8	13	14
1-11 MOS	187	2.3	8	<1	<1	1	2	5	7	15
1-5 YRS	207	2.7	25	<1	<1	1	2	5	8	26
6-12 YRS	60	5.0	75	<1	<1	2	5	8	21	55
13-19 YRS	48	5.9	45	1	1	3	9	21	21	99+
B. *Operated*										
0-27 DYS	29	6.2	58	1	1	4	6	15	21	38
1-11 MOS	902	4.9	21	<1	1	4	6	9	13	22
1-5 YRS	1539	3.6	15	<1	<1	2	5	7	9	22
6-12 YRS	1037	3.7	13	<1	1	3	5	7	9	15
13-19 YRS	1306	4.0	14	1	1	3	6	8	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	62	6.2	44	<1	1	4	8	14	16	40
1-11 MOS	306	5.2	68	<1	1	3	5	10	21	37
1-5 YRS	343	3.5	20	<1	<1	2	4	8	14	25
6-12 YRS	141	5.0	91	<1	<1	3	5	11	24	99+
13-19 YRS	141	4.7	62	<1	1	2	4	10	19	99+
B. *Operated*										
0-27 DYS	47	17.1	241	2	2	15	31	58	99+	99+
1-11 MOS	478	7.0	81	1	1	5	8	16	23	62
1-5 YRS	956	5.3	38	1	1	4	6	11	16	33
6-12 YRS	732	6.1	63	1	2	4	7	11	16	54
13-19 YRS	749	5.8	53	1	1	4	7	11	17	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	3.1	28	<1	<1	1	3	7	11	22
B. *Operated*	4813	4.0	16	<1	1	3	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	993	4.6	53	<1	<1	2	5	10	17	53
B. *Operated*	2962	6.1	60	1	1	4	7	12	18	51
1. SINGLE DX	5328	3.9	17	<1	1	3	5	8	11	21
2. MULTIPLE DX	3955	5.7	59	1	1	4	7	12	18	51
A. NOT OPERATED	1508	4.1	45	<1	<1	2	4	9	15	44
B. OPERATED	7775	4.8	34	<1	1	3	6	9	14	30
TOTAL 0-27 DYS	151	9.4	131	1	1	5	12	28	45	99+
1-11 MOS	1873	5.2	45	<1	1	4	6	11	16	28
1-5 YRS	3045	4.0	24	<1	<1	2	5	8	12	26
6-12 YRS	1970	4.7	40	1	1	3	6	9	12	41
13-19 YRS	2244	4.7	32	1	1	3	6	10	13	27
GRAND TOTAL	**9283**	**4.7**	**36**	**<1**	**1**	**3**	**6**	**9**	**14**	**31**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7441	2.8	8	1	1	2	3	4	7	17
1-11 MOS	672	4.0	28	1	1	3	4	8	12	25
1-5 YRS	645	4.3	17	1	1	3	5	9	12	19
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	93	4.9	33	1	2	3	6	9	11	37
1-11 MOS	55	4.7	64	<1	1	2	5	10	16	53
1-5 YRS	74	7.0	45	<1	1	4	12	17	20	24
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4390	7.6	109	1	2	4	8	19	29	56
1-11 MOS	1154	8.9	147	1	1	4	10	24	35	80
1-5 YRS	768	9.4	121	1	2	6	11	21	32	69
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	579	20.7	479	2	4	12	29	70	89	99+
1-11 MOS	175	15.2	324	1	1	9	21	47	68	99+
1-5 YRS	178	15.6	289	2	3	11	20	50	86	99+
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8758	3.0	11	1	1	2	3	5	8	18
B. *Operated*	222	5.6	45	1	1	3	7	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	6312	8.1	118	1	2	4	9	20	30	62
B. *Operated*	932	18.7	419	2	3	11	25	64	87	99+
1. SINGLE DX	8980	3.0	12	1	1	2	3	5	8	19
2. MULTIPLE DX	7244	9.5	170	1	2	5	11	24	38	88
A. NOT OPERATED	15070	5.1	62	1	1	3	5	11	19	43
B. OPERATED	1154	16.2	374	1	2	10	21	52	81	99+
TOTAL 0-27 DYS	12503	5.3	82	1	1	2	4	11	21	56
1-11 MOS	2056	7.8	131	1	1	4	8	21	31	79
1-5 YRS	1665	8.0	108	1	2	5	9	18	28	79
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**16224**	**5.9**	**92**	**1**	**1**	**3**	**5**	**14**	**24**	**62**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	82	3.2	4	1	1	3	4	6	7	9
1-11 MOS	768	2.8	9	1	1	2	3	5	6	13
1-5 YRS	2674	2.3	3	1	1	2	3	4	5	8
6-12 YRS	1126	2.4	4	1	1	2	3	4	6	10
13-19 YRS	1173	2.7	7	1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	9	5.6	21	1	1	4	8	13	14	14
1-5 YRS	7	2.1	3	<1	<1	1	3	5	5	5
6-12 YRS	4	2.3	1	1	1	2	3	3	3	3
13-19 YRS	18	4.7	35	1	1	3	5	10	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	69	4.7	14	1	1	4	6	8	10	24
1-11 MOS	1560	3.4	10	1	1	3	4	6	9	15
1-5 YRS	6372	2.7	4	1	1	2	3	5	6	10
6-12 YRS	1121	3.3	15	1	1	2	4	6	9	18
13-19 YRS	1031	3.5	9	1	1	3	4	6	8	16
B. *Operated*										
0-27 DYS	4	13.3	325	2	2	5	24	40	40	40
1-11 MOS	49	10.9	195	2	2	6	10	37	50	99+
1-5 YRS	85	7.8	120	1	1	4	8	17	34	61
6-12 YRS	30	5.7	45	1	1	4	7	11	15	36
13-19 YRS	73	6.6	100	1	1	4	7	14	23	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5823	2.5	5	1	1	2	3	4	6	10
B. *Operated*	38	4.2	23	1	1	3	4	10	13	26
2. MULTIPLE DX										
A. *Not Operated*	10153	3.0	7	1	1	2	4	5	7	13
B. *Operated*	241	7.9	124	1	1	4	8	16	37	67
1. SINGLE DX	5861	2.5	5	1	1	2	3	4	6	10
2. MULTIPLE DX	10394	3.1	10	1	1	2	4	5	7	14
A. NOT OPERATED	15976	2.8	6	1	1	2	3	5	7	12
B. OPERATED	279	7.4	112	1	1	4	7	15	34	67
TOTAL 0-27 DYS	155	4.1	17	1	1	3	5	7	9	25
1-11 MOS	2386	3.4	14	1	1	3	4	6	8	16
1-5 YRS	9138	2.6	5	1	1	2	3	5	6	11
6-12 YRS	2281	2.9	10	1	1	2	3	5	7	15
13-19 YRS	2295	3.2	12	1	1	2	4	6	8	15
GRAND TOTAL	**16255**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	221	3.0	2	1	1	3	4	5	6	8
1-11 MOS	719	2.7	2	1	1	3	3	4	5	7
1-5 YRS	679	2.6	2	1	1	2	3	5	5	7
6-12 YRS	170	2.9	3	1	1	3	4	5	6	9
13-19 YRS	116	3.3	4	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS	4	5.0	1	4	4	5	6	6	6	6
1-11 MOS	7	4.0	3	2	2	4	5	7	7	7
1-5 YRS	7	6.7	32	3	3	6	7	17	19	19
6-12 YRS	6	4.8	13	1	1	5	8	9	9	9
13-19 YRS	5	3.8	17	<1	<1	2	5	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	293	3.3	3	1	2	3	4	5	7	10
1-11 MOS	1455	3.1	4	1	1	3	4	5	6	9
1-5 YRS	1724	3.2	6	1	1	3	4	6	7	13
6-12 YRS	541	4.0	11	1	1	3	5	7	10	18
13-19 YRS	414	4.0	10	1	2	3	5	7	9	18
B. *Operated*										
0-27 DYS	5	4.4	5	2	2	4	6	8	8	8
1-11 MOS	40	5.1	17	1	2	4	6	10	14	22
1-5 YRS	54	8.2	175	1	1	4	9	15	31	72
6-12 YRS	32	11.8	258	2	2	7	11	29	37	86
13-19 YRS	46	8.9	75	2	2	6	12	17	21	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1905	2.8	2	1	1	3	3	5	6	8
B. *Operated*	29	4.9	14	1	1	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	4427	3.4	6	1	1	3	4	6	7	13
B. *Operated*	177	8.2	126	1	2	5	9	15	23	70
1. SINGLE DX	1934	2.8	3	1	1	3	3	5	6	8
2. MULTIPLE DX	4604	3.6	12	1	1	3	4	6	8	15
A. NOT OPERATED	6332	3.2	5	1	1	3	4	5	7	12
B. OPERATED	206	7.8	112	1	2	5	9	15	21	67
TOTAL 0-27 DYS	523	3.2	3	1	1	3	4	5	6	9
1-11 MOS	2221	3.0	4	1	1	3	4	5	6	10
1-5 YRS	2464	3.2	10	1	1	3	4	5	7	13
6-12 YRS	749	4.1	22	1	1	3	5	7	10	20
13-19 YRS	581	4.3	16	1	2	3	5	7	11	21
GRAND TOTAL	**6538**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**7**	**14**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	26	1.6	1	<1	<1	1	2	3	3	4
6-12 YRS	163	2.3	2	<1	1	2	3	4	5	8
13-19 YRS	322	2.5	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	22	2.8	3	<1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	5.4	24	1	1	4	5	14	16	16
1-5 YRS	57	2.2	1	<1	1	2	3	4	4	5
6-12 YRS	238	2.5	3	1	1	2	3	4	5	8
13-19 YRS	503	3.1	5	1	1	2	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.5	3	1	1	4	5	5	5	5
6-12 YRS	12	2.6	5	1	1	2	3	6	9	9
13-19 YRS	20	4.8	11	<1	1	4	6	10	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	2.4	2	1	1	2	3	4	5	7
B. *Operated*	24	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	806	2.9	4	1	1	2	4	5	7	10
B. *Operated*	36	3.9	9	1	1	3	5	8	11	13
1. SINGLE DX	536	2.4	2	1	1	2	3	4	5	7
2. MULTIPLE DX	842	2.9	5	1	1	2	4	5	7	10
A. NOT OPERATED	1318	2.7	4	1	1	2	3	5	6	9
B. OPERATED	60	3.5	7	1	1	3	4	7	9	13
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	4.9	23	1	1	4	5	13	16	16
1-5 YRS	87	2.1	1	<1	1	2	3	4	4	5
6-12 YRS	415	2.4	3	1	1	2	3	4	5	8
13-19 YRS	867	2.9	4	1	1	2	4	5	7	10
GRAND TOTAL	**1378**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**10**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.3	6	1	1	1	4	6	6	6
1-5 YRS	16	1.6	1	<1	1	1	2	3	4	4
6-12 YRS	17	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	36	3.0	4	<1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	15	1.2		<1	<1	1	1	2	3	3
6-12 YRS	33	1.8	3	<1	<1	1	2	4	7	8
13-19 YRS	45	3.0	5	<1	1	2	5	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.3	12	1	1	4	7	8	8	8
1-5 YRS	50	2.2	2	<1	<1	2	3	4	5	7
6-12 YRS	41	2.8	13	<1	1	2	3	4	11	18
13-19 YRS	55	2.2	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	13	2.6	4	1	1	2	3	6	7	7
6-12 YRS	19	3.3	8	<1	<1	2	5	8	10	11
13-19 YRS	29	4.2	10	1	1	3	6	9	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.3	3	<1	1	2	3	5	6	9
B. *Operated*	95	2.4	4	<1	<1	1	3	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	149	2.4	5	<1	1	2	3	4	5	18
B. *Operated*	63	3.6	8	<1	1	3	5	8	10	12
1. SINGLE DX	169	2.3	4	<1	<1	1	3	5	7	8
2. MULTIPLE DX	212	2.8	6	<1	1	2	3	5	7	14
A. NOT OPERATED	223	2.4	4	<1	1	2	3	5	5	11
B. OPERATED	158	2.9	6	<1	<1	2	4	7	8	11
TOTAL 0-27 DYS	3	4.0	7	2	2	3	6	7	7	7
1-11 MOS	9	3.6	8	1	1	3	6	8	8	8
1-5 YRS	94	2.0	2	<1	<1	1	2	4	5	7
6-12 YRS	110	2.4	8	<1	<1	2	2	5	7	18
13-19 YRS	165	3.0	5	<1	1	2	4	6	7	11
GRAND TOTAL	**381**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**5**	**7**	**11**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	2.7	8	1	1	2	3	8	9	9
1-11 MOS	10	2.2	2	<1	<1	2	3	4	5	5
1-5 YRS	32	3.2	3	1	2	3	4	6	7	8
6-12 YRS	32	2.8	3	1	1	2	4	5	6	7
13-19 YRS	38	2.5	3	<1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	7	3.0	11	<1	<1	1	4	9	10	10
1-5 YRS	77	1.6	2	<1	<1	1	2	3	5	8
6-12 YRS	98	1.6	2	<1	<1	1	2	3	4	8
13-19 YRS	199	2.0	3	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	4.5	21	1	1	2	9	11	14	15
1-11 MOS	48	3.6	9	<1	1	3	4	8	11	14
1-5 YRS	67	3.6	27	<1	1	3	4	5	8	36
6-12 YRS	44	3.4	6	1	1	3	4	8	9	11
13-19 YRS	65	3.1	3	1	1	3	4	6	7	8
B. *Operated*										
0-27 DYS	1	35.0		35	35	35	35	35	35	35
1-11 MOS	12	7.7	57	1	1	4	10	22	23	23
1-5 YRS	42	4.5	71	<1	1	2	4	9	16	52
6-12 YRS	41	2.8	10	<1	1	2	3	5	7	19
13-19 YRS	85	6.5	106	<1	1	3	6	17	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	2.7	3	1	1	2	4	5	6	9
B. *Operated*	381	1.8	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	238	3.5	12	1	1	3	4	7	9	16
B. *Operated*	181	5.4	79	<1	1	2	5	12	21	51
1. SINGLE DX	500	2.1	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX	419	4.3	42	<1	1	2	4	9	13	41
A. NOT OPERATED	357	3.2	9	1	1	2	4	6	8	14
B. OPERATED	562	3.0	30	<1	<1	1	3	6	10	34
TOTAL 0-27 DYS	22	5.3	60	1	1	2	9	12	23	35
1-11 MOS	77	4.0	17	<1	1	3	4	10	11	22
1-5 YRS	218	3.0	24	<1	<1	2	3	5	8	26
6-12 YRS	215	2.4	5	<1	<1	2	3	4	7	10
13-19 YRS	387	3.2	29	<1	<1	2	3	6	9	34
GRAND TOTAL	**919**	**3.1**	**22**	**<1**	**<1**	**2**	**3**	**6**	**9**	**22**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	4	6.3	38	<1	<1	5	11	13	13	13
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	6	4.5	26	<1	<1	3	5	13	14	14
6-12 YRS	9	5.7	19	1	1	4	9	12	14	14
13-19 YRS	25	4.4	11	<1	1	3	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	4.3	18	1	1	3	7	10	10	10
1-5 YRS	3	11.0	244	1	1	3	22	29	29	29
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	5	23.8	65	11	11	26	28	33	33	33
1-5 YRS	9	5.7	48	<1	<1	3	7	18	20	20
6-12 YRS	11	6.9	72	<1	<1	4	7	23	26	26
13-19 YRS	31	10.6	73	1	1	8	16	23	27	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.0	28	<1	<1	2	10	13	13	13
B. *Operated*	42	4.7	14	<1	<1	4	7	9	14	14
2. MULTIPLE DX										
A. *Not Operated*	10	7.3	69	1	1	6	8	19	29	29
B. *Operated*	57	10.5	89	<1	1	7	20	25	27	33
1. SINGLE DX	48	4.8	15	<1	<1	4	7	10	14	14
2. MULTIPLE DX	67	10.0	86	1	1	7	16	25	27	32
A. NOT OPERATED	16	6.4	52	<1	<1	4	9	13	24	29
B. OPERATED	99	8.0	65	<1	1	5	11	22	26	32
TOTAL 0-27 DYS	1	24.0		24	24	24	24	24	24	24
1-11 MOS	13	11.7	127	<1	1	7	24	28	32	33
1-5 YRS	22	6.2	57	<1	<1	3	10	16	24	29
6-12 YRS	21	6.4	44	<1	1	4	8	17	23	26
13-19 YRS	58	7.8	52	1	1	6	11	21	23	30
GRAND TOTAL	**115**	**7.8**	**63**	**<1**	**1**	**5**	**11**	**22**	**26**	**31**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7	1	1	1	1	3	3	3	3
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	4	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	51	2.1	1	1	1	2	3	3	4	7
13-19 YRS	185	2.5	3	<1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	3.5	5	1	1	3	6	7	7	7
1-11 MOS	22	3.0	3	1	1	3	4	6	6	7
1-5 YRS	18	2.3	1	1	1	2	3	4	4	4
6-12 YRS	77	3.0	17	1	1	2	4	4	5	29
13-19 YRS	338	2.9	3	<1	1	2	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	6	2.7	4	1	1	2	4	6	6	6
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS										
13-19 YRS	17	3.9	4	1	1	4	6	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	2.4	2	<1	1	2	3	4	5	8
B. *Operated*	5	2.2	3	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	466	2.9	5	1	1	2	4	5	6	9
B. *Operated*	26	3.5	4	1	1	3	5	6	7	7
1. SINGLE DX	252	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	492	2.9	5	1	1	2	4	5	6	9
A. NOT OPERATED	713	2.7	4	1	1	2	3	5	6	8
B. OPERATED	31	3.3	4	1	1	3	5	6	6	7
TOTAL 0-27 DYS	15	2.9	4	1	1	2	5	6	7	7
1-11 MOS	33	2.9	3	1	1	2	4	5	6	7
1-5 YRS	26	2.3	2	<1	1	2	3	4	4	5
6-12 YRS	128	2.7	11	1	1	2	3	4	5	15
13-19 YRS	542	2.8	3	<1	1	2	4	5	7	8
GRAND TOTAL	**744**	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	208	2.9	4	1	1	2	4	5	7	10
1-11 MOS	1151	2.7	5	1	1	2	3	5	7	10
1-5 YRS	297	2.5	6	<1	1	2	3	5	6	14
6-12 YRS	44	2.1	2	<1	1	2	3	4	5	5
13-19 YRS	44	2.3	3	<1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	26	3.9	21	<1	1	2	5	8	17	19
1-5 YRS	34	2.9	17	<1	<1	1	3	5	7	24
6-12 YRS	21	3.2	17	<1	<1	2	3	7	13	19
13-19 YRS	18	3.7	10	<1	<1	2	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	201	4.7	54	1	1	3	5	8	11	21
1-11 MOS	1560	4.3	15	1	1	3	5	8	11	21
1-5 YRS	718	3.5	11	1	1	3	4	7	10	17
6-12 YRS	166	3.5	11	1	1	3	4	7	10	18
13-19 YRS	203	3.7	16	1	1	2	4	7	12	22
B. *Operated*										
0-27 DYS	7	6.4	10	2	2	6	9	11	11	11
1-11 MOS	80	10.6	188	1	1	6	14	23	40	96
1-5 YRS	106	3.7	17	<1	<1	2	4	7	12	23
6-12 YRS	62	4.1	17	1	1	3	6	10	12	22
13-19 YRS	49	7.0	77	1	1	5	8	16	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1744	2.7	5	1	1	2	3	5	6	10
B. *Operated*	101	3.4	17	<1	<1	2	4	7	11	22
2. MULTIPLE DX										
A. *Not Operated*	2848	4.0	17	1	1	3	5	8	11	20
B. *Operated*	304	6.2	79	<1	1	3	7	14	23	75
1. SINGLE DX	1845	2.7	5	1	1	2	3	5	7	11
2. MULTIPLE DX	3152	4.2	23	1	1	3	5	8	12	23
A. NOT OPERATED	4592	3.5	13	1	1	3	4	7	9	18
B. OPERATED	405	5.5	65	<1	1	3	6	12	19	57
TOTAL 0-27 DYS	418	3.8	29	1	1	3	5	7	9	16
1-11 MOS	2817	3.8	18	1	1	3	5	7	10	21
1-5 YRS	1155	3.2	11	<1	1	2	4	6	8	16
6-12 YRS	293	3.4	12	1	1	2	4	7	10	18
13-19 YRS	314	4.0	25	1	1	2	5	8	12	29
GRAND TOTAL	**4997**	**3.7**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	7	2.4	1	1	1	2	3	4	4	4
1-5 YRS	32	1.9	1	<1	1	2	3	3	5	6
6-12 YRS	48	2.1	2	<1	1	2	3	4	4	10
13-19 YRS	127	2.4	4	1	1	2	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	42	1.9	3	<1	<1	1	2	4	5	10
6-12 YRS	81	2.2	10	<1	<1	1	2	4	7	21
13-19 YRS	30	2.0	1	<1	<1	2	2	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	14	3.7	2	1	2	4	5	6	6	6
1-5 YRS	53	2.6	5	<1	1	2	3	5	7	14
6-12 YRS	57	2.9	13	<1	1	2	3	4	7	25
13-19 YRS	134	2.7	3	<1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	71	2.5	9	<1	<1	1	3	6	9	17
6-12 YRS	111	3.7	23	<1	<1	2	4	8	13	28
13-19 YRS	94	5.7	27	<1	1	4	7	12	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	2.2	3	1	1	2	3	4	5	8
B. *Operated*	154	2.1	7	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	260	2.8	6	<1	1	2	3	5	6	11
B. *Operated*	280	4.1	22	<1	<1	2	5	9	13	26
1. SINGLE DX	370	2.2	5	<1	<1	2	3	4	5	10
2. MULTIPLE DX	540	3.4	15	<1	<1	2	4	7	10	25
A. NOT OPERATED	476	2.5	5	<1	1	2	3	4	6	11
B. OPERATED	434	3.4	17	<1	<1	2	4	8	11	26
TOTAL 0-27 DYS	6	3.5	4	2	2	3	4	7	7	7
1-11 MOS	24	3.3	2	1	2	3	4	5	6	6
1-5 YRS	198	2.3	6	<1	<1	1	3	4	7	13
6-12 YRS	297	2.9	15	<1	<1	2	3	6	9	26
13-19 YRS	385	3.3	11	<1	1	2	4	6	9	21
GRAND TOTAL	**910**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**6**	**8**	**19**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	2.3	2	<1	<1	2	3	4	5	5
1-11 MOS	110	2.3	3	1	1	2	3	4	5	11
1-5 YRS	409	1.8	1	<1	1	1	2	3	4	6
6-12 YRS	1865	1.9	2	<1	1	2	2	3	4	7
13-19 YRS	3506	2.1	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	19	4.2	12	<1	1	3	5	9	13	15
6-12 YRS	169	3.4	4	1	2	3	4	5	8	12
13-19 YRS	537	3.4	3	1	2	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	24	2.6	3	1	1	2	3	4	6	9
1-11 MOS	118	2.8	4	<1	1	2	4	5	7	10
1-5 YRS	435	2.1	2	<1	1	2	3	4	5	7
6-12 YRS	1415	2.3	6	1	1	2	3	4	5	9
13-19 YRS	3038	2.6	4	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	6.0	10	2	2	6	8	9	9	9
1-5 YRS	20	4.8	25	<1	1	4	5	7	16	25
6-12 YRS	155	4.0	6	2	2	3	5	8	10	12
13-19 YRS	488	4.4	10	1	1	4	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5912	2.0	2	<1	1	2	2	4	5	7
B. *Operated*	730	3.4	3	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	5030	2.5	4	<1	1	2	3	5	6	9
B. *Operated*	668	4.3	9	1	2	4	5	8	9	15
1. SINGLE DX	6642	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	5698	2.7	5	1	1	2	3	5	6	10
A. NOT OPERATED	10942	2.2	3	<1	1	2	3	4	5	8
B. OPERATED	1398	3.9	6	1	2	3	5	7	8	13
TOTAL 0-27 DYS	49	2.6	3	<1	1	2	3	5	6	9
1-11 MOS	235	2.6	4	<1	1	2	3	5	7	11
1-5 YRS	883	2.0	2	<1	1	2	2	4	5	7
6-12 YRS	3604	2.2	4	<1	1	2	3	4	5	9
13-19 YRS	7569	2.5	4	<1	1	2	3	5	6	9
GRAND TOTAL	**12340**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	43	2.1	1	<1	1	2	3	4	5	5
1-11 MOS	164	2.5	4	1	1	2	3	5	6	9
1-5 YRS	142	2.3	4	1	1	2	3	4	6	9
6-12 YRS	147	2.8	4	1	1	2	4	5	6	8
13-19 YRS	121	2.2	3	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	2.5	6	<1	<1	1	4	6	6	6
1-5 YRS	28	4.5	88	<1	1	2	4	9	15	50
6-12 YRS	16	2.9	5	<1	<1	2	5	7	7	7
13-19 YRS	22	4.0	6	<1	1	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	64	2.9	5	1	1	2	3	5	8	12
1-11 MOS	405	3.2	9	1	1	3	4	6	8	14
1-5 YRS	674	2.7	7	1	1	2	3	4	6	12
6-12 YRS	494	2.9	8	1	1	2	3	6	7	13
13-19 YRS	458	3.1	7	1	1	2	4	6	8	15
B. *Operated*										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	27	5.3	15	1	1	4	8	11	13	14
1-5 YRS	52	4.2	18	1	1	2	6	12	14	14
6-12 YRS	92	3.8	38	1	1	1	5	8	10	38
13-19 YRS	131	4.1	25	1	1	2	5	9	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	617	2.4	4	1	1	2	3	5	6	9
B. *Operated*	71	3.8	37	<1	<1	2	5	7	9	42
2. MULTIPLE DX										
A. *Not Operated*	2095	2.9	8	1	1	2	3	5	7	13
B. *Operated*	305	4.1	27	1	1	2	6	10	13	23
1. SINGLE DX	688	2.6	7	<1	1	2	3	5	6	10
2. MULTIPLE DX	2400	3.1	10	1	1	2	4	6	8	14
A. NOT OPERATED	2712	2.8	7	1	1	2	3	5	7	13
B. OPERATED	376	4.0	29	1	1	2	5	9	13	23
TOTAL 0-27 DYS	111	2.5	3	1	1	2	3	4	6	11
1-11 MOS	600	3.1	8	1	1	2	4	6	8	14
1-5 YRS	896	2.8	10	1	1	2	3	5	7	13
6-12 YRS	749	3.0	11	1	1	2	4	6	7	14
13-19 YRS	732	3.1	10	1	1	2	4	6	9	18
GRAND TOTAL	**3088**	**3.0**	**10**	**1**	**1**	**2**	**4**	**6**	**7**	**14**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	536	2.9	5	1	1	2	3	5	7	13
1-11 MOS	1171	3.9	10	1	1	3	5	7	10	17
1-5 YRS	915	3.3	10	<1	1	2	4	7	9	16
6-12 YRS	594	2.5	7	<1	1	2	3	5	6	14
13-19 YRS	1157	4.4	66	1	1	2	4	7	15	52
B. *Operated*										
0-27 DYS	23	12.0	199	<1	2	6	20	48	64	99+
1-11 MOS	39	9.3	313	<1	1	3	7	31	76	99+
1-5 YRS	95	2.7	15	<1	<1	2	3	4	9	24
6-12 YRS	90	2.6	9	<1	<1	2	3	4	5	19
13-19 YRS	174	3.1	19	<1	<1	2	3	6	9	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	498	4.3	12	1	1	3	5	8	11	19
1-11 MOS	2477	5.9	31	1	2	4	7	11	16	31
1-5 YRS	1786	4.7	35	1	1	3	5	10	14	29
6-12 YRS	808	3.4	25	1	1	2	4	6	8	21
13-19 YRS	1717	3.5	23	1	1	3	4	6	8	20
B. *Operated*										
0-27 DYS	19	13.1	487	1	2	6	13	27	66	98
1-11 MOS	161	17.5	310	1	3	12	23	51	72	99+
1-5 YRS	197	9.2	145	1	1	5	12	23	34	68
6-12 YRS	116	5.6	148	<1	1	3	5	10	15	89
13-19 YRS	210	6.9	161	1	1	3	7	14	33	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4373	3.6	24	1	1	2	4	7	9	27
B. *Operated*	421	4.0	59	<1	<1	2	4	7	16	52
2. MULTIPLE DX										
A. *Not Operated*	7286	4.7	29	1	1	3	5	9	13	28
B. *Operated*	703	9.9	215	1	1	5	12	25	47	99
1. SINGLE DX	4794	3.6	27	<1	1	2	4	7	9	28
2. MULTIPLE DX	7989	5.1	48	1	1	3	6	10	15	38
A. NOT OPERATED	11659	4.3	28	1	1	3	5	8	12	28
B. OPERATED	1124	7.7	165	<1	1	3	8	20	35	92
TOTAL 0-27 DYS	1076	3.9	24	1	1	3	4	7	10	22
1-11 MOS	3848	5.8	46	1	2	4	7	11	16	38
1-5 YRS	2993	4.5	36	1	1	3	5	9	14	29
6-12 YRS	1608	3.2	27	<1	1	2	4	6	8	21
13-19 YRS	3258	4.0	48	1	1	2	4	7	10	45
GRAND TOTAL	**12783**	**4.6**	**41**	**1**	**1**	**3**	**5**	**9**	**13**	**34**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	45	2.4	4	1	1	2	3	5	6	11
1-11 MOS	573	1.6	1	<1	1	1	2	3	4	6
1-5 YRS	453	1.8	2	<1	1	1	2	3	5	6
6-12 YRS	216	2.3	5	1	1	2	3	4	5	11
13-19 YRS	100	3.0	5	1	1	2	4	6	8	10
B. *Operated*										
0-27 DYS	3	9.3	121	2	2	4	17	22	22	22
1-11 MOS	47	4.3	17	1	1	3	4	9	13	21
1-5 YRS	93	4.6	16	2	2	4	5	7	8	29
6-12 YRS	96	4.3	7	2	2	4	5	7	9	16
13-19 YRS	63	5.5	12	1	2	5	7	10	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	4.6	34	1	1	3	4	17	19	19
1-11 MOS	351	2.7	7	1	1	2	3	6	9	13
1-5 YRS	358	3.3	29	1	1	2	3	6	10	40
6-12 YRS	227	4.1	54	1	1	2	4	7	10	39
13-19 YRS	191	5.2	39	1	1	3	6	11	17	29
B. *Operated*										
0-27 DYS										
1-11 MOS	18	16.7	503	1	2	6	21	41	71	90
1-5 YRS	120	8.2	129	1	1	5	9	17	25	60
6-12 YRS	138	10.9	248	1	1	5	11	35	59	99+
13-19 YRS	234	14.4	262	1	2	9	19	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1387	1.9	3	1	1	1	2	4	5	8
B. *Operated*	302	4.7	13	1	2	4	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	1141	3.6	30	1	1	2	4	7	11	25
B. *Operated*	510	12.1	241	1	1	6	13	37	52	99+
1. SINGLE DX	1689	2.4	6	1	1	2	3	5	6	11
2. MULTIPLE DX	1651	6.2	110	1	1	3	6	13	25	74
A. NOT OPERATED	2528	2.7	15	1	1	2	3	5	7	18
B. OPERATED	812	9.3	169	1	2	5	10	23	43	92
TOTAL 0-27 DYS	62	3.2	17	1	1	2	3	6	13	22
1-11 MOS	989	2.4	17	1	1	1	2	4	6	15
1-5 YRS	1024	3.3	31	1	1	2	3	6	10	29
6-12 YRS	677	5.0	81	1	1	3	5	9	15	70
13-19 YRS	588	8.5	143	1	1	5	9	22	40	79
GRAND TOTAL	**3340**	**4.3**	**61**	**1**	**1**	**2**	**4**	**9**	**14**	**49**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.0		1	1	1	1	1	1	1
1-11 MOS	80	1.5		<1	1	1	2	2	3	4
1-5 YRS	281	1.9	3	1	1	1	2	4	5	10
6-12 YRS	212	2.6	4	1	1	2	3	5	7	10
13-19 YRS	151	4.6	19	1	1	3	6	9	13	18
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	19	6.5	48	1	2	5	7	10	23	33
6-12 YRS	32	5.0	19	1	1	4	6	8	18	20
13-19 YRS	47	6.2	42	1	1	5	9	12	15	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	41	3	3	7	12	12	12	12
1-11 MOS	50	3.0	10	1	1	2	3	6	8	15
1-5 YRS	219	3.2	14	1	1	2	3	6	10	22
6-12 YRS	232	4.0	21	1	1	3	5	8	11	23
13-19 YRS	372	5.6	25	1	1	4	8	11	16	28
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	10.7	37	3	4	10	13	20	22	22
1-5 YRS	48	13.1	218	2	3	8	19	59	99+	99+
6-12 YRS	92	13.2	294	1	2	7	16	33	49	96
13-19 YRS	246	14.7	353	1	2	8	17	39	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	2.6	8	1	1	2	3	6	8	15
B. *Operated*	100	5.8	35	1	1	4	7	11	15	37
2. MULTIPLE DX										
A. *Not Operated*	875	4.4	21	1	1	3	5	10	13	24
B. *Operated*	394	14.0	316	1	2	8	17	40	71	99+
1. SINGLE DX	829	3.0	12	1	1	2	4	7	9	16
2. MULTIPLE DX	1269	7.4	133	1	1	4	8	17	28	90
A. NOT OPERATED	1604	3.6	16	1	1	2	4	8	11	21
B. OPERATED	494	12.4	270	1	2	7	14	33	56	99+
TOTAL 0-27 DYS	8	2.6	15	1	1	1	2	9	12	12
1-11 MOS	139	2.5	9	<1	1	2	2	6	9	16
1-5 YRS	567	3.5	36	1	1	2	3	7	12	53
6-12 YRS	568	5.0	72	1	1	3	5	10	17	48
13-19 YRS	816	8.2	142	1	1	5	9	17	28	87
GRAND TOTAL	**2098**	**5.7**	**90**	**1**	**1**	**3**	**6**	**12**	**20**	**71**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	11	2.5	3	1	1	2	3	5	7	7
6-12 YRS	28	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	94	1.9	2	<1	<1	1	2	3	4	10
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	77	1.8	3	<1	<1	1	2	3	5	10
6-12 YRS	399	1.6	1	<1	<1	1	2	3	4	7
13-19 YRS	1582	1.9	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	24	2.2	5	<1	1	2	2	4	7	12
6-12 YRS	94	2.2	4	<1	1	2	2	4	6	12
13-19 YRS	249	2.5	10	<1	<1	2	3	5	6	15
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	123	3.1	10	1	1	2	4	7	9	17
6-12 YRS	407	3.0	6	1	1	2	4	6	7	13
13-19 YRS	2062	3.4	16	1	1	2	4	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*	2062	1.9	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	372	2.4	8	<1	1	2	3	4	6	13
B. *Operated*	2597	3.3	14	1	1	2	4	7	9	18
1. SINGLE DX	2197	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	2969	3.2	13	1	1	2	4	6	8	18
A. NOT OPERATED	507	2.3	7	<1	1	2	3	4	5	12
B. OPERATED	4659	2.7	9	<1	1	2	3	5	7	14
TOTAL 0-27 DYS	5	2.2	2	1	1	2	3	4	4	4
1-11 MOS	11	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	235	2.6	7	<1	<1	2	3	6	8	13
6-12 YRS	928	2.3	4	<1	<1	2	3	5	6	11
13-19 YRS	3987	2.7	10	<1	1	2	3	5	7	15
GRAND TOTAL	**5166**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	2.4	6	1	1	2	3	5	8	11
6-12 YRS	122	3.1	6	1	1	2	4	6	8	12
13-19 YRS	583	4.1	17	1	1	3	5	8	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.7	9	4	4	6	9	10	10	10
6-12 YRS	7	7.6	51	1	1	6	9	20	22	22
13-19 YRS	97	9.3	37	2	3	8	12	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	4.8	9	1	1	4	7	9	10	10
1-5 YRS	13	3.5	13	1	1	3	4	8	13	14
6-12 YRS	83	3.6	11	1	1	3	5	7	9	19
13-19 YRS	593	5.4	36	1	1	4	6	10	13	39
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	9	16.6	469	1	1	10	31	83	99+	99+
6-12 YRS	17	10.5	94	<1	1	6	16	28	28	28
13-19 YRS	288	11.6	91	2	3	9	14	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	3.9	15	1	1	3	5	8	9	16
B. *Operated*	107	9.1	37	2	3	7	12	17	22	29
2. MULTIPLE DX										
A. *Not Operated*	698	5.1	32	1	1	4	6	10	13	32
B. *Operated*	315	11.6	101	2	3	9	15	25	32	64
1. SINGLE DX	833	4.6	20	1	1	4	6	9	12	23
2. MULTIPLE DX	1013	7.2	63	1	1	5	8	15	22	50
A. NOT OPERATED	1424	4.5	24	1	1	3	5	8	11	22
B. OPERATED	422	11.0	86	2	3	8	14	23	29	58
TOTAL 0-27 DYS										
1-11 MOS	10	4.8	8	1	1	4	7	9	10	10
1-5 YRS	46	5.8	120	1	1	2	5	14	36	99+
6-12 YRS	229	3.9	19	1	1	3	5	8	12	27
13-19 YRS	1561	6.3	47	1	1	4	8	13	19	38
GRAND TOTAL	**1846**	**6.0**	**45**	**1**	**1**	**4**	**7**	**12**	**18**	**37**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	18	6.2	26	1	1	6	9	14	17	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	30	17.4	129	5	7	15	25	32	58	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	21	17.6	682	1	1	8	17	57	87	95
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	36.5	221	26	26	36	47	47	47	47
6-12 YRS	3	21.7	60	13	13	24	27	28	28	28
13-19 YRS	110	25.5	307	7	9	23	36	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.8	26	1	1	4	8	13	17	19
B. *Operated*	30	17.4	129	5	7	15	25	32	58	99+
2. MULTIPLE DX										
A. *Not Operated*	23	16.3	637	1	1	7	12	49	85	95
B. *Operated*	115	25.5	299	7	10	23	36	81	99+	99+
1. SINGLE DX	50	12.8	120	1	2	10	16	28	35	99+
2. MULTIPLE DX	138	24.0	363	1	5	21	35	77	99+	99+
A. NOT OPERATED	43	11.4	374	1	1	6	10	33	55	95
B. OPERATED	145	23.9	274	7	8	21	33	70	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	25.3	484	3	3	26	42	47	47	47
6-12 YRS	6	11.8	141	1	1	8	24	28	28	28
13-19 YRS	179	21.3	326	1	4	17	31	68	99+	99+
GRAND TOTAL	**188**	**21.0**	**322**	**1**	**3**	**17**	**31**	**65**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	4	2.5	3	1	1	2	4	5	5	5
6-12 YRS	13	2.4	2	1	1	2	3	4	6	6
13-19 YRS	76	1.9	2	<1	1	2	2	3	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	6.7	23	3	3	5	7	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	13	5.4	28	1	1	4	9	12	18	19
1-5 YRS	29	4.1	11	1	1	3	5	8	13	14
6-12 YRS	42	3.3	7	<1	1	3	4	6	9	15
13-19 YRS	218	3.2	7	1	1	2	4	7	8	12
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	10.4	80	1	1	10	16	24	24	24
6-12 YRS	12	6.7	8	2	3	7	9	10	10	10
13-19 YRS	93	6.4	17	2	2	6	9	12	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.1	2	1	1	2	2	4	5	7
B. *Operated*	6	6.7	23	3	3	5	7	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	302	3.4	9	1	1	3	4	7	9	14
B. *Operated*	112	6.6	19	2	2	6	9	12	15	23
1. SINGLE DX	101	2.3	4	1	1	2	3	5	6	12
2. MULTIPLE DX	414	4.2	13	1	1	3	6	9	11	19
A. NOT OPERATED	397	3.1	7	1	1	2	4	6	8	14
B. OPERATED	118	6.6	19	2	2	6	9	13	15	23
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	16	5.3	23	1	1	4	8	10	16	19
1-5 YRS	38	4.8	22	1	1	3	5	12	14	24
6-12 YRS	67	3.7	8	1	1	3	5	8	10	14
13-19 YRS	393	3.8	11	1	1	3	5	8	10	16
GRAND TOTAL	**515**	**3.9**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	8.7	36	3	3	8	13	15	15	15
1-5 YRS	23	3.4	5	<1	1	2	6	7	8	8
6-12 YRS	72	4.2	25	1	1	3	4	9	14	30
13-19 YRS	253	4.9	21	1	2	4	6	9	11	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.5	25	2	2	5	9	9	9	9
6-12 YRS	3	15.0	97	4	4	18	22	23	23	23
13-19 YRS	19	8.4	58	1	2	5	12	17	26	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	13.9	76	5	5	14	17	28	30	30
1-5 YRS	47	5.0	13	1	1	5	7	9	10	21
6-12 YRS	101	5.0	8	1	1	5	6	9	10	15
13-19 YRS	415	8.6	74	2	2	6	10	17	25	50
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	8.2	33	2	2	7	10	17	21	21
6-12 YRS	35	10.9	126	2	3	6	14	30	49	99+
13-19 YRS	262	17.6	272	2	4	11	23	40	49	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	351	4.7	21	1	1	3	6	9	11	28
B. *Operated*	24	9.0	61	1	2	5	13	19	26	32
2. MULTIPLE DX										
A. *Not Operated*	570	7.7	60	1	2	6	9	14	22	46
B. *Operated*	306	16.5	255	2	3	11	22	37	48	91
1. SINGLE DX	375	5.0	24	1	1	4	6	10	13	29
2. MULTIPLE DX	876	10.8	146	2	2	7	12	24	34	60
A. NOT OPERATED	921	6.6	47	1	2	5	8	12	18	40
B. OPERATED	330	16.0	244	2	3	11	22	34	47	91
TOTAL 0-27 DYS										
1-11 MOS	10	12.3	65	3	4	11	16	24	30	30
1-5 YRS	81	4.9	14	1	1	4	7	9	10	21
6-12 YRS	211	5.9	40	1	1	4	7	12	16	42
13-19 YRS	949	10.1	138	2	2	6	11	23	33	59
GRAND TOTAL	**1251**	**9.0**	**116**	**1**	**2**	**6**	**10**	**21**	**31**	**56**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	27	2.7	6	<1	1	2	3	7	8	11
1-5 YRS	189	2.0	9	<1	1	1	2	4	6	18
6-12 YRS	229	2.9	27	<1	1	1	2	7	14	27
13-19 YRS	98	3.1	19	<1	1	2	3	5	14	24
B. *Operated*										
0-27 DYS										
1-11 MOS	18	2.3	6	1	1	1	3	4	8	11
1-5 YRS	1419	3.0	15	1	1	2	3	7	13	20
6-12 YRS	1973	3.3	19	1	1	2	3	7	14	23
13-19 YRS	934	3.2	15	1	1	2	4	6	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	33	4.2	24	1	1	2	4	10	19	21
1-5 YRS	51	3.0	9	1	1	2	3	6	10	17
6-12 YRS	66	3.5	21	<1	1	2	3	11	15	20
13-19 YRS	91	3.0	11	1	1	2	4	5	10	69
B. *Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	15	7.4	125	1	1	3	6	21	37	43
1-5 YRS	224	5.2	35	1	1	3	6	13	20	29
6-12 YRS	552	5.0	37	1	1	2	5	14	19	26
13-19 YRS	424	6.7	83	1	1	4	7	14	21	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	544	2.6	18	<1	1	1	2	5	12	23
B. *Operated*	4344	3.2	17	1	1	2	3	6	13	22
2. MULTIPLE DX										
A. *Not Operated*	242	3.3	15	1	1	2	4	7	13	21
B. *Operated*	1217	5.7	54	1	1	3	6	14	20	33
1. SINGLE DX	4888	3.1	17	1	1	2	3	6	13	22
2. MULTIPLE DX	1459	5.3	49	1	1	3	5	13	19	32
A. NOT OPERATED	786	2.9	17	<1	1	1	3	5	12	23
B. OPERATED	5561	3.7	26	1	1	2	4	9	15	24
TOTAL 0-27 DYS	4	4.3	4	3	3	4	5	7	7	7
1-11 MOS	93	3.9	33	1	1	2	4	9	12	34
1-5 YRS	1883	3.2	17	1	1	2	3	7	13	20
6-12 YRS	2820	3.6	24	1	1	2	3	9	16	24
13-19 YRS	1547	4.2	36	1	1	2	4	9	14	28
GRAND TOTAL	**6347**	**3.6**	**25**	**1**	**1**	**2**	**3**	**8**	**15**	**24**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	65	1.6	2	<1	<1	1	2	3	4	9
6-12 YRS	163	1.6	3	<1	1	1	2	3	4	5
13-19 YRS	86	2.2	45	<1	1	1	2	3	4	42
B. *Operated*										
0-27 DYS	4	1.0		1	1	1	1	1	1	1
1-11 MOS	8	1.6	1	1	1	1	2	3	4	4
1-5 YRS	1036	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	3914	1.5	1	<1	1	1	2	2	3	5
13-19 YRS	2221	2.0	2	<1	1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	7.5	190	1	1	2	7	27	46	46
1-5 YRS	40	2.0	4	1	1	1	2	4	4	13
6-12 YRS	74	2.2	14	1	1	1	2	4	6	26
13-19 YRS	132	2.5	4	<1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	9	3.4	7	1	1	2	5	8	9	9
1-5 YRS	145	2.2	5	1	1	1	2	4	6	23
6-12 YRS	655	2.7	20	1	1	2	3	5	8	19
13-19 YRS	928	4.2	27	1	1	3	5	9	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	1.8	14	<1	1	1	2	3	4	7
B. *Operated*	7183	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	256	2.5	14	<1	1	2	3	5	7	13
B. *Operated*	1737	3.4	23	1	1	2	4	7	10	23
1. SINGLE DX	7499	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	1993	3.3	22	1	1	2	4	7	10	23
A. NOT OPERATED	572	2.1	14	<1	1	1	2	4	5	11
B. OPERATED	8920	2.0	6	<1	1	1	2	4	5	11
TOTAL 0-27 DYS	4	1.0		1	1	1	1	1	1	1
1-11 MOS	29	4.3	69	1	1	2	4	8	11	46
1-5 YRS	1286	1.5	2	<1	<1	1	1	2	4	7
6-12 YRS	4806	1.6	4	<1	1	1	2	3	4	8
13-19 YRS	3367	2.6	11	1	1	2	3	5	7	15
GRAND TOTAL	**9492**	**2.0**	**7**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	13	2.2	2	<1	<1	2	3	4	6	6
6-12 YRS	15	2.1	2	<1	<1	2	3	4	5	5
13-19 YRS	29	2.9	6	1	1	2	4	5	7	13
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	1.6	1	<1	<1	1	2	3	3	3
1-5 YRS	102	2.0	14	<1	<1	1	2	3	5	23
6-12 YRS	297	1.6	2	<1	<1	1	2	2	3	8
13-19 YRS	1079	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	16	2.4	3	1	1	2	3	5	6	7
6-12 YRS	21	3.9	42	<1	1	2	5	6	17	31
13-19 YRS	80	2.7	8	<1	1	2	3	5	8	17
B. *Operated*										
0-27 DYS										
1-11 MOS	8	2.9	12	<1	<1	2	3	9	11	11
1-5 YRS	89	2.7	23	1	1	1	2	5	8	32
6-12 YRS	140	3.0	14	1	1	2	3	5	8	20
13-19 YRS	570	3.1	20	<1	1	2	3	6	8	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.5	4	<1	1	2	3	5	6	12
B. *Operated*	1484	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	119	2.9	13	<1	1	2	3	5	8	23
B. *Operated*	807	3.1	19	<1	1	2	3	6	8	24
1. SINGLE DX	1543	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	926	3.0	18	<1	1	2	3	5	8	24
A. NOT OPERATED	178	2.8	10	<1	1	2	3	5	7	18
B. OPERATED	2291	2.1	9	<1	<1	1	2	4	5	13
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	17	2.4	6	<1	<1	2	3	5	9	11
1-5 YRS	220	2.4	16	<1	<1	1	2	5	6	27
6-12 YRS	473	2.1	8	<1	<1	1	2	4	5	14
13-19 YRS	1758	2.2	8	<1	<1	1	2	4	6	13
GRAND TOTAL	**2469**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	15	6.5	40	<1	1	4	12	17	18	19
1-5 YRS	66	12.8	112	1	2	12	21	25	28	45
6-12 YRS	37	13.0	159	1	2	7	22	33	40	48
13-19 YRS	48	11.4	218	1	1	4	22	34	43	56
B. *Operated*										
0-27 DYS										
1-11 MOS	14	9.1	48	1	1	9	14	18	21	22
1-5 YRS	43	11.1	77	1	2	9	17	25	29	31
6-12 YRS	169	10.2	74	2	3	7	11	23	29	37
13-19 YRS	190	8.6	72	2	3	6	9	17	26	47
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	9.0	44	3	3	7	14	19	20	20
1-5 YRS	28	11.9	117	1	2	7	19	28	33	40
6-12 YRS	41	23.0	394	1	3	23	33	44	62	89
13-19 YRS	32	18.8	497	<1	1	7	33	48	56	97
B. *Operated*										
0-27 DYS	7	18.4	96	8	8	13	29	31	31	31
1-11 MOS	28	16.0	187	5	6	13	20	26	35	76
1-5 YRS	58	12.3	56	1	3	12	17	24	27	31
6-12 YRS	67	13.7	108	4	5	10	18	29	36	52
13-19 YRS	187	15.7	182	4	5	11	19	35	52	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	11.9	147	1	1	6	20	28	36	48
B. *Operated*	416	9.5	73	2	3	7	11	22	28	36
2. MULTIPLE DX										
A. *Not Operated*	108	18.0	348	1	2	11	28	40	51	92
B. *Operated*	347	14.8	146	4	5	11	19	30	43	61
1. SINGLE DX	582	10.2	95	1	2	7	13	24	31	45
2. MULTIPLE DX	455	15.6	195	2	4	11	21	33	46	75
A. NOT OPERATED	274	14.3	234	1	2	7	22	34	43	71
B. OPERATED	763	11.9	113	2	3	9	15	26	31	56
TOTAL 0-27 DYS	7	18.4	96	8	8	13	29	31	31	31
1-11 MOS	64	11.5	120	1	1	10	15	21	26	70
1-5 YRS	195	12.2	87	1	2	11	19	25	28	42
6-12 YRS	314	12.9	149	2	3	8	19	30	36	52
13-19 YRS	457	12.5	174	2	3	8	15	30	43	61
GRAND TOTAL	**1037**	**12.6**	**146**	**2**	**2**	**8**	**17**	**28**	**36**	**57**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	140	7.7	61	<1	1	4	14	19	22	30
1-5 YRS	690	13.5	86	1	1	14	20	24	28	38
6-12 YRS	434	22.1	148	1	3	22	28	37	42	59
13-19 YRS	155	20.2	300	1	1	22	33	40	47	64
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	60	4.4	24	<1	<1	2	6	11	17	21
1-5 YRS	483	10.3	94	1	1	6	18	24	28	36
6-12 YRS	511	15.9	187	1	2	13	26	33	40	52
13-19 YRS	746	11.5	150	1	2	8	13	28	39	55
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	9	7.3	40	1	1	5	14	17	17	17
1-11 MOS	81	9.6	87	1	2	7	15	22	26	46
1-5 YRS	257	14.7	109	1	2	15	21	26	32	47
6-12 YRS	255	21.8	218	1	2	22	29	39	49	74
13-19 YRS	117	22.0	404	1	2	16	37	49	55	89
B. *Operated*										
0-27 DYS	2	30.5	925	9	9	30	52	52	52	52
1-11 MOS	33	9.0	42	1	2	7	15	17	18	27
1-5 YRS	225	14.2	108	2	2	14	21	26	32	44
6-12 YRS	407	22.0	219	2	4	22	31	42	54	95
13-19 YRS	1141	17.4	212	2	4	13	21	38	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1421	16.3	149	1	1	17	24	32	37	51
B. *Operated*	1802	12.2	148	1	1	8	19	28	36	51
2. MULTIPLE DX										
A. *Not Operated*	719	17.7	212	1	2	17	25	37	47	63
B. *Operated*	1808	17.9	205	2	3	15	24	37	47	73
1. SINGLE DX	3223	14.0	152	1	1	11	22	30	37	51
2. MULTIPLE DX	2527	17.9	207	2	3	15	24	37	47	71
A. NOT OPERATED	2140	16.8	170	1	1	17	24	33	39	58
B. OPERATED	3610	15.1	184	1	2	11	22	33	42	65
TOTAL 0-27 DYS	15	9.5	164	1	1	5	12	17	43	52
1-11 MOS	314	7.7	61	<1	1	4	13	19	23	31
1-5 YRS	1655	12.9	97	1	1	13	20	25	29	40
6-12 YRS	1607	20.0	197	1	2	21	28	37	45	65
13-19 YRS	2159	15.8	218	1	2	11	21	37	46	71
GRAND TOTAL	**5750**	**15.7**	**180**	**1**	**2**	**13**	**23**	**33**	**41**	**62**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	11	1.6	1	<1	<1	1	2	3	4	4
1-5 YRS	214	1.9	5	<1	1	1	2	4	5	8
6-12 YRS	392	2.1	2	1	1	2	3	4	5	7
13-19 YRS	388	2.5	4	1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	9	2.3	2	1	1	2	3	52	99+	99+
1-5 YRS	261	2.2	4	1	1	1	3	5	6	10
6-12 YRS	1017	2.9	8	1	1	2	4	6	7	13
13-19 YRS	1721	4.1	13	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	14	4.6	19	1	1	3	6	10	15	17
1-5 YRS	75	4.8	53	1	1	2	5	9	19	41
6-12 YRS	113	3.0	8	1	1	2	3	6	10	14
13-19 YRS	164	3.9	42	1	1	3	4	7	8	26
B. *Operated*										
0-27 DYS										
1-11 MOS	11	13.3	641	1	2	5	10	42	85	89
1-5 YRS	96	5.5	53	1	1	3	6	11	26	38
6-12 YRS	380	6.3	56	1	1	4	7	13	23	41
13-19 YRS	1148	8.9	112	1	2	6	10	18	28	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1006	2.2	3	1	1	2	3	4	5	9
B. *Operated*	3008	3.5	11	1	1	3	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	367	3.9	33	1	1	2	4	7	11	28
B. *Operated*	1635	8.1	100	1	2	5	9	17	27	58
1. SINGLE DX	4014	3.2	9	1	1	2	4	6	8	15
2. MULTIPLE DX	2002	7.4	91	1	1	5	8	15	24	54
A. NOT OPERATED	1373	2.6	12	1	1	2	3	5	7	13
B. OPERATED	4643	5.1	47	1	1	3	6	10	15	38
TOTAL 0-27 DYS	2	9.5	25	6	6	9	13	13	13	13
1-11 MOS	45	5.6	173	1	1	3	5	10	31	99+
1-5 YRS	646	2.9	19	1	1	2	3	6	7	27
6-12 YRS	1902	3.4	18	1	1	2	4	6	9	25
13-19 YRS	3421	5.5	53	1	1	4	6	11	16	39
GRAND TOTAL	**6016**	**4.6**	**40**	**1**	**1**	**3**	**5**	**9**	**13**	**34**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.0	5	<1	<1	1	2	6	6	6
1-5 YRS	54	1.9	3	<1	<1	1	2	3	5	11
6-12 YRS	155	2.1	2	<1	1	2	3	4	5	7
13-19 YRS	256	2.3	3	<1	1	2	3	4	6	8
B. *Operated*										
0-27 DYS	3	3.0		3	3	3	3	3	3	3
1-11 MOS	8	3.8	3	1	1	4	5	6	7	7
1-5 YRS	94	2.7	7	<1	1	2	3	5	7	16
6-12 YRS	684	2.6	4	1	1	2	3	5	6	11
13-19 YRS	2939	3.0	6	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	6	9.2	217	1	1	3	6	36	39	39
1-5 YRS	21	3.2	6	1	1	2	4	8	8	8
6-12 YRS	62	3.4	14	<1	1	2	4	7	11	23
13-19 YRS	218	3.2	14	<1	1	2	4	6	8	14
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	15	6.7	34	1	2	5	7	18	20	21
1-5 YRS	67	5.3	38	1	1	3	6	10	23	29
6-12 YRS	282	5.2	33	1	1	4	6	10	14	30
13-19 YRS	1543	5.3	42	1	1	4	6	10	15	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	471	2.2	3	<1	1	2	3	4	6	8
B. *Operated*	3728	2.9	6	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	308	3.4	17	<1	1	2	4	6	8	19
B. *Operated*	1908	5.3	40	1	1	4	6	10	15	34
1. SINGLE DX	4199	2.9	5	1	1	2	4	5	7	10
2. MULTIPLE DX	2216	5.0	37	1	1	3	6	10	14	34
A. NOT OPERATED	779	2.7	9	<1	1	2	3	5	7	13
B. OPERATED	5636	3.7	19	1	1	3	4	7	9	20
TOTAL 0-27 DYS	6	4.0	6	1	1	3	6	8	8	8
1-11 MOS	34	5.8	54	1	1	4	6	13	20	39
1-5 YRS	236	3.3	16	<1	1	2	4	7	9	26
6-12 YRS	1183	3.2	12	1	1	2	4	6	8	16
13-19 YRS	4956	3.7	18	1	1	3	4	7	9	19
GRAND TOTAL	**6415**	**3.6**	**17**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	13	1.1		<1	<1	1	1	2	2	2
6-12 YRS	11	1.8	2	1	1	1	2	4	6	6
13-19 YRS	50	1.7	2	<1	<1	1	2	3	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	27	1.5		<1	<1	1	2	3	3	3
13-19 YRS	172	2.1	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.6	11	1	1	3	8	9	9	9
1-5 YRS	47	2.9	19	<1	1	2	3	5	10	26
6-12 YRS	61	2.5	9	1	1	2	3	4	6	19
13-19 YRS	248	2.6	4	<1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	5	1.8	1	1	1	2	2	3	3	3
6-12 YRS	27	3.3	5	1	1	2	5	7	8	10
13-19 YRS	127	5.3	75	1	1	3	5	9	21	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	1.6	2	<1	<1	1	2	3	5	7
B. *Operated*	201	2.0	2	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	363	2.6	7	1	1	2	3	5	8	12
B. *Operated*	160	4.9	62	1	1	3	5	9	14	49
1. SINGLE DX	277	1.9	2	<1	1	2	2	3	5	8
2. MULTIPLE DX	523	3.3	25	1	1	2	4	6	9	26
A. NOT OPERATED	439	2.5	6	<1	1	2	3	5	7	11
B. OPERATED	361	3.3	30	1	1	2	3	6	9	31
TOTAL 0-27 DYS										
1-11 MOS	10	4.9	13	1	1	4	8	10	11	11
1-5 YRS	67	2.4	14	<1	<1	1	2	4	6	24
6-12 YRS	126	2.4	6	1	1	2	3	5	6	14
13-19 YRS	597	3.0	20	1	1	2	3	5	8	23
GRAND TOTAL	**800**	**2.8**	**17**	**1**	**1**	**2**	**3**	**5**	**8**	**20**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	13	2.3	6	1	1	2	2	4	9	10
6-12 YRS	7	4.0	5	1	1	4	6	7	7	7
13-19 YRS	3	4.3	24	1	1	2	8	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	6	5.0	5	1	1	5	7	7	7	7
6-12 YRS	7	5.6	45	1	1	4	6	17	20	20
13-19 YRS	6	11.5	146	<1	<1	6	20	31	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	3.3	2	1	1	4	4	5	5	5
1-5 YRS	8	5.0	20	1	1	4	6	12	15	15
6-12 YRS	8	3.0	7	<1	<1	2	6	63	99+	99+
13-19 YRS	11	5.5	30	1	1	4	8	44	92	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	5	12.2	146	1	1	7	22	30	30	30
6-12 YRS	13	13.8	238	1	1	8	20	33	51	55
13-19 YRS	31	16.5	214	1	2	13	30	56	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.8	7	1	1	2	3	7	10	10
B. *Operated*	20	7.3	62	<1	1	5	7	20	26	32
2. MULTIPLE DX										
A. *Not Operated*	34	4.4	16	<1	1	4	6	14	76	99+
B. *Operated*	50	15.5	205	1	1	10	26	48	93	99+
1. SINGLE DX	46	4.8	35	1	1	2	6	10	20	32
2. MULTIPLE DX	84	11.0	158	1	1	7	18	46	99+	99+
A. NOT OPERATED	60	3.7	13	1	1	2	5	9	17	99+
B. OPERATED	70	13.1	177	1	1	8	20	45	54	99+
TOTAL 0-27 DYS										
1-11 MOS	12	4.8	40	1	1	3	5	12	22	24
1-5 YRS	32	5.0	38	1	1	3	6	11	19	30
6-12 YRS	35	7.7	117	<1	1	4	8	24	47	99+
13-19 YRS	51	12.8	175	1	1	8	20	47	99+	99+
GRAND TOTAL	**130**	**8.8**	**123**	**1**	**1**	**5**	**10**	**30**	**50**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	6.0	50	1	1	6	11	11	11	11
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	15	1.3	1	<1	<1	1	1	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	376	2.4	10	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	3	3.7	14	1	1	2	6	8	8	8
13-19 YRS	27	2.8	5	<1	<1	2	5	6	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	6	2.7	3	1	1	3	4	5	5	5
13-19 YRS	85	3.6	11	<1	1	3	4	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.8	5	<1	<1	1	2	3	8	11
B. *Operated*	381	2.4	10	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	33	2.9	5	<1	<1	2	5	7	8	8
B. *Operated*	93	3.5	10	1	1	3	4	7	10	19
1. SINGLE DX	400	2.4	10	<1	1	2	3	4	5	8
2. MULTIPLE DX	126	3.4	9	<1	1	3	4	7	9	19
A. NOT OPERATED	52	2.5	6	<1	<1	1	3	6	8	11
B. OPERATED	474	2.6	10	1	1	2	3	4	5	11
TOTAL 0-27 DYS										
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	5	4.4	18	1	1	3	7	11	11	11
6-12 YRS	13	2.5	5	1	1	2	4	6	8	8
13-19 YRS	503	2.6	10	<1	1	2	3	4	5	11
GRAND TOTAL	**526**	**2.6**	**10**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	9	1.8	1	1	1	2	2	3	4	4
13-19 YRS	33	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	4	2.5	2	<1	<1	2	3	4	4	4
6-12 YRS	81	2.7	7	<1	<1	2	3	5	6	18
13-19 YRS	1650	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS										
6-12 YRS	5	4.2	19	1	1	2	7	11	11	11
13-19 YRS	33	1.9	3	<1	<1	1	2	4	5	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	2.2	3	<1	<1	1	4	5	5	5
1-5 YRS	5	3.6	1	3	3	3	4	5	5	5
6-12 YRS	40	4.4	39	<1	1	2	5	9	14	37
13-19 YRS	1355	2.7	7	<1	<1	2	3	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	1738	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	39	2.5	10	<1	<1	1	3	6	11	16
B. *Operated*	1407	2.8	8	<1	<1	2	3	5	6	13
1. SINGLE DX	1781	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1446	2.8	8	<1	<1	2	3	5	6	13
A. NOT OPERATED	82	2.1	6	<1	<1	1	2	4	6	14
B. OPERATED	3145	2.4	5	<1	<1	2	3	5	6	9
TOTAL 0-27 DYS	3	6.7	65	2	2	2	13	16	16	16
1-11 MOS	8	1.9	3	<1	<1	1	3	5	5	5
1-5 YRS	10	3.0	1	<1	1	3	4	5	5	5
6-12 YRS	135	3.2	17	<1	1	2	3	6	9	24
13-19 YRS	3071	2.4	5	<1	<1	2	3	4	5	9
GRAND TOTAL	**3227**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	17	2.8	4	<1	1	2	4	6	7	7
6-12 YRS	43	3.2	16	<1	1	2	4	7	12	21
13-19 YRS	67	4.1	39	<1	1	2	4	8	12	38
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.7	41	2	2	4	11	14	14	14
1-5 YRS	59	3.0	7	<1	<1	2	4	7	8	15
6-12 YRS	237	2.5	16	<1	1	1	2	5	8	17
13-19 YRS	381	3.0	11	<1	1	2	3	6	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS	13	3.8	19	1	1	2	4	8	15	17
6-12 YRS	27	5.1	77	<1	1	3	5	10	20	46
13-19 YRS	98	5.1	18	<1	1	4	7	10	13	24
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.5	13	9	9	11	14	14	14	14
1-5 YRS	56	5.9	24	1	1	4	7	15	17	21
6-12 YRS	118	5.1	50	1	1	3	6	13	15	35
13-19 YRS	325	6.7	73	1	1	4	8	16	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	3.6	26	<1	1	2	4	7	10	29
B. *Operated*	680	2.8	12	<1	1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	140	5.0	29	<1	1	4	7	10	14	26
B. *Operated*	501	6.3	62	1	1	4	8	15	19	40
1. SINGLE DX	807	3.0	15	<1	1	2	3	6	9	20
2. MULTIPLE DX	641	6.0	55	1	1	4	7	14	18	39
A. NOT OPERATED	267	4.3	28	<1	1	3	6	9	12	26
B. OPERATED	1181	4.3	36	<1	1	2	5	10	15	24
TOTAL 0-27 DYS										
1-11 MOS	7	7.4	27	2	2	7	13	14	14	14
1-5 YRS	145	4.2	16	<1	1	3	5	8	15	18
6-12 YRS	425	3.4	30	<1	1	2	4	8	13	22
13-19 YRS	871	4.7	40	<1	1	3	6	11	16	26
GRAND TOTAL	**1448**	**4.3**	**35**	**<1**	**1**	**2**	**5**	**10**	**15**	**24**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.9	1	1	1	2	2	4	4	4
6-12 YRS	13	2.2	2	<1	<1	2	3	4	5	5
13-19 YRS	74	2.1	3	<1	<1	1	3	4	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS										
6-12 YRS	44	2.8	3	<1	<1	3	3	6	7	8
13-19 YRS	1198	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.5	1	7	7	7	8	8	8	8
1-5 YRS	10	1.9	2	<1	<1	1	2	4	5	5
6-12 YRS	16	2.3	1	<1	<1	2	3	4	4	4
13-19 YRS	74	3.1	24	<1	1	2	3	6	6	34
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.0	5	1	1	3	5	5	5	5
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	51	3.5	12	<1	1	2	4	8	11	16
13-19 YRS	1482	3.5	4	1	1	3	5	6	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	2.1	3	<1	<1	2	3	4	5	9
B. *Operated*	1246	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	102	3.0	19	<1	<1	2	3	5	7	25
B. *Operated*	1539	3.5	5	1	1	3	5	6	7	11
1. SINGLE DX	1340	2.7	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	1641	3.5	5	<1	1	3	5	6	7	11
A. NOT OPERATED	196	2.5	11	<1	<1	2	3	5	6	10
B. OPERATED	2785	3.2	4	<1	1	3	4	6	7	10
TOTAL 0-27 DYS										
1-11 MOS	10	3.6	7	<1	<1	3	5	7	8	8
1-5 YRS	19	1.9	2	<1	<1	2	2	4	5	5
6-12 YRS	124	3.0	7	<1	<1	2	3	6	7	16
13-19 YRS	2828	3.2	4	<1	1	3	4	6	7	9
GRAND TOTAL	**2981**	**3.1**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	3.8	2	3	3	3	4	6	6	6
1-5 YRS										
6-12 YRS	12	4.2	15	1	1	3	5	9	14	15
13-19 YRS	208	4.0	7	1	1	3	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	28	7.1	50	1	1	5	10	19	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	6	5.7	3	3	3	6	7	7	7	7
1-5 YRS	8	8.3	40	3	3	5	13	18	18	18
6-12 YRS	14	3.2	6	<1	1	3	4	5	9	10
13-19 YRS	258	4.9	11	1	1	4	6	9	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	11.7	183	1	2	8	15	23	45	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	4.0	7	1	1	3	5	7	8	14
B. *Operated*	28	7.1	50	1	1	5	10	19	23	25
2. MULTIPLE DX										
A. *Not Operated*	287	5.0	11	1	1	4	7	9	12	18
B. *Operated*	18	11.7	183	1	2	8	15	23	45	59
1. SINGLE DX	254	4.3	13	1	1	3	6	8	10	20
2. MULTIPLE DX	305	5.4	24	1	1	4	7	9	14	19
A. NOT OPERATED	513	4.5	10	1	1	4	6	8	11	17
B. OPERATED	46	8.9	105	1	1	7	12	20	25	59
TOTAL 0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	11	4.8	3	3	3	5	6	7	7	7
1-5 YRS	8	8.3	40	3	3	5	13	18	18	18
6-12 YRS	26	3.7	10	<1	1	3	4	7	11	15
13-19 YRS	512	4.9	19	1	1	4	6	9	13	19
GRAND TOTAL	**559**	**4.9**	**19**	**1**	**1**	**4**	**6**	**9**	**13**	**19**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	3	4.7	16	1	1	4	8	9	9	9
1-5 YRS	39	1.9	2	<1	<1	1	2	4	6	8
6-12 YRS	92	2.0	2	1	1	1	3	3	4	8
13-19 YRS	428	3.0	7	<1	1	2	4	6	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	43	3.4	8	1	1	2	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	4.8	14	1	1	4	6	11	13	13
1-5 YRS	18	2.1	2	1	1	2	3	4	5	5
6-12 YRS	83	2.6	6	1	1	2	3	5	6	16
13-19 YRS	805	3.9	11	1	1	3	5	8	9	15
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	7.7	32	3	3	6	12	14	14	14
13-19 YRS	65	3.6	8	<1	1	3	5	8	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	2.7	6	<1	1	2	4	6	8	14
B. *Operated*	45	3.4	8	1	1	2	5	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	916	3.7	10	1	1	3	5	7	9	15
B. *Operated*	70	3.8	9	1	1	3	5	8	11	14
1. SINGLE DX	609	2.8	6	<1	1	2	4	6	8	14
2. MULTIPLE DX	986	3.7	10	1	1	3	5	7	9	15
A. NOT OPERATED	1480	3.3	9	1	1	2	4	7	9	14
B. OPERATED	115	3.7	9	1	1	3	5	8	11	14
TOTAL 0-27 DYS	4	3.0	3	<1	<1	3	4	5	5	5
1-11 MOS	12	4.8	13	1	1	4	6	10	13	13
1-5 YRS	58	2.0	2	<1	1	1	2	4	5	8
6-12 YRS	180	2.3	5	1	1	2	3	4	6	14
13-19 YRS	1341	3.5	10	1	1	3	5	7	9	14
GRAND TOTAL	**1595**	**3.4**	**9**	**1**	**1**	**2**	**4**	**7**	**9**	**14**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	21	2.0	1	1	1	2	2	4	4	4
6-12 YRS	41	2.7	4	<1	<1	2	4	5	6	10
13-19 YRS	144	2.3	3	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	7	1.6		1	1	2	2	2	2	2
6-12 YRS	30	2.6	3	<1	1	2	3	5	6	7
13-19 YRS	421	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.5	41	1	1	5	10	10	10	10
1-5 YRS	15	2.9	26	<1	1	2	2	3	16	21
6-12 YRS	49	2.4	3	<1	1	2	3	5	6	8
13-19 YRS	151	2.5	4	<1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	19	2.7	8	<1	1	2	3	7	10	12
13-19 YRS	219	2.7	9	<1	1	2	3	5	6	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	2.3	3	<1	1	2	3	4	5	10
B. *Operated*	463	2.0	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	217	2.6	5	<1	1	2	3	5	7	10
B. *Operated*	243	2.7	8	<1	1	2	3	5	7	13
1. SINGLE DX	670	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	460	2.6	7	<1	1	2	3	5	7	12
A. NOT OPERATED	424	2.4	4	<1	1	2	3	5	6	10
B. OPERATED	706	2.2	4	<1	1	2	3	4	5	8
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	2.9	7	1	1	2	4	7	10	10
1-5 YRS	45	2.3	9	1	1	2	2	4	5	21
6-12 YRS	139	2.6	4	<1	1	2	3	5	7	10
13-19 YRS	935	2.3	4	<1	1	2	3	4	5	9
GRAND TOTAL	**1130**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.2		1	1	1	1	2	2	2
1-11 MOS	143	1.3		<1	1	1	1	2	3	4
1-5 YRS	1496	1.2		<1	1	1	1	2	2	4
6-12 YRS	2570	1.3	1	<1	1	1	1	2	2	4
13-19 YRS	2444	1.5	1	<1	1	1	2	2	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	37	1	1	2	9	12	12	12
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	13	1.7	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	3.8	36	<1	<1	1	3	15	16	16
1-11 MOS	121	1.8	2	<1	1	1	2	3	5	9
1-5 YRS	1181	1.7	2	1	1	1	2	3	4	10
6-12 YRS	2449	1.7	3	1	1	1	2	3	4	7
13-19 YRS	4676	2.1	3	<1	1	1	2	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	153	2.8	15	<1	1	2	3	5	10	20
6-12 YRS	384	2.4	16	1	1	1	2	4	6	26
13-19 YRS	1403	3.1	20	<1	1	2	3	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6659	1.4	1	<1	1	1	1	2	3	5
B. *Operated*	19	2.2	7	<1	<1	1	2	5	9	12
2. MULTIPLE DX										
A. *Not Operated*	8433	1.9	3	<1	1	1	2	4	5	9
B. *Operated*	1942	2.9	18	<1	1	2	3	6	9	20
1. SINGLE DX	6678	1.4	1	<1	1	1	1	2	3	5
2. MULTIPLE DX	10375	2.1	6	<1	1	1	2	4	5	11
A. NOT OPERATED	15092	1.7	2	<1	1	1	2	3	4	7
B. OPERATED	1961	2.9	18	<1	1	2	3	6	9	20
TOTAL 0-27 DYS	12	2.5	18	<1	<1	1	2	7	15	16
1-11 MOS	266	1.5	1	<1	1	1	2	3	3	7
1-5 YRS	2833	1.5	2	<1	1	1	2	2	3	9
6-12 YRS	5406	1.6	3	1	1	1	2	3	3	6
13-19 YRS	8536	2.1	6	<1	1	1	2	4	5	11
GRAND TOTAL	**17053**	**1.8**	**4**	**<1**	**1**	**1**	**2**	**3**	**5**	**9**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	2.1	6	1	1	1	2	5	9	10
1-11 MOS	201	1.5	2	<1	<1	1	1	3	3	6
1-5 YRS	857	1.4	1	<1	<1	1	1	2	3	6
6-12 YRS	995	1.5	2	<1	1	1	2	2	3	7
13-19 YRS	810	2.4	14	<1	<1	1	2	4	7	19
B. *Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	14	7.9	33	4	4	6	9	13	23	26
1-5 YRS	32	7.0	41	1	1	6	8	12	20	33
6-12 YRS	34	5.7	46	1	2	5	6	7	13	41
13-19 YRS	65	7.6	58	1	2	5	8	14	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	3.7	7	1	1	3	6	8	8	8
1-11 MOS	262	3.1	17	<1	1	2	3	7	13	24
1-5 YRS	1046	2.6	32	<1	1	1	2	4	7	25
6-12 YRS	1156	2.4	16	1	1	1	2	4	6	27
13-19 YRS	1658	3.8	53	<1	1	2	4	8	13	51
B. *Operated*										
0-27 DYS										
1-11 MOS	45	16.0	202	1	2	12	23	46	68	99+
1-5 YRS	175	9.0	199	1	1	3	9	27	39	84
6-12 YRS	221	10.7	263	1	1	4	11	36	55	99+
13-19 YRS	799	12.6	328	1	1	5	16	39	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2876	1.7	6	<1	1	1	2	3	4	10
B. *Operated*	146	7.1	49	1	2	6	7	14	22	38
2. MULTIPLE DX										
A. *Not Operated*	4128	3.0	35	<1	1	1	3	6	10	30
B. *Operated*	1240	11.9	295	1	1	5	15	37	60	99+
1. SINGLE DX	3022	2.0	9	<1	1	1	2	4	6	14
2. MULTIPLE DX	5368	5.1	109	<1	1	2	4	12	25	75
A. NOT OPERATED	7004	2.5	23	<1	1	1	2	4	7	23
B. OPERATED	1386	11.4	272	1	1	5	14	34	57	99+
TOTAL 0-27 DYS	20	3.1	12	1	1	2	3	9	11	13
1-11 MOS	522	3.7	43	<1	1	1	3	9	18	50
1-5 YRS	2110	2.7	38	<1	1	1	2	4	8	34
6-12 YRS	2406	2.9	40	1	1	1	2	5	9	39
13-19 YRS	3332	5.6	125	<1	1	2	5	14	27	80
GRAND TOTAL	**8390**	**4.0**	**75**	**<1**	**1**	**1**	**3**	**8**	**16**	**60**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	5	2.0	2	1	1	2	3	4	4	4
6-12 YRS	26	2.3	5	<1	1	2	2	5	8	10
13-19 YRS	82	2.7	6	1	1	2	3	5	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	5.3	2	4	4	5	6	7	7	7
6-12 YRS	6	4.8	17	2	2	3	4	12	13	13
13-19 YRS	145	4.9	8	2	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	6.3	12	3	3	6	9	10	10	10
1-5 YRS	34	4.5	23	1	1	3	5	12	15	23
6-12 YRS	44	3.4	5	1	1	3	5	7	8	12
13-19 YRS	256	3.9	18	1	1	3	4	8	11	27
B. *Operated*										
0-27 DYS	2	11.5	61	6	6	11	17	17	17	17
1-11 MOS	5	26.0	349	7	7	26	43	48	48	48
1-5 YRS	34	9.7	127	1	2	6	11	24	31	59
6-12 YRS	61	8.3	31	2	3	7	11	15	18	29
13-19 YRS	416	8.5	56	2	3	7	10	16	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	2.6	5	1	1	2	3	5	7	13
B. *Operated*	155	4.9	8	2	2	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	338	3.9	17	1	1	3	5	8	11	25
B. *Operated*	518	8.8	62	2	3	7	10	16	25	49
1. SINGLE DX	269	3.9	8	1	1	3	5	8	9	14
2. MULTIPLE DX	856	6.8	50	1	2	5	8	13	20	36
A. NOT OPERATED	452	3.6	14	1	1	2	4	7	10	23
B. OPERATED	673	7.9	52	2	3	6	9	14	22	41
TOTAL 0-27 DYS	3	8.0	67	1	1	6	14	17	17	17
1-11 MOS	10	15.4	284	2	2	7	26	44	48	48
1-5 YRS	76	6.7	74	1	1	4	7	13	24	52
6-12 YRS	137	5.4	24	1	1	4	7	12	15	26
13-19 YRS	899	6.1	38	1	1	4	8	12	16	31
GRAND TOTAL	**1125**	**6.1**	**41**	**1**	**1**	**4**	**8**	**12**	**17**	**32**

1,569 Hospitals, United States, January-December 1985

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	59	3.1	6	<1	1	2	5	7	8	10
6-12 YRS	305	3.5	10	<1	1	2	5	8	10	13
13-19 YRS	480	3.5	11	1	1	2	4	8	10	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	28	7.1	51	1	3	6	8	11	17	40
6-12 YRS	115	6.7	10	3	4	7	8	10	11	19
13-19 YRS	258	6.4	11	2	3	6	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	4	3.0	3	1	1	3	4	5	5	5
1-5 YRS	112	4.3	19	1	1	3	5	9	11	24
6-12 YRS	337	4.0	14	1	1	3	5	9	12	15
13-19 YRS	799	3.6	10	1	1	3	5	7	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	4	15.3	45	10	10	13	19	25	25	25
1-5 YRS	92	12.5	140	2	3	9	15	23	42	63
6-12 YRS	278	9.6	84	1	3	7	10	19	28	52
13-19 YRS	1139	11.3	120	3	4	8	12	23	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	848	3.5	10	1	1	2	5	8	10	16
B. *Operated*	402	6.5	13	2	3	6	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	1255	3.7	12	1	1	3	5	8	10	15
B. *Operated*	1513	11.1	115	3	4	8	12	22	33	62
1. SINGLE DX	1250	4.5	13	1	1	4	6	9	10	17
2. MULTIPLE DX	2768	7.8	81	1	1	6	9	15	24	51
A. NOT OPERATED	2103	3.6	11	1	1	2	5	8	10	15
B. OPERATED	1915	10.1	97	2	4	7	11	19	29	59
TOTAL 0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	13	6.7	50	1	1	3	10	16	23	25
1-5 YRS	291	6.9	73	1	1	5	9	14	20	47
6-12 YRS	1035	5.7	38	1	1	4	7	11	14	30
13-19 YRS	2676	7.1	71	1	1	5	8	14	21	48
GRAND TOTAL	**4018**	**6.7**	**63**	**1**	**1**	**5**	**8**	**13**	**19**	**45**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	14	1.4		<1	<1	1	2	2	2	2
6-12 YRS	17	2.5	2	<1	1	2	3	4	5	6
13-19 YRS	16	2.4	3	<1	<1	2	4	4	6	6
B. *Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	7	2.0	4	1	1	1	3	5	6	6
1-5 YRS	258	2.0	3	<1	<1	1	2	4	6	8
6-12 YRS	245	2.3	3	<1	1	2	3	5	6	8
13-19 YRS	200	2.7	7	<1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	15	3.1	5	<1	<1	3	5	7	8	8
6-12 YRS	20	4.7	5	1	1	4	7	8	8	8
13-19 YRS	38	3.1	5	1	1	2	4	7	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.0	6	<1	<1	2	5	6	6	6
1-5 YRS	209	2.9	6	1	1	2	4	6	8	12
6-12 YRS	235	3.6	11	1	1	3	5	6	8	12
13-19 YRS	311	3.4	6	1	1	3	5	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*	712	2.3	4	<1	1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	74	3.6	6	<1	1	4	5	8	8	10
B. *Operated*	760	3.3	8	1	1	3	5	6	8	12
1. SINGLE DX	759	2.3	4	<1	1	1	3	5	6	8
2. MULTIPLE DX	834	3.4	7	1	1	3	5	7	8	11
A. NOT OPERATED	121	3.0	5	<1	1	2	4	6	8	9
B. OPERATED	1472	2.8	6	<1	1	2	4	6	7	10
TOTAL 0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	13	2.5	4	<1	<1	1	4	6	6	6
1-5 YRS	496	2.4	4	<1	1	1	3	5	7	10
6-12 YRS	517	3.0	7	1	1	2	4	6	7	10
13-19 YRS	565	3.1	6	1	1	3	4	6	7	11
GRAND TOTAL	**1593**	**2.8**	**6**	**<1**	**1**	**2**	**4**	**6**	**7**	**10**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	10	1.9	2	<1	<1	1	3	4	4	4
1-5 YRS	122	1.9	2	<1	<1	1	2	4	5	6
6-12 YRS	79	2.2	2	<1	1	2	3	4	4	6
13-19 YRS	101	2.5	25	<1	<1	1	3	4	6	29
B. *Operated*										
0-27 DYS										
1-11 MOS	26	1.9	2	<1	1	1	3	4	5	5
1-5 YRS	556	1.5	2	<1	<1	1	2	3	4	7
6-12 YRS	226	1.7	2	<1	1	1	2	3	5	7
13-19 YRS	295	2.2	6	<1	<1	1	2	4	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	19	2.8	5	<1	1	2	4	6	8	9
1-5 YRS	158	2.5	4	1	1	2	3	4	6	10
6-12 YRS	123	2.2	3	<1	1	2	3	4	6	11
13-19 YRS	339	2.4	18	<1	<1	2	3	4	5	13
B. *Operated*										
0-27 DYS										
1-11 MOS	20	2.2	4	<1	<1	1	3	5	6	8
1-5 YRS	535	2.3	5	<1	1	1	3	5	7	11
6-12 YRS	431	2.4	5	1	1	2	3	5	7	13
13-19 YRS	1264	2.8	16	<1	1	2	3	5	7	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	2.2	9	<1	1	1	3	4	5	7
B. *Operated*	1103	1.8	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	639	2.4	11	<1	1	2	3	4	6	11
B. *Operated*	2250	2.6	12	<1	1	2	3	5	7	15
1. SINGLE DX	1417	1.9	5	<1	<1	1	2	4	5	9
2. MULTIPLE DX	2889	2.6	12	<1	1	2	3	5	7	14
A. NOT OPERATED	953	2.3	11	<1	1	2	3	4	5	10
B. OPERATED	3353	2.3	9	<1	1	1	3	5	6	13
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	75	2.2	3	<1	<1	1	3	5	6	9
1-5 YRS	1371	2.0	4	<1	1	1	2	4	5	9
6-12 YRS	859	2.2	4	<1	1	1	3	4	6	11
13-19 YRS	1999	2.7	16	<1	1	2	3	5	7	17
GRAND TOTAL	**4306**	**2.3**	**9**	**<1**	**1**	**1**	**3**	**4**	**6**	**12**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	3.0	16	1	1	2	2	10	11	11
1-5 YRS	47	1.4	1	<1	1	1	1	3	3	3
6-12 YRS	75	1.7	1	<1	1	1	2	3	3	5
13-19 YRS	295	1.8	1	<1	1	1	2	3	4	7
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.8	6	1	1	2	4	6	6	6
1-5 YRS	95	1.4	1	<1	<1	1	1	3	5	5
6-12 YRS	182	2.0	3	<1	1	1	3	4	5	10
13-19 YRS	278	2.7	4	<1	<1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	23	2.1	2	<1	1	2	2	4	5	6
6-12 YRS	40	2.7	11	1	1	2	3	4	8	20
13-19 YRS	213	2.9	11	<1	1	2	3	6	8	19
B. *Operated*										
0-27 DYS										
1-11 MOS	7	7.4	23	3	3	5	9	16	17	17
1-5 YRS	66	3.7	46	<1	<1	2	4	5	11	46
6-12 YRS	126	4.2	21	<1	1	2	5	11	14	20
13-19 YRS	463	5.4	34	1	1	4	7	11	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423	1.7	1	<1	1	1	2	3	4	7
B. *Operated*	560	2.3	4	<1	1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	279	2.8	10	<1	1	2	3	5	8	19
B. *Operated*	662	5.0	33	<1	1	4	6	10	14	24
1. SINGLE DX	983	2.0	3	<1	1	1	3	4	5	8
2. MULTIPLE DX	941	4.4	27	<1	1	3	5	9	13	23
A. NOT OPERATED	702	2.2	5	<1	1	2	3	4	5	11
B. OPERATED	1222	3.8	21	<1	1	2	5	8	11	20
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	20	4.3	18	1	1	3	6	10	14	17
1-5 YRS	231	2.1	15	<1	<1	1	2	4	5	16
6-12 YRS	423	2.6	10	<1	1	2	3	5	9	19
13-19 YRS	1249	3.5	18	<1	1	2	4	8	10	20
GRAND TOTAL	**1924**	**3.2**	**16**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	58	2.7	4	<1	1	2	4	5	7	9
6-12 YRS	86	2.8	4	1	1	2	3	5	6	12
13-19 YRS	271	2.7	3	<1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	33	1.9	16	<1	<1	1	1	2	3	24
1-5 YRS	440	1.7	2	<1	<1	1	2	3	4	7
6-12 YRS	575	1.9	3	<1	1	1	2	4	5	9
13-19 YRS	1513	2.1	5	<1	1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	4.2	7	<1	1	4	5	8	11	11
1-5 YRS	55	3.0	3	1	1	3	4	5	7	9
6-12 YRS	66	3.4	4	1	2	3	4	5	8	12
13-19 YRS	299	4.0	30	<1	1	3	4	8	11	29
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	2.3	3	<1	<1	1	4	5	6	6
1-5 YRS	279	2.3	7	<1	1	1	2	5	7	15
6-12 YRS	418	2.6	7	1	1	2	3	5	7	13
13-19 YRS	1536	3.0	14	<1	1	2	3	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	2.7	3	<1	1	2	3	5	6	10
B. *Operated*	2563	2.0	4	<1	1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	432	3.8	22	<1	1	3	4	7	9	23
B. *Operated*	2244	2.9	12	<1	1	2	3	6	9	18
1. SINGLE DX	2981	2.1	4	<1	1	1	2	4	5	10
2. MULTIPLE DX	2676	3.0	14	<1	1	2	3	6	9	2[illegible]
A. NOT OPERATED	850	3.3	13	<1	1	3	4	6	8	1[illegible]
B. OPERATED	4807	2.4	8	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	5	2.6	2	1	1	3	4	4	4	4
1-11 MOS	56	2.4	12	<1	<1	1	3	5	6	23
1-5 YRS	832	2.0	4	<1	<1	1	2	4	5	11
6-12 YRS	1145	2.3	5	<1	1	2	3	5	6	10
13-19 YRS	3619	2.7	11	<1	1	2	3	5	8	16
GRAND TOTAL	**5657**	**2.5**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	4.2	12	1	1	4	6	10	10	10
1-5 YRS	53	2.8	4	1	1	2	4	5	7	8
6-12 YRS	149	3.3	7	<1	1	3	4	6	9	13
13-19 YRS	285	2.7	6	<1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	6	2.7	4	1	1	2	4	6	6	6
1-5 YRS	259	3.5	19	<1	<1	2	4	8	12	22
6-12 YRS	611	3.4	17	<1	1	2	4	7	10	23
13-19 YRS	996	3.4	12	1	1	2	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	60	4.0	10	1	1	3	5	6	10	19
6-12 YRS	113	3.7	5	1	1	3	5	6	8	12
13-19 YRS	193	3.7	12	1	1	3	4	7	10	29
B. *Operated*										
0-27 DYS										
1-11 MOS	7	4.6	60	<1	<1	1	3	18	22	22
1-5 YRS	122	5.8	66	1	1	3	6	13	20	45
6-12 YRS	351	6.3	61	1	1	4	7	15	20	41
13-19 YRS	693	5.4	39	1	1	4	6	12	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	492	2.9	6	<1	1	2	4	5	8	12
B. *Operated*	1873	3.4	15	<1	1	2	4	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	369	3.7	10	1	1	3	5	7	10	19
B. *Operated*	1173	5.7	48	1	1	4	6	13	19	37
1. SINGLE DX	2365	3.3	13	<1	1	2	4	7	10	19
2. MULTIPLE DX	1542	5.3	40	1	1	3	6	11	18	34
A. NOT OPERATED	861	3.2	8	1	1	3	4	6	8	13
B. OPERATED	3046	4.3	29	1	1	3	5	9	14	28
TOTAL 0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	21	3.4	23	<1	<1	2	4	8	15	22
1-5 YRS	494	4.0	29	<1	1	2	5	9	13	24
6-12 YRS	1224	4.2	29	1	1	3	5	9	14	29
13-19 YRS	2167	4.0	21	1	1	3	5	8	12	26
GRAND TOTAL	**3907**	**4.1**	**24**	**1**	**1**	**3**	**5**	**8**	**12**	**26**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.5	3	1	1	2	4	5	5	5
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	12	3.5	10	1	1	2	5	9	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		1	1	1	1	1	1	1
6-12 YRS	15	2.5	3	1	1	2	3	4	6	7
13-19 YRS	48	3.4	6	<1	1	3	5	8	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	9	3.0	7	1	1	2	4	7	9	9
13-19 YRS	11	2.1	1	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	20	6.9	121	1	1	2	8	17	32	47
6-12 YRS	26	3.7	13	1	1	2	4	9	12	16
13-19 YRS	161	8.8	152	1	1	5	10	20	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.0	7	1	1	2	4	7	9	10
B. *Operated*	66	3.0	5	<1	1	2	4	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	23	2.4	3	1	1	2	3	4	6	9
B. *Operated*	208	8.1	134	1	1	4	9	18	37	64
1. SINGLE DX	86	3.0	6	1	1	2	4	7	8	10
2. MULTIPLE DX	231	7.5	124	1	1	3	9	17	36	63
A. NOT OPERATED	43	2.7	5	1	1	2	3	6	8	10
B. OPERATED	274	6.9	107	1	1	3	8	16	24	58
TOTAL 0-27 DYS										
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS	32	5.0	81	1	1	2	4	16	18	47
6-12 YRS	52	3.1	8	1	1	2	4	6	9	16
13-19 YRS	232	7.1	114	1	1	3	8	15	31	63
GRAND TOTAL	**317**	**6.3**	**95**	**1**	**1**	**3**	**7**	**13**	**22**	**52**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	5	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	9	5.0	36	1	1	3	6	16	16	16
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	44	3.6	10	1	1	2	4	9	11	14
6-12 YRS	65	3.7	18	<1	1	2	3	10	12	24
13-19 YRS	127	3.4	18	<1	1	2	4	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	10	8.0	278	<1	<1	2	4	32	55	55
6-12 YRS	16	4.4	29	1	1	3	5	8	18	23
13-19 YRS	32	6.8	235	1	1	3	5	10	15	89
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	26	5.0	29	1	1	3	8	8	14	27
6-12 YRS	42	3.9	16	<1	1	2	5	9	12	19
13-19 YRS	110	3.5	11	1	1	3	4	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.4	23	<1	1	2	3	14	16	16
B. *Operated*	238	3.5	16	<1	1	2	4	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	59	6.4	178	<1	1	3	5	10	20	86
B. *Operated*	182	3.8	15	1	1	2	5	8	10	22
1. SINGLE DX	254	3.5	17	<1	1	2	4	8	11	16
2. MULTIPLE DX	241	4.4	56	1	1	3	5	9	11	29
A. NOT OPERATED	75	5.8	146	<1	1	3	4	10	16	80
B. OPERATED	420	3.6	16	<1	1	2	4	8	10	20
TOTAL 0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	5	3.8	16	1	1	2	6	11	11	11
1-5 YRS	82	4.5	48	<1	1	2	5	9	11	46
6-12 YRS	128	3.8	18	1	1	2	4	9	12	24
13-19 YRS	278	3.9	41	<1	1	2	4	8	10	22
GRAND TOTAL	**495**	**4.0**	**36**	**<1**	**1**	**2**	**4**	**9**	**11**	**25**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	89	3.8	4	1	1	4	5	6	7	10
6-12 YRS	345	3.8	4	1	1	4	5	6	7	10
13-19 YRS	331	3.6	5	1	1	3	5	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	4.9	5	2	2	5	6	8	9	9
6-12 YRS	9	8.1	35	1	1	7	11	17	20	20
13-19 YRS	19	4.9	15	<1	1	4	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	3.1	6	1	1	2	4	7	8	8
1-5 YRS	54	3.9	29	1	1	4	5	5	6	40
6-12 YRS	175	4.0	7	1	1	4	5	7	9	14
13-19 YRS	227	3.3	4	1	1	3	5	6	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0	98	1	1	8	15	15	15	15
1-5 YRS	12	4.1	15	1	1	3	6	10	13	13
6-12 YRS	31	5.3	12	1	1	5	8	11	12	12
13-19 YRS	50	3.9	7	1	1	3	5	7	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	771	3.7	4	1	1	4	5	6	7	10
B. *Operated*	35	5.7	19	1	1	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	463	3.6	8	1	1	3	5	6	7	12
B. *Operated*	95	4.5	11	1	1	4	6	10	11	14
1. SINGLE DX	806	3.8	5	1	1	4	5	6	7	11
2. MULTIPLE DX	558	3.8	9	1	1	3	5	6	9	13
A. NOT OPERATED	1234	3.7	6	1	1	4	5	6	7	11
B. OPERATED	130	4.8	13	1	1	4	6	10	12	16
TOTAL 0-27 DYS										
1-11 MOS	15	3.1	15	<1	1	2	3	8	13	15
1-5 YRS	162	3.9	13	1	1	4	5	6	8	13
6-12 YRS	560	4.0	6	1	1	4	5	6	8	13
13-19 YRS	627	3.6	5	1	1	3	5	6	7	11
GRAND TOTAL	**1364**	**3.8**	**6**	**1**	**1**	**4**	**5**	**6**	**8**	**12**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	1.6	1	<1	<1	1	2	3	3	3
1-11 MOS	77	1.6	1	<1	<1	1	2	3	4	5
1-5 YRS	368	1.6	1	<1	1	1	2	3	4	6
6-12 YRS	497	1.7	2	<1	1	1	2	3	4	7
13-19 YRS	975	1.9	4	<1	<1	1	2	4	4	8
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	64	1.7	1	<1	<1	1	2	3	4	5
6-12 YRS	115	2.0	4	<1	<1	1	2	4	5	12
13-19 YRS	174	2.6	7	<1	<1	2	3	5	7	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	2.3	1	<1	<1	2	3	4	4	4
1-11 MOS	134	2.3	3	1	1	2	3	5	6	8
1-5 YRS	713	2.3	4	1	1	2	3	5	6	11
6-12 YRS	784	2.0	2	1	1	2	2	4	5	7
13-19 YRS	1974	2.2	4	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	6.8	45	1	1	4	10	18	19	19
1-5 YRS	65	3.3	15	<1	1	2	4	7	11	22
6-12 YRS	105	4.1	25	1	1	2	5	8	14	27
13-19 YRS	349	3.9	26	1	1	2	4	8	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1925	1.8	3	<1	1	1	2	3	4	7
B. *Operated*	354	2.3	5	<1	<1	2	2	5	5	11
2. MULTIPLE DX										
A. *Not Operated*	3616	2.2	3	<1	1	2	3	4	6	9
B. *Operated*	526	3.9	24	1	1	2	4	8	12	24
1. SINGLE DX	2279	1.9	3	<1	<1	1	2	3	5	8
2. MULTIPLE DX	4142	2.4	6	<1	1	2	3	5	6	11
A. NOT OPERATED	5541	2.0	3	<1	1	1	2	4	5	9
B. OPERATED	880	3.2	17	<1	1	2	4	6	10	22
TOTAL 0-27 DYS	21	2.3	2	<1	<1	2	3	4	5	5
1-11 MOS	217	2.2	4	<1	1	1	3	4	5	9
1-5 YRS	1210	2.1	4	<1	1	1	2	4	5	10
6-12 YRS	1501	2.0	4	<1	1	1	2	4	5	10
13-19 YRS	3472	2.3	6	<1	1	2	3	4	6	11
GRAND TOTAL	**6421**	**2.2**	**5**	**<1**	**1**	**1**	**3**	**4**	**6**	**10**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	61	2.0	5	1	1	1	2	3	4	15
6-12 YRS	38	2.1	1	1	1	2	2	4	5	5
13-19 YRS	58	2.2	3	<1	1	2	3	4	6	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	18	4.9	68	<1	<1	2	3	15	27	34
6-12 YRS	22	3.5	15	<1	<1	2	5	8	12	17
13-19 YRS	51	4.3	23	1	1	3	5	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	48	2.8	10	1	1	2	3	8	9	16
6-12 YRS	21	2.9	5	1	1	2	4	6	8	8
13-19 YRS	46	3.3	13	<1	1	2	4	6	9	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	29	2.4	4	<1	1	2	3	6	7	8
6-12 YRS	36	6.9	47	1	1	5	9	14	23	32
13-19 YRS	128	6.8	68	1	1	3	8	19	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	2.1	3	1	1	2	2	3	5	12
B. *Operated*	92	4.2	29	<1	1	2	4	9	17	30
2. MULTIPLE DX										
A. *Not Operated*	117	3.0	10	1	1	2	3	7	9	18
B. *Operated*	193	6.2	57	1	1	3	7	15	24	36
1. SINGLE DX	250	2.9	14	1	1	2	3	5	9	17
2. MULTIPLE DX	310	5.0	41	1	1	3	6	11	19	34
A. NOT OPERATED	275	2.5	6	1	1	2	3	5	7	15
B. OPERATED	285	5.5	48	1	1	3	6	14	22	34
TOTAL 0-27 DYS										
1-11 MOS	4	1.8	1	<1	<1	1	2	3	3	3
1-5 YRS	156	2.6	14	1	1	2	3	5	9	17
6-12 YRS	117	4.0	22	1	1	2	5	9	13	28
13-19 YRS	283	4.9	41	1	1	3	5	11	20	34
GRAND TOTAL	**560**	**4.0**	**30**	**1**	**1**	**2**	**4**	**9**	**15**	**33**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	18	1.1		<1	<1	<1	1	1	2	2
6-12 YRS	6	3.0	8	<1	<1	1	5	8	8	8
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	12	1.5	2	<1	<1	<1	1	3	6	6
6-12 YRS	12	1.5	1	<1	<1	1	2	3	5	5
13-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	5	3.2	2	2	2	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	2.3	4	1	1	2	3	5	5	5
6-12 YRS	5	1.8	2	1	1	1	2	4	4	4
13-19 YRS	3	3.3	4	1	1	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	1.5	2	<1	<1	1	1	2	6	8
B. *Operated*	28	1.4	1	<1	<1	<1	1	2	5	6
2. MULTIPLE DX										
A. *Not Operated*	6	3.0	2	2	2	3	4	5	5	5
B. *Operated*	13	2.4	3	1	1	2	4	5	5	5
1. SINGLE DX	54	1.5	2	<1	<1	<1	1	2	5	8
2. MULTIPLE DX	19	2.6	2	1	1	2	4	5	5	5
A. NOT OPERATED	32	1.8	3	<1	<1	1	2	4	5	8
B. OPERATED	41	1.7	2	<1	<1	1	2	4	5	6
TOTAL 0-27 DYS										
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	35	1.4	1	<1	<1	<1	1	2	4	6
6-12 YRS	23	2.0	3	<1	<1	1	2	5	6	8
13-19 YRS	13	2.4	3	<1	<1	2	4	5	5	5
GRAND TOTAL	**73**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	66	1.8	2	<1	<1	1	2	4	4	7
1-11 MOS	268	1.4	1	<1	<1	1	2	2	3	4
1-5 YRS	1108	1.2	1	<1	<1	1	1	2	2	4
6-12 YRS	373	1.2	1	<1	<1	1	1	2	2	5
13-19 YRS	187	1.4	2	<1	<1	1	1	2	3	7
B. *Operated*										
0-27 DYS										
1-11 MOS	80	1.4	1	<1	<1	1	2	2	2	6
1-5 YRS	370	1.5	1	<1	<1	1	2	3	4	6
6-12 YRS	72	1.7	1	<1	<1	1	2	4	4	5
13-19 YRS	61	2.7	6	<1	<1	1	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	56	2.7	3	1	1	2	4	5	6	10
1-11 MOS	193	2.5	10	<1	1	2	3	5	8	15
1-5 YRS	252	2.0	3	<1	<1	1	2	4	5	9
6-12 YRS	78	1.9	2	<1	<1	1	3	4	4	9
13-19 YRS	95	2.1	3	<1	<1	2	3	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS	39	5.9	68	<1	1	3	6	25	32	99+
1-5 YRS	154	3.1	12	<1	1	2	3	7	9	16
6-12 YRS	47	5.3	48	<1	1	2	7	12	26	32
13-19 YRS	38	4.4	40	<1	<1	2	5	13	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2002	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	583	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	674	2.2	5	<1	<1	2	3	4	5	11
B. *Operated*	278	4.0	30	<1	1	2	5	9	13	31
1. SINGLE DX	2585	1.4	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	952	2.7	13	<1	<1	2	3	5	8	26
A. NOT OPERATED	2676	1.5	2	<1	<1	1	2	3	4	7
B. OPERATED	861	2.4	12	<1	<1	1	2	5	7	26
TOTAL 0-27 DYS	122	2.2	3	<1	1	2	3	4	5	8
1-11 MOS	580	2.1	9	<1	<1	1	2	4	5	22
1-5 YRS	1884	1.5	2	<1	<1	1	1	3	4	8
6-12 YRS	570	1.7	6	<1	<1	1	1	3	4	11
13-19 YRS	381	2.1	7	<1	<1	1	2	4	6	13
GRAND TOTAL	**3537**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	8.1	53	<1	1	7	13	19	21	21
1-5 YRS	52	6.3	32	1	1	5	10	15	16	23
6-12 YRS	20	7.8	52	1	2	6	9	14	25	34
13-19 YRS	30	5.0	14	<1	1	4	8	10	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS	14	15.1	564	1	1	7	9	64	75	78
1-5 YRS	94	7.7	44	1	1	6	11	18	20	32
6-12 YRS	79	8.4	73	1	1	6	12	19	27	38
13-19 YRS	75	7.6	46	1	1	5	9	16	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	30	8.9	97	1	1	6	13	20	26	48
1-5 YRS	131	8.6	78	1	1	6	11	18	22	43
6-12 YRS	51	7.5	117	1	1	5	8	14	23	73
13-19 YRS	68	5.7	29	1	1	4	8	14	16	25
B. *Operated*										
0-27 DYS										
1-11 MOS	65	13.6	110	1	2	12	19	30	36	42
1-5 YRS	251	16.3	220	1	2	13	24	34	47	77
6-12 YRS	159	16.9	236	1	2	13	25	35	44	81
13-19 YRS	207	16.2	246	1	2	12	21	42	53	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	6.4	33	1	1	5	9	13	17	27
B. *Operated*	262	8.3	81	1	1	6	11	18	21	39
2. MULTIPLE DX										
A. *Not Operated*	280	7.8	76	1	1	5	10	17	22	45
B. *Operated*	682	16.1	221	1	2	12	23	34	48	80
1. SINGLE DX	376	7.7	67	1	1	6	10	17	21	37
2. MULTIPLE DX	962	13.7	193	1	2	9	19	31	42	76
A. NOT OPERATED	394	7.4	64	1	1	5	10	15	21	36
B. OPERATED	944	14.0	195	1	2	9	19	31	42	77
TOTAL 0-27 DYS										
1-11 MOS	121	12.1	155	1	1	9	16	25	36	67
1-5 YRS	528	11.9	152	1	1	8	16	26	35	69
6-12 YRS	309	12.6	181	1	2	8	16	30	37	75
13-19 YRS	380	11.7	174	1	1	7	15	28	44	77
GRAND TOTAL	**1338**	**12.0**	**165**	**1**	**1**	**8**	**16**	**27**	**37**	**72**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	121	3.5	11	1	1	2	5	8	10	16
1-5 YRS	521	4.5	21	1	1	3	6	10	13	23
6-12 YRS	132	5.1	28	1	1	4	6	11	14	27
13-19 YRS	191	3.3	10	<1	1	2	4	7	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS	24	5.6	49	<1	1	3	7	13	20	32
1-5 YRS	94	6.9	42	1	1	5	10	15	18	31
6-12 YRS	49	9.9	137	1	1	6	14	22	30	69
13-19 YRS	49	7.5	104	1	2	5	8	14	27	60
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.3	7	1	1	3	5	6	6	6
1-11 MOS	306	4.8	19	1	1	3	7	10	14	21
1-5 YRS	1217	5.3	24	1	1	4	7	11	15	24
6-12 YRS	270	4.9	22	1	1	3	7	11	14	19
13-19 YRS	495	4.3	16	1	1	3	6	10	13	17
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	67	8.4	80	1	1	6	10	20	23	53
1-5 YRS	320	9.4	94	1	2	6	11	20	28	56
6-12 YRS	115	10.3	80	1	1	8	14	22	30	42
13-19 YRS	177	8.0	51	1	2	6	11	17	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	966	4.2	19	1	1	3	6	9	12	23
B. *Operated*	216	7.6	79	1	1	5	10	16	25	44
2. MULTIPLE DX										
A. *Not Operated*	2292	4.9	22	1	1	3	7	11	14	22
B. *Operated*	680	9.1	80	1	1	6	11	20	27	42
1. SINGLE DX	1182	4.8	32	1	1	3	6	11	15	27
2. MULTIPLE DX	2972	5.9	38	1	1	4	8	13	17	30
A. NOT OPERATED	3258	4.7	21	1	1	3	6	10	14	22
B. OPERATED	896	8.7	80	1	1	6	11	20	26	41
TOTAL 0-27 DYS	6	5.0	28	1	1	3	6	14	15	15
1-11 MOS	518	5.0	28	1	1	3	7	11	14	24
1-5 YRS	2152	5.8	37	1	1	4	7	12	17	29
6-12 YRS	566	6.4	51	1	1	4	8	14	18	38
13-19 YRS	912	5.0	29	1	1	3	7	11	15	26
GRAND TOTAL	**4154**	**5.6**	**36**	**1**	**1**	**4**	**7**	**12**	**16**	**29**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	6	1.8	3	<1	<1	1	2	5	5	5
6-12 YRS	21	2.0	2	<1	1	1	3	4	5	5
13-19 YRS	81	3.3	13	<1	<1	2	4	7	12	18
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	11	2.4	4	<1	<1	1	4	5	7	7
6-12 YRS	50	2.1	5	<1	<1	1	2	4	7	11
13-19 YRS	128	2.7	10	<1	<1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.3	1	1	1	3	3	3	3	3
1-5 YRS	7	12.4	522	<1	1	4	7	53	64	64
6-12 YRS	19	4.2	26	<1	1	2	5	14	16	18
13-19 YRS	122	6.0	105	<1	1	3	6	10	26	59
B. *Operated*										
0-27 DYS										
1-11 MOS	1	45.0		45	45	45	45	45	45	45
1-5 YRS	31	2.3	6	<1	1	1	2	5	7	13
6-12 YRS	73	3.4	37	<1	<1	2	3	5	12	36
13-19 YRS	267	4.5	112	<1	1	2	3	7	20	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.9	10	<1	1	2	3	6	8	18
B. *Operated*	192	2.5	8	<1	<1	2	2	5	9	14
2. MULTIPLE DX										
A. *Not Operated*	151	6.0	111	<1	1	3	5	12	25	64
B. *Operated*	372	4.2	93	<1	1	2	3	7	17	55
1. SINGLE DX	303	2.7	9	<1	<1	2	3	6	8	16
2. MULTIPLE DX	523	4.7	99	<1	1	2	4	9	19	58
A. NOT OPERATED	262	4.7	70	<1	1	2	4	9	17	54
B. OPERATED	564	3.6	65	<1	1	2	3	6	12	47
TOTAL 0-27 DYS										
1-11 MOS	10	6.2	187	1	1	2	3	24	45	45
1-5 YRS	55	3.5	74	<1	<1	1	3	6	8	61
6-12 YRS	163	2.9	21	<1	<1	2	3	5	11	31
13-19 YRS	598	4.3	76	<1	1	2	3	8	16	54
GRAND TOTAL	**826**	**4.0**	**67**	**<1**	**1**	**2**	**3**	**7**	**13**	**51**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.1	5	1	1	3	3	7	9	9
1-5 YRS	180	1.9	3	<1	1	1	2	4	5	8
6-12 YRS	268	1.9	2	1	1	1	2	3	5	7
13-19 YRS	418	2.1	4	<1	1	1	2	4	6	13
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.0	2	6	6	7	8	8	8	8
1-5 YRS	32	3.7	13	1	1	2	5	7	12	17
6-12 YRS	43	4.2	11	<1	1	3	6	8	10	16
13-19 YRS	140	3.6	26	<1	1	2	4	8	10	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	35	2.6	3	<1	1	2	4	6	7	7
1-5 YRS	195	2.6	7	1	1	2	3	5	7	15
6-12 YRS	289	2.8	7	1	1	2	3	5	7	15
13-19 YRS	687	2.9	9	<1	1	2	3	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	9	6.6	41	1	1	5	8	18	18	18
1-5 YRS	50	5.2	22	1	1	4	7	11	15	25
6-12 YRS	83	8.5	117	1	1	5	10	23	32	56
13-19 YRS	277	7.6	97	1	1	4	9	17	25	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	877	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	217	3.8	21	<1	1	2	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	1207	2.8	8	<1	1	2	3	6	8	14
B. *Operated*	419	7.5	91	1	1	4	9	17	25	55
1. SINGLE DX	1094	2.3	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	1626	4.0	34	1	1	2	4	8	13	31
A. NOT OPERATED	2084	2.5	6	<1	1	2	3	5	7	13
B. OPERATED	636	6.2	70	1	1	3	7	14	20	48
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	57	3.5	11	<1	1	2	5	7	9	18
1-5 YRS	457	2.7	8	1	1	2	3	6	8	15
6-12 YRS	683	3.2	23	1	1	2	3	6	9	25
13-19 YRS	1522	3.6	29	<1	1	2	4	8	11	27
GRAND TOTAL	**2720**	**3.3**	**24**	**<1**	**1**	**2**	**4**	**7**	**10**	**24**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	1.6	1	<1	<1	1	2	3	5	5
1-11 MOS	115	1.5	3	<1	1	1	1	2	3	10
1-5 YRS	2742	1.3	1	<1	<1	1	1	2	3	4
6-12 YRS	343	1.8	1	<1	1	1	2	3	4	6
13-19 YRS	2934	1.9	3	<1	<1	1	2	3	4	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	2.3	2	<1	<1	2	4	4	4	4
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	3	2.3	5	1	1	1	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	2.7	3	1	1	3	4	4	6	7
1-11 MOS	129	2.7	9	<1	1	2	3	6	6	13
1-5 YRS	1158	1.9	4	<1	1	1	2	3	5	9
6-12 YRS	427	3.0	16	<1	1	2	3	6	9	17
13-19 YRS	6867	3.7	45	<1	1	2	3	7	12	36
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.5	61	3	3	8	14	14	14	14
1-5 YRS	11	10.2	181	1	1	3	17	29	44	45
6-12 YRS	6	5.2	22	2	2	3	9	13	13	13
13-19 YRS	73	10.0	149	1	1	5	12	27	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6145	1.6	2	<1	<1	1	2	3	4	6
B. *Operated*	14	2.6	4	<1	1	2	4	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	8596	3.4	38	<1	1	2	3	6	10	32
B. *Operated*	92	9.7	141	1	1	5	13	26	35	58
1. SINGLE DX	6159	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	8688	3.4	40	<1	1	2	3	6	11	34
A. NOT OPERATED	14741	2.6	24	<1	1	1	3	4	7	24
B. OPERATED	106	8.8	129	1	1	4	10	23	34	57
TOTAL 0-27 DYS	26	2.2	2	<1	1	2	3	4	5	7
1-11 MOS	246	2.2	7	<1	1	1	2	4	6	14
1-5 YRS	3920	1.5	2	<1	<1	1	2	2	3	6
6-12 YRS	778	2.5	10	<1	1	2	3	5	7	13
13-19 YRS	9877	3.2	35	<1	1	2	3	5	10	30
GRAND TOTAL	**14847**	**2.7**	**25**	**<1**	**1**	**1**	**3**	**5**	**7**	**25**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	1.4	1	<1	<1	1	2	3	3	3
1-11 MOS	143	1.4	1	<1	1	1	2	2	3	12
1-5 YRS	1842	2.1	5	<1	1	1	2	5	6	10
6-12 YRS	405	1.7	2	<1	<1	1	2	3	5	7
13-19 YRS	634	1.5	1	<1	<1	1	2	3	3	6
B. *Operated*										
0-27 DYS					—					
1-11 MOS										
1-5 YRS	20	2.5	5	<1	<1	2	3	6	8	8
6-12 YRS	4	2.5	2	1	1	2	3	4	4	4
13-19 YRS	15	3.1	4	1	1	3	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	77	2.0	3	<1	1	1	2	4	6	10
1-5 YRS	938	2.9	9	1	1	2	4	6	8	13
6-12 YRS	188	2.4	6	<1	1	1	3	5	7	12
13-19 YRS	561	2.8	42	<1	<1	1	2	4	9	27
B. *Operated*										
0-27 DYS										
1-11 MOS	5	7.8	26	3	3	6	12	15	15	15
1-5 YRS	26	9.5	131	1	1	6	12	36	55	99+
6-12 YRS	7	7.4	25	<1	<1	8	10	15	16	16
13-19 YRS	27	11.8	300	1	1	5	12	50	58	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3032	1.9	4	<1	<1	1	2	4	6	9
B. *Operated*	39	2.7	4	<1	1	2	4	5	8	8
2. MULTIPLE DX										
A. *Not Operated*	1766	2.8	19	<1	1	2	3	6	8	17
B. *Operated*	65	10.1	180	1	1	6	12	22	57	93
1. SINGLE DX	3071	1.9	4	<1	<1	1	2	4	6	9
2. MULTIPLE DX	1831	3.0	26	<1	1	2	3	6	9	21
A. NOT OPERATED	4798	2.2	9	<1	1	1	2	5	6	12
B. OPERATED	104	7.3	126	1	1	4	8	16	42	77
TOTAL 0-27 DYS	10	1.3		<1	<1	1	1	2	3	3
1-11 MOS	225	1.7	3	<1	1	1	2	3	5	12
1-5 YRS	2826	2.4	8	<1	1	1	3	6	7	13
6-12 YRS	604	2.0	4	<1	<1	1	2	4	6	10
13-19 YRS	1237	2.4	28	<1	<1	1	2	4	6	20
GRAND TOTAL	**4902**	**2.3**	**12**	**<1**	**1**	**1**	**2**	**5**	**6**	**14**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	2.6	1	1	1	3	3	4	4	4
1-11 MOS	135	2.0	2	<1	1	1	2	4	5	8
1-5 YRS	509	2.2	15	<1	1	1	2	4	6	10
6-12 YRS	269	2.8	34	1	1	2	3	5	6	11
13-19 YRS	362	2.0	4	<1	1	1	2	3	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.6	7	2	2	2	5	8	8	8
6-12 YRS	11	2.4	4	<1	1	2	2	5	8	8
13-19 YRS	9	8.3	82	<1	<1	4	14	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	3.9	8	1	1	3	6	8	9	9
1-11 MOS	199	4.1	20	1	1	3	5	8	11	25
1-5 YRS	544	3.8	41	1	1	2	4	8	12	43
6-12 YRS	324	3.0	8	1	1	2	4	6	8	17
13-19 YRS	570	3.1	12	1	1	2	3	6	8	18
B. *Operated*										
0-27 DYS										
1-11 MOS	14	4.7	18	1	1	3	9	14	78	99+
1-5 YRS	65	14.9	386	1	1	7	21	60	76	99+
6-12 YRS	21	8.7	405	<1	<1	2	7	17	54	93
13-19 YRS	30	8.2	105	1	1	5	19	48	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1284	2.2	14	<1	1	1	2	4	6	10
B. *Operated*	25	4.8	38	<1	1	2	5	12	22	24
2. MULTIPLE DX										
A. *Not Operated*	1659	3.4	22	1	1	2	4	7	10	23
B *Operated*	130	11.2	294	1	1	5	16	35	89	99+
1. SINGLE DX	1309	2.3	15	<1	1	1	2	4	6	11
2. MULTIPLE DX	1789	4.0	46	1	1	2	4	8	13	50
A. NOT OPERATED	2943	2.9	19	1	1	2	3	6	8	18
B. OPERATED	155	10.2	258	1	1	3	14	33	77	99+
TOTAL 0-27 DYS	31	3.5	6	1	1	3	5	8	8	9
1-11 MOS	348	3.3	14	<1	1	2	4	7	10	24
1-5 YRS	1123	3.7	57	1	1	2	3	7	12	62
6-12 YRS	625	3.1	33	1	1	2	3	6	8	17
13-19 YRS	971	2.9	14	<1	1	2	3	6	8	24
GRAND TOTAL	**3098**	**3.3**	**33**	**1**	**1**	**2**	**3**	**6**	**9**	**31**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	28	3.9	42	1	1	2	3	9	14	34
1-5 YRS	54	3.1	10	<1	<1	2	4	7	12	13
6-12 YRS	60	3.1	11	<1	1	2	3	6	10	17
13-19 YRS	56	3.6	9	<1	1	2	5	9	10	12
B. *Operated*										
0-27 DYS	5	5.2	18	1	1	4	9	11	11	11
1-11 MOS	140	5.3	31	1	2	4	6	9	14	33
1-5 YRS	261	4.3	16	<1	1	3	5	9	12	24
6-12 YRS	247	3.6	8	<1	1	3	4	8	9	13
13-19 YRS	399	4.1	23	<1	1	3	5	8	12	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.7	41	<1	<1	3	10	13	13	13
1-11 MOS	89	6.0	39	1	1	4	8	12	21	31
1-5 YRS	239	5.4	40	1	1	3	7	12	16	28
6-12 YRS	166	4.4	21	1	1	3	5	8	12	24
13-19 YRS	210	5.1	26	1	1	3	7	11	15	26
B. *Operated*										
0-27 DYS	27	11.0	119	2	2	6	17	33	46	99+
1-11 MOS	497	11.0	154	1	2	6	14	26	36	61
1-5 YRS	855	7.7	79	1	2	5	9	18	26	54
6-12 YRS	807	6.4	48	1	1	4	8	14	21	34
13-19 YRS	898	7.3	67	1	1	5	9	16	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	3.3	14	<1	1	2	4	7	11	17
B. *Operated*	1052	4.2	19	<1	1	3	5	8	11	25
2. MULTIPLE DX										
A. *Not Operated*	707	5.2	31	1	1	3	7	11	15	27
B. *Operated*	3084	7.8	82	1	2	5	9	19	26	47
1. SINGLE DX	1250	4.0	18	<1	1	3	5	8	11	24
2. MULTIPLE DX	3791	7.3	74	1	1	4	9	17	24	45
A. NOT OPERATED	905	4.8	28	1	1	3	6	10	14	26
B. OPERATED	4136	6.9	69	1	1	4	8	16	23	44
TOTAL 0-27 DYS	35	9.7	101	1	2	6	14	30	38	99+
1-11 MOS	754	9.1	120	1	2	5	10	23	31	52
1-5 YRS	1409	6.5	60	1	1	4	8	14	22	39
6-12 YRS	1280	5.5	37	1	1	3	7	11	18	31
13-19 YRS	1563	6.1	51	1	1	4	7	13	19	41
GRAND TOTAL	**5041**	**6.5**	**62**	**1**	**1**	**4**	**8**	**15**	**22**	**42**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.0		1	1	1	1	1	1	1
1-11 MOS	9	1.8	1	<1	<1	1	3	3	3	3
1-5 YRS	144	1.3		<1	<1	1	1	2	3	3
6-12 YRS	239	1.4		<1	<1	1	2	2	3	4
13-19 YRS	243	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.7	5	1	1	2	5	6	6	6
1-5 YRS	165	1.7	2	<1	<1	1	2	3	4	10
6-12 YRS	231	1.4	1	<1	<1	1	2	2	3	4
13-19 YRS	316	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	8	2.4	4	1	1	2	3	6	7	7
1-5 YRS	61	1.7	1	<1	1	1	2	3	4	5
6-12 YRS	58	2.1	3	<1	1	2	2	4	6	9
13-19 YRS	90	2.2	3	<1	1	2	2	4	5	9
B. *Operated*										
0-27 DYS	3	1.3		<1	<1	1	2	2	2	2
1-11 MOS	15	2.1	6	<1	<1	1	2	5	9	10
1-5 YRS	59	2.1	15	1	1	1	2	3	5	28
6-12 YRS	81	2.2	6	1	1	1	2	4	7	16
13-19 YRS	126	2.8	11	1	1	1	3	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	641	1.5	1	<1	<1	1	2	2	3	6
B. *Operated*	721	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	219	2.0	2	<1	1	2	2	4	5	8
B. *Operated*	284	2.4	10	1	1	1	3	5	8	19
1. SINGLE DX	1362	1.5	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	503	2.2	7	<1	1	1	2	4	6	13
A. NOT OPERATED	860	1.6	1	<1	<1	1	2	3	4	6
B. OPERATED	1005	1.8	4	<1	<1	1	2	3	5	9
TOTAL 0-27 DYS	14	1.1		<1	<1	1	1	2	2	2
1-11 MOS	38	2.2	4	<1	<1	1	3	5	7	10
1-5 YRS	429	1.6	3	<1	<1	1	2	3	3	8
6-12 YRS	609	1.5	2	<1	<1	1	2	3	4	7
13-19 YRS	775	1.9	3	<1	1	1	2	4	5	9
GRAND TOTAL	**1865**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	3.2	4	1	1	3	5	6	6	6
1-11 MOS	14	3.9	13	1	2	3	3	10	13	14
1-5 YRS	33	4.2	6	1	1	4	5	7	9	12
6-12 YRS	72	6.2	12	2	2	5	8	11	14	15
13-19 YRS	155	5.0	17	1	2	4	6	9	11	27
B. *Operated*										
0-27 DYS										
1-11 MOS	9	3.2	11	<1	<1	2	4	9	9	9
1-5 YRS	25	5.4	16	<1	1	5	6	13	14	16
6-12 YRS	73	6.6	18	1	2	6	9	12	13	21
13-19 YRS	143	7.7	38	1	2	7	10	15	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	7.4	109	<1	<1	2	9	26	30	30
1-11 MOS	41	6.0	18	1	2	5	7	13	16	18
1-5 YRS	58	5.4	18	1	2	4	7	12	15	22
6-12 YRS	72	5.8	22	2	2	4	7	12	14	29
13-19 YRS	151	5.7	14	2	2	5	7	11	14	20
B. *Operated*										
0-27 DYS	2	7.5	5	6	6	7	9	9	9	9
1-11 MOS	25	9.4	101	<1	1	5	13	22	27	41
1-5 YRS	56	7.2	57	1	1	5	9	19	22	39
6-12 YRS	94	10.0	77	2	3	8	12	18	22	52
13-19 YRS	201	9.4	44	2	3	8	13	18	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	5.1	14	1	2	4	7	10	12	18
B. *Operated*	250	7.0	30	1	2	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	329	5.7	19	2	2	5	7	11	14	21
B. *Operated*	378	9.2	58	2	2	7	12	19	23	42
1. SINGLE DX	530	6.0	22	1	2	5	8	11	14	24
2. MULTIPLE DX	707	7.6	43	2	2	6	10	16	20	36
A. NOT OPERATED	609	5.5	17	1	2	4	7	10	13	20
B. OPERATED	628	8.3	48	1	2	7	11	16	21	41
TOTAL 0-27 DYS	15	5.7	53	<1	1	3	6	10	25	30
1-11 MOS	89	6.3	43	<1	1	4	8	15	21	34
1-5 YRS	172	5.8	29	1	1	4	6	13	17	25
6-12 YRS	311	7.3	38	2	2	6	9	13	16	36
13-19 YRS	650	7.1	32	2	2	6	9	14	18	30
GRAND TOTAL	**1237**	**6.9**	**35**	**1**	**2**	**5**	**9**	**14**	**18**	**31**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	3.5	19	1	1	2	6	10	10	10
1-11 MOS	21	2.7	4	<1	1	2	4	5	7	8
1-5 YRS	49	2.6	5	1	1	1	4	6	7	11
6-12 YRS	50	3.0	13	1	1	2	3	6	9	18
13-19 YRS	90	2.6	5	1	1	2	3	6	7	10
B. *Operated*										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	25	3.9	8	<1	1	3	5	9	9	10
1-5 YRS	77	3.1	22	<1	<1	1	3	7	10	29
6-12 YRS	59	3.2	11	<1	<1	2	4	8	11	15
13-19 YRS	119	4.0	27	<1	1	3	5	8	9	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	5.0	14	1	1	5	9	9	9	9
1-11 MOS	44	4.5	19	<1	1	3	6	9	15	22
1-5 YRS	146	3.0	11	<1	1	2	3	7	12	15
6-12 YRS	134	3.2	9	1	1	2	5	7	11	13
13-19 YRS	195	2.9	10	1	1	2	3	6	8	17
B. *Operated*										
0-27 DYS	7	6.4	80	<1	<1	2	7	22	26	26
1-11 MOS	57	8.7	115	<1	1	5	11	18	28	63
1-5 YRS	201	5.2	68	1	1	2	5	14	21	40
6-12 YRS	189	3.9	49	1	1	1	4	9	16	39
13-19 YRS	392	3.7	29	1	1	1	4	10	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	2.7	7	1	1	2	3	6	8	14
B. *Operated*	283	3.5	20	<1	<1	2	4	8	9	28
2. MULTIPLE DX										
A. *Not Operated*	525	3.2	11	1	1	2	4	7	10	15
B. *Operated*	846	4.5	50	1	1	2	5	11	18	35
1. SINGLE DX	497	3.2	15	<1	1	2	4	7	9	18
2. MULTIPLE DX	1371	4.0	36	1	1	2	4	9	14	30
A. NOT OPERATED	739	3.0	10	1	1	2	4	7	9	15
B. OPERATED	1129	4.3	43	<1	1	2	5	10	16	34
TOTAL 0-27 DYS	20	4.8	35	<1	1	2	7	10	18	26
1-11 MOS	147	5.7	57	1	1	4	7	15	18	31
1-5 YRS	473	3.9	37	<1	1	2	4	9	14	32
6-12 YRS	432	3.5	28	1	1	2	4	8	12	32
13-19 YRS	796	3.4	22	1	1	2	4	8	11	27
GRAND TOTAL	**1868**	**3.8**	**30**	**1**	**1**	**2**	**4**	**9**	**13**	**29**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	30	1.7	1	<1	<1	1	2	3	3	5
1-5 YRS	46	2.0	2	<1	1	2	3	4	5	6
6-12 YRS	22	2.7	16	<1	<1	2	2	4	11	20
13-19 YRS	21	2.5	2	1	1	2	3	4	6	7
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	29	2.6	3	<1	1	2	3	5	5	9
1-5 YRS	70	2.4	3	<1	1	2	3	4	6	9
6-12 YRS	37	4.0	14	<1	1	3	5	9	13	17
13-19 YRS	45	4.1	18	1	1	3	5	8	13	24
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	1	1	1	1	1
1-5 YRS	3	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	4	5.8	27	<1	<1	5	10	12	12	12
13-19 YRS	5	9.6	109	1	1	8	14	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	2.1	4	<1	1	2	3	4	5	11
B. *Operated*	3	3.0	12	<1	<1	1	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	182	3.2	9	<1	1	2	4	6	9	17
B. *Operated*	15	5.3	51	<1	<1	2	8	12	23	27
1. SINGLE DX	122	2.1	4	<1	1	2	3	4	5	11
2. MULTIPLE DX	197	3.4	13	<1	1	2	4	7	10	21
A. NOT OPERATED	301	2.8	8	<1	1	2	3	5	7	16
B. OPERATED	18	4.9	44	<1	<1	2	8	11	21	27
TOTAL 0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	62	2.1	2	<1	<1	2	3	4	5	9
1-5 YRS	120	2.2	2	<1	1	2	3	4	6	7
6-12 YRS	63	3.7	16	<1	1	2	4	8	13	20
13-19 YRS	72	4.0	21	1	1	3	4	8	12	26
GRAND TOTAL	**319**	**2.9**	**10**	**<1**	**1**	**2**	**3**	**6**	**8**	**18**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	37	1.8	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.3	5	<1	<1	1	3	6	7	7
1-5 YRS										
6-12 YRS	6	3.3	3	<1	<1	3	5	5	5	5
13-19 YRS	44	2.9	4	<1	1	2	4	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	43	1.7	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	3	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*	57	2.9	4	<1	1	2	4	6	7	8
1. SINGLE DX	43	1.7	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX	60	2.8	4	<1	<1	2	4	6	7	8
A. NOT OPERATED	3	2.3	2	<1	<1	2	3	4	4	4
B. OPERATED	100	2.4	3	<1	<1	2	3	5	6	8
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	10	2.1	4	<1	<1	1	3	5	7	7
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	7	3.1	3	<1	<1	2	5	5	5	5
13-19 YRS	83	2.4	3	<1	<1	2	4	5	6	8
GRAND TOTAL	**103**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**8**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	13	39.8	304	17	19	33	50	66	75	77
1500-1749	14	20.8	48	9	12	22	26	30	30	30
1750-2499	6221	2.9	3	1	1	3	3	5	6	10
2500+	418795	2.6	2	1	1	2	3	4	5	6
B. *Operated*										
1-999 G	1	88.0		88	88	88	88	88	88	88
1000-1499	4	35.3	472	8	8	37	52	58	58	58
1500-1749	4	26.5	15	23	23	25	29	32	32	32
1750-2499	18	8.5	24	2	2	9	13	15	16	16
2500+	161	4.5	15	1	2	3	5	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	113	67.3	354	39	46	73	93	99+	99+	99+
1000-1499	828	39.2	247	17	22	37	48	62	69	92
1500-1749	1214	24.1	93	12	14	23	29	36	41	54
1750-2499	20257	6.7	38	1	2	5	8	15	19	30
2500+	256747	3.4	4	1	2	3	4	5	6	10
B. *Operated*										
1-999 G	334	74.4	241	52	60	89	99+	99+	99+	99+
1000-1499	1023	51.2	344	23	29	51	66	85	99	99+
1500-1749	604	33.1	198	15	19	31	40	54	68	99+
1750-2499	2094	17.2	167	2	5	15	23	33	44	98
2500+	5767	7.8	78	1	2	5	9	15	23	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425043	2.6	2	1	1	2	3	4	5	6
B. *Operated*	188	6.5	88	1	2	4	7	14	19	53
2. MULTIPLE DX										
A. *Not Operated*	279159	3.9	16	1	2	3	4	6	8	19
B. *Operated*	9822	18.2	436	2	3	10	27	60	83	99+
1. SINGLE DX	425231	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX	288981	4.3	37	1	2	3	5	6	10	35
A. NOT OPERATED	704202	3.1	8	1	1	3	4	5	6	12
B. OPERATED	10010	17.9	432	2	3	9	26	59	82	99+
TOTAL 1-999 G	448	72.6	279	47	55	86	99+	99+	99+	99+
1000-1499	1868	45.8	337	19	24	44	59	75	90	99+
1500-1749	1836	27.0	145	12	15	25	33	42	51	81
1750-2499	28590	6.7	51	1	2	4	8	15	20	34
2500+	681470	3.0	3	1	1	3	4	5	6	8
GRAND TOTAL	**714212**	**3.3**	**17**	**1**	**1**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	19.5	221	9	9	19	30	30	30	30
1500-1749	8	17.5	55	8	9	16	19	29	33	33
1750-2499	874	4.4	5	2	2	4	5	7	8	13
2500+	3689	4.0	3	2	2	4	5	6	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	5	12.8	43	5	5	10	19	21	21	21
2500+	6	17.2	1012	2	2	4	7	74	82	82
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	26	67.0	321	36	44	71	87	99	99+	99+
1000-1499	180	36.8	209	15	21	36	47	56	70	94
1500-1749	329	24.2	119	11	13	22	30	37	43	61
1750-2499	3568	8.7	42	3	3	6	12	17	21	32
2500+	3554	4.9	7	2	3	5	6	7	8	16
B. *Operated*										
1-999 G	72	74.6	302	43	58	88	99+	99+	99+	99+
1000-1499	236	51.7	317	25	32	53	65	92	99+	99+
1500-1749	165	33.5	134	18	22	31	39	51	62	96
1750-2499	367	20.0	178	5	6	17	25	34	50	68
2500+	106	8.4	48	2	3	6	11	16	19	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4573	4.1	4	2	2	4	5	6	7	10
B. *Operated*	11	15.2	528	2	3	7	16	45	79	82
2. MULTIPLE DX										
A. *Not Operated*	7657	8.4	81	2	3	5	9	17	25	48
B. *Operated*	946	33.1	552	5	7	29	54	83	99+	99+
1. SINGLE DX	4584	4.1	5	2	2	4	5	6	7	10
2. MULTIPLE DX	8603	11.2	192	2	3	6	13	27	44	90
A. NOT OPERATED	12230	6.8	57	2	3	5	6	14	21	41
B. OPERATED	957	32.9	555	5	7	29	54	82	99+	99+
TOTAL 1-999 G	98	72.6	315	41	54	86	99+	99+	99+	99+
1000-1499	418	45.1	326	17	25	45	59	78	98	99+
1500-1749	502	27.2	143	12	15	25	33	42	50	71
1750-2499	4814	8.8	59	2	3	6	11	18	23	38
2500+	7355	4.5	7	2	2	4	5	6	8	13
GRAND TOTAL	**13187**	**8.7**	**138**	**2**	**3**	**5**	**7**	**20**	**33**	**79**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	63	3.0	5	<1	1	3	3	6	6	14
2500+	1071	2.1	1	<1	1	2	3	3	4	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	32.0		32	32	32	32	32	32	32
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	69.0		69	69	69	69	69	69	69
1000-1499	13	28.6	272	8	10	26	38	48	65	69
1500-1749	14	21.6	48	12	14	20	26	31	33	34
1750-2499	179	7.7	52	1	2	5	12	17	22	28
2500+	630	3.2	5	1	1	3	4	6	7	12
B. *Operated*										
1-999 G	4	88.8	147	71	75	97	99+	99+	99+	99+
1000-1499	11	58.8	537	23	28	67	74	99	99+	99+
1500-1749	8	23.3	278	7	8	19	36	48	51	51
1750-2499	17	19.9	284	6	7	13	24	41	63	73
2500+	33	8.8	162	2	2	6	9	14	20	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1134	2.2	2	<1	1	2	3	3	4	7
B. *Operated*	2	17.0	450	2	2	17	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	837	5.0	42	1	1	3	5	11	17	31
B. *Operated*	73	24.9	771	2	3	12	42	88	99	99+
1. SINGLE DX	1136	2.2	2	<1	1	2	3	3	4	7
2. MULTIPLE DX	910	6.6	129	1	1	3	6	14	24	75
A. NOT OPERATED	1971	3.4	21	1	1	2	3	6	10	23
B. OPERATED	75	24.7	758	2	3	12	42	85	99	99+
TOTAL 1-999 G	5	84.8	188	69	70	96	99+	99+	99+	99+
1000-1499	24	42.5	612	10	14	37	69	74	98	99+
1500-1749	22	22.2	123	8	9	20	30	36	46	51
1750-2499	260	7.5	72	1	1	4	10	18	23	43
2500+	1735	2.6	7	1	1	2	3	4	6	10
GRAND TOTAL	**2046**	**4.1**	**63**	**1**	**1**	**2**	**3**	**7**	**13**	**51**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	8	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	16	2.1	5	<1	<1	1	2	3	8	10
13-19 YRS	18	2.7	16	<1	<1	2	2	4	12	18
B. *Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	9	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	99	1.6	1	<1	<1	1	2	3	3	4
6-12 YRS	325	2.1	3	<1	<1	2	3	4	5	9
13-19 YRS	1515	2.0	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	1.3		<1	<1	1	1	2	3	3
6-12 YRS	14	2.7	6	<1	<1	1	4	7	8	8
13-19 YRS	17	7.0	440	<1	<1	1	3	8	60	88
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	17	1.4	1	<1	<1	<1	1	3	4	5
1-5 YRS	154	2.2	3	<1	<1	2	3	5	6	9
6-12 YRS	277	3.4	17	<1	1	2	4	6	11	26
13-19 YRS	483	3.1	14	<1	1	2	4	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.3	9	<1	<1	1	2	4	8	18
B. *Operated*	1950	2.0	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	42	4.1	180	<1	<1	1	3	5	8	88
B. *Operated*	932	3.0	13	<1	<1	2	3	5	7	16
1. SINGLE DX	1993	2.0	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX	974	3.1	20	<1	<1	2	3	5	7	17
A. NOT OPERATED	85	3.2	93	<1	<1	1	2	4	8	63
B. OPERATED	2882	2.3	6	<1	<1	2	3	4	5	11
TOTAL 0-27 DYS	3	1.7		<1	<1	2	2	2	2	2
1-11 MOS	27	1.6	2	<1	<1	1	2	3	5	7
1-5 YRS	272	1.9	2	<1	<1	1	2	3	5	7
6-12 YRS	632	2.7	9	<1	<1	2	3	4	7	18
13-19 YRS	2033	2.3	9	<1	<1	2	3	4	5	9
GRAND TOTAL	**2967**	**2.3**	**8**	**<1**	**<1**	**2**	**3**	**4**	**5**	**12**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	13	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	24	1.3	1	<1	<1	<1	<1	1	4	6
1-5 YRS	70	1.2		<1	<1	<1	1	2	2	5
6-12 YRS	19	1.1		<1	1	1	1	2	2	2
13-19 YRS	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	4	3.8	2	2	2	4	5	5	5	5
6-12 YRS	2	11.5	25	8	8	11	15	15	15	15
13-19 YRS	11	4.3	10	<1	1	3	5	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.2	1	1	1	1	1	2	3	4
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	118	1.3	1	<1	<1	<1	1	2	3	5
B. *Operated*	18	5.4	16	<1	1	4	8	11	14	15
1. SINGLE DX	16	1.3	1	1	1	1	1	2	3	4
2. MULTIPLE DX	136	1.8	4	<1	<1	<1	2	3	5	12
A. NOT OPERATED	132	1.3	1	<1	<1	<1	1	2	3	5
B. OPERATED	20	5.0	16	<1	1	4	7	11	13	15
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	25	1.7	6	<1	<1	<1	1	3	7	12
1-5 YRS	75	1.4	1	<1	<1	<1	1	2	4	5
6-12 YRS	21	2.1	11	<1	1	1	1	5	11	15
13-19 YRS	30	2.4	6	1	1	1	3	5	10	10
GRAND TOTAL	**152**	**1.7**	**4**	**<1**	**<1**	**1**	**1**	**3**	**5**	**12**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	352	3.4	22	<1	<1	2	3	7	13	19
1-11 MOS	425	2.2	5	<1	<1	1	3	4	6	12
1-5 YRS	691	1.7	2	<1	<1	1	2	4	5	8
6-12 YRS	457	2.7	38	<1	<1	1	3	4	7	16
13-19 YRS	1073	2.3	19	<1	<1	1	2	3	5	20
B. *Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	110	5.1	32	<1	<1	4	8	9	10	34
1-5 YRS	246	2.9	8	<1	<1	1	4	7	9	13
6-12 YRS	275	2.3	5	<1	<1	1	2	5	8	11
13-19 YRS	555	3.0	10	<1	<1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	308	5.6	46	1	1	3	6	13	19	37
1-11 MOS	681	3.4	27	<1	<1	2	4	6	9	28
1-5 YRS	2602	3.1	18	<1	<1	2	4	5	8	25
6-12 YRS	2318	3.4	31	<1	1	2	4	5	9	29
13-19 YRS	3332	5.9	138	<1	1	2	4	13	31	81
B. *Operated*										
0-27 DYS	11	2.5	6	1	1	1	4	7	8	8
1-11 MOS	285	6.4	83	1	1	4	8	14	20	63
1-5 YRS	936	3.7	36	<1	1	2	4	9	12	25
6-12 YRS	690	3.2	33	<1	1	1	3	7	10	29
13-19 YRS	1114	4.7	70	1	1	2	5	10	18	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2998	2.3	17	<1	<1	1	2	4	6	17
B. *Operated*	1188	3.0	11	<1	<1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	9241	4.3	68	<1	1	2	4	7	15	49
B. *Operated*	3036	4.2	53	<1	1	2	5	9	15	50
1. SINGLE DX	4186	2.5	15	<1	<1	1	3	5	8	16
2. MULTIPLE DX	12277	4.3	64	<1	1	2	4	8	15	49
A. NOT OPERATED	12239	3.8	56	<1	<1	2	4	6	12	45
B. OPERATED	4224	3.9	41	<1	<1	2	4	9	12	34
TOTAL 0-27 DYS	673	4.4	34	<1	<1	3	5	10	15	31
1-11 MOS	1501	3.7	34	<1	<1	2	4	8	11	29
1-5 YRS	4475	3.0	19	<1	<1	2	3	6	9	22
6-12 YRS	3740	3.2	30	<1	1	2	3	5	9	26
13-19 YRS	6074	4.8	95	<1	<1	2	4	8	23	62
GRAND TOTAL	**16463**	**3.8**	**52**	**<1**	**<1**	**2**	**4**	**7**	**12**	**44**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6809	3.6	14	1	1	3	4	6	8	17
1-11 MOS	19845	3.4	13	<1	<1	2	4	7	9	17
1-5 YRS	58602	2.7	12	<1	<1	2	3	6	8	19
6-12 YRS	68266	2.9	16	<1	<1	2	3	5	8	22
13-19 YRS	188944	3.0	14	<1	1	2	3	5	7	16
2. MULTIPLE DX										
0-27 DYS	31314	11.4	263	1	2	5	12	34	57	99+
1-11 MOS	28490	6.2	65	1	1	4	7	13	20	48
1-5 YRS	69171	4.2	39	<1	1	2	5	9	14	33
6-12 YRS	54914	4.6	52	<1	1	2	5	10	16	40
13-19 YRS	153051	5.1	56	1	1	3	5	9	15	45
TOT. SINGLE DX	342466	3.0	14	<1	1	2	3	5	8	18
" MULTIPLE DX	336940	5.5	76	1	1	3	6	11	19	56
TOTAL 0-27 DYS	38123	10.0	227	1	2	4	10	29	50	99+
1-11 MOS	48335	5.1	45	<1	1	3	6	10	15	37
1-5 YRS	127773	3.5	27	<1	<1	2	4	7	11	26
6-12 YRS	123180	3.6	33	<1	1	2	4	7	11	30
13-19 YRS	341995	3.9	34	1	1	3	4	7	10	32
GRAND TOTAL	**679406**	**4.2**	**46**	**<1**	**1**	**2**	**4**	**8**	**13**	**39**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.8	2	3	3	3	5	6	6	6
1-11 MOS	79	5.2	21	<1	1	3	8	13	15	17
1-5 YRS	133	7.7	43	<1	1	6	11	16	[illegible]	29
6-12 YRS	128	9.2	33	1	3	8	13	16	19	29
13-19 YRS	147	8.8	66	2	2	8	11	14	20	86
2. MULTIPLE DX										
0-27 DYS	8	17.5	278	<1	1	17	51	99+	99+	99+
1-11 MOS	176	12.4	114	1	2	9	18	28	34	93
1-5 YRS	261	13.0	179	1	2	9	18	28	41	98
6-12 YRS	215	15.5	243	1	3	11	18	37	56	99
13-19 YRS	259	19.3	347	3	4	13	26	51	66	99+
TOT. SINGLE DX	491	8.0	46	1	2	7	11	15	19	29
" MULTIPLE DX	919	15.3	237	2	3	11	19	36	56	99+
TOTAL 0-27 DYS	12	12.9	224	<1	2	10	31	99+	99+	99+
1-11 MOS	255	10.2	97	1	1	7	15	23	31	75
1-5 YRS	394	11.2	140	1	2	8	15	25	31	82
6-12 YRS	343	13.2	175	1	3	10	15	27	42	93
13-19 YRS	406	15.5	271	2	3	10	17	39	58	99+
GRAND TOTAL	**1410**	**12.7**	**183**	**1**	**2**	**9**	**16**	**28**	**44**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	15.0	93	8	8	15	22	22	22	22
1-11 MOS	84	5.0	7	2	3	4	6	8	10	18
1-5 YRS	66	7.2	40	2	3	6	7	13	19	40
6-12 YRS	64	7.2	34	2	3	5	8	15	20	31
13-19 YRS	73	10.4	139	3	4	7	10	18	35	69
2. MULTIPLE DX										
0-27 DYS	6	11.5	84	3	3	10	14	27	28	28
1-11 MOS	63	11.6	107	3	4	9	14	25	33	54
1-5 YRS	84	16.8	288	3	4	10	23	50	64	99+
6-12 YRS	106	15.7	300	3	4	9	19	40	72	99+
13-19 YRS	200	20.4	346	4	5	12	30	48	70	99+
TOT. SINGLE DX	289	7.4	58	2	3	5	8	13	20	41
" MULTIPLE DX	459	17.4	297	3	4	11	23	44	64	99+
TOTAL 0-27 DYS	8	12.4	77	3	3	10	18	26	28	28
1-11 MOS	147	7.8	61	3	3	5	9	15	22	42
1-5 YRS	150	12.6	201	2	3	7	13	39	52	99
6-12 YRS	170	12.5	217	2	3	7	13	32	44	97
13-19 YRS	273	17.7	310	4	4	11	24	45	66	99
GRAND TOTAL	**748**	**13.5**	**228**	**3**	**3**	**8**	**15**	**36**	**50**	**98**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	11	4.7	1	3	3	5	5	6	8	8
1-11 MOS	350	4.7	3	2	3	4	5	7	8	10
1-5 YRS	162	5.4	14	2	2	5	7	8	9	30
6-12 YRS	125	4.5	6	2	2	4	6	8	9	17
13-19 YRS	108	4.6	9	1	1	4	6	9	11	14
2. MULTIPLE DX										
0-27 DYS	16	8.4	87	1	2	5	12	35	79	99+
1-11 MOS	128	8.1	141	3	4	5	8	11	16	95
1-5 YRS	148	7.1	27	2	3	6	8	13	17	30
6-12 YRS	131	9.1	141	2	2	5	9	18	37	84
13-19 YRS	157	12.5	213	2	2	8	14	43	60	99+
TOT. SINGLE DX	756	4.8	7	2	2	4	6	8	9	13
" MULTIPLE DX	580	9.3	134	2	3	6	9	19	37	99+
TOTAL 0-27 DYS	27	6.9	54	1	3	5	8	16	45	99+
1-11 MOS	478	5.6	43	2	3	4	6	8	10	17
1-5 YRS	310	6.2	21	2	2	5	7	10	14	31
6-12 YRS	256	6.9	81	2	2	5	7	11	20	72
13-19 YRS	265	9.3	145	1	2	5	10	25	47	99+
GRAND TOTAL	**1336**	**6.7**	**67**	**2**	**2**	**5**	**7**	**11**	**17**	**61**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	27	5.9	11	2	2	5	7	11	13	16
1-11 MOS	169	6.1	24	2	2	5	7	9	15	31
1-5 YRS	69	5.9	13	2	2	5	7	11	15	17
6-12 YRS	38	6.9	11	2	3	6	9	12	14	15
13-19 YRS	31	9.2	71	4	4	7	9	15	28	46
2. MULTIPLE DX										
0-27 DYS	140	29.9	674	5	6	23	63	99	99+	99+
1-11 MOS	296	13.2	192	3	3	8	15	30	44	69
1-5 YRS	168	11.5	140	3	3	7	15	27	35	99+
6-12 YRS	105	10.2	90	3	3	7	11	24	40	70
13-19 YRS	106	14.2	173	3	4	10	19	37	57	99+
TOT. SINGLE DX	334	6.4	25	2	3	5	8	10	15	29
" MULTIPLE DX	815	15.4	293	3	4	9	20	46	72	99+
TOTAL 0-27 DYS	167	26.1	645	4	5	18	54	89	99+	99+
1-11 MOS	465	10.6	143	2	3	6	11	24	37	63
1-5 YRS	237	9.9	109	2	3	7	12	23	31	99+
6-12 YRS	143	9.3	71	3	3	7	10	17	31	50
13-19 YRS	137	13.0	154	3	4	9	18	35	54	99+
GRAND TOTAL	**1149**	**12.8**	**231**	**3**	**3**	**7**	**15**	**35**	**61**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	6.4	22	1	1	5	11	13	14	14
1-11 MOS	144	5.2	26	1	2	4	6	9	14	24
1-5 YRS	223	4.5	12	1	2	4	5	8	11	21
6-12 YRS	152	4.5	12	1	2	3	5	9	11	20
13-19 YRS	130	6.1	36	1	2	4	7	11	16	31
2. MULTIPLE DX										
0-27 DYS	43	21.3	460	2	4	14	34	86	99+	99+
1-11 MOS	456	11.2	172	2	2	6	13	27	37	71
1-5 YRS	698	8.4	108	2	2	5	9	22	29	72
6-12 YRS	554	6.9	86	1	2	4	7	14	22	52
13-19 YRS	381	11.6	207	2	2	7	13	29	51	99+
TOT. SINGLE DX	659	5.0	21	1	2	4	6	9	13	26
" MULTIPLE DX	2132	9.4	147	2	2	5	10	23	34	83
TOTAL 0-27 DYS	53	18.5	410	2	2	12	29	78	99+	99+
1-11 MOS	600	9.7	144	2	2	5	10	24	34	60
1-5 YRS	921	7.5	88	1	2	4	8	18	27	63
6-12 YRS	706	6.4	71	1	2	4	7	12	20	42
13-19 YRS	511	10.2	170	1	2	6	11	24	41	95
GRAND TOTAL	**2791**	**8.4**	**121**	**1**	**2**	**5**	**9**	**20**	**30**	**75**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	9.5	5	8	8	9	11	11	11	11
1-11 MOS	6	7.7	32	2	2	6	10	17	18	18
1-5 YRS	12	17.1	357	4	5	9	19	48	65	68
6-12 YRS	19	10.1	47	5	5	8	12	17	27	34
13-19 YRS	41	9.8	41	3	4	8	11	21	24	30
2. MULTIPLE DX										
0-27 DYS	4	5.8	6	3	3	5	7	9	9	9
1-11 MOS	16	21.7	285	3	6	16	33	49	51	52
1-5 YRS	38	9.4	33	3	4	8	10	21	23	25
6-12 YRS	37	13.1	87	5	6	10	15	29	35	43
13-19 YRS	85	18.4	223	5	6	13	22	34	53	70
TOT. SINGLE DX	80	10.8	91	3	4	8	12	21	27	59
" MULTIPLE DX	180	15.4	172	4	5	10	20	32	47	68
TOTAL 0-27 DYS	6	7.0	8	3	3	7	9	11	11	11
1-11 MOS	22	17.9	253	2	3	12	22	48	50	52
1-5 YRS	50	11.3	116	4	4	8	11	23	25	68
6-12 YRS	56	12.1	75	5	6	9	14	25	33	43
13-19 YRS	126	15.6	180	4	5	10	20	30	48	69
GRAND TOTAL	**260**	**14.0**	**151**	**4**	**5**	**9**	**17**	**28**	**41**	**68**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	19	13.6	46	5	6	13	17	21	29	34
1-11 MOS	32	6.7	39	1	2	5	8	11	20	33
1-5 YRS	24	5.5	25	<1	1	4	7	9	14	26
6-12 YRS	37	8.1	23	1	2	7	12	14	18	20
13-19 YRS	74	9.2	82	1	2	7	12	19	24	53
2. MULTIPLE DX										
0-27 DYS	76	21.3	264	6	8	17	25	37	56	93
1-11 MOS	54	13.6	147	2	5	9	14	30	43	60
1-5 YRS	72	13.0	120	3	5	9	16	28	39	52
6-12 YRS	59	12.0	151	2	3	9	12	19	43	65
13-19 YRS	119	12.4	98	2	4	10	16	25	38	99+
TOT. SINGLE DX	186	8.5	56	1	2	7	11	17	21	35
" MULTIPLE DX	380	14.4	162	3	4	10	18	30	44	75
TOTAL 0-27 DYS	95	19.8	230	5	7	16	23	35	51	89
1-11 MOS	86	11.0	117	2	3	8	11	25	34	56
1-5 YRS	96	11.1	106	2	3	8	13	24	35	51
6-12 YRS	96	10.5	105	2	3	8	12	18	26	62
13-19 YRS	193	11.1	95	1	2	9	14	23	34	83
GRAND TOTAL	**566**	**12.5**	**134**	**2**	**3**	**9**	**15**	**25**	**36**	**62**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	4	5.5	23	1	1	4	9	12	12	12
1-5 YRS	16	2.9	7	<1	<1	2	4	7	10	11
6-12 YRS	31	2.9	5	1	1	2	3	7	8	9
13-19 YRS	75	3.1	10	<1	<1	2	3	7	11	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	5.5	25	2	2	9	77	99+	99+	99+
1-5 YRS	20	4.5	5	1	2	4	6	8	9	10
6-12 YRS	21	2.9	8	1	1	2	3	7	11	11
13-19 YRS	70	4.2	18	<1	1	2	5	11	14	21
TOT. SINGLE DX	128	3.1	9	<1	<1	2	3	7	11	15
" MULTIPLE DX	113	4.0	14	1	1	3	5	10	13	51
TOTAL 0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	6	5.5	19	1	1	6	11	82	99+	99+
1-5 YRS	36	3.8	7	<1	<1	3	5	8	9	11
6-12 YRS	52	2.9	6	1	1	2	3	7	9	11
13-19 YRS	145	3.6	15	<1	<1	2	4	8	13	17
GRAND TOTAL	**241**	**3.5**	**12**	**<1**	**1**	**2**	**4**	**8**	**11**	**17**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	11	3.3	5	1	1	3	5	7	8	8
1-5 YRS	29	2.3	6	<1	<1	1	2	6	7	12
6-12 YRS	85	2.3	3	<1	<1	2	3	5	6	10
13-19 YRS	282	2.2	6	<1	<1	2	2	4	5	17
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	3.0	10	<1	<1	1	4	8	9	9
1-5 YRS	62	2.0	2	<1	<1	1	2	5	6	88
6-12 YRS	125	2.2	2	<1	1	2	3	4	5	10
13-19 YRS	454	2.8	20	<1	1	2	3	5	8	32
TOT. SINGLE DX	409	2.3	6	<1	<1	2	2	4	6	13
" MULTIPLE DX	648	2.6	15	<1	1	2	3	5	7	20
TOTAL 0-27 DYS	3	2.0	3	1	1	1	3	4	4	4
1-11 MOS	17	3.2	7	<1	<1	2	5	8	9	9
1-5 YRS	91	2.1	4	<1	<1	1	2	6	6	63
6-12 YRS	210	2.2	3	<1	<1	2	3	4	6	10
13-19 YRS	736	2.6	15	<1	1	2	3	5	7	20
GRAND TOTAL	**1057**	**2.5**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**17**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS										
13-19 YRS	7	3.6	4	1	1	4	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	11	5.2	11	1	2	5	6	9	14	14
TOT. SINGLE DX	10	3.9	6	1	1	4	5	7	8	8
" MULTIPLE DX	11	5.2	12	1	2	5	6	9	14	14
TOTAL 0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS										
13-19 YRS	18	4.6	9	1	1	4	6	6	11	14
GRAND TOTAL	**21**	**4.6**	**9**	**1**	**1**	**5**	**6**	**7**	**11**	**14**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	3	1.3		1	1	1	2	2	2	2
13-19 YRS	11	3.3	6	1	1	3	4	7	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	9	3.3	5	1	1	3	5	7	7	7
TOT. SINGLE DX	16	2.8	5	<1	1	3	3	4	8	10
" MULTIPLE DX	14	2.8	4	1	1	2	4	6	7	7
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	5	1.4		1	1	1	2	2	2	2
13-19 YRS	20	3.3	5	1	1	3	4	6	8	10
GRAND TOTAL	**30**	**2.8**	**4**	**1**	**1**	**3**	**3**	**5**	**7**	**10**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	3	3.0		3	3	3	3	3	3	3
1-5 YRS	8	2.0	2	<1	<1	1	3	4	5	5
6-12 YRS	27	2.9	1	1	1	3	4	4	5	6
13-19 YRS	285	3.4	3	1	2	3	4	5	6	11
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	5.2	2	3	3	5	7	7	7	7
1-5 YRS	2	5.5	25	2	2	5	9	9	9	9
6-12 YRS	17	6.9	83	1	1	4	6	21	32	36
13-19 YRS	114	4.3	7	1	2	4	5	7	11	15
TOT. SINGLE DX	325	3.3	3	1	1	3	4	5	6	11
" MULTIPLE DX	140	4.7	17	1	2	4	5	8	11	25
TOTAL 0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	9	4.4	3	3	3	4	6	7	7	7
1-5 YRS	10	2.7	6	<1	<1	2	3	7	9	9
6-12 YRS	44	4.5	36	1	1	3	4	6	13	36
13-19 YRS	399	3.7	5	1	2	3	4	6	8	12
GRAND TOTAL	**465**	**3.7**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**12**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	12	3.5	5	<1	1	3	5	7	8	8
1-5 YRS	296	1.7	2	<1	<1	1	2	3	4	7
6-12 YRS	176	1.9	1	<1	1	2	3	3	4	7
13-19 YRS	167	2.3	5	1	1	2	3	4	5	16
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	5.3	10	2	2	5	6	11	12	12
1-5 YRS	40	2.3	7	<1	<1	1	2	4	7	17
6-12 YRS	34	4.0	21	<1	1	2	6	9	21	99+
13-19 YRS	56	5.8	22	1	2	4	8	11	15	24
TOT. SINGLE DX	651	2.0	3	<1	1	2	2	3	4	8
" MULTIPLE DX	138	4.3	19	<1	1	3	6	10	13	33
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	4.2	8	<1	1	4	6	8	10	12
1-5 YRS	336	1.8	3	<1	<1	1	2	3	4	9
6-12 YRS	210	2.3	5	<1	1	2	3	4	6	16
13-19 YRS	223	3.2	12	1	1	2	3	7	10	20
GRAND TOTAL	**789**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**4**	**7**	**16**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	7.8	25	1	1	8	12	14	14	14
1-5 YRS	12	9.3	25	1	3	8	15	16	17	17
6-12 YRS	17	5.6	12	1	1	5	9	9	11	12
13-19 YRS	34	7.3	7	4	5	7	8	11	12	15
2. MULTIPLE DX										
0-27 DYS	5	21.6	110	8	8	23	31	32	32	32
1-11 MOS	11	16.0	176	7	7	11	16	34	52	54
1-5 YRS	18	10.3	43	1	3	8	15	17	24	29
6-12 YRS	14	16.4	50	8	9	16	20	35	84	99+
13-19 YRS	35	12.0	150	4	5	7	11	26	37	66
TOT. SINGLE DX	68	7.3	14	1	3	7	9	12	15	17
" MULTIPLE DX	83	13.5	116	5	6	10	17	29	36	88
TOTAL 0-27 DYS	5	21.6	110	8	8	23	31	32	32	32
1-11 MOS	16	13.4	140	2	5	11	14	21	44	54
1-5 YRS	30	9.9	36	1	3	8	15	16	17	29
6-12 YRS	31	10.5	58	1	2	9	16	21	34	99+
13-19 YRS	69	9.7	84	4	5	7	9	14	26	61
GRAND TOTAL	**151**	**10.7**	**79**	**2**	**4**	**8**	**13**	**20**	**30**	**66**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	31	1.1		<1	<1	<1	1	2	2	2
1-5 YRS	156	1.3	3	<1	<1	<1	1	2	2	5
6-12 YRS	69	1.3		<1	<1	<1	1	2	2	4
13-19 YRS	44	1.3		<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	9	2.3	7	<1	<1	1	2	7	9	9
1-5 YRS	16	1.9	1	<1	<1	1	2	4	5	5
6-12 YRS	18	1.3		<1	<1	1	2	2	3	3
13-19 YRS	14	6.0	261	<1	<1	1	2	11	51	62
TOT. SINGLE DX	302	1.3	2	<1	<1	<1	1	2	2	5
" MULTIPLE DX	57	2.8	66	<1	<1	1	2	4	5	58
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	40	1.4	2	<1	<1	<1	1	2	3	9
1-5 YRS	172	1.4	3	<1	<1	<1	1	2	3	5
6-12 YRS	87	1.3		<1	<1	<1	1	2	2	4
13-19 YRS	58	2.5	64	<1	<1	1	2	2	4	57
GRAND TOTAL	**359**	**1.5**	**12**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	18	1.7	1	<1	<1	1	2	4	5	5
1-5 YRS	328	1.4		<1	<1	1	2	2	3	5
6-12 YRS	178	1.5	1	<1	<1	1	2	2	4	6
13-19 YRS	112	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	12	7.2	72	1	2	4	7	19	30	32
1-11 MOS	13	3.5	17	<1	<1	1	4	9	14	15
1-5 YRS	207	2.1	3	<1	1	1	2	4	6	10
6-12 YRS	203	2.4	11	<1	1	1	2	4	8	19
13-19 YRS	492	2.8	10	<1	1	2	3	5	7	15
TOT. SINGLE DX	637	1.5	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	927	2.6	10	<1	1	2	3	5	7	15
TOTAL 0-27 DYS	13	6.8	69	1	2	4	7	18	29	32
1-11 MOS	31	2.4	9	<1	<1	1	3	6	8	15
1-5 YRS	535	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	381	2.0	7	<1	<1	1	2	4	5	14
13-19 YRS	604	2.6	9	<1	1	2	3	5	7	14
GRAND TOTAL	**1564**	**2.2**	**7**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	54	1.4		<1	<1	1	2	2	3	6
6-12 YRS	37	1.6	1	<1	1	1	2	2	4	7
13-19 YRS	32	1.5	1	<1	1	1	2	3	3	7
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	3.0	8	<1	<1	2	5	5	5	5
1-5 YRS	47	2.3	21	<1	<1	1	2	3	9	31
6-12 YRS	28	2.4	3	<1	1	2	3	5	6	9
13-19 YRS	40	2.2	9	1	1	2	2	3	4	20
TOT. SINGLE DX	127	1.5	1	<1	<1	1	2	2	3	7
" MULTIPLE DX	118	2.3	12	<1	1	1	2	4	6	24
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	1.7	3	<1	<1	<1	1	5	5	5
1-5 YRS	101	1.8	10	<1	<1	1	2	2	4	20
6-12 YRS	65	1.9	2	<1	1	1	2	4	5	9
13-19 YRS	72	1.9	6	1	1	1	2	3	3	17
GRAND TOTAL	**245**	**1.9**	**7**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	9	1.1		<1	<1	<1	1	2	2	2
6-12 YRS	23	1.3		<1	<1	<1	1	3	3	3
13-19 YRS	15	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	9.0	2	8	8	9	10	10	10	10
1-5 YRS	16	5.0	118	<1	<1	1	4	7	34	45
6-12 YRS	14	5.5	77	<1	<1	3	6	11	30	35
13-19 YRS	18	3.6	5	1	1	3	4	7	8	9
TOT. SINGLE DX	48	1.2		<1	<1	1	1	2	3	3
" MULTIPLE DX	51	4.7	59	<1	<1	2	6	8	10	45
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	6.3	22	<1	<1	8	9	10	10	10
1-5 YRS	25	3.6	78	<1	<1	1	2	7	17	45
6-12 YRS	37	2.9	33	<1	<1	1	3	6	7	35
13-19 YRS	33	2.5	4	<1	<1	1	4	6	7	9
GRAND TOTAL	**99**	**3.0**	**33**	**<1**	**<1**	**1**	**3**	**6**	**8**	**40**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	3.2	1	2	2	3	4	4	4	4
1-5 YRS	19	1.9		<1	<1	2	2	3	4	4
6-12 YRS	14	2.1	4	<1	1	1	2	4	8	9
13-19 YRS	22	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	7	4.0	16	<1	<1	2	6	11	12	12
1-5 YRS	15	2.7	1	1	1	3	4	4	4	4
6-12 YRS	16	3.1	6	1	1	2	4	8	9	9
13-19 YRS	23	2.5		1	1	3	3	4	4	4
TOT. SINGLE DX	61	2.2	2	<1	1	2	3	4	4	9
" MULTIPLE DX	63	2.9	4	1	1	3	3	5	7	12
TOTAL 0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	13	3.6	9	<1	1	3	4	8	11	12
1-5 YRS	34	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	30	2.6	6	1	1	2	3	6	9	9
13-19 YRS	45	2.4	1	1	1	2	3	4	4	5
GRAND TOTAL	**124**	**2.6**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	2.7	5	<1	<1	1	5	6	6	5
1-5 YRS	92	2.5	3	<1	<1	2	4	5	6	10
6-12 YRS	101	2.8	4	<1	<1	2	4	6	6	11
13-19 YRS	89	2.5	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	7	2.1	3	<1	<1	1	3	5	6	6
1-5 YRS	81	3.7	5	<1	<1	3	5	7	8	11
6-12 YRS	100	3.7	5	1	1	3	5	7	9	12
13-19 YRS	78	3.5	4	1	1	3	4	6	7	10
TOT. SINGLE DX	289	2.6	4	<1	<1	2	4	5	6	10
" MULTIPLE DX	266	3.6	5	<1	1	3	5	6	8	12
TOTAL 0-27 DYS										
1-11 MOS	14	2.4	4	<1	<1	1	3	6	6	6
1-5 YRS	173	3.1	5	<1	<1	3	4	6	7	10
6-12 YRS	201	3.3	6	<1	1	3	4	6	8	12
13-19 YRS	167	3.0	4	<1	1	3	4	6	6	9
GRAND TOTAL	**555**	**3.1**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	2.0	3	1	1	1	3	5	5	5
1-11 MOS	46	1.8	3	<1	<1	1	2	3	5	12
1-5 YRS	25	1.3		<1	1	1	2	2	2	2
6-12 YRS	31	3.0	11	<1	<1	2	4	6	18	99+
13-19 YRS	26	2.7	2	<1	1	2	3	5	6	7
2. MULTIPLE DX										
0-27 DYS	5	4.4	18	1	1	2	9	9	9	9
1-11 MOS	29	3.0	19	<1	<1	1	3	6	12	23
1-5 YRS	15	2.0	3	<1	1	1	2	6	6	6
6-12 YRS	15	3.7	15	<1	1	2	5	11	12	13
13-19 YRS	19	2.8	3	<1	<1	2	4	6	7	8
TOT. SINGLE DX	133	2.2	5	<1	<1	2	2	5	6	32
" MULTIPLE DX	83	3.0	12	<1	<1	2	4	7	10	20
TOTAL 0-27 DYS	10	3.2	11	1	1	2	5	9	9	9
1-11 MOS	75	2.3	10	<1	<1	1	2	4	7	20
1-5 YRS	40	1.6	1	<1	1	1	2	2	5	6
6-12 YRS	46	3.2	12	<1	1	2	5	7	14	99+
13-19 YRS	45	2.8	3	<1	<1	2	3	5	6	8
GRAND TOTAL	**216**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	5	1.6	1	<1	<1	<1	2	3	3	3
1-5 YRS	31	3.5	6	<1	1	3	5	7	9	11
6-12 YRS	47	3.7	12	1	1	2	5	7	11	20
13-19 YRS	36	4.3	8	<1	1	4	5	8	10	15
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	3.2	21	<1	<1	2	2	10	16	16
1-5 YRS	24	3.8	14	1	1	2	5	9	14	15
6-12 YRS	43	4.9	8	1	2	4	7	9	11	12
13-19 YRS	52	4.4	7	<1	1	4	6	9	10	11
TOT. SINGLE DX	120	3.7	10	<1	1	3	5	7	10	16
" MULTIPLE DX	130	4.4	10	1	1	3	6	9	11	15
TOTAL 0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	15	2.7	15	<1	<1	1	2	5	13	16
1-5 YRS	55	3.6	10	1	1	2	5	7	11	15
6-12 YRS	90	4.3	11	1	1	3	6	9	11	17
13-19 YRS	88	4.3	8	<1	1	4	6	9	10	14
GRAND TOTAL	**250**	**4.0**	**10**	**<1**	**1**	**3**	**5**	**8**	**10**	**15**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	2.1	2	<1	<1	1	4	4	4	4
1-11 MOS	25	1.6	1	<1	<1	1	2	3	4	6
1-5 YRS	30	1.7		<1	<1	1	2	3	3	4
6-12 YRS	16	1.8	1	<1	1	2	2	3	4	5
13-19 YRS	12	2.2		<1	1	2	2	4	4	4
2. MULTIPLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	16	2.1	5	<1	<1	1	2	3	8	10
1-5 YRS	17	2.0	2	<1	<1	1	3	4	5	6
6-12 YRS	22	3.4	5	<1	1	3	4	6	8	10
13-19 YRS	22	4.4	18	<1	1	3	6	11	15	15
TOT. SINGLE DX	92	1.8	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	79	3.1	9	<1	<1	2	4	6	10	15
TOTAL 0-27 DYS	11	2.3	2	<1	<1	2	4	4	4	4
1-11 MOS	41	1.8	3	<1	<1	1	2	3	5	10
1-5 YRS	47	1.8	1	<1	<1	1	2	3	4	6
6-12 YRS	38	2.7	4	<1	1	2	4	6	7	10
13-19 YRS	34	3.6	13	<1	1	2	4	8	14	15
GRAND TOTAL	**171**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	1.1		<1	<1	1	1	2	2	2
1-11 MOS	62	1.5	1	<1	<1	1	2	2	3	8
1-5 YRS	53	1.5		<1	<1	1	2	2	3	3
6-12 YRS	44	1.9	1	<1	1	2	2	3	5	7
13-19 YRS	43	1.7		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	45	2.0	2	<1	1	1	3	3	5	10
1-5 YRS	37	2.3	2	<1	1	2	3	4	6	7
6-12 YRS	39	2.6	7	<1	1	2	3	5	7	16
13-19 YRS	49	2.7	4	<1	1	2	3	5	8	12
TOT. SINGLE DX	211	1.6	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	170	2.4	4	<1	1	2	3	4	7	12
TOTAL 0-27 DYS	9	1.1		<1	<1	1	1	2	2	2
1-11 MOS	107	1.7	2	<1	<1	1	2	3	4	9
1-5 YRS	90	1.8	1	<1	<1	2	2	3	4	7
6-12 YRS	83	2.2	4	<1	1	2	2	4	6	13
13-19 YRS	92	2.2	3	<1	<1	2	2	3	5	11
GRAND TOTAL	**381**	**2.0**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	3	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	6	1.5		1	1	1	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	3	3.7	14	<1	<1	2	6	8	8	8
6-12 YRS	6	2.0		1	1	2	2	3	3	3
13-19 YRS	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	13	1.9	1	<1	<1	2	3	3	4	4
" MULTIPLE DX	12	2.3	4	<1	1	2	2	4	7	8
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	6	2.7	7	<1	<1	1	3	7	8	8
6-12 YRS	9	2.1		1	1	2	2	3	3	3
13-19 YRS	7	1.4	1	1	1	1	2	3	3	3
GRAND TOTAL	**25**	**2.1**	**2**	**<1**	**1**	**2**	**2**	**3**	**5**	**8**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	3.8	21	1	1	2	5	12	12	12
1-5 YRS	11	2.9	2	1	1	3	4	5	5	5
6-12 YRS	53	3.3	2	1	1	3	4	6	6	7
13-19 YRS	131	3.4	7	1	1	3	4	5	6	21
2. MULTIPLE DX										
0-27 DYS	2	92.5	5	91	91	92	94	94	94	94
1-11 MOS	14	3.6	6	1	1	3	4	7	9	10
1-5 YRS	26	3.7	5	1	1	3	4	5	7	13
6-12 YRS	77	4.4	12	1	1	3	5	8	10	22
13-19 YRS	126	4.0	9	1	2	3	5	6	7	19
TOT. SINGLE DX	200	3.3	6	1	1	3	4	5	6	16
" MULTIPLE DX	245	4.8	73	1	1	3	5	6	10	30
TOTAL 0-27 DYS	2	92.5	5	91	91	92	94	94	94	94
1-11 MOS	19	3.7	9	1	1	3	4	8	11	12
1-5 YRS	37	3.4	5	1	1	3	4	5	6	13
6-12 YRS	130	3.9	9	1	1	3	5	7	8	18
13-19 YRS	257	3.7	9	1	1	3	4	6	7	21
GRAND TOTAL	**445**	**4.1**	**44**	**1**	**1**	**3**	**4**	**6**	**8**	**22**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (3)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	14	2.9	5	<1	1	2	3	5	9	10
1-5 YRS	19	3.4	7	<1	1	2	5	8	9	10
6-12 YRS	19	3.1	5	<1	1	2	4	7	8	9
13-19 YRS	37	3.2	4	<1	1	3	4	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	22	2.7	8	<1	<1	2	3	4	9	15
1-5 YRS	23	2.3	2	<1	1	2	3	5	6	6
6-12 YRS	44	3.9	6	1	2	3	5	8	9	11
13-19 YRS	68	4.3	7	1	2	4	5	8	9	14
TOT. SINGLE DX	90	3.2	5	<1	1	3	4	7	8	10
" MULTIPLE DX	157	3.7	7	1	1	3	4	7	9	14
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	36	2.8	7	<1	1	2	3	4	8	15
1-5 YRS	42	2.8	5	<1	1	2	3	6	8	10
6-12 YRS	63	3.6	6	<1	1	3	5	7	9	11
13-19 YRS	105	3.9	7	1	1	3	5	7	9	14
GRAND TOTAL	**247**	**3.5**	**7**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	193	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	1609	1.3		<1	<1	1	1	2	2	2
6-12 YRS	762	1.3		<1	<1	1	2	2	2	2
13-19 YRS	332	1.4		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	38	1.8	4	<1	<1	1	2	2	8	10
1-5 YRS	464	1.3		<1	<1	1	2	2	2	3
6-12 YRS	289	1.4	2	<1	<1	1	2	2	2	6
13-19 YRS	132	1.3		<1	<1	1	2	2	2	4
TOT. SINGLE DX	2896	1.3	1	<1	<1	1	2	2	2	2
" MULTIPLE DX	923	1.4	1	<1	<1	1	2	2	2	4
TOTAL 0-27 DYS										
1-11 MOS	231	1.3	1	<1	<1	<1	1	2	2	7
1-5 YRS	2073	1.3	1	<1	<1	1	1	2	2	3
6-12 YRS	1051	1.3	1	<1	<1	1	2	2	2	3
13-19 YRS	464	1.3		<1	<1	1	2	2	2	3
GRAND TOTAL	**3819**	**1.3**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.2		<1	<1	1	1	2	2	2
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	4	2.8	8	1	1	2	4	7	7	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	6	7.8	171	1	1	2	8	31	34	34
TOT. SINGLE DX	15	1.6	2	<1	<1	1	2	2	6	7
" MULTIPLE DX	10	5.5	105	<1	<1	2	3	21	34	34
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	7	1.3		<1	<1	1	2	2	2	2
6-12 YRS	7	1.6	1	<1	<1	1	2	3	3	3
13-19 YRS	10	5.8	105	1	1	2	7	21	34	34
GRAND TOTAL	**25**	**3.2**	**44**	**<1**	**<1**	**1**	**2**	**7**	**14**	**34**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.5	1	<1	<1	2	3	4	4	4
1-11 MOS	69	4.6	5	<1	<1	6	6	7	7	9
1-5 YRS	153	3.4	5	<1	<1	3	5	6	8	9
6-12 YRS	87	3.4	12	<1	<1	2	4	7	9	21
13-19 YRS	112	3.1	11	<1	1	2	3	5	10	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	28	5.8	18	1	1	6	7	11	16	18
1-5 YRS	86	5.7	34	1	1	4	7	11	19	33
6-12 YRS	86	4.7	39	1	1	3	5	9	13	40
13-19 YRS	142	4.3	29	1	1	3	5	8	13	30
TOT. SINGLE DX	425	3.5	9	<1	<1	2	5	6	8	16
" MULTIPLE DX	342	4.9	33	1	1	3	6	9	14	39
TOTAL 0-27 DYS	4	2.5	2	<1	<1	2	3	4	4	4
1-11 MOS	97	4.9	9	<1	<1	6	6	7	9	17
1-5 YRS	239	4.2	17	<1	1	3	6	8	10	21
6-12 YRS	173	4.1	26	<1	1	2	5	8	11	36
13-19 YRS	254	3.7	22	1	1	2	4	7	11	27
GRAND TOTAL	**767**	**4.1**	**20**	**<1**	**1**	**3**	**6**	**8**	**10**	**24**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	2.8	1	1	1	3	3	4	5	5
1-11 MOS	29	1.6		<1	<1	1	2	3	3	4
1-5 YRS	249	1.8	3	<1	<1	1	2	3	4	9
6-12 YRS	377	1.8	1	<1	<1	1	2	3	4	7
13-19 YRS	213	2.2	7	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
0-27 DYS	250	3.4	6	1	1	3	4	5	6	15
1-11 MOS	17	3.1	5	<1	<1	2	5	7	8	8
1-5 YRS	132	2.3	5	<1	<1	2	3	4	6	14
6-12 YRS	211	2.7	9	<1	<1	2	3	6	9	16
13-19 YRS	251	3.9	57	<1	1	2	4	8	17	89
TOT. SINGLE DX	878	1.9	4	<1	<1	1	2	3	5	8
" MULTIPLE DX	861	3.2	22	<1	1	2	4	6	8	26
TOTAL 0-27 DYS	260	3.4	6	1	1	3	4	5	6	15
1-11 MOS	46	2.2	3	<1	<1	1	3	4	6	8
1-5 YRS	381	2.0	5	<1	<1	1	2	4	5	10
6-12 YRS	588	2.2	5	<1	<1	2	2	4	6	11
13-19 YRS	464	3.1	35	<1	<1	2	3	6	9	35
GRAND TOTAL	**1739**	**2.6**	**13**	**<1**	**<1**	**2**	**3**	**5**	**6**	**19**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	8	1.4		<1	<1	1	2	2	2	2
6-12 YRS	43	1.6		<1	<1	1	2	3	3	4
13-19 YRS	106	1.6		1	1	1	2	3	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	5	1.6	1	1	1	1	2	3	3	3
6-12 YRS	32	1.3		<1	1	1	2	2	2	3
13-19 YRS	86	1.6		1	1	1	2	2	3	5
TOT. SINGLE DX	159	1.6	1	<1	1	1	2	3	3	4
" MULTIPLE DX	125	1.5	1	1	1	1	2	2	3	4
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	13	1.5		<1	<1	1	2	2	3	3
6-12 YRS	75	1.5		<1	1	1	2	2	3	4
13-19 YRS	192	1.6	1	1	1	1	2	3	3	4
GRAND TOTAL	**284**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	146	1.4		<1	<1	1	2	2	2	4
6-12 YRS	782	1.4		<1	1	1	2	2	2	3
13-19 YRS	635	1.5		<1	1	1	2	2	3	4
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	137	1.6	2	<1	1	1	2	2	3	8
6-12 YRS	743	1.5	1	<1	1	1	2	2	3	3
13-19 YRS	604	1.6	4	1	1	1	2	2	3	5
TOT. SINGLE DX	1567	1.4		<1	1	1	2	2	2	3
" MULTIPLE DX	1487	1.5	3	<1	1	1	2	2	3	5
TOTAL 0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	4	1.0		1	1	1	1	1	1	1
1-5 YRS	283	1.5	2	<1	<1	1	2	2	3	5
6-12 YRS	1525	1.4	1	<1	1	1	2	2	2	3
13-19 YRS	1239	1.5	3	<1	1	1	2	2	3	5
GRAND TOTAL	**3054**	**1.5**	**2**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	3.1	5	<1	<1	2	4	7	8	8
1-11 MOS	703	1.1		<1	<1	<1	<1	1	2	5
1-5 YRS	4098	1.0		<1	<1	<1	<1	1	1	2
6-12 YRS	1340	1.0		<1	<1	<1	<1	1	1	2
13-19 YRS	172	1.3		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS	16	3.4	2	1	2	3	5	6	67	99+
1-11 MOS	442	4.8	32	<1	<1	4	6	9	13	23
1-5 YRS	3644	1.6	5	<1	<1	1	1	2	5	10
6-12 YRS	1578	1.4	1	<1	<1	1	1	2	2	7
13-19 YRS	240	2.8	58	<1	<1	1	2	4	9	63
TOT. SINGLE DX	6322	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	5920	1.9	9	<1	<1	1	2	3	6	13
TOTAL 0-27 DYS	25	3.3	3	<1	<1	3	4	6	26	99+
1-11 MOS	1145	2.5	16	<1	<1	<1	3	6	9	17
1-5 YRS	7742	1.3	3	<1	<1	<1	1	2	2	8
6-12 YRS	2918	1.2	1	<1	<1	<1	1	2	2	5
13-19 YRS	412	2.2	35	<1	<1	1	2	2	4	40
GRAND TOTAL	**12242**	**1.4**	**5**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**9**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	3.8	3	<1	<1	4	5	5	5	5
1-5 YRS	79	2.0	2	1	1	2	2	4	6	7
6-12 YRS	272	1.8	1	1	1	2	2	3	4	9
13-19 YRS	212	1.8	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	8.6	84	1	1	5	14	24	26	26
1-5 YRS	115	3.6	25	1	1	2	3	9	10	33
6-12 YRS	511	2.2	9	1	1	2	2	4	5	16
13-19 YRS	438	2.2	5	1	1	2	3	4	6	13
TOT. SINGLE DX	567	1.9	2	1	1	2	2	3	4	8
" MULTIPLE DX	1072	2.4	10	1	1	2	2	4	6	17
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	6.8	58	<1	1	5	7	20	25	26
1-5 YRS	194	3.0	16	1	1	2	3	6	9	26
6-12 YRS	783	2.1	7	1	1	2	2	3	4	10
13-19 YRS	650	2.1	4	1	1	2	2	3	5	9
GRAND TOTAL	**1639**	**2.2**	**7**	**1**	**1**	**2**	**2**	**4**	**5**	**15**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	120	1.5	2	<1	<1	1	1	2	4	10
6-12 YRS	194	1.6	2	<1	<1	1	2	2	3	11
13-19 YRS	160	1.7	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	6	10.3	236	<1	<1	3	14	37	40	40
1-11 MOS	7	7.4	74	<1	<1	2	13	21	23	23
1-5 YRS	130	2.1	4	<1	<1	1	2	5	9	11
6-12 YRS	203	1.9	3	<1	<1	1	2	3	5	12
13-19 YRS	167	2.0	8	<1	1	1	2	3	5	14
TOT. SINGLE DX	477	1.6	2	<1	<1	1	2	2	4	10
" MULTIPLE DX	513	2.2	10	<1	<1	1	2	4	7	14
TOTAL 0-27 DYS	7	9.0	210	<1	<1	1	12	35	40	40
1-11 MOS	9	6.0	64	<1	<1	1	11	19	23	23
1-5 YRS	250	1.8	4	<1	<1	1	2	4	6	11
6-12 YRS	397	1.7	3	<1	<1	1	2	3	4	12
13-19 YRS	327	1.9	5	<1	<1	1	2	3	4	11
GRAND TOTAL	**990**	**1.9**	**6**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	19	1.6		1	1	1	2	3	3	3
13-19 YRS	476	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	4	2.0		1	1	2	3	3	3	3
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	77	1.9	1	<1	<1	2	3	3	4	5
13-19 YRS	1362	1.9	1	1	1	2	2	3	4	6
TOT. SINGLE DX	497	2.0	1	1	1	2	2	3	4	5
" MULTIPLE DX	1448	1.9	1	1	1	2	2	3	4	6
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	5	2.0	1	1	1	2	2	3	3	3
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	96	1.9	1	<1	1	2	2	3	4	5
13-19 YRS	1838	1.9	1	1	1	2	2	3	4	5
GRAND TOTAL	**1945**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	9	2.6	3	1	1	2	3	5	7	7
1-5 YRS	87	2.0	1	<1	<1	2	3	4	5	6
6-12 YRS	130	1.9	1	<1	1	2	3	3	4	5
13-19 YRS	1407	1.7		1	1	1	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	6	3.3	6	1	1	2	6	7	7	7
1-11 MOS	16	2.3	3	<1	1	1	3	6	6	6
1-5 YRS	104	2.8	16	<1	1	2	3	5	6	23
6-12 YRS	261	2.1	3	<1	1	2	3	4	5	10
13-19 YRS	2704	1.8	2	1	1	1	2	3	4	7
TOT. SINGLE DX	1634	1.7	1	<1	1	2	2	3	4	5
" MULTIPLE DX	3091	1.9	3	1	1	2	2	3	4	8
TOTAL 0-27 DYS	7	3.1	6	1	1	2	5	7	7	7
1-11 MOS	25	2.4	3	<1	1	2	3	6	6	7
1-5 YRS	191	2.4	10	<1	1	2	3	4	6	8
6-12 YRS	391	2.1	3	<1	1	2	3	4	5	9
13-19 YRS	4111	1.8	2	1	1	1	2	3	4	6
GRAND TOTAL	**4725**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	14	1.9	2	<1	<1	1	3	4	6	7
1-5 YRS	58	1.8	1	<1	<1	1	2	4	5	6
6-12 YRS	65	1.5	1	<1	<1	1	2	3	3	7
13-19 YRS	103	1.9	3	<1	<1	1	2	3	6	11
2. MULTIPLE DX										
0-27 DYS	6	3.7	10	<1	<1	2	6	9	9	9
1-11 MOS	15	2.7	5	1	1	2	3	6	9	10
1-5 YRS	26	2.7	12	<1	<1	1	2	7	12	16
6-12 YRS	116	2.4	5	<1	<1	1	3	5	8	11
13-19 YRS	331	2.4	17	<1	1	1	2	4	5	22
TOT. SINGLE DX	240	1.8	2	<1	<1	1	2	3	5	10
" MULTIPLE DX	494	2.5	14	<1	1	1	3	4	7	16
TOTAL 0-27 DYS	6	3.7	10	<1	<1	2	6	9	9	9
1-11 MOS	29	2.3	4	<1	<1	1	3	5	7	10
1-5 YRS	84	2.1	5	<1	<1	1	2	4	5	14
6-12 YRS	181	2.1	4	<1	<1	1	2	4	7	10
13-19 YRS	434	2.3	14	<1	1	1	2	4	5	17
GRAND TOTAL	**734**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	3	3.3	10	1	1	2	6	7	7	7
1-5 YRS	59	1.4	1	<1	<1	1	1	2	4	8
6-12 YRS	277	1.3		<1	<1	1	1	2	3	5
13-19 YRS	751	1.5		<1	<1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	16	3.5	2	2	2	3	5	5	7	7
1-11 MOS	2	12.0	32	8	8	12	16	16	16	16
1-5 YRS	42	4.1	85	<1	1	2	4	7	9	61
6-12 YRS	140	2.9	19	<1	<1	2	3	6	10	51
13-19 YRS	820	2.4	9	1	1	2	3	4	7	11
TOT. SINGLE DX	1093	1.5	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	1020	2.6	14	<1	1	2	3	5	7	12
TOTAL 0-27 DYS	19	3.3	2	1	2	3	4	5	6	7
1-11 MOS	5	6.8	36	1	1	7	10	16	16	16
1-5 YRS	101	2.6	38	<1	<1	1	2	4	7	35
6-12 YRS	417	1.8	7	<1	<1	1	2	3	5	11
13-19 YRS	1571	2.0	6	<1	<1	1	2	4	5	10
GRAND TOTAL	**2113**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	6.5	17	2	2	7	10	10	10	10
6-12 YRS	28	2.4	6	1	1	1	3	4	9	12
13-19 YRS	89	2.1	3	<1	1	2	2	4	7	10
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	4	22.5	1523	2	2	4	43	81	81	81
6-12 YRS	36	4.9	77	1	1	2	5	11	17	51
13-19 YRS	181	3.3	12	1	1	2	4	9	11	74
TOT. SINGLE DX	122	2.3	5	1	1	2	3	4	9	11
" MULTIPLE DX	225	3.8	49	1	1	2	4	9	11	85
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	8	14.5	733	2	2	4	10	60	81	81
6-12 YRS	64	3.8	48	1	1	2	3	8	13	46
13-19 YRS	270	2.9	10	1	1	2	3	7	10	23
GRAND TOTAL	**347**	**3.3**	**34**	**1**	**1**	**2**	**3**	**8**	**10**	**51**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	8.0	2	7	7	8	9	9	9	9
1-5 YRS	34	1.6		<1	<1	1	2	3	3	4
6-12 YRS	63	2.2	10	<1	<1	1	2	4	8	21
13-19 YRS	113	3.6	22	<1	<1	2	4	7	11	30
2. MULTIPLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	8	5.5	53	1	1	2	8	18	21	21
1-5 YRS	51	3.1	10	<1	<1	2	3	8	11	14
6-12 YRS	144	5.1	49	<1	<1	3	7	12	17	41
13-19 YRS	280	4.9	34	1	1	3	6	13	15	26
TOT. SINGLE DX	212	2.9	16	<1	<1	1	3	6	9	25
" MULTIPLE DX	486	4.8	37	<1	1	2	6	12	15	28
TOTAL 0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	10	6.0	43	1	1	3	9	16	21	21
1-5 YRS	85	2.5	7	<1	<1	1	3	5	9	14
6-12 YRS	207	4.2	39	<1	<1	2	5	10	14	34
13-19 YRS	393	4.5	32	<1	1	2	5	12	14	28
GRAND TOTAL	**698**	**4.2**	**31**	**<1**	**<1**	**2**	**5**	**10**	**14**	**28**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	167	1.1		<1	<1	<1	1	1	2	3
6-12 YRS	154	1.2		<1	<1	1	1	2	2	2
13-19 YRS	1655	1.3		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	40	5.0	25	1	1	3	5	12	19	22
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	361	2.0	5	<1	<1	1	2	3	6	13
6-12 YRS	279	2.8	35	<1	<1	1	2	4	10	45
13-19 YRS	923	2.8	43	<1	<1	2	2	4	8	53
TOT. SINGLE DX	1990	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	1607	2.7	33	<1	<1	1	2	4	8	41
TOTAL 0-27 DYS	42	4.9	25	1	1	3	5	11	19	22
1-11 MOS	6	1.5		<1	<1	1	2	2	2	2
1-5 YRS	528	1.7	4	<1	<1	1	2	3	4	11
6-12 YRS	433	2.2	23	<1	<1	1	2	3	6	31
13-19 YRS	2588	1.8	16	<1	<1	1	2	2	3	19
GRAND TOTAL	**3597**	**1.9**	**15**	**<1**	**<1**	**1**	**2**	**2**	**4**	**19**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	378	1.0		<1	<1	<1	1	1	1	2
6-12 YRS	48	1.5	2	<1	<1	1	2	2	3	11
13-19 YRS	42	1.4		<1	<1	1	2	2	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	423	1.4	8	<1	<1	1	1	2	2	6
6-12 YRS	137	2.4	59	<1	<1	1	2	3	6	99+
13-19 YRS	106	2.8	54	<1	<1	1	2	3	5	54
TOT. SINGLE DX	469	1.1		<1	<1	<1	1	1	2	3
" MULTIPLE DX	667	1.8	26	<1	<1	1	1	2	3	24
TOTAL 0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	801	1.2	4	<1	<1	<1	1	2	2	4
6-12 YRS	185	2.2	45	<1	<1	1	2	3	5	95
13-19 YRS	148	2.4	39	<1	<1	1	2	3	4	52
GRAND TOTAL	**1136**	**1.5**	**16**	**<1**	**<1**	**1**	**1**	**2**	**2**	**11**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	1.3		<1	<1	<1	2	2	2	2
1-5 YRS	59	1.2		<1	<1	<1	1	2	[illegible]	3
6-12 YRS	56	1.8	1	<1	<1	2	2	3	4	9
13-19 YRS	52	2.5	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	11	3.4	2	1	1	3	4	6	7	7
1-11 MOS	5	4.4	43	<1	<1	1	6	16	16	16
1-5 YRS	96	2.6	93	<1	<1	1	2	3	5	57
6-12 YRS	120	3.1	31	<1	1	2	3	4	6	35
13-19 YRS	161	2.6	18	<1	1	2	3	4	6	12
TOT. SINGLE DX	171	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	393	2.8	40	<1	<1	2	3	4	6	25
TOTAL 0-27 DYS	12	3.5	3	1	2	3	4	6	7	7
1-11 MOS	8	3.3	27	<1	<1	1	2	12	16	16
1-5 YRS	155	2.1	58	<1	<1	1	1	2	4	12
6-12 YRS	176	2.7	22	<1	1	2	3	4	6	26
13-19 YRS	213	2.6	14	<1	1	2	3	4	6	10
GRAND TOTAL	**564**	**2.5**	**29**	**<1**	**<1**	**2**	**3**	**4**	**5**	**16**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	16	2.1	1	<1	1	2	3	4	5	5
1-5 YRS	44	2.2	2	<1	1	2	3	5	6	7
6-12 YRS	85	2.0	1	<1	<1	2	3	3	4	8
13-19 YRS	193	2.4	2	1	1	2	3	4	5	12
2. MULTIPLE DX										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	10	4.4	7	1	1	4	7	8	8	8
1-5 YRS	26	2.7	3	<1	1	2	4	5	6	9
6-12 YRS	42	3.0	5	<1	1	2	4	6	7	14
13-19 YRS	93	2.8	3	1	1	2	3	6	7	10
TOT. SINGLE DX	338	2.2	2	<1	1	2	3	4	5	9
" MULTIPLE DX	173	3.0	4	1	1	2	4	6	7	11
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	26	3.0	5	<1	1	2	4	7	7	8
1-5 YRS	70	2.4	3	<1	1	2	3	5	5	9
6-12 YRS	127	2.3	3	<1	<1	2	3	4	6	10
13-19 YRS	286	2.5	3	1	1	2	3	4	6	11
GRAND TOTAL	**511**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.3	2	<1	<1	2	3	4	4	4
1-11 MOS	196	3.7	3	2	2	3	5	6	7	9
1-5 YRS	570	3.2	3	1	1	3	4	6	7	8
6-12 YRS	162	3.2	2	1	1	3	4	5	6	8
13-19 YRS	80	3.3	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	4	26.5	1128	2	2	14	49	75	75	75
1-11 MOS	223	3.6	3	1	2	3	4	6	7	11
1-5 YRS	640	3.8	3	1	2	3	5	6	7	10
6-12 YRS	148	3.4	3	1	1	3	4	5	7	10
13-19 YRS	81	3.1	2	1	1	3	4	6	6	9
TOT. SINGLE DX	1012	3.3	3	1	1	3	4	6	7	8
" MULTIPLE DX	1096	3.7	8	1	2	3	4	6	7	10
TOTAL 0-27 DYS	8	14.4	653	<1	<1	3	14	59	75	75
1-11 MOS	419	3.7	3	1	2	3	4	6	7	9
1-5 YRS	1210	3.5	3	1	2	3	4	6	7	9
6-12 YRS	310	3.3	3	1	1	3	4	5	7	8
13-19 YRS	161	3.2	3	1	1	3	4	5	6	9
GRAND TOTAL	**2108**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	**9**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, See appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	16	3.5	7	<1	<1	3	5	8	9	9
1-11 MOS	610	3.6	3	1	2	3	5	6	7	9
1-5 YRS	463	2.3	7	<1	<1	1	3	5	6	10
6-12 YRS	243	2.1	4	<1	<1	2	3	4	5	8
13-19 YRS	215	2.6	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	100	5.5	59	1	2	3	5	11	17	47
1-11 MOS	374	4.7	14	1	2	4	6	8	10	23
1-5 YRS	398	3.0	10	<1	1	2	3	7	8	15
6-12 YRS	322	3.0	9	1	1	2	3	6	8	15
13-19 YRS	591	3.0	14	1	1	2	4	6	7	17
TOT. SINGLE DX	1547	2.8	5	<1	<1	2	4	6	7	9
" MULTIPLE DX	1785	3.5	16	1	1	2	4	7	9	20
TOTAL 0-27 DYS	116	5.2	53	1	1	3	5	10	15	41
1-11 MOS	984	4.0	8	1	2	3	5	7	8	14
1-5 YRS	861	2.6	9	<1	<1	2	3	6	7	13
6-12 YRS	565	2.6	7	<1	<1	2	3	5	7	14
13-19 YRS	806	2.9	12	<1	1	2	3	6	7	14
GRAND TOTAL	**3332**	**3.2**	**11**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	13	1.1		1	1	1	1	2	2	2
1-5 YRS	876	1.3		<1	1	1	2	2	2	3
6-12 YRS	3386	1.3		<1	1	1	2	2	2	3
13-19 YRS	10289	1.4		1	1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	622	1.4	1	<1	1	1	2	2	3	5
6-12 YRS	1141	1.4		<1	1	1	2	2	2	4
13-19 YRS	2534	1.7	7	1	1	1	2	3	4	8
TOT. SINGLE DX	14565	1.4	1	<1	1	1	2	2	2	3
" MULTIPLE DX	4302	1.6	5	1	1	1	2	2	3	7
TOTAL 0-27 DYS	4	1.8	1	<1	<1	1	2	3	3	3
1-11 MOS	15	1.1		1	1	1	1	1	2	2
1-5 YRS	1498	1.4	1	<1	1	1	2	2	2	4
6-12 YRS	4527	1.3		<1	1	1	2	2	2	3
13-19 YRS	12823	1.5	2	1	1	1	2	2	3	4
GRAND TOTAL	**18867**	**1.4**	**2**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	1.3		1	1	1	2	2	2	2
1-11 MOS	18	1.2		<1	1	1	1	2	2	2
1-5 YRS	7680	1.3		<1	<1	1	2	2	2	3
6-12 YRS	11687	1.3		<1	1	1	2	2	2	3
13-19 YRS	3466	1.3		1	1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	5	1.8	1	1	1	1	3	3	3	3
1-11 MOS	22	2.2	5	1	1	1	2	5	8	11
1-5 YRS	9505	1.4	2	<1	1	1	2	2	2	5
6-12 YRS	8336	1.4	1	<1	1	1	2	2	2	4
13-19 YRS	1745	1.7	9	1	1	1	2	2	3	7
TOT. SINGLE DX	22855	1.3		<1	1	1	2	2	2	3
" MULTIPLE DX	19613	1.4	2	<1	1	1	2	2	2	5
TOTAL 0-27 DYS	9	1.6	1	1	1	1	2	3	3	3
1-11 MOS	40	1.8	3	1	1	1	2	3	5	11
1-5 YRS	17185	1.4	1	<1	1	1	2	2	2	4
6-12 YRS	20023	1.3	1	<1	1	1	2	2	2	3
13-19 YRS	5211	1.5	4	1	1	1	2	2	3	4
GRAND TOTAL	**42468**	**1.4**	**1**	**<1**	**1**	**1**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	10	1.7	1	<1	<1	1	2	4	5	5
1-5 YRS	428	1.2		<1	<1	1	1	2	2	2
6-12 YRS	520	1.2		<1	<1	1	1	2	2	2
13-19 YRS	95	1.3		<1	<1	1	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	42	2.1	4	<1	<1	1	2	6	8	9
1-5 YRS	1782	1.3	1	<1	<1	1	1	2	2	7
6-12 YRS	962	1.3	1	<1	<1	1	1	2	2	4
13-19 YRS	114	2.2	52	<1	<1	1	2	2	4	39
TOT. SINGLE DX	1053	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	2901	1.3	4	<1	<1	1	1	2	2	7
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	52	2.0	4	<1	<1	1	2	5	7	9
1-5 YRS	2210	1.3	2	<1	<1	1	1	2	2	6
6-12 YRS	1482	1.3	1	<1	<1	1	1	2	2	4
13-19 YRS	209	1.8	29	<1	<1	1	2	2	2	13
GRAND TOTAL	**3954**	**1.3**	**3**	**<1**	**<1**	**1**	**1**	**2**	**2**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	7.3	32	1	1	9	11	12	12	12
1-11 MOS	31	1.8	3	<1	<1	1	2	3	8	9
1-5 YRS	322	2.0	3	<1	<1	1	2	4	6	11
6-12 YRS	414	1.9	1	<1	<1	1	2	3	5	7
13-19 YRS	797	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	6	27.5	401	9	9	21	38	60	62	62
1-11 MOS	24	3.8	19	<1	<1	2	5	17	38	99+
1-5 YRS	146	3.9	25	<1	1	2	5	9	11	27
6-12 YRS	161	2.7	5	<1	1	2	3	5	7	13
13-19 YRS	331	3.2	8	1	1	3	4	6	7	17
TOT. SINGLE DX	1567	2.2	3	<1	1	2	3	4	5	9
" MULTIPLE DX	668	3.5	20	1	1	2	4	6	10	25
TOTAL 0-27 DYS	9	20.8	361	1	4	14	30	52	62	62
1-11 MOS	55	2.7	12	<1	<1	1	3	8	14	95
1-5 YRS	468	2.6	11	<1	<1	1	3	6	8	13
6-12 YRS	575	2.1	3	<1	1	1	3	4	5	9
13-19 YRS	1128	2.6	5	1	1	2	3	5	6	11
GRAND TOTAL	**2235**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**6**	**14**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	12	2.7	1	1	1	3	3	4	4	4
1-11 MOS	17	3.1	6	<1	<1	2	5	7	8	9
1-5 YRS	44	1.3		<1	<1	1	1	2	3	6
6-12 YRS	14	1.1		<1	<1	1	1	2	2	2
13-19 YRS	21	2.2	2	1	1	2	3	4	6	7
2. MULTIPLE DX										
0-27 DYS	310	3.2	3	1	2	3	4	5	6	8
1-11 MOS	12	7.3	55	<1	1	4	12	18	24	25
1-5 YRS	27	4.3	56	<1	1	2	2	12	28	30
6-12 YRS	26	4.3	41	<1	<1	2	4	15	20	28
13-19 YRS	29	3.1	5	<1	1	3	4	7	7	10
TOT. SINGLE DX	108	1.9	3	<1	<1	1	2	4	6	8
" MULTIPLE DX	404	3.4	11	1	1	3	4	5	7	22
TOTAL 0-27 DYS	322	3.2	3	1	2	3	4	5	6	8
1-11 MOS	29	4.8	30	<1	<1	4	6	12	15	25
1-5 YRS	71	2.5	24	<1	<1	1	2	3	6	30
6-12 YRS	40	3.2	29	<1	<1	1	2	5	17	28
13-19 YRS	50	2.8	4	1	1	2	4	6	7	10
GRAND TOTAL	**512**	**3.1**	**10**	**<1**	**1**	**3**	**4**	**5**	**6**	**18**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	32	2.8	6	1	1	2	2	7	9	10
1-5 YRS	182	1.6	1	<1	<1	1	2	2	3	8
6-12 YRS	122	1.4		<1	<1	1	2	2	2	3
13-19 YRS	61	1.4		<1	<1	1	2	2	3	6
2. MULTIPLE DX										
0-27 DYS	2	41.5	85	35	35	41	48	48	48	48
1-11 MOS	22	5.3	50	<1	<1	2	9	13	21	31
1-5 YRS	124	3.2	21	<1	<1	2	3	7	12	24
6-12 YRS	63	1.6	1	<1	<1	1	2	3	4	7
13-19 YRS	52	1.9	1	<1	<1	2	2	4	5	97
TOT. SINGLE DX	399	1.6	1	<1	<1	1	2	2	3	8
" MULTIPLE DX	263	3.0	28	<1	<1	1	2	6	11	38
TOTAL 0-27 DYS	4	22.3	522	3	3	19	41	48	48	48
1-11 MOS	54	3.9	25	<1	1	2	5	9	12	30
1-5 YRS	306	2.2	10	<1	<1	1	2	4	7	16
6-12 YRS	185	1.5	1	<1	<1	1	2	2	2	5
13-19 YRS	113	1.6	1	<1	<1	1	2	3	4	40
GRAND TOTAL	**662**	**2.2**	**12**	**<1**	**<1**	**1**	**2**	**3**	**6**	**18**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.3	1	<1	<1	3	3	3	3	3
1-5 YRS	19	1.5		<1	<1	1	2	2	3	3
6-12 YRS	8	3.9	11	<1	<1	3	6	9	10	10
13-19 YRS	8	2.4	9	<1	<1	1	2	8	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	14	5.6	91	<1	<1	2	5	14	32	37
1-5 YRS	46	4.2	45	<1	<1	2	4	9	12	44
6-12 YRS	13	5.1	43	1	1	3	5	14	23	25
13-19 YRS	9	11.9	454	<1	<1	2	12	46	67	67
TOT. SINGLE DX	38	2.2	5	<1	<1	1	2	4	9	10
" MULTIPLE DX	82	5.4	97	<1	<1	2	5	11	19	60
TOTAL 0-27 DYS										
1-11 MOS	17	5.0	76	<1	<1	2	4	11	28	37
1-5 YRS	65	3.4	33	<1	<1	2	3	7	10	40
6-12 YRS	21	4.6	31	<1	1	3	5	10	17	25
13-19 YRS	17	7.4	255	<1	<1	1	8	14	49	67
GRAND TOTAL	**120**	**4.4**	**70**	**<1**	**<1**	**2**	**4**	**9**	**13**	**51**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	13.5	13	11	11	13	16	16	16	16
1-5 YRS	2	39.0	200	29	29	39	49	49	49	49
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX	4	26.3	288	11	11	22	39	49	49	49
TOTAL 0-27 DYS										
1-11 MOS	2	13.5	13	11	11	13	16	16	16	16
1-5 YRS	2	39.0	200	29	29	39	49	49	49	49
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**4**	**26.3**	**288**	**11**	**11**	**22**	**39**	**49**	**49**	**49**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-27 DYS	2	65.0	2178	32	32	98	99+	99+	99+	99+
1-11 MOS	10	29.4	723	2	5	18	38	74	85	85
1-5 YRS	8	26.6	517	2	6	26	77	99+	99+	99+
6-12 YRS	13	8.4	33	1	1	8	12	28	84	99+
13-19 YRS	10	30.5	411	7	9	33	62	99+	99+	99+
TOT. SINGLE DX	3	9.0	57	2	2	8	15	17	17	17
" MULTIPLE DX	43	24.4	565	2	4	19	47	99+	99+	99+
TOTAL 0-27 DYS	2	65.0	2178	32	32	98	99+	99+	99+	99+
1-11 MOS	11	28.3	665	2	6	18	38	72	84	85
1-5 YRS	9	23.9	520	2	2	22	66	99+	99+	99+
6-12 YRS	13	8.4	33	1	1	8	12	28	84	99+
13-19 YRS	11	28.5	417	7	8	28	60	99+	99+	99+
GRAND TOTAL	**46**	**23.4**	**544**	**2**	**3**	**19**	**41**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	14.8	143	5	5	12	20	35	35	35
1-11 MOS	20	9.8	140	<1	<1	5	13	26	35	44
1-5 YRS	64	3.6	9	<1	1	2	6	7	10	14
6-12 YRS	32	3.8	29	<1	1	2	4	8	18	26
13-19 YRS	26	6.3	93	<1	<1	2	7	17	27	44
2. MULTIPLE DX										
0-27 DYS	36	31.2	532	6	9	33	50	99	99+	99+
1-11 MOS	74	16.4	252	1	2	15	28	99+	99+	99+
1-5 YRS	186	9.7	201	<1	1	5	12	31	66	99+
6-12 YRS	58	7.9	113	<1	<1	4	10	19	43	96
13-19 YRS	96	23.4	580	1	2	19	44	93	99+	99+
TOT. SINGLE DX	147	5.3	56	<1	<1	2	6	13	23	44
" MULTIPLE DX	450	15.2	357	<1	1	9	24	62	99+	99+
TOTAL 0-27 DYS	41	29.2	510	5	8	25	49	99	99+	99+
1-11 MOS	94	15.0	234	1	2	12	25	65	99+	99+
1-5 YRS	250	8.1	159	<1	1	4	9	23	44	99+
6-12 YRS	90	6.5	87	<1	1	3	8	18	26	82
13-19 YRS	122	19.8	524	1	1	13	36	79	99+	99+
GRAND TOTAL	**597**	**12.8**	**301**	**<1**	**1**	**6**	**19**	**49**	**94**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	3	10.3	234	1	1	2	21	28	28	28
1-5 YRS	13	2.8	3	<1	1	2	4	5	7	8
6-12 YRS	10	3.6	4	1	1	3	5	6	7	7
13-19 YRS	25	6.0	17	<1	1	6	9	11	13	17
2. MULTIPLE DX										
0-27 DYS	1	16.0		16	16	58	99+	99+	99+	99+
1-11 MOS	18	13.2	62	1	2	13	19	23	26	27
1-5 YRS	25	8.8	63	1	2	6	12	21	27	31
6-12 YRS	11	6.0	17	1	1	4	9	12	15	15
13-19 YRS	75	8.1	22	2	2	8	11	15	18	21
TOT. SINGLE DX	53	4.9	22	<1	1	4	7	10	12	28
" MULTIPLE DX	130	8.8	38	1	2	8	12	18	22	44
TOTAL 0-27 DYS	3	7.7	54	2	2	10	58	99+	99+	99+
1-11 MOS	21	12.8	78	1	1	13	20	25	27	28
1-5 YRS	38	6.8	50	1	1	4	8	17	24	31
6-12 YRS	21	4.9	12	1	1	4	7	9	12	15
13-19 YRS	100	7.6	22	1	2	7	10	14	17	20
GRAND TOTAL	**183**	**7.7**	**37**	**1**	**2**	**7**	**10**	**17**	**21**	**30**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	24.0		24	24	24	24	24	24	24
TOT. SINGLE DX										
" MULTIPLE DX	3	15.0	117	3	3	18	22	24	24	24
TOTAL 0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	1	24.0		24	24	24	24	24	24	24
GRAND TOTAL	**3**	**15.0**	**117**	**3**	**3**	**18**	**22**	**24**	**24**	**24**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	8.8	15	3	3	10	11	13	13	13
1-5 YRS	9	7.4	8	4	4	8	10	11	11	11
6-12 YRS	10	8.4	20	1	2	8	10	15	17	17
13-19 YRS	58	9.4	26	4	5	8	11	15	17	32
2. MULTIPLE DX										
0-27 DYS	8	36.9	1057	2	3	46	77	93	99+	99+
1-11 MOS	13	24.5	611	3	4	16	43	85	97	99+
1-5 YRS	50	12.5	150	4	4	8	14	28	53	99+
6-12 YRS	40	12.8	129	3	4	9	16	25	35	61
13-19 YRS	151	12.8	80	5	5	10	15	26	33	44
TOT. SINGLE DX	83	9.0	23	3	4	8	11	14	16	30
" MULTIPLE DX	262	14.1	173	4	5	10	16	32	44	97
TOTAL 0-27 DYS	9	33.6	1024	2	3	30	76	91	99+	99+
1-11 MOS	18	20.1	487	3	4	13	36	73	92	99+
1-5 YRS	59	11.7	131	4	4	8	13	25	48	96
6-12 YRS	50	11.9	110	2	4	9	15	21	34	61
13-19 YRS	209	11.9	68	5	5	9	14	24	32	40
GRAND TOTAL	**345**	**12.8**	**141**	**4**	**5**	**9**	**14**	**26**	**38**	**83**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	11.0	36	6	6	8	17	18	18	18
1-5 YRS	3	8.3		8	8	8	9	9	9	9
6-12 YRS	5	7.6	10	5	5	7	9	13	13	13
13-19 YRS	6	9.3	9	6	6	9	10	14	15	15
2. MULTIPLE DX										
0-27 DYS	5	38.8	1233	6	6	21	73	83	83	83
1-11 MOS	9	14.9	26	6	7	16	19	21	21	21
1-5 YRS	11	14.2	133	5	6	9	16	36	37	37
6-12 YRS	10	15.7	92	8	8	10	27	30	31	31
13-19 YRS	25	15.0	171	6	6	10	19	26	40	68
TOT. SINGLE DX	19	9.2	15	5	6	8	10	16	18	18
" MULTIPLE DX	60	17.0	238	6	6	11	20	31	52	82
TOTAL 0-27 DYS	5	38.8	1234	6	6	21	73	83	83	83
1-11 MOS	14	13.5	31	6	6	15	18	20	21	21
1-5 YRS	14	12.9	109	5	6	9	15	36	37	37
6-12 YRS	15	13.0	78	5	6	9	14	30	31	31
13-19 YRS	31	13.9	144	6	6	9	18	23	31	68
GRAND TOTAL	**79**	**15.1**	**195**	**6**	**6**	**10**	**18**	**29**	**37**	**79**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	11	2.5	1	1	1	2	3	4	6	6
1-11 MOS	156	2.9	8	<1	<1	2	3	8	9	14
1-5 YRS	374	2.1	5	<1	<1	1	2	4	7	14
6-12 YRS	98	3.6	22	<1	<1	2	4	9	14	25
13-19 YRS	77	4.2	23	<1	1	2	5	10	17	23
2. MULTIPLE DX										
0-27 DYS	28	13.1	267	2	2	9	26	99+	99+	99+
1-11 MOS	256	9.9	161	1	1	5	13	21	36	72
1-5 YRS	434	7.1	88	1	1	4	9	15	21	60
6-12 YRS	142	7.6	65	1	1	5	11	18	25	99+
13-19 YRS	171	12.0	194	1	2	8	15	28	52	99+
TOT. SINGLE DX	716	2.7	11	<1	<1	1	3	7	9	18
" MULTIPLE DX	1031	8.8	129	1	1	5	12	20	30	88
TOTAL 0-27 DYS	39	10.1	214	1	2	5	17	78	99+	99+
1-11 MOS	412	7.2	115	<1	1	3	9	17	23	58
1-5 YRS	808	4.8	56	<1	1	2	5	12	16	31
6-12 YRS	240	5.9	52	<1	1	3	8	16	23	62
13-19 YRS	248	9.6	154	1	1	6	12	22	32	99+
GRAND TOTAL	**1747**	**6.3**	**90**	**<1**	**1**	**3**	**8**	**15**	**22**	**68**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	9.7	116	2	2	5	18	22	22	22
1-5 YRS	9	1.8	2	1	1	1	2	4	5	5
6-12 YRS	2	10.5	5	9	9	10	12	12	12	12
13-19 YRS	40	6.3	48	1	2	4	7	12	14	44
2. MULTIPLE DX										
0-27 DYS	22	15.2	426	3	4	6	10	61	64	65
1-11 MOS	3	7.7	52	3	3	4	13	16	16	16
1-5 YRS	11	9.8	44	1	2	10	12	18	25	26
6-12 YRS	15	10.0	45	2	3	8	16	19	21	21
13-19 YRS	44	10.6	128	2	3	8	14	18	23	73
TOT. SINGLE DX	55	5.9	45	1	1	4	7	12	14	43
" MULTIPLE DX	95	11.4	172	2	3	7	13	20	35	69
TOTAL 0-27 DYS	23	14.8	410	3	4	7	9	61	64	65
1-11 MOS	6	8.7	69	2	2	4	16	21	22	22
1-5 YRS	20	6.2	41	1	1	4	10	13	19	26
6-12 YRS	17	10.1	40	2	3	8	15	19	20	21
13-19 YRS	84	8.5	95	2	2	5	10	16	20	63
GRAND TOTAL	**150**	**9.4**	**132**	**1**	**2**	**6**	**12**	**17**	**26**	**65**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	7.5	11	4	4	7	10	12	12	12
1-11 MOS	8	20.3	192	3	4	19	28	42	45	45
1-5 YRS	24	6.5	22	1	1	5	10	13	16	18
6-12 YRS	24	6.0	22	<1	<1	4	9	13	15	18
13-19 YRS	496	5.2	12	2	2	4	6	9	12	19
2. MULTIPLE DX										
0-27 DYS	322	21.3	510	2	4	12	32	69	87	99+
1-11 MOS	26	11.8	66	2	3	9	18	26	28	29
1-5 YRS	93	13.9	146	2	4	9	20	31	44	83
6-12 YRS	102	9.4	34	2	3	8	13	17	21	28
13-19 YRS	548	9.6	102	2	3	7	11	19	25	53
TOT. SINGLE DX	556	5.5	19	1	2	4	7	10	13	23
" MULTIPLE DX	1091	13.4	246	2	3	8	15	32	57	99+
TOTAL 0-27 DYS	326	21.1	507	2	4	12	32	69	87	99+
1-11 MOS	34	13.8	104	2	3	10	19	28	33	45
1-5 YRS	117	12.4	130	1	3	9	17	28	38	74
6-12 YRS	126	8.7	34	1	3	7	12	16	20	27
13-19 YRS	1044	7.5	64	2	3	5	8	14	20	43
GRAND TOTAL	**1647**	**10.8**	**183**	**2**	**3**	**6**	**12**	**23**	**43**	**92**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	6.5	25	3	3	6	10	10	10	10
1-11 MOS	18	4.7	10	<1	<1	4	7	9	11	13
1-5 YRS	197	5.0	5	1	1	5	6	7	8	14
6-12 YRS	165	5.5	4	1	2	6	7	8	9	11
13-19 YRS	254	6.1	11	1	2	6	7	9	12	19
2. MULTIPLE DX										
0-27 DYS	5	10.2	51	4	4	6	17	19	19	19
1-11 MOS	15	14.5	89	4	6	15	16	25	37	41
1-5 YRS	64	7.8	34	2	3	6	8	18	21	29
6-12 YRS	69	8.2	32	1	3	6	11	17	21	25
13-19 YRS	176	10.6	93	2	3	8	13	20	28	51
TOT. SINGLE DX	636	5.6	8	1	2	6	7	8	10	18
" MULTIPLE DX	329	9.7	70	2	3	7	12	19	25	39
TOTAL 0-27 DYS	7	9.1	42	3	3	6	15	19	19	19
1-11 MOS	33	9.2	69	<1	2	7	14	17	25	41
1-5 YRS	261	5.7	14	1	2	5	7	8	12	24
6-12 YRS	234	6.3	14	1	3	6	7	10	14	22
13-19 YRS	430	7.9	50	2	3	6	9	15	19	34
GRAND TOTAL	**965**	**7.0**	**33**	**1**	**2**	**6**	**7**	**12**	**17**	**29**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	7.8	14	2	2	10	10	11	11	11
1-11 MOS	88	11.7	120	6	7	9	11	18	23	80
1-5 YRS	374	7.5	10	4	4	7	9	10	12	21
6-12 YRS	125	7.4	10	4	4	7	8	11	13	20
13-19 YRS	66	7.9	12	2	5	8	9	12	14	22
2. MULTIPLE DX										
0-27 DYS	55	15.0	248	4	4	12	16	31	59	99+
1-11 MOS	486	14.7	127	6	7	11	17	30	42	99+
1-5 YRS	892	11.3	75	5	6	9	12	19	27	59
6-12 YRS	297	12.4	131	5	6	9	13	20	30	70
13-19 YRS	155	12.9	80	6	7	9	15	24	34	47
TOT. SINGLE DX	658	8.1	27	4	5	7	9	11	14	24
" MULTIPLE DX	1885	12.6	105	5	6	9	14	22	34	84
TOTAL 0-27 DYS	60	14.4	233	3	4	11	15	29	53	99+
1-11 MOS	574	14.2	128	6	7	11	16	28	41	99+
1-5 YRS	1266	10.2	59	4	5	8	11	16	23	51
6-12 YRS	422	10.9	100	4	5	8	11	18	24	64
13-19 YRS	221	11.4	65	5	6	9	13	21	27	47
GRAND TOTAL	**2543**	**11.4**	**89**	**5**	**6**	**9**	**12**	**19**	**28**	**77**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	11	18.8	265	9	9	11	15	51	53	53
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	10.5	5	9	9	10	12	12	12	12
13-19 YRS	1	6.0		6	6	6	6	6	6	6
TOT. SINGLE DX	2	10.5	5	9	9	10	12	12	12	12
" MULTIPLE DX	16	16.8	202	7	9	11	15	47	52	53
TOTAL 0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	11	18.8	265	9	9	11	15	51	53	53
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	3	11.0	3	9	9	12	12	12	12	12
13-19 YRS	2	7.5	5	6	6	7	9	9	9	9
GRAND TOTAL	**18**	**16.1**	**182**	**7**	**9**	**11**	**13**	**42**	**52**	**53**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	20	4.5	14	<1	<1	3	6	11	12	12
1-11 MOS	264	1.9	2	<1	1	1	2	3	5	9
1-5 YRS	703	1.6		<1	1	2	2	2	2	5
6-12 YRS	320	1.8	1	<1	1	2	2	2	3	8
13-19 YRS	229	2.1	2	<1	1	2	2	3	5	9
2. MULTIPLE DX										
0-27 DYS	133	7.1	62	1	1	5	9	16	25	58
1-11 MOS	931	3.5	29	1	1	2	3	8	12	26
1-5 YRS	1420	2.0	6	<1	1	2	2	3	5	13
6-12 YRS	515	2.1	8	<1	1	2	2	3	5	13
13-19 YRS	397	2.8	10	1	1	2	2	6	8	18
TOT. SINGLE DX	1536	1.8	2	<1	1	2	2	2	4	9
" MULTIPLE DX	3396	2.7	17	1	1	2	2	5	9	20
TOTAL 0-27 DYS	153	6.7	57	1	1	4	9	16	19	50
1-11 MOS	1195	3.2	24	1	1	2	2	7	10	24
1-5 YRS	2123	1.9	5	<1	1	2	2	2	4	10
6-12 YRS	835	2.0	6	<1	1	2	2	2	4	12
13-19 YRS	626	2.5	8	<1	1	2	2	5	7	15
GRAND TOTAL	**4932**	**2.5**	**12**	**<1**	**1**	**2**	**2**	**4**	**7**	**17**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	15	4.9	4	2	2	5	6	7	9	10
6-12 YRS	19	2.8	4	1	1	2	4	6	8	9
13-19 YRS	23	2.7	2	1	1	2	4	5	5	5
2. MULTIPLE DX										
0-27 DYS	5	15.0	223	2	2	11	22	40	40	40
1-11 MOS	27	12.0	114	3	3	10	13	26	40	48
1-5 YRS	43	8.1	70	1	1	7	10	13	26	42
6-12 YRS	48	5.0	12	1	2	4	6	8	12	20
13-19 YRS	72	5.2	27	2	2	4	6	9	14	86
TOT. SINGLE DX	60	3.4	4	1	1	3	5	6	7	10
" MULTIPLE DX	195	7.0	56	1	2	5	8	12	19	45
TOTAL 0-27 DYS	6	13.3	195	2	2	8	16	38	40	40
1-11 MOS	29	11.6	109	3	4	9	12	24	39	48
1-5 YRS	58	7.3	55	1	1	6	9	12	16	42
6-12 YRS	67	4.4	11	1	1	4	6	7	10	19
13-19 YRS	95	4.6	23	1	2	4	5	8	12	72
GRAND TOTAL	**255**	**6.1**	**46**	**1**	**2**	**4**	**7**	**11**	**17**	**42**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	5.7	11	2	2	6	8	11	11	11
1-5 YRS	36	5.4	11	1	1	6	7	8	12	15
6-12 YRS	28	5.8	15	1	2	6	8	9	15	17
13-19 YRS	22	6.8	16	2	2	7	9	13	14	15
2. MULTIPLE DX										
0-27 DYS	11	12.1	196	3	4	8	14	67	95	99+
1-11 MOS	44	10.2	60	2	2	9	15	20	28	34
1-5 YRS	65	10.5	152	1	1	8	11	25	37	63
6-12 YRS	45	7.5	30	2	2	6	10	17	19	25
13-19 YRS	81	11.0	166	2	2	8	12	24	30	96
TOT. SINGLE DX	97	5.9	14	1	2	6	8	11	14	16
" MULTIPLE DX	246	10.1	120	2	2	8	12	22	29	88
TOTAL 0-27 DYS	11	12.1	197	3	4	8	14	67	95	99+
1-11 MOS	55	9.3	54	2	2	8	11	18	26	34
1-5 YRS	101	8.7	108	1	1	7	9	16	27	62
6-12 YRS	73	6.8	25	2	2	6	9	14	18	24
13-19 YRS	103	10.1	137	2	2	7	12	21	27	94
GRAND TOTAL	**343**	**8.9**	**94**	**1**	**2**	**7**	**10**	**18**	**26**	**70**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	164	2.7	1	1	2	3	3	4	5	6
1-11 MOS	189	3.0	32	<1	<1	2	3	6	9	12
1-5 YRS	442	2.6	6	<1	<1	2	3	6	8	12
6-12 YRS	142	2.6	14	<1	<1	1	2	5	8	29
13-19 YRS	127	3.0	10	<1	<1	2	3	6	10	18
2. MULTIPLE DX										
0-27 DYS	1544	4.6	57	2	2	3	4	7	10	61
1-11 MOS	295	8.2	132	<1	1	4	10	20	33	91
1-5 YRS	635	5.3	35	<1	1	3	7	11	15	41
6-12 YRS	190	5.8	72	<1	1	3	7	13	20	67
13-19 YRS	218	7.8	79	1	2	6	10	15	19	59
TOT. SINGLE DX	1064	2.7	12	<1	<1	2	3	6	8	13
" MULTIPLE DX	2882	5.4	65	1	1	3	6	11	16	62
TOTAL 0-27 DYS	1708	4.4	53	2	2	3	4	6	9	50
1-11 MOS	484	6.2	100	<1	<1	3	7	15	24	72
1-5 YRS	1077	4.2	25	<1	<1	2	5	10	13	29
6-12 YRS	332	4.4	50	<1	<1	2	5	10	16	42
13-19 YRS	345	6.0	59	<1	1	4	8	13	18	40
GRAND TOTAL	**3946**	**4.7**	**52**	**<1**	**1**	**3**	**5**	**9**	**14**	**47**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	67	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	15	4.1	5	2	2	4	5	6	10	11
TOT. SINGLE DX	69	2.5	2	<1	1	2	3	4	5	8
" MULTIPLE DX	20	3.8	5	2	2	3	5	6	8	11
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	3	2.0		2	2	2	2	2	2	2
13-19 YRS	82	2.8	3	<1	1	2	4	5	6	10
GRAND TOTAL	**89**	**2.8**	**3**	**<1**	**1**	**2**	**4**	**5**	**5**	**10**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	9.4	10	7	7	7	12	14	15	15
1-11 MOS	30	8.4	9	4	5	8	10	12	15	16
1-5 YRS	18	8.2	10	4	5	8	9	13	16	17
6-12 YRS	9	10.6	86	2	2	7	18	25	28	28
13-19 YRS	24	5.3	17	1	1	3	8	12	13	14
2. MULTIPLE DX										
0-27 DYS	43	16.4	139	6	7	12	23	31	37	64
1-11 MOS	95	12.5	89	5	6	10	14	25	36	83
1-5 YRS	121	10.5	66	5	5	9	10	17	27	52
6-12 YRS	54	14.1	162	5	6	10	13	28	42	64
13-19 YRS	118	11.1	115	1	2	8	16	26	40	99+
TOT. SINGLE DX	88	7.8	21	2	2	7	10	14	16	25
" MULTIPLE DX	431	12.2	106	3	4	9	14	25	37	71
TOTAL 0-27 DYS	50	15.5	127	6	7	12	20	29	37	64
1-11 MOS	125	11.5	73	5	6	9	13	20	31	73
1-5 YRS	139	10.2	60	5	5	9	10	16	24	49
6-12 YRS	63	13.6	152	2	5	10	14	28	40	64
13-19 YRS	142	10.1	104	1	2	8	14	25	38	99+
GRAND TOTAL	**519**	**11.4**	**95**	**2**	**3**	**9**	**13**	**24**	**32**	**65**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	20.0		20	20	20	20	20	20	20
1-5 YRS	5	23.0	645	7	7	12	30	68	68	68
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	3	7.0	4	5	5	7	8	9	9	9
" MULTIPLE DX	9	18.4	366	5	6	12	18	49	68	68
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	20.0		20	20	20	20	20	20	20
1-5 YRS	7	18.4	493	5	5	11	16	58	68	68
6-12 YRS	2	10.5	25	7	7	10	14	14	14	14
13-19 YRS	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**12**	**15.6**	**294**	**5**	**5**	**11**	**15**	**34**	**63**	**68**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	5	3.2	15	<1	<1	1	5	10	10	10
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	8.0	16	4	4	8	11	12	12	12
1-5 YRS	12	8.3	105	1	2	5	8	23	36	38
6-12 YRS	21	7.1	99	1	1	2	6	22	33	40
13-19 YRS	163	6.2	115	1	1	4	6	10	14	76
TOT. SINGLE DX	7	3.1	10	<1	<1	2	4	9	10	10
" MULTIPLE DX	200	6.5	110	1	1	4	7	12	18	75
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	8.0	16	4	4	8	11	12	12	12
1-5 YRS	12	8.3	106	1	2	5	8	23	36	38
6-12 YRS	23	6.7	92	1	1	2	6	20	32	40
13-19 YRS	168	6.1	112	1	1	4	6	10	14	76
GRAND TOTAL	**207**	**6.4**	**107**	**1**	**1**	**4**	**7**	**11**	**18**	**75**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	129	9.5	136	1	1	5	11	24	32	86
1-11 MOS	210	7.4	28	2	3	7	9	12	16	26
1-5 YRS	330	5.7	15	1	2	5	7	9	12	19
6-12 YRS	154	5.0	20	1	1	4	7	9	12	23
13-19 YRS	227	5.2	21	1	1	4	7	10	13	24
2. MULTIPLE DX										
0-27 DYS	6450	21.1	470	2	3	12	32	63	85	99+
1-11 MOS	585	12.1	151	2	3	9	15	25	34	90
1-5 YRS	656	10.4	140	2	2	7	12	21	34	94
6-12 YRS	286	8.5	83	1	1	6	10	19	25	41
13-19 YRS	630	9.4	136	1	1	6	11	22	35	65
TOT. SINGLE DX	1050	6.3	37	1	1	5	8	11	15	32
" MULTIPLE DX	8607	18.4	408	1	3	10	26	55	78	99+
TOTAL 0-27 DYS	6579	20.9	466	2	3	12	31	62	85	99+
1-11 MOS	795	10.9	123	2	3	8	12	21	31	80
1-5 YRS	986	8.9	103	1	2	6	10	17	27	78
6-12 YRS	440	7.3	64	1	1	6	9	15	22	40
13-19 YRS	857	8.3	110	1	1	5	10	19	27	61
GRAND TOTAL	**9657**	**17.1**	**382**	**1**	**2**	**9**	**23**	**52**	**74**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	3.0	6	1	1	2	4	7	8	8
1-11 MOS	84	3.7	9	<1	<1	3	5	6	10	16
1-5 YRS	295	3.0	10	<1	<1	2	4	7	9	18
6-12 YRS	289	2.7	6	<1	<1	2	3	7	8	12
13-19 YRS	476	2.7	6	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
0-27 DYS	7	27.4	1256	2	2	11	61	80	81	81
1-11 MOS	53	8.3	61	1	2	5	11	19	22	41
1-5 YRS	198	4.9	31	<1	1	4	7	10	13	32
6-12 YRS	174	5.1	43	<1	1	3	7	11	16	30
13-19 YRS	270	5.9	42	<1	1	4	8	13	18	37
TOT. SINGLE DX	1151	2.9	8	<1	<1	2	4	6	9	13
" MULTIPLE DX	702	5.8	56	<1	1	4	7	12	18	39
TOTAL 0-27 DYS	14	15.2	743	1	1	4	11	77	80	81
1-11 MOS	137	5.4	34	<1	1	3	6	12	17	28
1-5 YRS	493	3.8	20	<1	<1	2	5	8	11	24
6-12 YRS	463	3.6	22	<1	<1	2	4	8	11	23
13-19 YRS	746	3.9	22	<1	<1	2	5	9	12	23
GRAND TOTAL	**1853**	**4.0**	**28**	**<1**	**<1**	**2**	**5**	**9**	**12**	**25**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.5	5	<1	<1	2	4	4	4	4
1-5 YRS	14	3.3	5	1	1	3	5	6	8	8
6-12 YRS	6	4.3	27	2	2	2	3	14	15	15
13-19 YRS	26	4.0	10	<1	1	2	7	9	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	16.0		16	16	16	16	16	16	16
1-5 YRS	17	6.1	26	<1	1	4	10	14	16	17
6-12 YRS	10	3.8	10	2	2	2	4	9	12	12
13-19 YRS	24	5.6	11	1	2	5	9	9	11	13
TOT. SINGLE DX	49	3.7	10	<1	1	2	5	9	11	15
" MULTIPLE DX	52	5.6	18	1	2	4	9	12	14	17
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	7.0	63	<1	<1	4	13	16	16	16
1-5 YRS	31	4.8	18	1	1	4	6	12	14	17
6-12 YRS	16	4.0	15	2	2	2	4	11	14	15
13-19 YRS	50	4.7	11	1	1	4	8	9	11	13
GRAND TOTAL	**101**	**4.7**	**15**	**1**	**1**	**3**	**7**	**10**	**13**	**16**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS	2	15.0	338	2	2	15	28	28	28	28
6-12 YRS										
13-19 YRS	1	19.0		19	19	19	19	19	19	19
TOT. SINGLE DX	2	5.5	13	3	3	5	8	8	8	8
" MULTIPLE DX	4	20.5	186	2	2	23	30	33	33	33
TOTAL 0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS	3	12.7	185	2	2	8	23	28	28	28
6-12 YRS										
13-19 YRS	2	11.0	128	3	3	11	19	19	19	19
GRAND TOTAL	**6**	**15.5**	**174**	**2**	**2**	**13**	**28**	**32**	**33**	**33**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	2	32.0	18	29	29	32	35	35	35	35
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	69.0	8	67	67	85	99+	99+	99+	99+
1-5 YRS	13	56.5	453	33	35	53	64	97	99	99
6-12 YRS	11	55.8	397	25	29	66	74	77	79	79
13-19 YRS	9	46.1	466	25	27	38	71	92	99+	99+
TOT. SINGLE DX	4	17.0	307	1	1	16	32	35	35	35
" MULTIPLE DX	35	54.3	420	27	30	57	71	98	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	3	47.0	1456	3	3	71	99+	99+	99+	99+
1-5 YRS	14	52.6	638	7	30	51	62	97	99	99
6-12 YRS	11	55.8	397	25	29	66	74	77	79	79
13-19 YRS	11	43.5	408	25	28	35	68	89	98	99+
GRAND TOTAL	**39**	**50.5**	**532**	**16**	**28**	**51**	**71**	**98**	**99+**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	7.8	31	2	2	5	12	16	16	16
1-11 MOS	64	5.3	21	1	1	4	6	11	15	24
1-5 YRS	370	4.9	19	1	1	4	6	10	14	22
6-12 YRS	350	5.6	18	1	1	5	7	10	12	25
13-19 YRS	448	6.2	29	1	2	5	7	10	13	24
2. MULTIPLE DX										
0-27 DYS	18	19.0	321	2	3	13	29	51	57	59
1-11 MOS	112	7.6	49	1	2	5	10	17	22	36
1-5 YRS	486	8.3	73	1	2	6	10	18	23	44
6-12 YRS	431	9.5	102	1	2	6	10	21	29	57
13-19 YRS	1029	10.4	111	2	3	7	11	21	33	59
TOT. SINGLE DX	1237	5.6	23	1	1	5	7	10	13	24
" MULTIPLE DX	2076	9.6	101	2	2	7	11	20	30	56
TOTAL 0-27 DYS	23	16.6	276	2	3	11	21	46	56	59
1-11 MOS	176	6.8	40	1	2	5	8	15	22	32
1-5 YRS	856	6.8	53	1	1	5	8	15	21	39
6-12 YRS	781	7.7	69	1	2	6	9	14	23	47
13-19 YRS	1477	9.1	90	2	3	6	10	17	27	56
GRAND TOTAL	**3313**	**8.1**	**76**	**1**	**2**	**6**	**9**	**16**	**23**	**52**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	16	5.0	4	3	3	4	6	9	9	9
1-11 MOS	46	9.1	168	1	2	5	9	22	35	77
1-5 YRS	104	8.2	95	1	1	5	10	20	26	52
6-12 YRS	68	6.1	36	1	1	4	9	14	18	28
13-19 YRS	111	9.6	130	1	1	5	13	29	39	52
2. MULTIPLE DX										
0-27 DYS	333	20.1	474	2	3	12	29	69	92	99+
1-11 MOS	206	19.2	332	2	3	14	29	54	70	99+
1-5 YRS	329	13.3	214	1	2	9	16	37	52	99+
6-12 YRS	211	13.9	202	1	2	9	21	33	39	99
13-19 YRS	320	14.3	232	2	2	10	19	37	48	99+
TOT. SINGLE DX	345	8.2	102	1	1	5	10	19	29	48
" MULTIPLE DX	1399	16.1	304	1	2	10	22	45	67	99+
TOTAL 0-27 DYS	349	19.4	463	2	3	11	28	68	88	99+
1-11 MOS	252	17.4	317	2	3	11	26	50	68	99+
1-5 YRS	433	12.1	191	1	2	7	15	31	48	76
6-12 YRS	279	12.0	173	1	2	8	17	30	37	90
13-19 YRS	431	13.1	210	1	2	9	16	35	44	99
GRAND TOTAL	**1744**	**14.5**	**274**	**1**	**2**	**9**	**19**	**40**	**62**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	12.7	102	<1	<1	18	19	19	19	19
1-11 MOS	64	3.8	21	<1	<1	2	4	8	14	26
1-5 YRS	102	3.1	30	<1	<1	1	2	6	9	36
6-12 YRS	60	2.1	5	<1	<1	1	2	4	9	11
13-19 YRS	75	3.1	10	<1	<1	2	3	8	11	15
2. MULTIPLE DX										
0-27 DYS	14	20.5	368	4	9	18	41	99+	99+	99+
1-11 MOS	81	12.2	219	1	2	8	15	35	60	99+
1-5 YRS	174	7.7	144	<1	<1	2	10	21	32	78
6-12 YRS	128	5.4	58	1	1	2	6	12	18	50
13-19 YRS	173	7.4	117	1	1	4	9	15	28	68
TOT. SINGLE DX	304	3.1	20	<1	<1	2	3	7	10	24
" MULTIPLE DX	570	8.0	140	<1	1	3	10	21	34	95
TOTAL 0-27 DYS	17	19.1	321	<1	5	18	27	99+	99+	99+
1-11 MOS	145	8.5	149	<1	1	4	10	24	38	99+
1-5 YRS	276	6.0	107	<1	<1	2	6	17	26	64
6-12 YRS	188	4.3	43	<1	<1	2	4	10	14	43
13-19 YRS	248	6.1	89	<1	1	3	7	13	21	67
GRAND TOTAL	**874**	**6.3**	**103**	**<1**	**<1**	**2**	**7**	**16**	**27**	**68**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	589	3.5	2	2	2	3	4	6	6	10
1-11 MOS	1336	3.3	2	2	2	3	4	5	6	8
1-5 YRS	128	3.8	2	2	2	4	5	6	7	11
6-12 YRS	7	5.0	1	4	4	5	6	7	7	7
13-19 YRS	11	5.4	1	3	4	5	6	7	7	7
2. MULTIPLE DX										
0-27 DYS	166	4.8	32	2	2	4	5	6	8	34
1-11 MOS	430	4.5	8	2	2	4	5	7	10	13
1-5 YRS	47	7.4	32	3	3	5	9	15	17	32
6-12 YRS	6	7.7	7	3	3	8	9	11	11	11
13-19 YRS	4	38.0	1678	12	12	20	61	99	99	99+
TOT. SINGLE DX	2071	3.4	2	2	2	3	4	5	6	9
" MULTIPLE DX	653	5.0	31	2	2	4	5	8	10	24
TOTAL 0-27 DYS	755	3.8	10	2	2	3	4	6	7	11
1-11 MOS	1766	3.6	4	2	2	3	4	5	7	10
1-5 YRS	175	4.7	13	2	2	4	5	7	10	21
6-12 YRS	13	6.2	6	3	4	6	8	10	11	11
13-19 YRS	15	14.1	584	3	4	6	11	24	80	99
GRAND TOTAL	**2724**	**3.8**	**10**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	15.0	8	13	13	15	17	17	17	17
1-11 MOS	5	14.6	176	1	1	16	27	28	28	28
1-5 YRS	11	12.7	211	1	2	7	15	37	49	50
6-12 YRS	5	10.6	96	<1	<1	7	17	26	26	26
13-19 YRS	7	5.7	4	2	3	6	7	9	9	9
2. MULTIPLE DX										
0-27 DYS	15	40.3	867	2	9	41	91	99+	99+	99+
1-11 MOS	61	18.3	283	2	3	15	23	45	90	99+
1-5 YRS	115	15.7	216	3	4	11	21	40	66	99+
6-12 YRS	59	15.9	274	3	3	11	20	36	61	72
13-19 YRS	67	22.1	514	3	4	13	26	59	84	97
TOT. SINGLE DX	30	11.2	123	1	1	7	16	27	28	50
" MULTIPLE DX	317	18.8	357	3	4	13	24	55	84	99+
TOTAL 0-27 DYS	17	37.3	830	3	9	33	83	99+	99+	99+
1-11 MOS	66	18.1	274	1	3	15	23	43	87	99+
1-5 YRS	126	15.5	215	3	4	11	21	40	63	99+
6-12 YRS	64	15.5	261	3	3	10	20	35	60	71
13-19 YRS	74	20.5	489	3	4	13	23	52	83	96
GRAND TOTAL	**347**	**18.1**	**341**	**2**	**4**	**13**	**23**	**49**	**80**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.7	8	<1	<1	1	5	6	6	6
1-5 YRS	8	5.5	33	<1	<1	3	10	15	15	15
6-12 YRS	8	5.9	20	1	1	5	6	13	16	16
13-19 YRS	40	6.0	35	<1	1	4	7	12	23	25
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	10	9.4	141	2	2	6	10	26	42	42
1-5 YRS	7	4.3	20	<1	<1	2	6	12	13	13
6-12 YRS	18	4.8	20	1	1	4	6	8	16	21
13-19 YRS	108	6.3	32	2	2	5	7	11	21	30
TOT. SINGLE DX	59	5.7	31	<1	<1	4	7	14	19	25
" MULTIPLE DX	144	6.3	38	1	2	5	7	11	21	35
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	13	7.8	116	<1	1	5	9	17	37	42
1-5 YRS	15	4.9	26	<1	<1	3	7	14	15	15
6-12 YRS	26	5.1	20	1	1	4	6	8	17	21
13-19 YRS	148	6.2	33	1	2	4	7	11	22	27
GRAND TOTAL	**203**	**6.1**	**36**	**1**	**2**	**4**	**7**	**11**	**21**	**31**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	6	8.5	3	7	7	8	10	11	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	11.0	98	4	4	11	18	18	18	18
1-5 YRS	4	15.5	280	3	3	9	26	40	40	40
6-12 YRS	3	13.0	7	10	10	14	15	15	15	15
13-19 YRS	19	23.9	433	6	7	13	34	56	69	78
TOT. SINGLE DX	7	8.3	3	7	7	7	10	11	11	11
" MULTIPLE DX	28	20.6	349	4	6	13	24	51	60	78
TOTAL 0-27 DYS										
1-11 MOS	3	9.7	54	4	4	7	15	18	18	18
1-5 YRS	4	15.5	280	3	3	9	26	40	40	40
6-12 YRS	3	13.0	7	10	10	14	15	15	15	15
13-19 YRS	25	20.2	371	6	7	11	24	54	63	78
GRAND TOTAL	**35**	**18.1**	**303**	**4**	**7**	**11**	**22**	**45**	**57**	**78**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	2	25.0	162	16	16	25	34	34	34	34
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX	2	25.0	162	16	16	25	34	34	34	34
TOTAL 0-27 DYS	2	25.0	162	16	16	25	34	34	34	34
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**2**	**25.0**	**162**	**16**	**16**	**25**	**34**	**34**	**34**	**34**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	9.0	2	8	8	9	10	10	10	10
13-19 YRS	4	8.0	8	4	4	9	10	10	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	15.7	154	8	8	9	25	30	30	30
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	8	23.8	924	7	7	11	23	76	97	97
TOT. SINGLE DX	6	8.3	5	4	4	9	10	10	10	10
" MULTIPLE DX	13	19.9	593	7	8	11	22	43	87	97
TOTAL 0-27 DYS										
1-11 MOS	3	15.7	154	8	8	9	25	30	30	30
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	3	9.0	1	8	8	9	10	10	10	10
13-19 YRS	12	18.5	650	4	6	10	16	48	90	97
GRAND TOTAL	**19**	**16.3**	**427**	**5**	**7**	**10**	**13**	**29**	**67**	**97**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	13	4.7	27	2	2	4	4	8	19	22
1-11 MOS	56	5.8	23	1	2	5	7	12	14	30
1-5 YRS	58	6.4	16	1	2	6	8	11	12	23
6-12 YRS	22	7.0	11	1	2	7	9	10	13	17
13-19 YRS	81	6.9	11	3	4	6	8	9	11	25
2. MULTIPLE DX										
0-27 DYS	34	38.8	771	3	7	54	88	99+	99+	99+
1-11 MOS	191	21.0	295	3	5	16	30	54	70	99+
1-5 YRS	288	17.2	287	3	4	11	21	40	61	99+
6-12 YRS	127	16.8	280	5	6	11	19	34	54	99
13-19 YRS	195	12.2	140	4	5	8	13	23	37	62
TOT. SINGLE DX	230	6.4	17	2	2	6	8	10	12	25
" MULTIPLE DX	835	17.7	300	3	5	11	23	48	73	99+
TOTAL 0-27 DYS	47	29.4	798	2	3	34	78	99+	99+	99+
1-11 MOS	247	17.5	274	2	3	12	26	47	61	99+
1-5 YRS	346	15.4	258	2	4	10	19	36	56	99+
6-12 YRS	149	15.4	253	4	5	9	16	33	53	99
13-19 YRS	276	10.6	108	4	5	8	11	19	33	61
GRAND TOTAL	**1065**	**15.3**	**260**	**3**	**4**	**9**	**19**	**40**	**61**	**99+**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	11.0	44	5	5	8	17	20	20	20
1-11 MOS	28	7.9	30	2	2	6	10	18	19	20
1-5 YRS	105	3.7	9	<1	1	3	5	8	11	15
6-12 YRS	94	4.7	13	1	1	4	6	9	13	19
13-19 YRS	209	5.3	19	1	2	4	7	9	11	26
2. MULTIPLE DX										
0-27 DYS	11	19.5	179	3	4	20	31	61	94	99+
1-11 MOS	86	11.6	296	1	2	6	11	33	71	99+
1-5 YRS	170	7.7	77	1	1	4	9	20	27	42
6-12 YRS	150	6.1	43	1	1	4	7	13	17	30
13-19 YRS	406	7.8	67	1	2	6	9	15	19	48
TOT. SINGLE DX	441	5.0	18	1	1	4	6	9	13	20
" MULTIPLE DX	823	8.0	94	1	2	5	9	17	27	69
TOTAL 0-27 DYS	16	16.9	148	4	5	19	24	44	81	99+
1-11 MOS	114	10.7	233	1	2	6	11	30	64	99+
1-5 YRS	275	6.2	55	<1	1	4	7	15	22	40
6-12 YRS	244	5.5	32	1	1	4	7	11	15	29
13-19 YRS	615	6.9	52	1	2	5	8	13	17	40
GRAND TOTAL	**1264**	**7.0**	**69**	**1**	**1**	**5**	**8**	**14**	**20**	**49**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	18.0	471	4	4	7	34	43	43	43
1-11 MOS	15	7.5	5	4	5	7	9	11	11	11
1-5 YRS	13	9.2	16	4	5	8	11	16	18	19
6-12 YRS	17	9.7	30	5	6	8	10	21	24	24
13-19 YRS	39	11.4	151	4	4	9	11	21	24	80
2. MULTIPLE DX										
0-27 DYS	49	44.3	723	9	11	58	87	99+	99+	99+
1-11 MOS	36	13.8	145	5	5	11	17	41	85	99+
1-5 YRS	67	12.2	162	4	5	8	12	21	51	97
6-12 YRS	49	11.6	138	5	5	8	13	19	24	81
13-19 YRS	121	14.0	146	5	6	10	16	28	39	83
TOT. SINGLE DX	87	10.3	91	4	5	8	10	18	23	66
" MULTIPLE DX	322	17.9	360	5	6	11	21	65	99+	99+
TOTAL 0-27 DYS	52	42.8	738	8	11	55	85	99+	99+	99+
1-11 MOS	51	12.0	112	5	5	9	13	29	59	99+
1-5 YRS	80	11.7	139	4	5	8	12	18	44	95
6-12 YRS	66	11.1	110	5	6	8	12	20	23	74
13-19 YRS	160	13.4	148	5	6	9	15	25	37	80
GRAND TOTAL	**409**	**16.3**	**312**	**5**	**6**	**10**	**19**	**57**	**84**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	10.5	61	5	5	10	16	16	16	16
1-11 MOS	31	9.0	78	5	5	7	9	11	14	55
1-5 YRS	21	9.5	66	4	5	7	9	18	33	37
6-12 YRS	21	10.5	32	6	6	9	12	15	23	32
13-19 YRS	62	11.3	80	5	6	10	11	16	24	65
2. MULTIPLE DX										
0-27 DYS	34	46.7	814	8	11	65	99+	99+	99+	99+
1-11 MOS	60	12.5	139	4	5	9	14	24	47	96
1-5 YRS	43	15.8	272	5	6	11	16	40	78	99+
6-12 YRS	34	12.1	63	6	6	9	13	25	31	38
13-19 YRS	161	15.6	178	6	7	11	16	31	52	85
TOT. SINGLE DX	137	10.4	69	5	5	8	10	15	24	57
" MULTIPLE DX	332	17.9	331	5	6	11	22	63	99+	99+
TOTAL 0-27 DYS	36	44.7	840	5	11	62	99+	99+	99+	99+
1-11 MOS	91	11.3	121	5	5	8	12	21	31	86
1-5 YRS	64	13.7	211	5	5	9	14	29	52	98
6-12 YRS	55	11.5	52	6	6	9	13	20	31	38
13-19 YRS	223	14.4	155	6	7	10	15	26	45	79
GRAND TOTAL	**469**	**15.7**	**266**	**5**	**6**	**10**	**16**	**47**	**84**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	10	19.5	570	6	6	11	14	58	84	84
1-11 MOS	11	7.4	54	1	2	5	12	47	92	99+
1-5 YRS	13	5.1	1	3	4	5	6	7	7	7
6-12 YRS	8	5.0	4	3	3	5	5	9	10	10
13-19 YRS	10	9.9	34	3	4	9	11	18	25	25
2. MULTIPLE DX										
0-27 DYS	28	27.4	550	6	7	18	42	71	98	99+
1-11 MOS	9	8.9	32	3	3	8	13	18	18	18
1-5 YRS	15	9.9	39	3	4	7	15	21	21	21
6-12 YRS	16	10.0	10	6	6	10	12	17	71	99+
13-19 YRS	32	12.9	197	3	4	8	15	24	33	78
TOT. SINGLE DX	52	9.3	147	3	3	6	10	19	31	99+
" MULTIPLE DX	100	15.7	277	4	5	10	18	38	67	99+
TOTAL 0-27 DYS	38	25.3	553	6	7	14	37	71	92	99+
1-11 MOS	20	8.1	43	2	2	6	13	21	59	99+
1-5 YRS	28	7.7	27	3	4	5	8	18	21	21
6-12 YRS	24	8.3	14	3	4	8	11	15	38	99+
13-19 YRS	42	12.2	158	3	4	8	14	22	32	78
GRAND TOTAL	**152**	**13.5**	**241**	**3**	**4**	**8**	**16**	**32**	**58**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	13.0	56	6	6	8	20	23	25	25
1-11 MOS	234	5.1	14	2	2	4	7	9	10	17
1-5 YRS	129	5.4	8	2	2	5	7	9	12	13
6-12 YRS	52	7.4	13	3	4	7	8	10	17	21
13-19 YRS	95	8.0	18	4	5	7	9	10	16	29
2. MULTIPLE DX										
0-27 DYS	55	26.3	471	6	6	20	35	64	97	99+
1-11 MOS	280	9.9	106	2	3	7	10	19	29	83
1-5 YRS	244	9.6	76	4	4	8	10	16	21	66
6-12 YRS	83	8.2	34	3	4	7	9	12	16	41
13-19 YRS	223	11.0	81	4	5	8	12	18	26	68
TOT. SINGLE DX	519	6.1	16	2	2	6	8	9	12	22
" MULTIPLE DX	885	10.9	123	3	4	8	11	20	33	88
TOTAL 0-27 DYS	64	24.4	432	6	6	19	33	57	96	99+
1-11 MOS	514	7.7	70	2	3	6	8	13	21	59
1-5 YRS	373	8.2	57	2	3	7	9	13	18	56
6-12 YRS	135	7.9	27	3	4	7	9	11	17	33
13-19 YRS	318	10.1	64	4	5	8	11	16	23	51
GRAND TOTAL	**1404**	**9.2**	**89**	**2**	**3**	**7**	**10**	**16**	**25**	**65**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	9.0	19	5	5	9	10	16	18	18
1-11 MOS	13	8.6	15	3	4	8	11	13	17	18
1-5 YRS	9	8.3	14	3	4	8	10	14	16	16
6-12 YRS	4	11.8	14	7	7	12	14	16	16	16
13-19 YRS	9	11.3	118	5	5	7	10	30	39	39
2. MULTIPLE DX										
0-27 DYS	27	23.4	296	5	6	22	49	99+	99+	99+
1-11 MOS	24	17.2	109	5	6	14	25	34	57	99+
1-5 YRS	35	14.2	292	3	4	7	16	50	93	99+
6-12 YRS	27	15.0	153	4	5	11	18	30	43	57
13-19 YRS	53	20.7	293	5	5	14	32	52	62	99
TOT. SINGLE DX	42	9.5	36	4	5	8	11	16	18	39
" MULTIPLE DX	166	18.3	251	4	5	13	29	53	95	99+
TOTAL 0-27 DYS	34	20.4	272	5	6	18	42	99+	99+	99+
1-11 MOS	37	14.2	92	4	5	11	22	31	39	99+
1-5 YRS	44	13.0	240	3	4	8	15	42	84	99+
6-12 YRS	31	14.6	135	4	5	11	17	29	39	57
13-19 YRS	62	19.4	277	5	5	12	31	44	60	96
GRAND TOTAL	**208**	**16.5**	**219**	**4**	**5**	**11**	**24**	**44**	**70**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.5	1	2	2	3	4	5	5	5
1-11 MOS	26	4.0	5	2	2	3	5	7	9	12
1-5 YRS	1048	4.9	8	2	2	4	7	9	10	14
6-12 YRS	8476	3.7	4	2	2	3	4	6	8	12
13-19 YRS	13377	3.6	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	2	12.5	145	4	4	12	21	21	21	21
1-11 MOS	10	6.7	36	3	3	5	7	15	23	23
1-5 YRS	564	7.7	32	2	3	7	10	14	17	25
6-12 YRS	2553	5.9	18	2	2	5	7	11	14	22
13-19 YRS	4148	5.4	14	2	2	4	6	9	12	21
TOT. SINGLE DX	22931	3.7	4	2	2	3	4	6	8	11
" MULTIPLE DX	7277	5.8	18	2	2	5	7	10	13	22
TOTAL 0-27 DYS	6	6.5	52	2	2	4	5	19	21	21
1-11 MOS	36	4.8	14	2	2	4	6	8	11	23
1-5 YRS	1612	5.9	19	2	2	5	8	10	13	20
6-12 YRS	11029	4.2	9	2	2	3	5	8	10	16
13-19 YRS	17525	4.0	7	2	2	3	5	7	8	14
GRAND TOTAL	**30208**	**4.2**	**8**	**2**	**2**	**3**	**5**	**7**	**9**	**15**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	4.7	8	2	2	4	6	10	10	10
6-12 YRS	52	3.8	5	2	2	3	5	6	9	12
13-19 YRS	117	3.6	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	6	5.7	7	2	2	6	8	9	9	9
6-12 YRS	22	6.9	20	3	3	5	8	13	16	20
13-19 YRS	58	5.3	10	2	2	5	6	8	12	17
TOT. SINGLE DX	178	3.7	4	2	2	3	4	6	8	12
" MULTIPLE DX	87	5.7	13	2	3	5	7	10	14	19
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	15	5.1	8	2	2	4	8	9	10	10
6-12 YRS	74	4.7	11	2	2	4	5	9	13	19
13-19 YRS	175	4.1	6	2	2	3	5	7	8	16
GRAND TOTAL	**265**	**4.4**	**8**	**2**	**2**	**3**	**5**	**8**	**9**	**16**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	8	8.5	18	3	3	8	12	14	15	15
6-12 YRS	31	7.7	13	2	3	7	10	13	14	16
13-19 YRS	29	7.1	10	3	3	7	8	12	14	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	9.4	21	5	5	9	11	17	17	17
6-12 YRS	28	9.4	34	5	5	8	11	13	16	36
13-19 YRS	21	11.0	30	4	5	10	12	21	23	24
TOT. SINGLE DX	69	7.5	13	3	3	7	10	13	14	16
" MULTIPLE DX	54	10.0	31	5	5	9	11	15	22	36
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	13	8.8	18	3	4	9	11	15	17	17
6-12 YRS	59	8.5	24	3	4	8	11	13	14	34
13-19 YRS	50	8.7	22	3	4	8	11	14	21	24
GRAND TOTAL	**123**	**8.6**	**22**	**3**	**4**	**8**	**11**	**14**	**16**	**27**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	5.1	9	<1	1	5	7	9	10	10
1-11 MOS	41	3.5	12	<1	<1	3	4	7	9	21
1-5 YRS	82	2.4	6	<1	<1	1	3	5	7	15
6-12 YRS	59	3.5	16	<1	<1	2	4	8	11	23
13-19 YRS	82	3.3	4	<1	1	3	5	6	8	10
2. MULTIPLE DX										
0-27 DYS	23	14.7	275	2	3	9	14	40	59	61
1-11 MOS	41	9.3	252	<1	1	5	9	15	41	92
1-5 YRS	66	5.2	27	<1	1	3	7	12	14	29
6-12 YRS	61	4.0	10	1	1	3	5	9	12	14
13-19 YRS	79	5.8	40	1	2	4	7	11	15	40
TOT. SINGLE DX	272	3.1	9	<1	<1	2	4	6	9	15
" MULTIPLE DX	270	6.5	90	1	1	4	7	13	15	56
TOTAL 0-27 DYS	31	12.2	222	2	2	7	11	35	57	61
1-11 MOS	82	6.4	139	<1	<1	3	5	13	18	76
1-5 YRS	148	3.6	18	<1	<1	2	4	8	13	22
6-12 YRS	120	3.8	13	<1	1	3	4	9	11	18
13-19 YRS	161	4.5	24	1	1	3	5	9	11	22
GRAND TOTAL	**542**	**4.8**	**52**	**<1**	**<1**	**3**	**5**	**10**	**14**	**40**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	23	1.9	1	<1	<1	2	3	3	4	4
1-5 YRS	20	3.1	7	<1	1	2	4	7	9	11
6-12 YRS	14	4.5	18	<1	1	3	6	10	14	15
13-19 YRS	101	3.2	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	13	3.8	8	1	1	2	5	9	10	10
1-5 YRS	18	6.6	32	1	2	4	10	15	20	22
6-12 YRS	15	10.4	138	2	2	6	11	31	41	44
13-19 YRS	56	4.8	12	1	2	4	6	10	11	18
TOT. SINGLE DX	159	3.1	6	1	1	3	4	6	9	13
" MULTIPLE DX	104	5.8	36	1	2	4	7	11	16	37
TOTAL 0-27 DYS	3	5.3	10	3	3	4	8	9	9	9
1-11 MOS	36	2.6	4	<1	1	2	3	5	8	10
1-5 YRS	38	4.7	22	1	1	3	5	11	15	22
6-12 YRS	29	7.6	87	1	1	5	9	14	32	44
13-19 YRS	157	3.8	8	1	1	3	5	8	10	15
GRAND TOTAL	**263**	**4.2**	**20**	**1**	**1**	**3**	**5**	**9**	**11**	**21**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	43	8.9	7	5	6	8	11	12	14	17
1-5 YRS	42	11.0	127	1	2	9	12	15	18	77
6-12 YRS	11	11.7	52	1	3	11	13	21	28	29
13-19 YRS	8	9.1	29	1	2	9	13	16	17	17
2. MULTIPLE DX										
0-27 DYS	2	19.5	25	16	16	19	23	23	23	23
1-11 MOS	66	9.8	21	5	5	9	11	15	23	88
1-5 YRS	86	11.9	48	5	6	10	13	22	28	39
6-12 YRS	10	11.6	40	7	7	9	12	23	26	26
13-19 YRS	33	14.8	89	7	7	11	17	32	37	40
TOT. SINGLE DX	104	10.1	62	2	4	9	12	15	17	51
" MULTIPLE DX	197	11.8	48	5	6	10	13	23	28	40
TOTAL 0-27 DYS	2	19.5	25	16	16	19	23	23	23	23
1-11 MOS	109	9.4	16	5	6	9	11	13	17	58
1-5 YRS	128	11.6	74	4	5	10	13	18	27	48
6-12 YRS	21	11.7	44	3	6	11	13	22	27	29
13-19 YRS	41	13.7	82	3	7	11	15	28	35	40
GRAND TOTAL	**301**	**11.2**	**53**	**4**	**6**	**10**	**12**	**18**	**26**	**40**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	2.6	2	1	1	2	4	5	5	5
1-11 MOS	58	3.2	8	<1	<1	2	3	8	9	14
1-5 YRS	160	2.5	4	<1	<1	2	3	5	7	12
6-12 YRS	192	3.8	19	<1	1	3	4	8	11	16
13-19 YRS	470	4.2	13	1	1	3	5	7	10	20
2. MULTIPLE DX										
0-27 DYS	17	5.5	21	1	2	3	7	14	16	16
1-11 MOS	129	6.7	66	<1	1	5	8	12	15	50
1-5 YRS	199	5.1	59	<1	1	4	5	9	14	28
6-12 YRS	279	4.8	15	1	1	4	6	9	12	27
13-19 YRS	1094	5.6	39	1	2	4	7	10	14	37
TOT. SINGLE DX	889	3.7	13	<1	1	3	4	7	10	16
" MULTIPLE DX	1718	5.5	40	1	2	4	7	10	14	35
TOTAL 0-27 DYS	26	4.5	16	1	1	3	7	9	16	16
1-11 MOS	187	5.6	51	<1	1	4	7	11	14	38
1-5 YRS	359	3.9	37	<1	<1	2	5	8	11	25
6-12 YRS	471	4.4	17	<1	1	3	5	9	11	25
13-19 YRS	1564	5.2	32	1	2	4	6	9	13	34
GRAND TOTAL	**2607**	**4.9**	**32**	**1**	**1**	**4**	**6**	**9**	**12**	**29**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	42	1.7	2	<1	<1	1	2	2	3	12
1-5 YRS	18	2.2	3	<1	<1	2	2	4	7	8
6-12 YRS	8	2.3	2	<1	<1	2	3	5	5	5
13-19 YRS	39	2.7	3	<1	1	2	3	5	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	14	1.9	1	<1	<1	2	2	3	5	6
1-5 YRS	8	3.9	4	1	1	3	6	7	7	7
6-12 YRS	4	4.3	1	3	3	4	5	6	6	6
13-19 YRS	44	4.8	53	1	1	3	5	8	11	49
TOT. SINGLE DX	110	2.2	3	<1	<1	2	2	4	5	10
" MULTIPLE DX	70	4.1	36	1	1	3	4	7	10	42
TOTAL 0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	56	1.7	3	<1	<1	1	2	2	3	12
1-5 YRS	26	2.7	4	<1	<1	2	3	6	7	8
6-12 YRS	12	2.9	3	<1	1	3	4	5	6	6
13-19 YRS	83	3.8	31	1	1	2	4	7	9	37
GRAND TOTAL	**180**	**2.9**	**16**	**<1**	**<1**	**2**	**3**	**6**	**8**	**12**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	1.4	1	<1	<1	<1	1	3	3	3
1-5 YRS	11	1.4		<1	<1	1	2	3	3	3
6-12 YRS	9	2.1	1	1	1	2	3	4	4	4
13-19 YRS	91	2.0	1	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
0-27 DYS	3	13.0	243	4	4	4	24	31	31	31
1-11 MOS	1	29.0		29	29	29	29	29	29	29
1-5 YRS	7	4.7	52	<1	<1	2	3	17	21	21
6-12 YRS	10	3.6	10	<1	<1	2	5	9	9	9
13-19 YRS	56	5.6	139	1	1	3	4	7	19	75
TOT. SINGLE DX	117	1.9	1	<1	<1	2	3	3	4	6
" MULTIPLE DX	77	5.9	122	1	1	3	4	9	26	69
TOTAL 0-27 DYS	4	10.0	198	1	1	4	18	31	31	31
1-11 MOS	6	6.0	128	<1	<1	1	3	26	29	29
1-5 YRS	18	2.7	22	<1	<1	1	2	3	14	21
6-12 YRS	19	2.9	6	<1	<1	2	4	7	9	9
13-19 YRS	147	3.4	57	<1	1	2	3	4	6	48
GRAND TOTAL	**194**	**3.5**	**53**	**<1**	**<1**	**2**	**3**	**5**	**8**	**40**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.4	2	<1	<1	2	4	4	4	4
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	32	3.4	2	1	1	3	5	5	6	8
2. MULTIPLE DX										
0-27 DYS	4	2.8	1	2	2	3	3	4	4	4
1-11 MOS	5	5.2	3	3	3	5	6	8	8	8
1-5 YRS	3	1.7	1	1	1	1	3	3	3	3
6-12 YRS	4	2.5	1	<1	<1	2	3	4	4	4
13-19 YRS	114	3.8	2	1	2	4	5	6	7	9
TOT. SINGLE DX	39	3.2	3	<1	1	3	4	5	6	8
" MULTIPLE DX	130	3.8	3	1	2	4	5	6	7	9
TOTAL 0-27 DYS	4	2.8	1	2	2	3	3	4	4	4
1-11 MOS	10	3.8	5	<1	<1	4	5	7	8	8
1-5 YRS	3	1.7	1	1	1	1	3	3	3	3
6-12 YRS	6	2.2	1	<1	<1	2	3	4	4	4
13-19 YRS	146	3.8	3	1	2	4	5	6	7	9
GRAND TOTAL	**169**	**3.6**	**3**	**1**	**1**	**4**	**4**	**6**	**7**	**9**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	12	2.7	2	1	1	3	3	5	6	6
1-11 MOS	63	3.0	5	<1	<1	2	4	7	8	11
1-5 YRS	52	3.2	10	<1	<1	2	4	6	9	20
6-12 YRS	25	2.7	4	<1	1	2	3	5	8	9
13-19 YRS	110	2.8	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-27 DYS	24	5.7	10	2	2	5	7	11	13	15
1-11 MOS	73	5.5	18	<1	1	5	7	12	15	19
1-5 YRS	64	5.3	21	<1	1	4	7	11	14	24
6-12 YRS	27	6.2	37	1	2	4	7	11	21	29
13-19 YRS	77	5.5	25	1	1	4	7	13	16	24
TOT. SINGLE DX	262	2.9	5	<1	1	2	4	6	7	10
" MULTIPLE DX	265	5.5	22	1	1	4	7	11	15	24
TOTAL 0-27 DYS	36	4.7	9	1	1	4	6	7	12	15
1-11 MOS	136	4.4	14	<1	<1	3	6	9	13	18
1-5 YRS	116	4.4	18	<1	1	3	5	9	13	22
6-12 YRS	52	4.5	25	1	1	3	5	9	11	29
13-19 YRS	187	3.9	14	1	1	3	5	8	11	22
GRAND TOTAL	**527**	**4.2**	**15**	**<1**	**1**	**3**	**5**	**9**	**12**	**20**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	3	10.7	44	5	5	9	16	18	18	18
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	5	6.4	13	2	2	5	9	11	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	18.8	203	4	4	18	30	35	35	35
1-5 YRS	3	16.7	90	7	7	17	24	26	26	26
6-12 YRS	9	15.1	167	3	5	11	18	36	47	47
13-19 YRS	20	16.2	210	4	5	12	15	36	50	62
TOT. SINGLE DX	10	8.8	24	2	3	9	11	16	18	18
" MULTIPLE DX	36	16.3	176	4	5	12	18	35	45	62
TOTAL 0-27 DYS										
1-11 MOS	5	16.8	172	4	4	10	28	35	35	35
1-5 YRS	6	13.7	65	5	5	13	18	25	26	26
6-12 YRS	10	15.1	149	3	5	11	18	33	47	47
13-19 YRS	25	14.2	185	3	5	11	14	34	45	62
GRAND TOTAL	**46**	**14.6**	**152**	**4**	**5**	**11**	**17**	**34**	**41**	**62**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	6.9	5	2	3	7	8	9	10	10
1-11 MOS	47	4.6	16	1	1	3	7	11	13	18
1-5 YRS	70	6.2	58	1	1	2	9	14	24	41
6-12 YRS	30	4.1	12	1	1	3	6	10	12	13
13-19 YRS	68	4.3	15	1	1	3	6	10	13	18
2. MULTIPLE DX										
0-27 DYS	16	21.9	745	2	2	9	31	71	76	78
1-11 MOS	94	9.5	89	1	1	7	15	24	38	99+
1-5 YRS	114	11.6	152	1	2	7	16	29	41	76
6-12 YRS	76	7.7	97	1	1	4	10	16	28	48
13-19 YRS	250	11.8	162	1	2	8	14	27	36	64
TOT. SINGLE DX	223	5.0	29	1	1	3	7	12	14	27
" MULTIPLE DX	550	11.1	160	1	1	7	14	27	41	74
TOTAL 0-27 DYS	24	16.9	541	2	2	8	12	68	73	78
1-11 MOS	141	7.9	70	1	1	5	12	18	29	99+
1-5 YRS	184	9.6	123	1	1	5	12	27	33	60
6-12 YRS	106	6.7	76	1	1	4	8	14	18	48
13-19 YRS	318	10.2	141	1	1	7	12	23	33	63
GRAND TOTAL	**773**	**9.4**	**130**	**1**	**1**	**6**	**11**	**23**	**33**	**67**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	7	7.1	9	4	4	6	10	12	12	12
1-11 MOS	12	9.3	31	4	4	7	12	18	21	22
1-5 YRS	11	7.5	11	3	3	7	10	12	13	13
6-12 YRS	29	5.5	9	3	3	5	6	8	9	19
13-19 YRS	995	5.5	5	3	3	5	6	8	10	13
2. MULTIPLE DX										
0-27 DYS	14	11.3	25	6	6	11	15	23	81	99+
1-11 MOS	38	9.9	36	4	4	8	12	15	20	36
1-5 YRS	26	10.5	220	3	3	7	11	14	29	81
6-12 YRS	56	8.6	45	3	4	6	10	15	22	43
13-19 YRS	878	7.5	29	3	4	6	9	12	14	28
TOT. SINGLE DX	1054	5.6	6	3	3	5	7	8	10	14
" MULTIPLE DX	1012	7.8	36	3	4	6	9	13	15	32
TOTAL 0-27 DYS	21	9.9	23	4	5	10	13	19	54	99+
1-11 MOS	50	9.7	35	4	4	8	12	16	22	36
1-5 YRS	37	9.6	159	3	3	7	11	13	15	81
6-12 YRS	85	7.6	35	3	3	6	8	15	16	37
13-19 YRS	1873	6.4	18	3	4	6	7	10	12	19
GRAND TOTAL	**2066**	**6.7**	**22**	**3**	**4**	**6**	**8**	**11**	**13**	**23**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	22	14.6	43	6	7	12	20	25	26	27
1-5 YRS	5	14.4	134	7	7	8	20	34	34	34
6-12 YRS	2	8.0	8	6	6	8	10	10	10	10
13-19 YRS	11	7.8	30	1	2	7	12	15	19	19
2. MULTIPLE DX										
0-27 DYS	1	26.0		26	26	26	26	26	26	26
1-11 MOS	28	21.8	252	7	8	17	28	53	71	99+
1-5 YRS	22	13.6	115	2	3	12	18	31	38	44
6-12 YRS	7	18.4	512	5	5	10	15	58	69	69
13-19 YRS	27	12.1	101	2	3	10	13	26	30	49
TOT. SINGLE DX	41	12.7	59	3	4	11	18	25	27	34
" MULTIPLE DX	85	16.4	197	3	5	12	20	34	51	89
TOTAL 0-27 DYS	2	26.5	1	26	26	26	27	27	27	27
1-11 MOS	50	13.6	170	6	8	14	25	37	58	99+
1-5 YRS	27	13.7	114	2	4	12	18	33	36	44
6-12 YRS	9	16.1	406	5	5	10	15	47	69	69
13-19 YRS	38	10.8	83	2	2	9	12	24	27	49
GRAND TOTAL	**126**	**15.2**	**154**	**3**	**5**	**11**	**19**	**29**	**43**	**77**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	27.3	1390	1	1	11	55	70	70	70
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	3	7.7	10	4	4	9	10	10	10	10
6-12 YRS	6	13.0	16	9	9	12	15	19	20	20
13-19 YRS	24	6.9	48	1	1	5	8	20	23	28
2. MULTIPLE DX										
0-27 DYS	3	19.0	363	8	8	8	33	41	41	41
1-11 MOS	4	17.3	297	1	1	16	32	35	35	35
1-5 YRS	7	15.6	119	<1	<1	21	24	26	26	26
6-12 YRS	22	16.1	334	2	2	10	18	56	58	61
13-19 YRS	53	14.0	171	1	2	9	19	33	46	53
TOT. SINGLE DX	37	9.7	145	1	1	7	11	20	26	70
" MULTIPLE DX	89	15.0	210	1	2	10	21	35	49	59
TOTAL 0-27 DYS	6	23.2	722	1	2	10	41	67	70	70
1-11 MOS	5	16.0	231	1	1	11	30	35	35	35
1-5 YRS	10	13.2	97	<1	<1	11	24	25	26	26
6-12 YRS	28	15.5	265	2	3	11	17	48	57	61
13-19 YRS	77	11.8	143	1	1	7	15	29	36	52
GRAND TOTAL	**126**	**13.4**	**195**	**1**	**1**	**9**	**18**	**31**	**48**	**63**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	15	3.3	6	1	1	3	3	7	10	11
1-11 MOS	50	3.3	10	<1	<1	2	4	8	11	14
1-5 YRS	106	2.6	8	<1	<1	2	3	5	6	19
6-12 YRS	155	3.8	13	<1	1	3	5	7	11	21
13-19 YRS	416	4.5	13	1	1	4	6	9	11	21
2. MULTIPLE DX										
0-27 DYS	22	5.2	9	2	2	4	7	9	12	15
1-11 MOS	94	6.2	26	1	2	5	8	13	17	70
1-5 YRS	133	5.2	37	1	1	3	6	10	17	33
6-12 YRS	156	5.4	33	1	1	4	7	11	15	26
13-19 YRS	567	5.7	39	1	2	4	7	10	15	30
TOT. SINGLE DX	742	4.0	13	<1	1	3	5	8	11	20
" MULTIPLE DX	972	5.6	36	1	1	4	7	10	15	30
TOTAL 0-27 DYS	37	4.4	9	1	2	3	6	8	11	15
1-11 MOS	144	5.2	23	<1	1	4	7	13	14	36
1-5 YRS	239	4.1	26	<1	1	2	5	9	12	23
6-12 YRS	311	4.6	24	1	1	3	6	9	14	23
13-19 YRS	983	5.2	29	1	1	4	6	9	13	28
GRAND TOTAL	**1714**	**4.9**	**27**	**1**	**1**	**4**	**6**	**9**	**13**	**26**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	85	1.9	1	<1	<1	1	2	3	5	8
1-11 MOS	1253	1.4		<1	<1	1	2	2	3	4
1-5 YRS	1979	1.4		<1	<1	1	2	2	2	4
6-12 YRS	1123	1.5		<1	<1	1	2	2	3	4
13-19 YRS	2203	2.0	1	<1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS	89	11.8	552	<1	1	3	10	91	99+	99+
1-11 MOS	1004	2.4	9	<1	<1	2	2	5	7	15
1-5 YRS	1560	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	633	1.7	2	<1	<1	1	2	3	4	8
13-19 YRS	742	2.5	3	1	1	2	3	4	5	9
TOT. SINGLE DX	6643	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	4028	2.2	19	<1	<1	1	2	4	5	14
TOTAL 0-27 DYS	174	6.9	307	<1	<1	2	4	21	91	99+
1-11 MOS	2257	1.9	5	<1	<1	1	2	3	5	10
1-5 YRS	3539	1.5	2	<1	<1	1	2	2	3	6
6-12 YRS	1756	1.6	1	<1	<1	1	2	2	3	5
13-19 YRS	2945	2.1	2	<1	1	2	3	4	4	6
GRAND TOTAL	**10671**	**1.8**	**8**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	53	3.2	142	<1	<1	1	2	3	5	86
1-11 MOS	1076	1.5	1	<1	<1	1	2	2	3	4
1-5 YRS	752	1.3		<1	<1	<1	2	2	2	3
6-12 YRS	171	1.3		<1	<1	1	2	2	3	3
13-19 YRS	102	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	90	24.7	1034	<1	1	16	86	99+	99+	99+
1-11 MOS	1165	2.4	21	<1	<1	1	2	4	7	19
1-5 YRS	608	1.8	5	<1	<1	1	2	3	4	11
6-12 YRS	81	1.7	1	<1	<1	1	2	3	4	7
13-19 YRS	49	2.9	3	1	1	3	3	6	6	10
TOT. SINGLE DX	2154	1.5	5	<1	<1	1	2	2	3	5
" MULTIPLE DX	1993	3.2	83	<1	<1	1	2	4	10	99+
TOTAL 0-27 DYS	143	16.7	810	<1	<1	2	53	99+	99+	99+
1-11 MOS	2241	2.0	12	<1	<1	1	2	3	4	14
1-5 YRS	1360	1.5	3	<1	<1	1	2	2	3	8
6-12 YRS	252	1.4	1	<1	<1	1	2	2	3	5
13-19 YRS	151	2.7	2	1	1	2	3	5	6	6
GRAND TOTAL	**4147**	**2.3**	**43**	**<1**	**<1**	**1**	**2**	**3**	**5**	**56**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	10	3.9	30	<1	<1	2	3	13	18	18
6-12 YRS	7	1.1		<1	<1	1	1	2	2	2
13-19 YRS	21	1.9		1	1	2	2	3	4	4
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	7	3.0	16	1	1	2	2	10	12	12
6-12 YRS	7	3.3	14	<1	<1	1	4	10	11	11
13-19 YRS	10	3.4	5	1	1	3	6	7	7	7
TOT. SINGLE DX	40	2.2	9	<1	<1	1	2	3	6	18
" MULTIPLE DX	27	3.3	9	<1	1	2	5	7	11	12
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	2.3	4	<1	<1	1	3	5	5	5
1-5 YRS	17	3.5	23	<1	<1	2	3	11	16	18
6-12 YRS	14	2.2	8	<1	<1	1	2	6	10	11
13-19 YRS	31	2.4	3	1	1	2	3	5	6	7
GRAND TOTAL	**67**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**6**	**9**	**17**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	13.5	61	8	8	13	19	19	19	19
1-11 MOS	118	1.5		<1	<1	1	2	2	3	5
1-5 YRS	637	1.6	1	<1	<1	1	2	3	3	5
6-12 YRS	321	1.7		<1	<1	1	2	3	3	5
13-19 YRS	136	2.1	1	<1	<1	2	2	4	4	8
2. MULTIPLE DX										
0-27 DYS	25	19.8	204	4	5	18	33	47	65	99+
1-11 MOS	64	2.3	6	<1	<1	1	3	5	7	16
1-5 YRS	156	2.5	14	<1	<1	2	3	4	5	31
6-12 YRS	71	2.3	3	<1	<1	2	3	4	6	12
13-19 YRS	50	3.7	9	1	1	3	5	7	8	18
TOT. SINGLE DX	1214	1.7	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	366	3.8	42	<1	<1	2	3	7	17	37
TOTAL 0-27 DYS	27	19.4	194	4	5	18	29	45	60	99+
1-11 MOS	182	1.8	3	<1	<1	1	2	3	4	9
1-5 YRS	793	1.8	4	<1	<1	1	2	3	4	6
6-12 YRS	392	1.8	1	<1	<1	2	2	3	4	7
13-19 YRS	186	2.5	4	<1	<1	2	3	4	6	11
GRAND TOTAL	**1580**	**2.2**	**12**	**<1**	**<1**	**2**	**2**	**3**	**5**	**19**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	16	2.3	1	<1	<1	2	3	4	5	5
1-5 YRS	70	2.0	4	<1	<1	1	2	6	7	11
6-12 YRS	64	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	130	2.2	1	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	22	4.2	9	<1	1	4	7	9	10	11
1-5 YRS	47	5.4	98	<1	<1	3	5	11	18	65
6-12 YRS	33	3.6	25	<1	<1	2	4	10	11	27
13-19 YRS	54	3.7	8	1	1	3	4	8	9	19
TOT. SINGLE DX	280	2.0	2	<1	<1	1	2	4	5	8
" MULTIPLE DX	156	4.2	39	<1	<1	3	5	8	11	27
TOTAL 0-27 DYS										
1-11 MOS	38	3.4	7	<1	<1	3	5	7	9	11
1-5 YRS	117	3.4	45	<1	<1	1	3	7	10	35
6-12 YRS	97	2.3	10	<1	<1	1	2	4	6	19
13-19 YRS	184	2.6	4	<1	1	2	3	5	6	9
GRAND TOTAL	**436**	**2.8**	**17**	**<1**	**<1**	**2**	**3**	**5**	**8**	**17**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	4.3	7	2	2	3	6	8	8	8
1-11 MOS	16	5.9	12	1	2	6	7	12	13	14
1-5 YRS	18	4.2	7	<1	<1	4	6	8	9	9
6-12 YRS	6	2.3	2	<1	<1	2	3	5	5	5
13-19 YRS	7	5.1	21	1	1	4	7	13	14	14
2. MULTIPLE DX										
0-27 DYS	29	23.9	427	2	6	18	35	81	99	99+
1-11 MOS	18	11.9	77	1	3	9	18	32	70	99+
1-5 YRS	23	11.6	159	1	2	8	13	45	62	99+
6-12 YRS	9	9.7	32	3	3	10	13	18	21	21
13-19 YRS	20	11.3	64	1	3	8	14	24	29	33
TOT. SINGLE DX	51	4.6	11	<1	1	4	7	8	12	14
" MULTIPLE DX	99	15.0	220	1	3	10	20	39	80	99+
TOTAL 0-27 DYS	33	21.5	417	2	3	17	33	73	98	99+
1-11 MOS	34	9.1	55	1	2	7	13	19	32	99+
1-5 YRS	41	8.3	105	<1	1	6	9	24	45	99+
6-12 YRS	15	6.7	33	<1	<1	5	11	13	19	21
13-19 YRS	27	9.7	60	1	1	8	13	22	26	33
GRAND TOTAL	150	11.5	173	1	2	8	14	32	45	99+

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	12	6.3	9	2	2	7	8	10	11	11
1-11 MOS	39	4.1	12	<1	<1	3	5	9	12	16
1-5 YRS	207	3.0	12	<1	<1	2	3	7	9	17
6-12 YRS	131	3.9	75	<1	1	2	4	8	10	33
13-19 YRS	202	4.3	12	<1	1	3	5	8	10	19
2. MULTIPLE DX										
0-27 DYS	25	14.7	526	1	1	5	26	92	99+	99+
1-11 MOS	54	9.5	179	1	1	6	9	19	27	77
1-5 YRS	180	7.1	111	1	1	5	9	14	19	70
6-12 YRS	149	5.6	20	1	1	5	7	12	15	23
13-19 YRS	255	7.4	56	1	1	5	9	15	26	46
TOT. SINGLE DX	591	3.8	27	<1	<1	3	5	8	10	17
" MULTIPLE DX	663	7.4	93	1	1	5	9	15	23	75
TOTAL 0-27 DYS	37	12.0	370	1	1	6	12	53	99+	99+
1-11 MOS	93	7.2	116	<1	1	4	8	15	20	70
1-5 YRS	387	4.9	63	<1	1	3	5	11	14	31
6-12 YRS	280	4.8	47	<1	1	3	6	10	13	22
13-19 YRS	457	6.1	39	1	1	4	7	12	18	37
GRAND TOTAL	1254	5.7	65	<1	1	4	7	11	17	46

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	5	7.8	19	3	3	9	10	14	14	14
1-11 MOS	33	5.5	20	2	2	4	6	9	17	23
1-5 YRS	72	5.8	43	1	2	4	6	10	14	43
6-12 YRS	144	5.6	13	2	2	4	8	11	12	17
13-19 YRS	521	5.0	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
0-27 DYS	14	22.7	254	1	4	27	46	99+	99+	99+
1-11 MOS	45	10.6	101	2	3	7	13	19	36	51
1-5 YRS	103	8.9	69	1	2	7	12	18	23	82
6-12 YRS	173	9.2	80	2	3	7	11	19	21	42
13-19 YRS	752	8.5	68	2	3	6	10	16	21	45
TOT. SINGLE DX	775	5.2	13	2	2	4	6	9	11	17
" MULTIPLE DX	1087	8.9	76	2	3	7	10	17	23	54
TOTAL 0-27 DYS	19	18.8	234	2	4	20	35	99+	99+	99+
1-11 MOS	78	8.5	73	2	3	6	10	16	25	48
1-5 YRS	175	7.6	61	1	2	6	10	15	21	62
6-12 YRS	317	7.6	53	2	2	6	9	14	19	33
13-19 YRS	1273	7.1	47	2	3	5	8	13	17	37
GRAND TOTAL	1862	7.4	53	2	3	5	9	14	19	44

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	3	2.3	2	<1	<1	2	3	4	4	4
6-12 YRS	21	3.2	4	1	1	3	4	6	7	9
13-19 YRS	1039	3.1	4	<1	1	2	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	3	4.3	6	2	2	4	6	7	7	7
1-5 YRS	2	3.5	5	2	2	3	5	5	5	5
6-12 YRS	22	4.8	15	<1	1	3	7	10	14	15
13-19 YRS	1170	3.9	16	<1	1	3	5	8	9	15
TOT. SINGLE DX	1064	3.1	5	<1	1	2	4	6	7	11
" MULTIPLE DX	1199	3.9	17	<1	1	3	5	8	9	15
TOTAL 0-27 DYS	3	3.0	4	<1	<1	3	4	5	5	5
1-11 MOS	3	4.3	6	2	2	4	6	7	7	7
1-5 YRS	5	2.8	3	<1	<1	2	4	5	5	5
6-12 YRS	43	4.0	10	1	1	3	5	8	11	15
13-19 YRS	2209	3.5	11	<1	1	3	5	7	8	12
GRAND TOTAL	2263	3.5	11	<1	1	3	5	7	8	13

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	15.2	129	4	5	10	21	33	38	38
1-11 MOS	20	5.9	13	1	2	5	7	10	14	17
1-5 YRS	56	8.4	27	2	3	7	11	18	20	23
6-12 YRS	70	6.5	12	2	3	6	9	11	14	16
13-19 YRS	228	5.6	10	1	2	5	7	10	11	15
2. MULTIPLE DX										
0-27 DYS	71	28.5	559	4	6	24	46	90	99+	99+
1-11 MOS	66	12.8	168	3	3	8	13	30	47	61
1-5 YRS	155	13.1	195	2	3	8	15	27	37	93
6-12 YRS	136	10.5	78	2	3	8	12	23	31	42
13-19 YRS	447	8.4	65	1	2	6	10	18	25	42
TOT. SINGLE DX	383	6.4	19	1	2	6	8	11	14	22
" MULTIPLE DX	875	11.5	166	2	3	7	14	26	38	96
TOTAL 0-27 DYS	80	27.0	527	4	6	22	42	87	99+	99+
1-11 MOS	86	11.2	141	2	3	7	11	25	44	58
1-5 YRS	211	11.8	155	2	3	8	14	23	32	70
6-12 YRS	206	9.1	60	2	3	7	11	17	25	40
13-19 YRS	675	7.5	49	1	2	6	9	14	20	36
GRAND TOTAL	**1258**	**10.0**	**127**	**2**	**2**	**7**	**11**	**22**	**32**	**78**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	8	8.4	95	2	2	5	7	25	32	32
1-11 MOS	35	5.7	7	3	3	5	8	9	11	12
1-5 YRS	66	8.6	15	2	3	8	11	13	16	21
6-12 YRS	24	8.1	20	3	4	7	10	14	18	21
13-19 YRS	28	8.0	15	4	4	7	9	11	16	24
2. MULTIPLE DX										
0-27 DYS	12	12.2	63	5	5	8	18	24	27	28
1-11 MOS	53	9.4	102	2	3	7	12	16	22	66
1-5 YRS	116	10.2	70	4	4	8	11	18	25	51
6-12 YRS	88	9.3	104	3	4	7	10	16	27	66
13-19 YRS	133	10.8	70	4	5	8	13	20	27	73
TOT. SINGLE DX	161	7.8	19	3	3	7	10	12	16	24
" MULTIPLE DX	402	10.2	81	3	4	8	12	19	26	65
TOTAL 0-27 DYS	20	10.7	76	2	4	7	14	25	30	32
1-11 MOS	88	7.9	67	2	3	6	9	12	17	56
1-5 YRS	182	9.6	51	3	4	8	11	16	22	42
6-12 YRS	112	9.1	87	3	4	7	10	15	21	53
13-19 YRS	161	10.3	62	4	5	8	12	19	26	64
GRAND TOTAL	**563**	**9.5**	**65**	**3**	**4**	**7**	**11**	**16**	**23**	**44**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	21	9.0	26	2	3	8	11	15	20	24
1-11 MOS	76	6.4	10	1	2	6	9	10	13	14
1-5 YRS	144	6.3	24	2	2	5	8	13	17	23
6-12 YRS	202	5.2	19	2	2	4	7	10	13	26
13-19 YRS	371	4.9	18	1	1	3	7	10	13	21
2. MULTIPLE DX										
0-27 DYS	27	18.2	400	3	4	9	22	44	66	88
1-11 MOS	106	9.3	41	3	4	8	12	18	24	69
1-5 YRS	204	10.1	75	2	2	8	13	22	29	41
6-12 YRS	300	9.4	97	1	2	7	12	20	29	52
13-19 YRS	533	9.4	86	1	2	7	12	23	30	48
TOT. SINGLE DX	814	5.5	20	1	2	4	7	11	13	23
" MULTIPLE DX	1170	9.7	92	1	2	7	12	21	30	50
TOTAL 0-27 DYS	48	14.2	254	3	4	9	15	29	46	88
1-11 MOS	182	8.1	31	2	3	7	10	14	18	40
1-5 YRS	348	8.5	58	2	2	7	11	18	24	35
6-12 YRS	502	7.7	70	1	2	5	9	16	23	40
13-19 YRS	904	7.6	64	1	1	5	10	17	24	39
GRAND TOTAL	**1984**	**8.0**	**67**	**1**	**2**	**6**	**10**	**17**	**24**	**42**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	5.3	10	2	2	5	8	8	8	8
6-12 YRS	19	5.6	11	<1	2	5	7	9	13	16
13-19 YRS	37	5.2	10	1	2	4	7	9	12	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	2.6	3	1	1	2	4	5	5	5
1-5 YRS	9	6.6	44	1	1	4	9	18	22	22
6-12 YRS	20	6.7	50	1	2	4	7	19	25	26
13-19 YRS	63	7.9	39	1	2	7	9	15	22	31
TOT. SINGLE DX	62	5.2	11	1	2	5	7	9	11	16
" MULTIPLE DX	97	7.2	41	1	1	6	9	15	23	30
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.3	3	1	1	2	4	5	5	5
1-5 YRS	13	6.2	32	1	1	4	8	13	20	22
6-12 YRS	39	6.1	31	1	2	5	7	12	21	26
13-19 YRS	100	6.9	30	1	2	6	9	14	16	30
GRAND TOTAL	**159**	**6.4**	**30**	**1**	**1**	**5**	**8**	**13**	**17**	**28**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	32	6.7	9	2	3	6	8	11	12	15
1-5 YRS	283	6.6	6	3	4	6	8	9	11	16
6-12 YRS	285	6.5	4	3	4	6	8	9	10	12
13-19 YRS	53	7.5	5	3	5	7	8	10	11	15
2. MULTIPLE DX										
0-27 DYS	6	16.0	47	10	10	13	22	26	27	27
1-11 MOS	63	8.9	36	2	4	7	11	18	20	34
1-5 YRS	374	8.4	35	3	4	7	9	13	17	35
6-12 YRS	254	8.0	18	3	4	7	9	12	17	29
13-19 YRS	113	11.3	80	4	5	8	12	19	29	49
TOT. SINGLE DX	654	6.7	6	3	4	6	8	9	11	15
" MULTIPLE DX	810	8.8	38	3	4	7	10	14	19	36
TOTAL 0-27 DYS	7	15.1	45	10	10	12	20	26	27	27
1-11 MOS	95	8.2	28	2	3	7	10	14	19	31
1-5 YRS	657	7.6	24	3	4	7	9	12	15	28
6-12 YRS	539	7.2	12	3	4	7	8	10	13	20
13-19 YRS	166	10.1	59	3	5	8	10	16	23	48
GRAND TOTAL	**1464**	**7.8**	**25**	**3**	**4**	**7**	**9**	**12**	**15**	**30**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	12.8	55	4	4	12	18	22	22	22
1-11 MOS	16	7.3	18	2	2	7	10	14	15	15
1-5 YRS	28	4.9	11	<1	1	4	8	10	11	12
6-12 YRS	31	3.9	9	<1	<1	3	6	7	9	15
13-19 YRS	190	3.6	4	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	6	9.5	32	3	3	9	15	17	17	17
1-11 MOS	28	9.3	27	2	3	8	14	16	18	20
1-5 YRS	87	8.3	49	1	1	6	12	17	23	33
6-12 YRS	43	7.3	33	<1	1	6	9	15	18	29
13-19 YRS	129	5.9	21	1	2	5	7	10	14	30
TOT. SINGLE DX	269	4.1	9	1	1	3	5	8	11	15
" MULTIPLE DX	293	7.2	33	1	2	6	9	15	17	31
TOTAL 0-27 DYS	10	10.8	39	3	3	10	15	19	22	22
1-11 MOS	44	8.6	25	2	3	8	13	15	17	20
1-5 YRS	115	7.5	42	<1	1	6	10	14	21	33
6-12 YRS	74	5.9	26	<1	1	5	8	12	16	27
13-19 YRS	319	4.5	13	1	1	4	5	8	11	17
GRAND TOTAL	**562**	**5.7**	**24**	**1**	**1**	**4**	**7**	**12**	**15**	**28**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.3	1	2	2	3	4	4	4	4
1-11 MOS	27	2.2	2	<1	<1	2	3	5	6	7
1-5 YRS	284	1.9	3	<1	<1	1	2	4	6	9
6-12 YRS	387	2.0	3	<1	<1	1	2	4	6	10
13-19 YRS	398	2.9	5	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	22	8.1	45	2	3	6	10	13	23	34
1-11 MOS	57	6.5	37	<1	<1	4	10	16	20	26
1-5 YRS	504	3.4	15	<1	<1	2	4	8	10	19
6-12 YRS	520	3.3	13	<1	<1	2	4	7	9	17
13-19 YRS	739	5.2	41	<1	1	4	6	10	14	37
TOT. SINGLE DX	1100	2.3	5	<1	<1	1	3	5	7	10
" MULTIPLE DX	1842	4.2	27	<1	<1	3	5	9	12	26
TOTAL 0-27 DYS	26	7.4	41	2	3	5	9	12	19	34
1-11 MOS	84	5.1	30	<1	<1	3	7	13	17	25
1-5 YRS	788	2.9	12	<1	<1	1	3	7	9	17
6-12 YRS	907	2.7	10	<1	<1	2	3	6	8	14
13-19 YRS	1137	4.4	30	<1	<1	3	6	9	12	27
GRAND TOTAL	**2942**	**3.5**	**20**	**<1**	**<1**	**2**	**4**	**8**	**10**	**21**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	2.0	2	<1	<1	1	3	4	4	4
1-5 YRS	4	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	6	3.2	9	<1	<1	1	6	8	8	8
13-19 YRS	20	2.6	3	<1	1	2	3	5	6	7
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	15	5.1	19	<1	1	4	6	11	16	18
1-5 YRS	13	7.9	54	1	2	7	8	21	26	27
6-12 YRS	21	3.3	13	<1	<1	2	4	7	12	17
13-19 YRS	34	5.6	27	<1	1	4	7	14	17	24
TOT. SINGLE DX	35	2.5	4	<1	<1	2	3	5	7	8
" MULTIPLE DX	84	5.2	28	<1	1	3	7	11	18	26
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	20	4.3	17	<1	<1	3	5	9	14	18
1-5 YRS	17	6.5	48	<1	1	5	7	17	24	27
6-12 YRS	27	3.3	12	<1	<1	2	4	7	9	17
13-19 YRS	54	4.5	20	<1	1	3	6	8	16	24
GRAND TOTAL	**119**	**4.4**	**22**	**<1**	**1**	**3**	**6**	**8**	**17**	**25**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	37	4.4	11	1	2	3	5	10	12	15
1-11 MOS	40	3.9	7	<1	1	4	5	8	12	99
1-5 YRS	73	4.2	9	1	1	3	5	9	10	15
6-12 YRS	47	5.6	12	1	2	5	8	9	11	19
13-19 YRS	52	4.5	17	1	1	4	6	9	12	25
2. MULTIPLE DX										
0-27 DYS	199	9.3	115	2	3	6	10	19	26	75
1-11 MOS	121	7.1	32	1	2	5	10	16	21	24
1-5 YRS	146	8.1	57	1	1	5	11	18	22	51
6-12 YRS	128	8.8	49	1	2	7	11	18	24	32
13-19 YRS	159	11.1	108	1	2	8	15	26	32	67
TOT. SINGLE DX	249	4.5	12	1	1	4	6	9	11	19
" MULTIPLE DX	753	9.0	80	1	2	6	11	19	25	57
TOTAL 0-27 DYS	236	8.5	102	2	2	6	9	16	25	71
1-11 MOS	161	6.3	28	1	2	4	8	13	20	24
1-5 YRS	219	6.8	45	1	1	4	9	16	19	43
6-12 YRS	175	7.9	42	1	2	7	10	16	22	31
13-19 YRS	211	9.4	94	1	2	7	12	23	30	55
GRAND TOTAL	**1002**	**7.9**	**67**	**1**	**2**	**5**	**10**	**17**	**24**	**51**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	146	1.1		<1	<1	<1	1	1	2	3
6-12 YRS	92	1.2		<1	<1	<1	1	2	2	4
13-19 YRS	9	1.6	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
0-27 DYS	3	9.0	76	3	3	5	15	19	19	19
1-11 MOS	6	1.3		<1	<1	1	2	2	2	2
1-5 YRS	82	1.7	1	<1	<1	1	2	3	4	8
6-12 YRS	63	2.3	21	<1	<1	1	2	5	6	33
13-19 YRS	21	3.5	13	<1	<1	2	5	9	11	14
TOT. SINGLE DX	249	1.2		<1	<1	<1	1	2	2	4
" MULTIPLE DX	175	2.3	12	<1	<1	1	2	5	6	18
TOTAL 0-27 DYS	3	9.0	76	3	3	5	15	19	19	19
1-11 MOS	8	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	228	1.3	1	<1	<1	<1	1	2	3	6
6-12 YRS	155	1.6	9	<1	<1	<1	1	2	4	6
13-19 YRS	30	2.9	10	<1	<1	1	3	8	9	14
GRAND TOTAL	**424**	**1.6**	**5**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**9**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	8.3	30	3	3	8	12	14	14	14
1-11 MOS	182	3.6	9	<1	<1	2	5	8	11	12
1-5 YRS	1271	4.5	13	<1	1	3	7	9	12	16
6-12 YRS	266	4.1	13	<1	<1	3	6	9	10	17
13-19 YRS	120	4.5	21	<1	1	3	6	10	13	25
2. MULTIPLE DX										
0-27 DYS	8	14.3	116	2	3	13	17	31	37	37
1-11 MOS	63	5.1	20	<1	1	3	8	12	14	20
1-5 YRS	602	4.7	17	1	1	3	7	10	13	17
6-12 YRS	158	4.3	27	<1	1	3	6	9	12	29
13-19 YRS	132	7.4	91	<1	1	4	9	17	22	54
TOT. SINGLE DX	1842	4.4	14	<1	1	3	7	9	11	16
" MULTIPLE DX	963	5.1	32	<1	1	3	7	11	14	25
TOTAL 0-27 DYS	11	12.6	95	2	3	12	16	26	36	37
1-11 MOS	245	4.0	13	<1	<1	3	6	9	11	15
1-5 YRS	1873	4.6	14	<1	1	3	7	10	12	16
6-12 YRS	424	4.2	19	<1	<1	3	6	9	11	19
13-19 YRS	252	6.0	60	<1	1	4	7	14	19	44
GRAND TOTAL	**2805**	**4.6**	**20**	**<1**	**1**	**3**	**7**	**10**	**12**	**19**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	100	1.4		<1	<1	1	1	2	3	6
6-12 YRS	96	1.6	1	<1	<1	1	2	3	4	7
13-19 YRS	56	2.1	3	<1	<1	1	2	5	6	9
2. MULTIPLE DX										
0-27 DYS	7	5.3	25	2	2	3	9	13	14	14
1-11 MOS	8	3.0	12	<1	<1	1	4	9	10	10
1-5 YRS	185	2.0	2	<1	<1	1	2	4	6	9
6-12 YRS	195	2.4	5	<1	<1	1	3	6	7	11
13-19 YRS	154	4.7	74	<1	<1	2	5	10	14	46
TOT. SINGLE DX	257	1.6	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	549	3.0	26	<1	<1	1	3	6	9	20
TOTAL 0-27 DYS	8	4.9	23	2	2	3	7	13	14	14
1-11 MOS	12	2.4	9	<1	<1	1	2	8	10	10
1-5 YRS	285	1.8	2	<1	<1	1	2	3	5	8
6-12 YRS	291	2.1	4	<1	<1	1	2	5	7	11
13-19 YRS	210	4.0	57	<1	<1	2	4	7	11	46
GRAND TOTAL	**806**	**2.5**	**18**	**<1**	**<1**	**1**	**3**	**5**	**7**	**14**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	94	1.7	3	<1	<1	1	2	3	4	13
6-12 YRS	56	1.6	1	<1	<1	1	2	3	4	8
13-19 YRS	87	2.4	2	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-27 DYS	6	2.5	5	1	1	2	2	7	7	7
1-11 MOS	4	4.0	12	1	1	3	6	9	9	9
1-5 YRS	132	2.0	4	<1	<1	1	2	4	7	12
6-12 YRS	89	2.0	5	<1	<1	1	2	4	6	14
13-19 YRS	80	4.2	46	<1	1	3	4	8	10	46
TOT. SINGLE DX	239	1.9	3	<1	<1	1	2	4	5	10
" MULTIPLE DX	311	2.6	16	<1	<1	2	3	5	8	14
TOTAL 0-27 DYS	6	2.5	5	1	1	2	2	7	7	7
1-11 MOS	6	3.0	10	<1	<1	2	4	8	9	9
1-5 YRS	226	1.9	4	<1	<1	1	2	3	5	12
6-12 YRS	145	1.9	4	<1	<1	1	2	3	5	10
13-19 YRS	167	3.3	24	<1	1	2	4	6	8	15
GRAND TOTAL	**550**	**2.3**	**11**	**<1**	**<1**	**1**	**3**	**4**	**7**	**13**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.3	5	2	2	2	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	6.0	1	5	5	6	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.0	3	2	2	2	4	5	5	5
TOT. SINGLE DX	3	3.3	5	2	2	2	5	6	6	6
" MULTIPLE DX	6	4.5	4	2	2	5	6	7	7	7
TOTAL 0-27 DYS										
1-11 MOS	3	6.0	1	5	5	6	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.2	3	2	2	2	5	6	6	6
GRAND TOTAL	**9**	**4.1**	**4**	**2**	**2**	**5**	**6**	**7**	**7**	**7**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS										
13-19 YRS	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	6.0	3	4	4	7	7	7	7	7
1-5 YRS										
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	10	6.6	13	2	2	6	9	12	14	14
TOT. SINGLE DX	4	2.8	3	<1	<1	2	4	5	5	5
" MULTIPLE DX	15	6.1	10	2	3	6	7	10	13	14
TOTAL 0-27 DYS										
1-11 MOS	3	6.0	3	4	4	7	7	7	7	7
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	12	6.2	12	2	3	5	8	11	14	14
GRAND TOTAL	**19**	**5.4**	**10**	**1**	**2**	**5**	**7**	**10**	**12**	**14**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	3.3	1	2	2	4	4	4	4	4
13-19 YRS	12	3.6	5	<1	<1	3	6	7	7	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	7	1.9	3	<1	<1	1	2	5	6	6
6-12 YRS	8	12.6	140	1	1	8	23	30	30	30
13-19 YRS	24	3.8	5	1	1	3	5	7	9	10
TOT. SINGLE DX	16	3.4	5	<1	<1	3	5	7	7	7
" MULTIPLE DX	41	5.1	43	1	1	3	6	11	23	30
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	8	1.8	3	<1	<1	1	2	5	6	6
6-12 YRS	11	10.1	117	1	1	4	16	29	30	30
13-19 YRS	36	3.7	6	<1	1	3	6	7	8	10
GRAND TOTAL	**57**	**4.6**	**32**	**<1**	**1**	**3**	**6**	**8**	**16**	**30**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	20	4.2	16	1	1	3	4	11	15	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	2	5.5	1	5	5	6	76	99+	99+	99+
6-12 YRS	7	5.0	46	<1	<1	2	7	17	19	19
13-19 YRS	16	8.9	47	2	3	7	9	23	26	27
TOT. SINGLE DX	26	4.3	16	1	1	3	6	11	15	15
" MULTIPLE DX	26	7.9	47	1	1	7	10	23	38	99+
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	14.0	18	11	11	14	17	17	17	17
1-5 YRS	3	5.7		5	5	6	53	99+	99+	99+
6-12 YRS	10	4.1	33	<1	<1	2	3	14	19	19
13-19 YRS	36	6.3	35	1	1	4	8	14	21	27
GRAND TOTAL	**52**	**6.1**	**34**	**1**	**1**	**5**	**8**	**16**	**23**	**98**

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	8	4.4	4	2	2	4	5	8	9	9
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	4	1.8	2	1	1	1	3	4	4	4
13-19 YRS	2	7.5	13	5	5	7	10	10	10	10
2. MULTIPLE DX										
0-27 DYS	6	8.2	42	3	3	6	8	20	21	21
1-11 MOS	33	6.8	43	2	3	5	7	11	19	37
1-5 YRS	8	5.9	9	<1	1	6	7	10	11	11
6-12 YRS	5	6.6	12	3	3	8	9	11	11	11
13-19 YRS	3	13.0	61	4	4	17	18	18	18	18
TOT. SINGLE DX	17	4.4	7	1	1	4	6	9	10	10
" MULTIPLE DX	55	7.1	36	2	3	5	8	17	19	36
TOTAL 0-27 DYS	8	7.8	31	3	4	6	8	17	21	21
1-11 MOS	41	6.3	36	2	3	5	6	9	18	37
1-5 YRS	9	5.7	9	<1	1	6	7	10	11	11
6-12 YRS	9	4.4	14	1	1	3	8	10	11	11
13-19 YRS	5	10.8	43	4	4	10	17	18	18	18
GRAND TOTAL	**72**	**6.5**	**30**	**1**	**2**	**5**	**7**	**11**	**18**	**33**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.3	1	2	2	3	4	5	5	5
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	4	6.3	54	<1	<1	3	11	17	17	17
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	9	5.1	15	1	1	4	6	12	13	13
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	3	9.7	81	1	1	9	16	19	19	19
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	9	5.3	26	<1	1	3	6	14	17	17
" MULTIPLE DX	13	6.6	29	1	1	4	10	14	18	19
TOTAL 0-27 DYS	13	4.5	11	1	2	4	5	11	13	13
1-11 MOS	2	10.5	1	10	10	10	11	11	11	11
1-5 YRS	7	7.7	58	<1	<1	5	15	19	19	19
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**22**	**6.1**	**27**	**<1**	**1**	**4**	**10**	**14**	**18**	**19**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	4	17.3	275	7	7	10	26	42	42	42
TOT. SINGLE DX	4	1.5		1	1	1	2	2	2	2
" MULTIPLE DX	7	10.9	202	1	1	7	10	36	42	42
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	7	10.6	207	1	1	7	10	36	42	42
GRAND TOTAL	**11**	**7.5**	**143**	**1**	**1**	**2**	**8**	**23**	**40**	**42**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	28	1.6	2	<1	<1	1	2	3	4	9
1-5 YRS	104	1.5	2	<1	<1	1	2	3	3	9
6-12 YRS	83	1.7	2	<1	<1	1	2	3	5	11
13-19 YRS	183	2.2	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	5	12.6	333	1	1	5	16	45	45	45
1-11 MOS	30	2.6	10	<1	<1	1	2	7	12	14
1-5 YRS	87	2.2	11	<1	<1	1	2	4	7	22
6-12 YRS	57	2.5	23	<1	1	1	2	3	5	34
13-19 YRS	93	2.8	4	1	1	2	4	6	7	10
TOT. SINGLE DX	400	1.9	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	272	2.7	18	<1	<1	2	3	5	7	26
TOTAL 0-27 DYS	7	9.6	249	<1	<1	5	7	37	45	45
1-11 MOS	58	2.1	7	<1	<1	1	2	4	9	14
1-5 YRS	191	1.9	6	<1	<1	1	2	3	5	12
6-12 YRS.	140	2.0	11	<1	1	1	2	3	5	16
13-19 YRS	276	2.4	4	<1	1	2	3	5	6	11
GRAND TOTAL	**672**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	1.5		<1	<1	1	2	3	3	3
1-11 MOS	14	1.4		<1	<1	1	2	3	3	3
1-5 YRS	113	1.5		<1	<1	1	2	2	3	5
6-12 YRS	122	1.7	1	<1	1	1	2	3	4	6
13-19 YRS	308	2.3	2	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-27 DYS	31	4.9	17	1	1	4	6	9	12	22
1-11 MOS	18	2.2	1	<1	<1	2	3	5	5	5
1-5 YRS	92	1.8		<1	<1	2	2	3	3	6
6-12 YRS	100	2.5	9	<1	1	2	3	5	6	19
13-19 YRS	289	3.1	23	1	1	2	4	6	8	12
TOT. SINGLE DX	563	2.0	2	<1	<1	2	2	3	5	7
" MULTIPLE DX	530	2.9	16	<1	1	2	3	5	7	12
TOTAL 0-27 DYS	37	4.3	16	<1	1	4	5	7	12	22
1-11 MOS	32	1.9	1	<1	<1	1	2	4	5	5
1-5 YRS	205	1.6	1	<1	<1	1	2	3	3	5
6-12 YRS	222	2.0	5	<1	1	2	2	4	5	8
13-19 YRS	597	2.7	13	1	1	2	3	5	7	11
GRAND TOTAL	**1093**	**2.4**	**9**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	33	1.5		<1	<1	1	2	3	3	3
1-5 YRS	822	1.6		<1	<1	1	2	3	3	5
6-12 YRS	966	1.7	1	<1	<1	1	2	3	4	6
13-19 YRS	877	1.6		<1	1	1	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	12	8.9	208	1	1	3	6	39	41	41
1-11 MOS	68	2.1	4	<1	<1	1	2	4	6	12
1-5 YRS	899	1.8	1	<1	<1	1	2	3	4	7
6-12 YRS	629	2.1	7	<1	<1	2	2	4	5	8
13-19 YRS	260	2.6	20	1	1	2	3	4	6	10
TOT. SINGLE DX	2700	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	1868	2.0	8	<1	<1	2	2	3	5	9
TOTAL 0-27 DYS	14	7.9	183	1	1	2	6	38	40	41
1-11 MOS	101	1.9	3	<1	<1	1	2	3	5	11
1-5 YRS	1721	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	1595	1.8	3	<1	<1	1	2	3	4	7
13-19 YRS	1137	1.8	6	<1	1	1	2	3	4	6
GRAND TOTAL	**4568**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	4	2.3		2	2	2	3	3	3	3
1-5 YRS	59	2.0	1	<1	<1	1	3	3	5	7
6-12 YRS	295	1.4		<1	<1	1	2	2	3	4
13-19 YRS	222	1.9	2	<1	1	1	2	4	5	8
2. MULTIPLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	41	1.8	1	<1	<1	1	2	4	5	6
6-12 YRS	123	1.8	2	<1	<1	1	2	4	5	9
13-19 YRS	82	2.4	3	<1	1	2	3	5	6	11
TOT. SINGLE DX	582	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	249	2.0	3	<1	<1	1	2	4	5	7
TOTAL 0-27 DYS	4	3.8	2	2	2	4	5	5	5	5
1-11 MOS	5	2.2		2	2	2	3	3	3	3
1-5 YRS	100	1.9	2	<1	<1	1	3	4	5	6
6-12 YRS	418	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	304	2.0	3	<1	1	1	2	4	5	8
GRAND TOTAL	**831**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	6	1.7	1	<1	<1	1	2	4	4	4
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	1	19.0		19	19	19	19	19	19	19
TOT. SINGLE DX	8	1.5	1	<1	<1	1	2	3	4	4
" MULTIPLE DX	2	12.0	98	5	5	12	19	19	19	19
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	7	2.1	3	<1	<1	1	3	5	5	5
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	19.0		19	19	19	19	19	19	19
GRAND TOTAL	**10**	**3.6**	**31**	**<1**	**<1**	**1**	**4**	**12**	**19**	**19**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	77	1.4		<1	<1	1	1	2	3	6
1-5 YRS	239	1.3		<1	<1	1	2	2	2	4
6-12 YRS	216	1.5		<1	<1	1	2	2	3	5
13-19 YRS	556	1.7	1	<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-27 DYS	6	7.2	161	1	1	2	4	30	33	33
1-11 MOS	88	1.9	1	<1	<1	1	2	4	5	7
1-5 YRS	242	1.7	1	<1	<1	1	2	3	4	7
6-12 YRS	145	1.7		<1	<1	1	2	3	4	5
13-19 YRS	250	2.3	6	<1	1	2	3	4	5	19
TOT. SINGLE DX	1088	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	731	2.0	4	<1	<1	1	2	3	4	8
TOTAL 0-27 DYS	6	7.2	161	1	1	2	4	30	33	33
1-11 MOS	165	1.7	1	<1	<1	1	2	3	4	6
1-5 YRS	481	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	361	1.6	1	<1	<1	1	2	3	3	5
13-19 YRS	806	1.9	3	<1	1	1	2	3	4	7
GRAND TOTAL	**1819**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	214	1.3	1	<1	<1	<1	1	2	2	5
1-5 YRS	1023	1.6	5	<1	<1	1	1	2	3	17
6-12 YRS	383	1.3		<1	<1	1	2	2	2	3
13-19 YRS	237	1.4		<1	<1	1	2	2	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	104	10.3	240	<1	1	2	14	27	46	68
1-5 YRS	389	4.4	76	<1	<1	2	4	12	17	41
6-12 YRS	123	1.8	1	<1	<1	1	2	3	5	8
13-19 YRS	75	2.2	4	<1	<1	2	2	4	7	12
TOT. SINGLE DX	1857	1.5	3	<1	<1	1	1	2	2	12
" MULTIPLE DX	691	4.6	87	<1	<1	2	3	12	19	54
TOTAL 0-27 DYS										
1-11 MOS	318	4.2	97	<1	<1	1	2	12	21	61
1-5 YRS	1412	2.4	26	<1	<1	1	2	3	9	21
6-12 YRS	506	1.4	1	<1	<1	1	2	2	3	6
13-19 YRS	312	1.6	2	<1	<1	1	2	2	3	8
GRAND TOTAL	**2548**	**2.3**	**28**	**<1**	**<1**	**1**	**2**	**3**	**7**	**22**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	13	2.5	1	1	1	2	3	4	5	5
1-11 MOS	37	1.7	2	<1	<1	1	2	3	4	8
1-5 YRS	158	2.9	7	<1	<1	2	4	7	9	12
6-12 YRS	51	2.9	11	<1	<1	1	3	8	11	17
13-19 YRS	53	2.3	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-27 DYS	58	3.2	2	2	2	3	4	6	6	10
1-11 MOS	22	2.5	4	<1	<1	2	3	5	7	9
1-5 YRS	79	2.8	7	<1	<1	2	4	6	9	12
6-12 YRS	38	3.4	11	<1	<1	2	5	7	10	18
13-19 YRS	41	4.5	18	<1	1	3	6	9	11	24
TOT. SINGLE DX	312	2.6	7	<1	<1	1	3	6	8	12
" MULTIPLE DX	238	3.3	9	<1	<1	2	4	6	9	13
TOTAL 0-27 DYS	71	3.1	2	1	2	3	4	5	6	9
1-11 MOS	59	2.0	3	<1	<1	1	3	4	5	9
1-5 YRS	237	2.8	7	<1	<1	2	4	6	9	12
6-12 YRS	89	3.1	12	<1	<1	2	4	7	11	18
13-19 YRS	94	3.3	11	<1	<1	2	4	7	9	19
GRAND TOTAL	**550**	**2.9**	**8**	**<1**	**<1**	**2**	**4**	**6**	**9**	**12**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	4.7	4	3	3	4	4	9	9	9
1-11 MOS	2	6.0		6	6	6	6	6	6	6
1-5 YRS	2	6.0	8	4	4	6	8	8	8	8
6-12 YRS	21	4.2	3	2	2	4	5	7	8	8
13-19 YRS	814	4.4	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	3	12.3	49	5	5	16	59	99+	99+	99+
1-11 MOS	8	4.9	2	3	3	5	6	7	8	8
1-5 YRS	10	4.0	1	3	3	4	5	6	6	6
6-12 YRS	19	5.9	8	2	3	5	8	10	12	13
13-19 YRS	911	5.1	6	2	3	5	6	7	9	14
TOT. SINGLE DX	845	4.4	3	2	3	4	5	6	7	10
" MULTIPLE DX	951	5.1	7	2	3	5	6	7	9	15
TOTAL 0-27 DYS	9	7.2	30	3	3	5	13	59	99+	99+
1-11 MOS	10	5.1	2	3	3	5	6	7	8	8
1-5 YRS	12	4.3	2	3	3	4	5	7	8	8
6-12 YRS	40	5.0	6	2	2	5	6	9	10	13
13-19 YRS	1725	4.8	5	2	3	5	6	7	8	12
GRAND TOTAL	**1796**	**4.8**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**13**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	5.0	8	1	1	5	8	8	8	8
1-5 YRS	14	5.0	3	2	2	5	6	7	9	9
6-12 YRS	54	5.2	3	3	3	5	6	8	9	12
13-19 YRS	343	5.1	4	3	3	5	6	7	9	12
2. MULTIPLE DX										
0-27 DYS	4	7.8	9	5	5	7	10	12	12	12
1-11 MOS	7	3.3	4	2	2	2	4	7	7	7
1-5 YRS	11	4.9	4	3	3	4	6	8	10	10
6-12 YRS	48	5.4	8	3	3	5	6	8	11	17
13-19 YRS	524	6.0	10	3	4	5	7	9	11	20
TOT. SINGLE DX	418	5.1	4	3	3	5	6	7	9	12
" MULTIPLE DX	594	5.9	11	3	3	5	7	9	11	19
TOTAL 0-27 DYS	5	7.0	10	4	4	6	9	12	12	12
1-11 MOS	13	4.1	6	1	1	3	6	8	8	8
1-5 YRS	25	5.0	4	2	3	5	6	7	9	10
6-12 YRS	102	5.3	6	3	3	5	6	8	10	15
13-19 YRS	867	5.7	9	3	3	5	6	8	10	17
GRAND TOTAL	**1012**	**5.6**	**8**	**3**	**3**	**5**	**6**	**8**	**10**	**16**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	5.3	1	3	3	5	6	7	7	7
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	3.3	1	2	2	4	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	32	6.3	8	3	4	6	7	10	13	16
TOT. SINGLE DX	10	4.9	2	2	2	5	6	7	7	7
" MULTIPLE DX	37	6.0	8	3	3	5	6	9	13	16
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	3.8	2	2	2	4	5	5	5	5
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	40	6.1	7	3	3	6	7	9	13	16
GRAND TOTAL	**47**	**5.7**	**7**	**3**	**3**	**5**	**6**	**9**	**13**	**16**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	11	3.9	2	1	2	4	5	6	7	7
13-19 YRS	227	2.9	3	<1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	2	8.5	85	2	2	8	15	15	15	15
1-11 MOS										
1-5 YRS										
6-12 YRS	8	4.3	14	<1	1	3	5	11	13	13
13-19 YRS	266	4.4	7	1	1	4	5	8	10	13
TOT. SINGLE DX	240	3.0	3	<1	1	3	4	5	6	9
" MULTIPLE DX	276	4.4	8	1	1	4	5	8	10	13
TOTAL 0-27 DYS	2	8.5	85	2	2	8	15	15	15	15
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	19	4.1	7	<1	1	4	5	7	10	13
13-19 YRS	493	3.7	6	<1	1	3	5	7	8	12
GRAND TOTAL	**516**	**3.7**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**12**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	2.2	3	<1	<1	1	2	5	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	1.9	1	<1	<1	1	3	3	4	4
TOT. SINGLE DX	10	2.2	3	<1	<1	1	2	5	6	6
" MULTIPLE DX	33	1.9	1	<1	<1	1	3	3	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	2.0	2	<1	<1	1	3	4	5	6
GRAND TOTAL	**43**	**2.0**	**2**	**<1**	**<1**	**1**	**3**	**4**	**5**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	47	3.1	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	130	3.3	3	1	1	3	4	6	7	29
TOT. SINGLE DX	47	3.1	7	<1	<1	2	4	6	8	13
" MULTIPLE DX	131	3.3	4	1	1	3	4	6	7	28
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	177	3.3	4	1	1	3	4	6	7	13
GRAND TOTAL	**178**	**3.3**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS										
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	459	4.2	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	4.0	4	<1	<1	4	5	6	6	6
1-5 YRS										
6-12 YRS	12	5.2	3	3	3	4	7	8	8	8
13-19 YRS	560	4.9	6	2	3	4	6	8	9	14
TOT. SINGLE DX	464	4.1	2	2	3	4	5	6	7	8
" MULTIPLE DX	576	4.9	6	2	3	4	6	8	9	14
TOTAL 0-27 DYS										
1-11 MOS	6	3.7	5	<1	<1	4	5	6	6	6
1-5 YRS										
6-12 YRS	15	4.7	4	2	3	4	7	7	8	8
13-19 YRS	1019	4.6	4	2	3	4	5	7	8	12
GRAND TOTAL	**1040**	**4.6**	**4**	**2**	**3**	**4**	**5**	**7**	**8**	**12**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	2	3.5	13	<1	<1	3	6	6	6	6
13-19 YRS	51	1.6		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	45	1.8	1	<1	<1	1	2	3	4	5
TOT. SINGLE DX	54	1.8	1	<1	<1	2	2	3	3	6
" MULTIPLE DX	48	1.8	1	<1	<1	1	2	3	4	5
TOTAL 0-27 DYS										
1-11 MOS	4	2.0	2	1	1	2	3	4	4	4
1-5 YRS										
6-12 YRS	2	3.5	13	<1	<1	3	6	6	6	6
13-19 YRS	96	1.7	1	<1	<1	2	2	3	3	5
GRAND TOTAL	**102**	**1.8**	**1**	**<1**	**<1**	**2**	**2**	**3**	**4**	**5**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	56	1.7	3	<1	<1	1	2	3	4	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	79	2.9	15	<1	<1	2	3	6	9	25
TOT. SINGLE DX	58	1.7	3	<1	<1	1	2	3	5	12
" MULTIPLE DX	80	2.9	15	<1	<1	2	3	6	9	25
TOTAL 0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	135	2.4	11	<1	<1	1	2	5	7	16
GRAND TOTAL	**138**	**2.4**	**10**	**<1**	**<1**	**1**	**3**	**5**	**7**	**16**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	108	2.5	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	32	3.3	7	1	1	3	3	6	11	14
TOT. SINGLE DX	108	2.5	2	1	1	2	3	4	5	10
" MULTIPLE DX	32	3.3	8	1	1	3	3	6	11	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	140	2.7	4	1	1	2	3	4	6	12
GRAND TOTAL	**140**	**2.7**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	25	3.3	3	<1	1	3	5	5	6	6
2. MULTIPLE DX										
0-27 DYS	3	5.0	1	4	4	5	6	6	6	6
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	6.2	19	1	1	5	8	13	13	13
13-19 YRS	45	5.6	43	1	1	5	6	8	14	41
TOT. SINGLE DX	26	3.3	3	<1	1	3	5	5	6	6
" MULTIPLE DX	56	5.6	37	1	1	5	6	8	12	40
TOTAL 0-27 DYS	3	5.0	1	4	4	5	6	6	6	6
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	5	6.2	19	1	1	5	8	13	13	13
13-19 YRS	70	4.8	30	1	1	4	5	7	9	38
GRAND TOTAL	**82**	**4.9**	**27**	**1**	**1**	**5**	**5**	**7**	**9**	**36**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	6.3	2	4	4	6	7	8	9	9
1-5 YRS	2	11.5	113	4	4	11	19	19	19	19
6-12 YRS	3	7.3	6	5	5	7	9	10	10	10
13-19 YRS	28	6.3	6	3	4	6	8	11	11	12
2. MULTIPLE DX										
0-27 DYS	12	7.8	13	4	5	7	9	13	16	17
1-11 MOS	52	6.5	5	4	4	6	7	9	13	15
1-5 YRS	3	5.3	2	4	4	5	6	7	7	7
6-12 YRS	12	5.4	2	2	3	5	6	7	8	8
13-19 YRS	130	6.9	11	3	4	6	8	12	13	38
TOT. SINGLE DX	41	6.6	9	3	4	7	8	10	12	19
" MULTIPLE DX	209	6.7	9	4	4	6	8	11	13	21
TOTAL 0-27 DYS	12	7.8	13	4	5	7	9	13	16	17
1-11 MOS	60	6.5	5	4	4	6	7	9	11	15
1-5 YRS	5	7.8	41	4	4	5	10	19	19	19
6-12 YRS	15	5.8	3	2	4	5	7	8	9	10
13-19 YRS	158	6.8	10	3	4	6	8	11	13	23
GRAND TOTAL	**250**	**6.7**	**9**	**4**	**4**	**6**	**8**	**11**	**13**	**20**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.7	1	4	4	4	6	6	6	6
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	6	4.0	2	1	1	4	5	6	6	6
2. MULTIPLE DX										
0-27 DYS	2	10.5	13	8	8	10	13	13	13	13
1-11 MOS	17	5.4	3	2	3	5	6	8	9	10
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	21	4.5	2	2	3	4	5	7	8	8
TOT. SINGLE DX	10	4.6	3	1	2	4	6	7	8	8
" MULTIPLE DX	42	5.3	5	2	3	5	6	8	9	13
TOTAL 0-27 DYS	2	10.5	13	8	8	10	13	13	13	13
1-11 MOS	20	5.3	3	2	3	5	6	8	9	10
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	2	6.5	5	5	5	6	8	8	8	8
13-19 YRS	27	4.4	3	2	3	4	5	7	8	8
GRAND TOTAL	**52**	**5.1**	**5**	**2**	**3**	**5**	**6**	**8**	**8**	**13**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	14.5	25	11	11	14	18	18	18	18
6-12 YRS										
13-19 YRS	2	9.0	8	7	7	9	11	11	11	11
TOT. SINGLE DX	1	9.0		9	9	9	9	9	9	9
" MULTIPLE DX	4	11.8	21	7	7	11	15	18	18	13
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	14.5	25	11	11	14	18	18	18	18
6-12 YRS										
13-19 YRS	2	9.0	8	7	7	9	11	11	11	11
GRAND TOTAL	**5**	**11.2**	**17**	**7**	**7**	**11**	**13**	**18**	**18**	**18**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	466	1.2		<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	97	4.1	45	<1	<1	2	4	8	21	75
TOT. SINGLE DX	468	1.1		<1	<1	<1	1	1	2	4
" MULTIPLE DX	97	4.1	45	<1	<1	2	4	8	21	75
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	563	1.7	9	<1	<1	<1	1	2	4	18
GRAND TOTAL	**565**	**1.6**	**9**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**18**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	<1	1	1	1	1
1-5 YRS										
6-12 YRS	17	2.1	2	<1	1	1	3	5	5	5
13-19 YRS	5230	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	12	3.3	9	<1	<1	2	4	9	11	11
1-5 YRS	3	4.0	9	<1	<1	4	6	7	7	7
6-12 YRS	18	3.7	6	1	1	3	5	7	9	11
13-19 YRS	2005	2.7	9	<1	1	2	3	5	7	13
TOT. SINGLE DX	5250	1.5	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	2041	2.7	9	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	15	2.8	9	<1	<1	2	3	8	10	11
1-5 YRS	3	4.0	9	<1	<1	4	6	7	7	7
6-12 YRS	35	2.9	5	1	1	2	4	6	7	11
13-19 YRS	7235	1.8	4	<1	<1	1	2	3	5	8
GRAND TOTAL	**7291**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.4	1	<1	<1	<1	1	3	3	3
13-19 YRS	994	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	846	1.7	15	<1	<1	<1	<1	2	5	19
TOT. SINGLE DX	999	1.1		<1	<1	<1	<1	1	2	3
" MULTIPLE DX	846	1.7	16	<1	<1	<1	<1	2	5	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.4	1	<1	<1	<1	1	3	3	3
13-19 YRS	1840	1.4	7	<1	<1	<1	<1	1	2	8
GRAND TOTAL	**1845**	**1.4**	**7**	**<1**	**<1**	**<1**	**<1**	**1**	**2**	**8**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
13-19 YRS	842	1.3		<1	<1	1	1	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	210	2.6	13	<1	1	2	3	5	7	24
TOT. SINGLE DX	845	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	210	2.6	13	<1	1	2	3	5	7	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	3	<1	<1	<1	3	4	4	4
13-19 YRS	1052	1.6	4	<1	<1	1	2	3	4	8
GRAND TOTAL	**1055**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS										
13-19 YRS	7	4.3	2	1	2	5	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	20	4.9	4	1	2	5	6	8	9	10
TOT. SINGLE DX	8	4.5	3	1	2	5	6	6	6	6
" MULTIPLE DX	21	4.9	4	2	2	5	6	8	9	10
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	27	4.7	4	1	2	5	5	7	9	10
GRAND TOTAL	**29**	**4.8**	**4**	**1**	**2**	**5**	**6**	**7**	**9**	**10**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	83	2.7	5	<1	<1	2	4	5	7	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	2	4.5	1	4	4	4	5	5	5	5
13-19 YRS	97	3.6	6	1	1	3	5	7	8	14
TOT. SINGLE DX	88	2.6	6	<1	<1	2	4	5	7	14
" MULTIPLE DX	101	3.6	6	1	1	3	5	6	8	13
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	5	2.6	3	<1	<1	2	4	5	5	5
13-19 YRS	180	3.2	6	<1	<1	3	4	6	7	14
GRAND TOTAL	**189**	**3.1**	**6**	**<1**	**<1**	**3**	**4**	**6**	**7**	**14**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	5	2.8	2	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS										
1-5 YRS	2	5.0	8	3	3	5	7	7	7	7
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	6.0	39	<1	<1	4	11	13	13	13
TOT. SINGLE DX	8	4.1	8	<1	1	3	6	8	9	9
" MULTIPLE DX	8	5.6	13	<1	1	5	7	11	13	13
TOTAL 0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	3	6.3	9	3	3	7	8	9	9	9
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	8	4.0	15	<1	<1	3	5	11	13	13
GRAND TOTAL	**16**	**4.9**	**10**	**<1**	**<1**	**4**	**7**	**9**	**12**	**13**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	20	3.4	19	<1	<1	2	4	9	15	18
6-12 YRS	33	2.4	6	<1	1	1	2	6	9	10
13-19 YRS	107	3.2	11	<1	<1	1	5	9	11	14
2. MULTIPLE DX										
0-27 DYS	2	19.5	25	16	16	19	23	23	23	23
1-11 MOS	5	6.2	8	3	3	6	7	11	11	11
1-5 YRS	20	5.9	53	<1	<1	3	5	16	25	29
6-12 YRS	23	2.9	4	1	1	2	4	5	9	9
13-19 YRS	101	3.5	13	<1	1	2	4	8	11	19
TOT. SINGLE DX	161	3.0	11	<1	<1	1	4	9	11	16
" MULTIPLE DX	151	4.0	21	<1	1	3	4	9	14	23
TOTAL 0-27 DYS	2	19.5	25	16	16	19	23	23	23	23
1-11 MOS	6	5.3	11	<1	<1	5	6	11	11	11
1-5 YRS	40	4.6	37	<1	<1	2	5	12	19	29
6-12 YRS	56	2.6	6	1	1	2	3	5	9	10
13-19 YRS	208	3.4	12	<1	<1	2	4	8	11	17
GRAND TOTAL	**312**	**3.5**	**16**	**<1**	**<1**	**2**	**4**	**9**	**11**	**21**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	2.8	3	1	1	2	5	5	5	5
1-11 MOS	7	3.6	4	<1	<1	3	5	7	7	7
1-5 YRS	13	1.8	2	<1	<1	1	2	4	6	7
6-12 YRS	24	3.7	10	<1	1	2	5	9	11	13
13-19 YRS	244	3.0	9	<1	<1	2	4	7	9	18
2. MULTIPLE DX										
0-27 DYS	16	4.1	31	1	2	3	4	4	19	25
1-11 MOS	2	6.0		6	6	6	6	6	6	6
1-5 YRS	6	6.8	47	<1	<1	5	9	18	19	19
6-12 YRS	28	3.5	13	<1	<1	2	5	10	12	12
13-19 YRS	279	4.3	34	1	1	3	5	9	11	37
TOT. SINGLE DX	294	3.0	9	<1	<1	2	4	7	9	16
" MULTIPLE DX	331	4.3	33	<1	1	3	5	9	11	29
TOTAL 0-27 DYS	22	3.8	24	1	1	3	4	5	13	25
1-11 MOS	9	4.1	5	<1	1	5	6	7	7	7
1-5 YRS	19	3.4	21	<1	<1	1	3	9	14	19
6-12 YRS	52	3.6	12	<1	<1	2	5	9	12	13
13-19 YRS	523	3.7	23	<1	<1	2	4	8	10	18
GRAND TOTAL	**625**	**3.7**	**22**	**<1**	**<1**	**2**	**5**	**8**	**10**	**19**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	2.9	2	<1	<1	3	4	5	5	5
1-5 YRS	29	2.3	4	<1	<1	1	3	5	7	10
6-12 YRS	30	2.4	3	<1	<1	2	3	5	7	8
13-19 YRS	275	2.0	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
0-27 DYS	9	2.8	1	1	1	2	4	5	5	5
1-11 MOS	5	7.6	58	2	2	5	9	21	21	21
1-5 YRS	28	4.0	11	<1	1	4	5	8	13	14
6-12 YRS	12	2.9	2	<1	1	3	5	5	5	5
13-19 YRS	164	3.7	28	1	1	3	4	6	8	17
TOT. SINGLE DX	341	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	218	3.7	24	1	1	3	4	6	8	18
TOTAL 0-27 DYS	9	2.8	2	1	1	2	4	5	5	5
1-11 MOS	12	4.8	29	<1	<1	4	5	10	19	21
1-5 YRS	57	3.1	9	<1	<1	2	4	7	9	14
6-12 YRS	42	2.6	3	<1	<1	2	3	5	6	8
13-19 YRS	439	2.6	13	<1	1	2	3	5	6	13
GRAND TOTAL	**559**	**2.7**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	2.8	8	1	1	2	4	7	7	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	46.0		46	46	46	46	46	46	46
6-12 YRS										
13-19 YRS	2	7.0	50	2	2	7	12	12	12	12
TOT. SINGLE DX	5	3.0	7	1	1	2	5	7	7	7
" MULTIPLE DX	4	18.3	367	2	2	13	59	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	46.0		46	46	46	46	46	46	46
6-12 YRS	1	4.0		4	4	52	99+	99+	99+	99+
13-19 YRS	6	4.2	20	1	1	2	7	11	12	12
GRAND TOTAL	**9**	**9.8**	**205**	**1**	**1**	**5**	**13**	**73**	**99+**	**99+**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	40	1.1		<1	<1	1	1	1	2	4
6-12 YRS	59	1.5	1	<1	1	1	2	3	4	6
13-19 YRS	21	2.2	2	<1	<1	2	3	4	6	8
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	3	4.0	3	2	2	5	5	5	5	5
1-5 YRS	20	2.3	8	<1	<1	1	2	3	9	14
6-12 YRS	37	1.7	2	<1	<1	1	2	2	5	8
13-19 YRS	34	3.2	26	<1	1	2	3	4	8	31
TOT. SINGLE DX	122	1.5	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	96	2.4	12	<1	1	1	3	4	6	23
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	5	2.8	4	1	1	2	5	5	5	5
1-5 YRS	60	1.5	3	<1	<1	1	1	3	3	13
6-12 YRS	96	1.6	2	<1	1	1	2	3	4	7
13-19 YRS	55	2.8	18	<1	1	2	3	4	7	30
GRAND TOTAL	**218**	**1.9**	**6**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	2.0	8	<1	<1	<1	1	7	9	9
6-12 YRS	10	2.6	5	<1	<1	1	4	6	8	8
13-19 YRS	3	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	1.8	1	<1	<1	<1	2	4	4	4
6-12 YRS	3	2.0	3	1	1	1	3	4	4	4
13-19 YRS	6	2.8	2	<1	<1	3	4	5	5	5
TOT. SINGLE DX	21	2.2	6	<1	<1	<1	2	6	8	9
" MULTIPLE DX	15	2.3	2	<1	<1	2	3	4	5	5
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	13	1.9	5	<1	<1	<1	1	5	8	9
6-12 YRS	13	2.5	5	<1	<1	1	4	6	8	8
13-19 YRS	9	2.3	2	<1	<1	2	3	5	5	5
GRAND TOTAL	**36**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**5**	**7**	**9**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.3	1	2	2	4	4	4	4	4
13-19 YRS	5057	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.4	1	1	1	2	3	4	4	4
13-19 YRS	5159	3.0	2	1	2	3	3	4	5	8
TOT. SINGLE DX	5060	2.6	1	1	2	3	3	4	4	5
" MULTIPLE DX	5164	3.0	3	1	2	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	2.8	1	1	1	3	4	4	4	4
13-19 YRS	10216	2.8	2	1	2	3	3	4	5	7
GRAND TOTAL	**10224**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	74	2.3		1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	203	2.8	4	1	1	3	3	5	6	13
TOT. SINGLE DX	75	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	204	2.8	4	1	1	3	3	5	6	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	277	2.7	3	1	1	2	3	4	5	11
GRAND TOTAL	**279**	**2.7**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3		3	3	3
13-19 YRS	1331	2.6	1	1	1	2		4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	2094	3.0	3	1	2	3	3	4	5	8
TOT. SINGLE DX	1332	2.6	2	1	1	2	3	4	4	6
" MULTIPLE DX	2095	3.0	4	1	2	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	3425	2.8	3	1	1	3	3	4	5	8
GRAND TOTAL	**3427**	**2.8**	**3**	**1**	**1**	**3**	**3**	**4**	**5**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	2.8		1	2	3	3	4	4	4
13-19 YRS	41039	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	15	5.3	121	1	2	2	3	5	35	45
13-19 YRS	15309	3.0	5	1	1	3	3	4	5	10
TOT. SINGLE DX	41052	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	15324	3.0	6	1	1	3	3	4	5	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	28	4.2	65	1	2	3	3	4	9	45
13-19 YRS	56348	2.6	2	1	1	2	3	4	4	7
GRAND TOTAL	**56376**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4886	4.9	3	3	3	5	5	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	7.4	50	3	3	5	7	19	26	26
13-19 YRS	12774	5.7	8	3	4	5	6	8	10	16
TOT. SINGLE DX	4887	4.9	3	3	3	5	5	6	7	9
" MULTIPLE DX	12783	5.7	9	3	4	5	6	8	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	7.1	46	3	3	5	6	17	26	26
13-19 YRS	17660	5.4	7	3	4	5	6	7	9	15
GRAND TOTAL	**17670**	**5.4**	**7**	**3**	**4**	**5**	**6**	**7**	**9**	**15**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	286	4.8	1	3	3	5	5	7	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	497	5.7	5	3	4	5	6	8	10	16
TOT. SINGLE DX	286	4.8	2	3	3	5	5	7	7	9
" MULTIPLE DX	497	5.7	5	3	4	5	6	8	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	783	5.4	4	3	3	5	6	7	9	14
GRAND TOTAL	**783**	**5.4**	**4**	**3**	**3**	**5**	**6**	**7**	**9**	**14**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	34	4.5	4	2	2	4	5	6	8	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	35	4.6	5	2	3	4	5	8	8	15
TOT. SINGLE DX	34	4.5	5	2	2	4	5	6	8	14
" MULTIPLE DX	35	4.6	6	2	3	4	5	8	8	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	69	4.6	5	2	2	4	5	7	8	15
GRAND TOTAL	**69**	**4.6**	**5**	**2**	**2**	**4**	**5**	**7**	**8**	**15**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.0		1	1	2	2	3	3	3
13-19 YRS	1023	1.6		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	119	2.3	3	1	1	2	2	4	6	11
TOT. SINGLE DX	1029	1.6	1	1	1	2	2	2	3	4
" MULTIPLE DX	120	2.3	4	1	1	2	2	4	6	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.0		1	1	2	2	3	3	3
13-19 YRS	1142	1.7	1	1	1	2	2	2	3	5
GRAND TOTAL	**1149**	**1.7**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	231	4.3	27	<1	1	3	4	9	13	28
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	211	5.6	43	1	1	4	6	12	18	38
TOT. SINGLE DX	231	4.3	28	<1	1	3	4	9	13	28
" MULTIPLE DX	211	5.6	43	1	1	4	6	12	18	38
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	442	4.9	36	<1	1	3	5	10	16	36
GRAND TOTAL	**442**	**4.9**	**36**	**<1**	**1**	**3**	**5**	**10**	**16**	**36**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	3504	2.2	1	<1	<1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1451	2.7	4	<1	1	2	3	4	5	11
TOT. SINGLE DX	3506	2.2	1	<1	<1	2	3	3	4	6
" MULTIPLE DX	1452	2.7	5	<1	1	2	3	4	5	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	4955	2.3	2	<1	<1	2	3	4	4	7
GRAND TOTAL	**4958**	**2.3**	**2**	**<1**	**<1**	**2**	**3**	**4**	**4**	**7**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.0		3	3	3	3	3	3	3
13-19 YRS	6344	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	2.7	1	1	1	3	3	4	4	4
13-19 YRS	6437	2.8	3	1	1	3	3	4	5	8
TOT. SINGLE DX	6350	2.4	1	1	1	2	3	3	4	5
" MULTIPLE DX	6443	2.8	4	1	1	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	2.8	1	1	2	3	3	4	4	4
13-19 YRS	12781	2.6	2	1	1	2	3	4	4	6
GRAND TOTAL	**12793**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	10	4.9	47	1	1	2	5	17	20	20
6-12 YRS	26	2.8	2	<1	<1	3	4	5	6	6
13-19 YRS	53	3.2	5	<1	1	2	4	7	9	11
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	10	5.2	38	1	1	3	6	14	22	22
6-12 YRS	14	5.9	41	1	1	5	7	9	23	27
13-19 YRS	64	4.3	10	1	1	4	5	9	12	17
TOT. SINGLE DX	91	3.2	9	<1	1	2	4	6	9	18
" MULTIPLE DX	90	4.6	18	1	1	4	5	8	12	25
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	1.7		1	1	2	2	2	2	2
1-5 YRS	20	5.1	40	1	1	3	5	17	21	22
6-12 YRS	40	3.9	18	<1	<1	3	5	7	7	27
13-19 YRS	117	3.8	8	1	1	3	4	8	10	15
GRAND TOTAL	**181**	**3.9**	**14**	**<1**	**1**	**3**	**4**	**7**	**11**	**21**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	15	5.8	4	1	3	6	7	8	9	9
1-5 YRS	16	5.6	6	2	3	6	7	9	10	11
6-12 YRS	36	3.4	6	1	1	3	4	7	10	12
13-19 YRS	1519	3.1	1	1	1	3	4	5	5	8
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	7.0	8	3	3	7	11	56	99+	99+
1-5 YRS	14	14.1	116	3	5	9	25	31	35	36
6-12 YRS	37	5.1	8	2	2	5	6	10	10	15
13-19 YRS	1423	3.6	5	2	2	3	4	5	6	10
TOT. SINGLE DX	1587	3.1	2	1	1	3	4	5	6	8
" MULTIPLE DX	1484	3.8	8	2	2	3	4	6	7	12
TOTAL 0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	24	6.3	6	2	3	6	8	11	33	99+
1-5 YRS	30	9.6	74	3	3	7	9	26	30	36
6-12 YRS	73	4.3	9	1	2	3	6	9	10	14
13-19 YRS	2942	3.3	4	1	2	3	4	5	6	9
GRAND TOTAL	**3071**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	23	2.1	2	<1	1	2	2	4	6	8
6-12 YRS	95	2.0	1	<1	1	2	2	3	4	8
13-19 YRS	347	2.3	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	3.8	17	1	1	2	6	10	10	10
1-5 YRS	50	3.7	18	<1	1	2	4	8	15	21
6-12 YRS	150	4.1	24	1	1	3	5	7	8	33
13-19 YRS	539	4.0	14	1	1	3	5	8	12	21
TOT. SINGLE DX	466	2.2	2	1	1	2	3	4	5	9
" MULTIPLE DX	743	4.0	17	1	1	3	5	7	11	21
TOTAL 0-27 DYS										
1-11 MOS	5	3.2	15	<1	<1	2	4	10	10	10
1-5 YRS	73	3.2	14	<1	1	2	4	7	12	20
6-12 YRS	245	3.2	17	1	1	2	4	6	7	25
13-19 YRS	886	3.3	11	1	1	2	4	6	9	17
GRAND TOTAL	**1209**	**3.3**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	4.7	50	1	1	2	4	17	19	19
6-12 YRS	41	2.6	3	<1	1	2	3	5	7	9
13-19 YRS	440	2.4	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	44	5.5	31	1	1	4	7	11	17	30
6-12 YRS	103	5.1	33	1	1	3	6	11	15	32
13-19 YRS	776	5.5	42	1	1	4	6	11	15	30
TOT. SINGLE DX	489	2.4	5	1	1	2	3	4	5	10
" MULTIPLE DX	925	5.4	41	1	1	4	6	11	15	30
TOTAL 0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	2	8.0	50	3	3	8	13	13	13	13
1-5 YRS	50	5.4	33	1	1	3	7	11	19	30
6-12 YRS	144	4.4	26	1	1	3	5	9	13	24
13-19 YRS	1216	4.4	31	1	1	3	5	9	12	26
GRAND TOTAL	**1414**	**4.4**	**31**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	3.0	2	1	1	3	4	5	5	5
1-5 YRS	4	4.0	10	1	1	3	6	8	8	8
6-12 YRS	34	3.6	16	<1	1	2	4	7	8	24
13-19 YRS	51	3.5	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	5.9	51	2	2	2	7	19	21	21
1-5 YRS	11	5.3	10	1	1	5	9	10	10	10
6-12 YRS	38	3.1	1	1	1	3	4	5	6	6
13-19 YRS	68	5.4	33	1	1	3	7	12	18	31
TOT. SINGLE DX	97	3.5	8	1	1	3	4	6	8	18
" MULTIPLE DX	125	4.7	23	1	2	3	5	9	17	27
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	15	4.3	25	1	2	2	5	9	18	21
1-5 YRS	15	4.9	10	1	1	5	8	9	10	10
6-12 YRS	72	3.3	9	1	1	3	4	5	7	21
13-19 YRS	119	4.6	22	1	1	3	5	8	15	27
GRAND TOTAL	**222**	**4.2**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**24**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	8	6.8	32	1	1	5	11	15	16	16
1-5 YRS	280	4.3	20	1	1	3	5	7	11	30
6-12 YRS	525	5.6	40	1	1	4	6	11	16	38
13-19 YRS	652	4.7	27	1	1	3	5	9	15	23
2. MULTIPLE DX										
0-27 DYS	5	12.0	189	<1	<1	4	22	33	33	33
1-11 MOS	22	8.3	37	1	2	7	13	16	18	20
1-5 YRS	363	5.6	36	1	2	4	6	9	15	32
6-12 YRS	597	6.3	36	1	2	5	7	13	18	33
13-19 YRS	669	7.3	84	1	1	5	8	15	24	58
TOT. SINGLE DX	1467	4.9	31	1	1	3	5	9	15	30
" MULTIPLE DX	1656	6.6	57	1	2	5	7	13	20	42
TOTAL 0-27 DYS	7	9.4	145	<1	1	3	15	30	33	33
1-11 MOS	30	7.9	35	1	2	6	13	16	17	20
1-5 YRS	643	5.0	30	1	1	4	5	8	14	32
6-12 YRS	1122	6.0	39	1	2	4	7	11	17	34
13-19 YRS	1321	6.0	58	1	1	4	7	12	18	48
GRAND TOTAL	**3123**	**5.8**	**45**	**1**	**1**	**4**	**6**	**11**	**17**	**38**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	4	2.5	3	1	1	2	4	5	5	5
1-5 YRS	6	2.7	1	2	2	2	3	5	5	5
6-12 YRS	54	2.7	2	<1	1	2	4	4	5	7
13-19 YRS	575	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	4	3.3	1	2	2	3	4	4	4	4
1-11 MOS	12	3.0	2	1	1	3	4	26	86	99+
1-5 YRS	5	4.0	7	1	1	4	6	8	8	8
6-12 YRS	71	2.6	1	<1	1	3	3	4	5	6
13-19 YRS	858	2.8	2	1	1	3	3	5	5	8
TOT. SINGLE DX	642	2.6	2	1	1	2	3	4	5	7
" MULTIPLE DX	950	2.8	3	1	1	3	3	5	5	8
TOTAL 0-27 DYS	7	2.6	1	1	1	2	4	4	4	4
1-11 MOS	16	2.9	3	1	1	3	4	7	67	99+
1-5 YRS	11	3.3	4	1	1	2	5	6	8	8
6-12 YRS	125	2.6	2	<1	1	2	3	4	5	7
13-19 YRS	1433	2.7	2	1	1	2	3	4	5	7
GRAND TOTAL	**1592**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	9	4.0	5	<1	<1	4	6	7	7	7
1-11 MOS	34	3.4	15	<1	1	2	4	6	9	22
1-5 YRS	233	3.2	13	<1	1	2	4	6	9	21
6-12 YRS	1021	3.5	22	<1	1	2	4	6	9	28
13-19 YRS	2558	3.1	16	<1	1	2	3	6	8	20
2. MULTIPLE DX										
0-27 DYS	5	10.2	75	1	1	6	19	20	20	20
1-11 MOS	27	5.9	31	<1	1	4	7	17	20	21
1-5 YRS	154	8.2	94	1	1	4	10	22	31	45
6-12 YRS	428	8.1	80	1	1	5	10	23	30	53
13-19 YRS	1543	6.9	104	1	1	3	7	18	28	54
TOT. SINGLE DX	3855	3.2	18	<1	1	2	4	6	9	22
" MULTIPLE DX	2157	7.2	99	1	1	4	8	19	28	52
TOTAL 0-27 DYS	14	6.2	36	<1	1	5	7	19	20	20
1-11 MOS	61	4.5	24	<1	1	3	5	9	19	22
1-5 YRS	387	5.2	52	<1	1	3	5	12	21	40
6-12 YRS	1449	4.8	44	1	1	3	5	11	19	36
13-19 YRS	4101	4.6	53	<1	1	2	4	9	16	41
GRAND TOTAL	**6012**	**4.7**	**50**	**<1**	**1**	**2**	**5**	**10**	**18**	**39**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	20	3.6	15	<1	1	2	4	6	13	19
1-5 YRS	91	7.1	53	<1	1	3	13	20	21	25
6-12 YRS	594	6.6	53	1	2	4	7	14	25	36
13-19 YRS	1020	4.6	28	1	1	3	5	9	11	28
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	9	4.3	10	1	1	3	6	9	11	11
1-5 YRS	88	7.9	86	1	1	4	9	21	26	47
6-12 YRS	391	9.1	153	1	2	4	9	25	37	78
13-19 YRS	680	7.6	95	1	1	4	8	16	27	56
TOT. SINGLE DX	1726	5.4	39	1	1	4	6	11	16	33
" MULTIPLE DX	1169	8.1	114	1	2	4	9	19	32	57
TOTAL 0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	29	3.8	14	<1	1	3	5	7	11	19
1-5 YRS	179	7.5	69	<1	1	4	10	20	23	42
6-12 YRS	985	7.6	95	1	2	4	8	19	28	54
13-19 YRS	1700	5.8	58	1	1	4	7	11	16	45
GRAND TOTAL	**2895**	**6.5**	**71**	**1**	**1**	**4**	**7**	**13**	**23**	**49**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	10	1.4		<1	<1	1	2	3	3	3
1-5 YRS	134	2.3	13	<1	<1	1	2	3	5	23
6-12 YRS	414	2.7	16	<1	<1	2	3	4	6	24
13-19 YRS	1722	2.3	8	<1	<1	2	3	4	5	14
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	23	1.8	1	<1	<1	1	3	4	5	5
1-5 YRS	214	3.0	20	<1	<1	2	3	5	9	32
6-12 YRS	424	5.0	62	<1	1	3	4	11	20	42
13-19 YRS	750	4.4	52	1	1	3	4	8	12	44
TOT. SINGLE DX	2282	2.4	10	<1	<1	2	3	4	5	18
" MULTIPLE DX	1412	4.3	50	<1	1	2	4	8	14	42
TOTAL 0-27 DYS	3	1.7		<1	<1	2	2	2	2	2
1-11 MOS	33	1.7	1	<1	<1	1	2	3	4	5
1-5 YRS	348	2.8	18	<1	<1	2	3	5	8	24
6-12 YRS	838	3.9	41	<1	<1	2	3	7	14	41
13-19 YRS	2472	3.0	23	<1	<1	2	3	5	7	27
GRAND TOTAL	**3694**	**3.1**	**26**	**<1**	**<1**	**2**	**3**	**5**	**8**	**29**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	6.3	21	2	2	5	10	12	12	12
1-5 YRS	46	14.1	110	1	2	14	22	29	32	35
6-12 YRS	162	17.7	179	1	2	19	26	35	41	47
13-19 YRS	180	11.6	132	2	3	8	13	28	38	54
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	27	19.5	131	1	3	20	26	32	42	48
6-12 YRS	95	22.3	284	3	5	22	30	40	66	96
13-19 YRS	242	16.3	144	5	6	13	19	29	45	66
TOT. SINGLE DX	392	14.3	156	1	2	10	22	32	38	48
" MULTIPLE DX	365	18.1	186	4	6	14	23	33	48	75
TOTAL 0-27 DYS										
1-11 MOS	5	7.8	28	2	2	8	12	14	14	14
1-5 YRS	73	16.1	124	1	2	18	23	30	34	46
6-12 YRS	257	19.4	223	1	3	20	27	36	43	80
13-19 YRS	422	14.3	144	3	4	11	16	29	41	59
GRAND TOTAL	**757**	**16.1**	**174**	**2**	**3**	**12**	**23**	**32**	**42**	**72**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	12.3	4	10	10	12	14	14	14	14
1-5 YRS	19	10.4	60	1	2	8	17	22	23	23
6-12 YRS	134	8.0	65	2	2	6	8	18	23	43
13-19 YRS	438	8.9	46	2	3	7	11	15	20	32
2. MULTIPLE DX										
0-27 DYS	6	18.5	99	8	8	14	31	31	31	31
1-11 MOS	19	16.7	244	6	7	13	20	26	54	76
1-5 YRS	31	14.0	261	4	4	11	15	23	27	95
6-12 YRS	90	14.6	207	3	4	10	20	39	70	99+
13-19 YRS	708	16.3	143	4	6	13	20	30	44	67
TOT. SINGLE DX	596	8.7	51	2	3	7	11	16	22	40
" MULTIPLE DX	854	16.0	156	4	5	13	20	31	45	87
TOTAL 0-27 DYS	7	16.6	109	5	6	13	27	31	31	31
1-11 MOS	23	16.0	204	6	7	13	17	25	44	76
1-5 YRS	50	12.6	186	3	3	10	16	22	25	95
6-12 YRS	224	10.6	133	2	3	7	11	24	40	99+
13-19 YRS	1146	13.4	119	3	4	10	17	26	35	61
GRAND TOTAL	**1450**	**13.0**	**126**	**3**	**4**	**10**	**16**	**26**	**36**	**70**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	66	4.8	29	<1	<1	2	7	14	19	21
1-5 YRS	400	8.8	83	1	1	4	14	23	26	36
6-12 YRS	322	12.4	166	1	1	6	21	29	37	54
13-19 YRS	247	11.1	215	1	1	5	11	33	45	66
2. MULTIPLE DX										
0-27 DYS	4	15.5	593	2	2	4	28	52	52	52
1-11 MOS	34	6.9	27	1	1	6	11	15	17	18
1-5 YRS	165	10.9	92	1	2	8	17	25	29	42
6-12 YRS	187	17.4	222	2	2	14	27	38	48	56
13-19 YRS	158	16.1	288	1	2	9	23	39	54	74
TOT. SINGLE DX	1035	10.2	141	1	1	5	15	26	33	53
" MULTIPLE DX	548	14.4	203	1	2	9	22	34	43	59
TOTAL 0-27 DYS	4	15.5	594	2	2	4	28	52	52	52
1-11 MOS	100	5.5	30	<1	<1	3	8	15	18	21
1-5 YRS	565	9.4	87	1	1	5	16	23	27	36
6-12 YRS	509	14.2	193	1	2	8	23	34	41	56
13-19 YRS	405	13.1	250	1	2	6	18	34	47	69
GRAND TOTAL	**1583**	**11.7**	**166**	**1**	**1**	**6**	**18**	**29**	**37**	**56**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	363	3.7	25	1	1	2	3	11	16	24
6-12 YRS	534	3.6	24	1	1	2	3	10	15	24
13-19 YRS	537	2.9	12	<1	1	2	3	6	8	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	3.8	3	1	1	4	5	5	5	5
1-5 YRS	49	6.1	44	1	1	3	7	19	21	25
6-12 YRS	163	6.8	76	1	1	3	8	20	24	47
13-19 YRS	249	8.0	139	1	1	4	9	17	28	67
TOT. SINGLE DX	1436	3.3	20	<1	1	2	3	8	15	22
" MULTIPLE DX	465	7.4	106	1	1	4	9	19	24	56
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	5	3.6	3	1	1	4	5	5	5	5
1-5 YRS	412	4.0	28	1	1	2	4	12	18	24
6-12 YRS	697	4.3	39	1	1	2	4	14	17	27
13-19 YRS	786	4.5	58	<1	1	2	5	9	15	41
GRAND TOTAL	**1901**	**4.3**	**44**	**1**	**1**	**2**	**4**	**11**	**17**	**29**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.5	1	1	1	3	3	3	3	3
1-11 MOS	19	2.8	2	1	1	3	4	5	6	7
1-5 YRS	503	2.4	7	1	1	2	3	4	6	16
6-12 YRS	1546	2.5	4	1	1	2	3	4	6	10
13-19 YRS	4686	2.9	4	1	1	2	4	5	7	11
2. MULTIPLE DX										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	19	6.6	39	1	2	4	8	19	20	21
1-5 YRS	157	4.0	29	1	1	2	4	9	20	30
6-12 YRS	553	4.5	32	1	1	3	5	9	13	35
13-19 YRS	2441	6.4	73	1	1	4	7	13	19	49
TOT. SINGLE DX	6758	2.8	5	1	1	2	3	5	7	11
" MULTIPLE DX	3172	6.0	64	1	1	4	6	12	18	44
TOTAL 0-27 DYS	6	3.3	3	1	1	3	4	6	6	6
1-11 MOS	38	4.7	24	1	1	3	5	11	19	21
1-5 YRS	660	2.8	13	1	1	2	3	5	8	24
6-12 YRS	2099	3.0	13	1	1	2	3	5	8	19
13-19 YRS	7127	4.1	31	1	1	3	5	8	11	26
GRAND TOTAL	**9930**	**3.8**	**26**	**1**	**1**	**3**	**4**	**7**	**10**	**24**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	1.5	1	1	1	1	2	3	3	3
1-11 MOS	36	2.2	4	1	1	2	3	5	10	99+
1-5 YRS	1982	2.0	7	<1	1	1	2	3	6	17
6-12 YRS	5685	1.9	6	<1	1	1	2	3	5	16
13-19 YRS	3559	2.4	7	<1	1	2	3	5	6	12
2. MULTIPLE DX										
0-27 DYS	4	3.0		3	3	3	3	3	3	3
1-11 MOS	29	6.7	79	1	1	3	8	17	24	43
1-5 YRS	363	3.6	34	1	1	2	4	8	13	25
6-12 YRS	1245	3.8	26	1	1	2	4	8	13	27
13-19 YRS	1615	5.6	77	1	1	3	6	12	20	49
TOT. SINGLE DX	11266	2.1	7	<1	1	1	2	4	6	15
" MULTIPLE DX	3256	4.7	54	1	1	2	5	10	16	39
TOTAL 0-27 DYS	8	2.3	1	1	1	3	3	3	3	3
1-11 MOS	65	4.2	42	1	1	2	4	10	21	91
1-5 YRS	2345	2.2	12	<1	1	1	2	4	7	19
6-12 YRS	6930	2.3	10	<1	1	1	2	4	6	19
13-19 YRS	5174	3.4	31	<1	1	2	4	7	10	30
GRAND TOTAL	**14522**	**2.7**	**19**	**<1**	**1**	**1**	**3**	**5**	**8**	**21**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	127	7.8	65	<1	<1	6	11	16	22	36
1-5 YRS	116	6.2	50	<1	<1	3	8	17	22	32
6-12 YRS	186	2.5	12	<1	1	1	2	5	8	22
13-19 YRS	346	2.6	10	<1	<1	1	3	6	9	19
2. MULTIPLE DX										
0-27 DYS	19	3.9	2	1	2	4	5	6	7	7
1-11 MOS	30	9.0	66	<1	<1	7	14	23	25	26
1-5 YRS	41	7.6	95	1	1	4	11	17	25	53
6-12 YRS	63	5.5	157	1	1	2	4	14	18	85
13-19 YRS	261	6.8	85	<1	1	4	8	17	21	55
TOT. SINGLE DX	776	4.0	30	<1	<1	2	4	10	15	25
" MULTIPLE DX	414	6.7	93	1	1	3	8	17	22	54
TOTAL 0-27 DYS	20	4.1	2	1	2	4	5	6	7	7
1-11 MOS	157	8.0	66	<1	<1	6	11	17	23	28
1-5 YRS	157	6.6	62	<1	1	3	9	17	22	35
6-12 YRS	249	3.2	51	<1	1	1	3	7	13	22
13-19 YRS	607	4.4	47	<1	1	2	5	10	17	37
GRAND TOTAL	**1190**	**4.9**	**54**	**<1**	**1**	**2**	**6**	**13**	**18**	**33**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	42	6.5	62	1	1	3	9	17	20	42
1-5 YRS	87	5.3	39	1	1	3	5	15	20	32
6-12 YRS	92	2.5	9	1	1	1	3	5	6	19
13-19 YRS	307	2.6	6	<1	1	2	3	5	5	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	34	6.5	40	1	2	5	6	17	21	28
1-5 YRS	59	6.9	41	1	2	5	9	17	24	27
6-12 YRS	35	4.5	13	<1	1	3	6	10	12	14
13-19 YRS	119	6.3	81	1	1	3	7	13	23	50
TOT. SINGLE DX	528	3.4	18	1	1	2	4	5	10	24
" MULTIPLE DX	247	6.2	56	1	1	4	7	14	20	35
TOTAL 0-27 DYS										
1-11 MOS	76	6.5	52	1	2	4	7	17	21	38
1-5 YRS	146	6.0	41	1	1	4	6	16	23	27
6-12 YRS	127	3.1	11	<1	1	2	4	6	10	16
13-19 YRS	426	3.6	30	1	1	2	4	6	10	29
GRAND TOTAL	**775**	**4.3**	**32**	**1**	**1**	**3**	**5**	**9**	**15**	**28**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	179	4.4	19	1	1	3	5	9	14	24
1-5 YRS	287	5.1	32	1	1	3	6	11	18	29
6-12 YRS	251	4.8	29	<1	1	3	6	12	16	25
13-19 YRS	1166	2.6	10	<1	<1	2	3	5	6	18
2. MULTIPLE DX										
0-27 DYS	8	24.5	238	2	3	26	36	43	44	44
1-11 MOS	129	10.6	108	1	2	8	15	23	36	46
1-5 YRS	279	8.3	74	1	2	5	11	20	25	41
6-12 YRS	242	8.4	75	1	1	4	12	21	27	38
13-19 YRS	934	3.8	36	<1	1	2	4	7	12	30
TOT. SINGLE DX	1884	3.4	18	<1	1	2	4	7	11	24
" MULTIPLE DX	1592	5.9	63	1	1	3	6	15	22	40
TOTAL 0-27 DYS	9	22.0	265	2	2	23	33	43	44	44
1-11 MOS	308	7.0	66	1	1	4	8	18	23	42
1-5 YRS	566	6.7	55	1	1	4	8	17	23	39
6-12 YRS	493	6.6	55	1	1	4	9	17	23	37
13-19 YRS	2100	3.1	22	<1	1	2	3	5	9	24
GRAND TOTAL	**3476**	**4.6**	**41**	**<1**	**1**	**2**	**5**	**11**	**18**	**32**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	13.0	18	10	10	13	16	16	16	16
1-11 MOS	15	5.9	10	2	3	5	3	10	13	14
1-5 YRS	4	6.8	8	5	5	6	8	11	11	11
6-12 YRS	10	5.9	7	2	2	5	8	10	11	11
13-19 YRS	442	6.2	17	2	3	5	7	11	15	26
2. MULTIPLE DX										
0-27 DYS	4	7.3	35	1	1	6	11	15	15	15
1-11 MOS	8	11.8	75	6	6	8	13	27	32	32
1-5 YRS	8	8.8	41	2	2	8	10	19	23	23
6-12 YRS	12	16.3	117	3	5	13	26	52	91	99+
13-19 YRS	142	10.3	54	3	4	8	14	22	30	99+
TOT. SINGLE DX	473	6.2	17	2	3	5	7	11	15	25
" MULTIPLE DX	174	10.6	60	3	4	8	14	24	31	99+
TOTAL 0-27 DYS	6	9.2	33	1	1	9	15	16	16	16
1-11 MOS	23	7.9	39	2	3	6	9	14	20	32
1-5 YRS	12	8.1	30	2	3	7	10	15	22	23
6-12 YRS	22	11.6	93	2	3	9	17	33	61	99+
13-19 YRS	584	7.2	29	2	3	5	8	14	19	33
GRAND TOTAL	**647**	**7.4**	**32**	**2**	**3**	**6**	**8**	**15**	**20**	**34**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	4	1.3		<1	<1	1	2	2	2	2
6-12 YRS	41	2.0	1	<1	<1	2	2	4	4	5
13-19 YRS	1159	1.9	1	<1	<1	1	2	4	4	6
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	1.6	1	<1	<1	1	2	4	4	4
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	31	2.5	3	<1	<1	2	3	6	6	9
13-19 YRS	1378	2.5	6	<1	<1	2	3	5	6	11
TOT. SINGLE DX	1208	1.9	2	<1	<1	1	2	4	4	6
" MULTIPLE DX	1420	2.5	7	<1	<1	2	3	5	6	10
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	11	1.8	2	<1	<1	1	3	4	4	4
1-5 YRS	6	1.5	1	<1	<1	1	2	3	3	3
6-12 YRS	72	2.2	2	<1	<1	2	3	4	6	8
13-19 YRS	2537	2.2	5	<1	<1	2	3	4	5	8
GRAND TOTAL	**2628**	**2.2**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	1.3		1	1	1	2	2	2	2
1-11 MOS	14	6.9	82	<1	<1	3	9	22	27	29
1-5 YRS	74	4.5	35	<1	<1	2	4	14	21	27
6-12 YRS	239	2.9	14	<1	<1	2	3	6	11	21
13-19 YRS	2082	1.9	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	8	15.0	208	1	1	11	26	36	40	40
1-11 MOS	9	7.6	34	1	1	5	11	17	17	17
1-5 YRS	44	11.1	234	1	1	7	12	29	42	85
6-12 YRS	128	6.2	62	<1	<1	2	8	17	20	36
13-19 YRS	1497	2.8	20	<1	<1	2	3	5	7	27
TOT. SINGLE DX	2412	2.1	7	<1	<1	1	2	3	5	15
" MULTIPLE DX	1686	3.3	33	<1	<1	2	3	7	10	30
TOTAL 0-27 DYS	11	11.3	187	1	1	3	23	32	39	40
1-11 MOS	23	7.1	62	<1	<1	3	10	19	24	29
1-5 YRS	118	6.9	118	<1	<1	2	8	18	26	56
6-12 YRS	367	4.1	34	<1	<1	2	4	11	17	26
13-19 YRS	3579	2.3	11	<1	<1	1	2	4	6	15
GRAND TOTAL	**4098**	**2.6**	**18**	**<1**	**<1**	**2**	**2**	**4**	**7**	**22**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	7.0	3	5	5	7	9	9	9	9
1-5 YRS	26	8.6	18	4	5	8	10	15	17	23
6-12 YRS	237	9.4	15	5	6	9	11	13	15	25
13-19 YRS	799	9.9	14	6	6	9	11	14	17	25
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	6.6	8	3	3	6	9	10	10	10
1-5 YRS	70	15.1	203	5	5	10	17	29	47	82
6-12 YRS	298	14.3	114	6	7	11	15	25	34	65
13-19 YRS	751	15.0	119	6	7	11	17	28	36	76
TOT. SINGLE DX	1069	9.8	15	5	6	9	11	14	16	25
" MULTIPLE DX	1125	14.8	123	6	7	11	16	27	36	68
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	12	6.8	5	3	4	7	9	10	10	10
1-5 YRS	96	13.3	161	4	5	9	15	25	37	77
6-12 YRS	535	12.1	76	6	7	10	13	19	27	58
13-19 YRS	1550	12.4	72	6	7	10	13	21	28	54
GRAND TOTAL	**2194**	**12.3**	**76**	**6**	**7**	**10**	**13**	**21**	**28**	**56**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	20	2.7	2	<1	<1	2	4	4	6	8
6-12 YRS	78	3.4	4	1	1	3	5	7	8	8
13-19 YRS	261	3.8	8	1	1	3	5	7	9	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	31	3.6	3	1	2	3	4	6	7	9
6-12 YRS	137	4.7	27	1	2	4	5	7	9	38
13-19 YRS	314	5.7	28	1	2	4	6	10	14	32
TOT. SINGLE DX	364	3.6	8	1	1	3	5	7	8	12
" MULTIPLE DX	484	5.3	27	1	2	4	6	9	14	34
TOTAL 0-27 DYS										
1-11 MOS	7	1.7	2	<1	<1	1	2	4	5	5
1-5 YRS	51	3.3	3	<1	1	3	4	5	7	9
6-12 YRS	215	4.3	19	1	1	4	5	7	8	24
13-19 YRS	575	4.8	20	1	1	4	6	8	12	25
GRAND TOTAL	**848**	**4.5**	**19**	**1**	**1**	**4**	**5**	**8**	**10**	**24**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	10.7	37	4	4	12	15	16	16	16
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	12	11.8	44	2	4	10	14	22	26	27
2. MULTIPLE DX										
0-27 DYS	2	31.0	128	23	23	39	85	99+	99+	99+
1-11 MOS	7	14.7	57	9	9	12	17	28	30	30
1-5 YRS	2	12.5	13	10	10	15	79	99+	99+	99+
6-12 YRS										
13-19 YRS	21	11.2	39	5	6	9	12	22	27	28
TOT. SINGLE DX	17	11.9	37	3	4	11	15	19	25	27
" MULTIPLE DX	32	13.3	65	5	7	11	18	31	88	99+
TOTAL 0-27 DYS	2	31.0	128	23	23	39	85	99+	99+	99+
1-11 MOS	10	13.5	50	4	6	12	16	24	30	30
1-5 YRS	3	13.7	10	10	10	15	58	99+	99+	99+
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS	33	11.4	40	4	5	10	13	21	27	28
GRAND TOTAL	**49**	**12.8**	**55**	**4**	**6**	**11**	**16**	**28**	**39**	**99+**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	13.7	54	8	8	11	19	22	22	22
1-5 YRS	4	18.0	74	8	8	18	25	27	27	27
6-12 YRS	20	11.1	117	4	4	6	14	26	35	44
13-19 YRS	28	8.1	78	1	2	6	8	23	30	38
2. MULTIPLE DX										
0-27 DYS	2	12.0	8	10	10	12	14	14	14	14
1-11 MOS	7	14.0	92	2	2	14	22	26	27	27
1-5 YRS	13	14.7	112	1	3	13	18	29	40	42
6-12 YRS	17	5.7	14	2	3	5	6	8	15	19
13-19 YRS	25	8.1	15	2	3	8	10	12	16	17
TOT. SINGLE DX	55	10.2	94	2	3	6	12	27	29	44
" MULTIPLE DX	64	9.6	52	2	3	8	12	18	25	40
TOTAL 0-27 DYS	2	12.0	8	10	10	12	14	14	14	14
1-11 MOS	10	13.9	73	2	2	13	22	25	27	27
1-5 YRS	17	15.5	100	2	4	14	20	27	37	42
6-12 YRS	37	8.6	76	3	4	5	7	21	27	44
13-19 YRS	53	8.1	47	1	2	7	9	13	25	38
GRAND TOTAL	**119**	**9.9**	**71**	**2**	**3**	**7**	**12**	**23**	**27**	**43**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	5	4.6	14	2	2	4	6	11	11	11
1-5 YRS	2	6.5	41	2	2	6	11	11	11	11
6-12 YRS	74	3.1	2	1	1	3	4	5	6	9
13-19 YRS	1735	3.5	3	1	1	3	4	6	6	9
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	7.4	18	1	1	7	12	13	13	13
1-5 YRS	8	6.4	45	1	1	4	8	18	21	21
6-12 YRS	61	4.7	15	1	1	3	6	11	15	17
13-19 YRS	1789	4.0	6	1	2	4	5	6	8	13
TOT. SINGLE DX	1817	3.5	3	1	1	3	4	6	6	9
" MULTIPLE DX	1869	4.1	7	1	2	4	5	7	8	14
TOTAL 0-27 DYS	2	7.0	50	2	2	7	12	12	12	12
1-11 MOS	15	6.5	18	1	2	5	11	12	13	13
1-5 YRS	10	6.4	40	1	1	4	11	16	21	21
6-12 YRS	135	3.8	9	1	1	3	5	7	10	16
13-19 YRS	3524	3.7	5	1	1	3	5	6	7	12
GRAND TOTAL	**3686**	**3.8**	**5**	**1**	**1**	**3**	**5**	**6**	**7**	**12**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	13	2.2	3	<1	<1	2	2	4	7	8
1-5 YRS	49	2.3	2	<1	1	2	3	5	6	9
6-12 YRS	63	2.6	3	<1	1	2	3	5	6	9
13-19 YRS	2003	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	<1	<1	2	4	4	4	4
1-11 MOS	9	3.9	5	1	1	5	6	7	7	7
1-5 YRS	23	3.2	6	<1	<1	2	3	8	9	9
6-12 YRS	42	2.9	4	<1	1	2	4	6	7	10
13-19 YRS	616	3.0	6	1	1	3	4	5	7	13
TOT. SINGLE DX	2130	2.5	2	1	1	2	3	4	5	6
" MULTIPLE DX	692	3.0	6	1	1	3	4	5	7	13
TOTAL 0-27 DYS	4	3.0	3	<1	<1	3	4	5	5	5
1-11 MOS	22	2.9	5	<1	1	2	5	7	8	8
1-5 YRS	72	2.6	4	<1	1	2	3	6	8	9
6-12 YRS	105	2.7	3	<1	1	2	4	5	6	9
13-19 YRS	2619	2.7	3	1	1	2	3	4	5	8
GRAND TOTAL	**2822**	**2.7**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	100	4.8	28	<1	<1	2	6	14	15	24
1-5 YRS	281	2.9	13	<1	<1	2	3	5	9	18
6-12 YRS	224	3.7	12	<1	1	3	5	8	10	18
13-19 YRS	404	2.9	9	<1	1	2	4	6	8	11
2. MULTIPLE DX										
0-27 DYS	3	3.3		3	3	3	4	4	4	4
1-11 MOS	59	5.7	38	<1	1	3	7	15	21	28
1-5 YRS	449	4.1	15	1	1	3	5	7	11	19
6-12 YRS	465	5.9	49	1	2	4	6	11	16	43
13-19 YRS	490	6.2	63	1	1	4	7	13	19	54
TOT. SINGLE DX	1011	3.3	13	<1	<1	2	4	7	10	17
" MULTIPLE DX	1466	5.4	44	1	1	4	6	11	16	38
TOTAL 0-27 DYS	5	4.2	2	3	3	4	5	6	6	6
1-11 MOS	159	5.1	32	<1	1	3	6	14	16	27
1-5 YRS	730	3.7	15	<1	1	3	4	7	10	19
6-12 YRS	689	5.2	39	1	1	4	6	10	14	39
13-19 YRS	894	4.7	42	<1	1	3	6	10	14	37
GRAND TOTAL	**2477**	**4.5**	**33**	**<1**	**1**	**3**	**5**	**9**	**14**	**30**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	1.5		<1	<1	1	2	3	3	3
1-11 MOS	57	2.7	13	<1	<1	2	2	5	10	21
1-5 YRS	260	2.1	4	<1	<1	1	2	4	6	11
6-12 YRS	304	2.0	5	<1	<1	1	2	3	5	13
13-19 YRS	547	1.8	2	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
0-27 DYS	13	21.2	553	2	3	14	46	99+	99+	99+
1-11 MOS	49	11.0	317	<1	1	4	12	36	60	83
1-5 YRS	89	4.0	19	<1	<1	2	4	10	16	19
6-12 YRS	83	4.2	19	<1	1	3	5	11	13	23
13-19 YRS	156	4.5	35	<1	1	2	5	10	18	33
TOT. SINGLE DX	1174	2.0	5	<1	<1	1	2	3	5	11
" MULTIPLE DX	390	5.7	92	<1	1	3	6	13	21	74
TOTAL 0-27 DYS	19	14.9	457	<1	<1	7	31	89	99+	99+
1-11 MOS	106	6.5	170	<1	<1	2	5	15	27	71
1-5 YRS	349	2.6	9	<1	<1	2	3	5	8	18
6-12 YRS	387	2.5	10	<1	<1	2	2	5	8	19
13-19 YRS	703	2.4	11	<1	<1	1	2	4	7	19
GRAND TOTAL	**1564**	**2.9**	**29**	**<1**	**<1**	**1**	**3**	**5**	**10**	**25**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	16	2.4	5	<1	<1	2	2	6	9	10
6-12 YRS	21	2.1	1	<1	<1	2	2	3	5	7
13-19 YRS	33	2.1	3	<1	<1	1	2	5	6	8
2. MULTIPLE DX										
0-27 DYS	3	3.0	3	1	1	4	4	4	4	4
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	12	2.0	2	1	1	2	2	4	7	7
6-12 YRS	18	2.8	16	<1	<1	2	2	6	14	18
13-19 YRS	29	4.2	15	1	1	3	5	10	12	19
TOT. SINGLE DX	72	2.2	3	<1	<1	2	2	5	6	10
" MULTIPLE DX	63	3.3	13	<1	1	2	4	7	11	19
TOTAL 0-27 DYS	4	3.3	2	1	1	4	4	4	4	4
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	28	2.3	4	<1	<1	2	2	5	7	10
6-12 YRS	39	2.4	8	<1	<1	2	2	3	7	18
13-19 YRS	62	3.1	10	<1	<1	2	4	6	9	18
GRAND TOTAL	**135**	**2.7**	**8**	**<1**	**<1**	**2**	**3**	**6**	**8**	**18**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	22	2.8	24	<1	<1	1	2	4	14	24
1-5 YRS	195	1.8	1	<1	1	1	2	3	4	8
6-12 YRS	244	1.8	1	<1	<1	1	2	3	4	8
13-19 YRS	663	1.8	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	3	5.3	33	2	2	2	10	12	12	12
1-11 MOS	14	2.4	2	<1	<1	2	3	5	5	5
1-5 YRS	148	2.2	6	<1	1	2	2	4	6	15
6-12 YRS	181	2.1	4	<1	1	1	2	4	6	12
13-19 YRS	622	2.3	14	<1	1	2	2	4	6	11
TOT. SINGLE DX	1124	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	968	2.3	11	<1	1	2	2	4	6	12
TOTAL 0-27 DYS	3	5.3	33	2	2	2	10	12	12	12
1-11 MOS	36	2.6	15	<1	<1	2	3	5	6	24
1-5 YRS	343	2.0	4	<1	1	2	2	3	5	11
6-12 YRS	425	1.9	3	<1	1	1	2	3	5	9
13-19 YRS	1285	2.0	8	<1	1	1	2	3	5	9
GRAND TOTAL	**2092**	**2.0**	**6**	**<1**	**1**	**1**	**2**	**3**	**5**	**10**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	2.9	5	1	1	2	3	7	8	8
1-5 YRS	74	2.0	3	<1	<1	1	2	4	6	12
6-12 YRS	189	2.3	4	<1	1	2	3	5	6	10
13-19 YRS	416	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	3	15.0	433	2	2	4	30	39	39	39
1-11 MOS	5	2.4	1	1	1	2	3	4	4	4
1-5 YRS	52	5.0	120	1	1	2	4	12	15	74
6-12 YRS	105	3.6	21	<1	1	2	4	7	9	30
13-19 YRS	339	3.7	38	1	1	2	4	6	10	42
TOT. SINGLE DX	690	2.2	3	<1	1	2	3	4	6	9
" MULTIPLE DX	504	3.8	45	1	1	2	4	6	12	40
TOTAL 0-27 DYS	4	11.8	331	2	2	3	21	39	39	39
1-11 MOS	15	2.7	4	1	1	2	3	6	7	8
1-5 YRS	126	3.2	54	<1	<1	1	3	6	11	39
6-12 YRS	294	2.8	11	<1	1	2	3	6	7	18
13-19 YRS	755	2.9	19	<1	1	2	3	5	6	19
GRAND TOTAL	**1194**	**2.9**	**22**	**<1**	**1**	**2**	**3**	**5**	**7**	**21**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	399	3.0	3	1	1	3	4	5	6	11
1-5 YRS	493	2.9	4	1	1	2	4	5	7	11
6-12 YRS	287	3.1	6	1	1	3	4	5	6	15
13-19 YRS	441	3.2	9	1	1	3	4	6	7	15
2. MULTIPLE DX										
0-27 DYS	7	9.1	119	1	1	5	9	28	33	33
1-11 MOS	121	3.7	5	1	1	3	4	6	9	13
1-5 YRS	700	3.0	4	<1	1	3	4	5	7	11
6-12 YRS	678	3.9	15	1	1	3	4	6	10	23
13-19 YRS	468	4.4	42	1	1	3	5	8	10	41
TOT. SINGLE DX	1621	3.0	6	1	1	3	4	5	7	12
" MULTIPLE DX	1974	3.7	18	1	1	3	4	6	8	21
TOTAL 0-27 DYS	8	8.1	111	<1	<1	4	9	26	33	33
1-11 MOS	520	3.1	4	1	1	3	4	5	7	11
1-5 YRS	1193	2.9	4	1	1	3	4	5	7	11
6-12 YRS	965	3.6	13	1	1	3	4	6	9	21
13-19 YRS	909	3.8	27	1	1	3	4	6	9	24
GRAND TOTAL	**3595**	**3.4**	**13**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	17	1.5		<1	<1	1	2	3	4	4
1-5 YRS	52	1.5		<1	1	1	2	2	3	5
6-12 YRS	30	1.8	2	1	1	1	2	3	5	8
13-19 YRS	123	2.1	8	<1	1	1	2	3	5	18
2. MULTIPLE DX										
0-27 DYS	6	2.8	2	1	1	3	4	5	5	5
1-11 MOS	7	2.1	3	1	1	2	2	5	6	6
1-5 YRS	20	2.0	1	<1	<1	2	2	4	5	5
6-12 YRS	19	2.8	5	<1	1	2	3	7	9	9
13-19 YRS	103	3.9	42	<1	1	2	3	7	12	39
TOT. SINGLE DX	223	1.9	5	<1	1	1	2	3	4	10
" MULTIPLE DX	155	3.4	30	<1	1	2	3	6	9	35
TOTAL 0-27 DYS	7	2.6	2	1	1	2	4	5	5	5
1-11 MOS	24	1.7	1	<1	<1	1	2	3	5	6
1-5 YRS	72	1.6	1	<1	1	1	2	3	5	5
6-12 YRS	49	2.2	4	1	1	1	2	5	8	9
13-19 YRS	226	2.9	24	<1	1	2	3	5	8	33
GRAND TOTAL	**378**	**2.5**	**16**	**<1**	**1**	**2**	**2**	**4**	**6**	**25**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	3.5	4	1	1	3	5	6	6	6
13-19 YRS	11	3.3	8	1	1	2	5	8	10	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	10.7	43	1	2	12	13	20	22	22
TOT. SINGLE DX	16	3.3	6	1	1	3	5	6	9	10
" MULTIPLE DX	9	8.8	47	1	1	7	13	18	22	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	5	3.2	4	1	1	3	4	6	6	6
13-19 YRS	18	6.2	34	1	1	4	10	13	18	22
GRAND TOTAL	**25**	**5.2**	**27**	**1**	**1**	**3**	**7**	**13**	**15**	**22**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	2.1	2	<1	<1	1	3	5	5	5
1-5 YRS	25	1.8		<1	<1	2	2	3	3	3
6-12 YRS	13	3.1	9	1	1	2	3	7	11	12
13-19 YRS	57	3.4	5	<1	1	3	4	7	8	11
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	11.7	158	1	1	3	22	29	31	31
1-5 YRS	19	3.8	34	<1	1	2	4	8	19	26
6-12 YRS	24	6.3	67	1	1	3	6	16	30	33
13-19 YRS	53	6.3	45	1	1	4	8	18	22	30
TOT. SINGLE DX	102	2.9	5	<1	<1	2	4	6	7	11
" MULTIPLE DX	104	6.2	57	1	1	3	7	18	26	32
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	14	6.9	99	<1	1	2	5	24	29	31
1-5 YRS	44	2.6	16	<1	<1	2	3	4	7	26
6-12 YRS	37	5.2	49	1	1	3	5	11	24	33
13-19 YRS	110	4.8	27	<1	1	3	6	9	18	28
GRAND TOTAL	**206**	**4.6**	**34**	**<1**	**1**	**3**	**5**	**9**	**18**	**30**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	15.0	229	3	3	10	26	32	32	32
6-12 YRS	5	8.8	33	4	4	6	13	18	18	18
13-19 YRS	4	9.0	8	6	6	8	11	13	13	13
2. MULTIPLE DX										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	5	13.2	83	2	2	11	22	24	24	24
1-5 YRS										
6-12 YRS	3	24.3	129	15	15	21	33	37	37	37
13-19 YRS	22	22.0	423	3	4	21	31	45	71	88
TOT. SINGLE DX	12	10.4	64	3	4	8	12	22	31	32
" MULTIPLE DX	31	20.9	330	3	4	21	26	38	59	88
TOTAL 0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	5	13.2	84	2	2	11	22	24	24	24
1-5 YRS	3	15.0	229	3	3	10	26	32	32	32
6-12 YRS	8	14.6	121	4	4	13	19	32	37	37
13-19 YRS	26	20.0	380	3	4	13	23	38	66	88
GRAND TOTAL	**43**	**18.0**	**27[illegible]**	**3**	**4**	**13**	**23**	**35**	**46**	**88**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	15	9.1	15	4	5	9	11	17	17	17
13-19 YRS	12	8.1	6	5	5	8	10	11	12	12
2. MULTIPLE DX										
0-27 DYS	4	12.5	75	3	3	11	18	24	24	24
1-11 MOS	5	28.0	317	15	15	22	34	59	59	59
1-5 YRS	7	12.6	69	3	4	9	21	24	24	24
6-12 YRS	7	10.4	28	5	5	10	15	18	18	18
13-19 YRS	13	18.1	421	5	7	12	20	85	97	99+
TOT. SINGLE DX	29	8.8	12	5	5	8	11	14	17	17
" MULTIPLE DX	36	16.3	236	4	5	12	20	28	75	99+
TOTAL 0-27 DYS	4	12.5	75	3	3	11	18	24	24	24
1-11 MOS	6	24.5	328	7	8	20	26	56	59	59
1-5 YRS	8	12.9	60	3	4	12	19	23	24	24
6-12 YRS	22	9.5	19	4	5	9	11	17	18	18
13-19 YRS	25	13.3	239	5	5	9	13	27	86	99+
GRAND TOTAL	**65**	**12.9**	**148**	**4**	**5**	**10**	**17**	**24**	**34**	**97**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	3.4	2	2	2	3	4	6	6	6
1-5 YRS	10	3.3	2	1	1	4	4	5	5	5
6-12 YRS	8	5.8	27	2	2	4	6	15	18	18
13-19 YRS	2	11.0	2	10	10	11	12	12	12	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	9	5.3	42	1	1	3	5	16	22	22
1-5 YRS	16	11.4	224	1	3	5	10	41	50	52
6-12 YRS	7	12.0	71	3	3	12	19	24	25	25
13-19 YRS	12	24.7	387	3	4	20	31	59	66	67
TOT. SINGLE DX	25	4.7	14	1	2	4	5	10	13	18
" MULTIPLE DX	44	13.9	246	2	3	7	20	36	53	67
TOTAL 0-27 DYS										
1-11 MOS	14	4.6	27	1	2	3	4	8	19	22
1-5 YRS	26	8.3	152	1	1	4	6	18	46	52
6-12 YRS	15	8.7	55	2	2	5	13	21	24	25
13-19 YRS	14	22.7	352	3	5	18	27	57	65	67
GRAND TOTAL	**69**	**10.6**	**180**	**1**	**2**	**5**	**12**	**25**	**44**	**65**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	33	2.0	2	<1	<1	1	3	4	5	7
6-12 YRS	21	3.4	8	1	1	2	4	9	10	10
13-19 YRS	46	5.3	22	1	1	4	6	10	15	24
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	14	2.6	7	1	1	1	4	6	9	10
6-12 YRS	13	5.1	9	1	1	5	7	9	11	11
13-19 YRS	22	8.9	38	2	3	7	12	16	23	30
TOT. SINGLE DX	103	3.7	15	1	1	3	5	8	10	23
" MULTIPLE DX	50	6.1	28	1	1	5	8	12	15	30
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	47	2.2	4	<1	1	1	3	4	6	10
6-12 YRS	34	4.1	9	1	1	3	6	9	10	11
13-19 YRS	68	6.5	30	1	1	5	8	12	18	29
GRAND TOTAL	**153**	**4.5**	**20**	**1**	**1**	**3**	**6**	**10**	**12**	**24**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	11	1.5	1	<1	<1	1	1	3	5	5
6-12 YRS	16	2.3	5	<1	1	2	2	4	8	10
13-19 YRS	38	3.3	10	<1	<1	2	4	7	10	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	8	3.8	15	1	1	2	4	11	13	13
6-12 YRS	17	4.5	62	<1	<1	2	3	14	26	32
13-19 YRS	27	5.1	47	<1	1	2	6	12	25	29
TOT. SINGLE DX	66	2.7	8	<1	<1	2	3	6	10	15
" MULTIPLE DX	53	4.7	46	<1	1	2	4	12	23	32
TOTAL 0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	19	2.4	8	<1	1	1	3	5	10	13
6-12 YRS	33	3.4	35	<1	1	2	3	6	15	32
13-19 YRS	65	4.0	26	<1	1	2	4	10	13	28
GRAND TOTAL	**119**	**3.6**	**25**	**<1**	**1**	**2**	**3**	**9**	**13**	**30**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	2	7.5	85	<1	<1	7	14	14	14	14
" MULTIPLE DX	2	8.0	18	5	5	8	11	11	11	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	12.5	5	11	11	12	14	14	14	14
13-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
GRAND TOTAL	**4**	**7.8**	**34**	**<1**	**<1**	**8**	**12**	**14**	**14**	**14**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	3.0	3	<1	<1	3	4	5	5	5
1-11 MOS	4	2.5	3	1	1	2	4	5	5	5
1-5 YRS	3	5.0	13	2	2	4	8	9	9	9
6-12 YRS	38	1.7		<1	<1	1	2	3	4	5
13-19 YRS	566	1.6		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	8	3.6	8	<1	<1	3	6	8	8	8
1-5 YRS	3	3.7	6	<1	<1	4	5	6	6	6
6-12 YRS	6	1.8	1	<1	<1	1	2	4	4	4
13-19 YRS	126	2.3	3	<1	<1	2	2	5	6	10
TOT. SINGLE DX	615	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	146	2.4	4	<1	<1	2	3	5	7	9
TOTAL 0-27 DYS	7	2.6	2	<1	<1	2	4	5	5	5
1-11 MOS	12	3.3	6	<1	<1	2	5	7	8	8
1-5 YRS	6	4.3	8	<1	<1	4	6	9	9	9
6-12 YRS	44	1.7	1	<1	<1	1	2	3	4	5
13-19 YRS	692	1.7	1	<1	<1	1	2	3	4	7
GRAND TOTAL	**761**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	4.0	1	3	3	4	5	5	5	5
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	2.0		<1	<1	2	3	3	3	3
13-19 YRS	81	2.3	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	7.3	1	6	6	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	24	5.6	89	<1	1	2	5	17	27	44
TOT. SINGLE DX	93	2.3	2	<1	1	2	3	4	5	6
" MULTIPLE DX	27	5.8	80	<1	1	3	6	15	24	44
TOTAL 0-27 DYS										
1-11 MOS	6	5.7	4	3	3	5	8	8	8	8
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	8	2.0	1	<1	<1	2	3	3	3	3
13-19 YRS	105	3.0	23	<1	1	2	3	5	6	31
GRAND TOTAL	**120**	**3.1**	**21**	**<1**	**1**	**2**	**3**	**5**	**6**	**27**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	8.2	25	1	1	8	13	14	14	14
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	5.7	16	1	1	8	8	8	8	8
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	10	7.2	14	1	2	7	8	12	15	15
1-5 YRS	2	9.5	41	5	5	9	14	14	14	14
6-12 YRS	3	7.0	1	6	6	7	8	8	8	8
13-19 YRS	2	5.0	8	3	3	5	7	7	7	7
TOT. SINGLE DX	12	5.8	23	1	1	5	9	13	14	14
" MULTIPLE DX	17	7.2	13	2	3	7	8	13	15	15
TOTAL 0-27 DYS										
1-11 MOS	16	7.6	17	1	1	7	10	14	15	15
1-5 YRS	3	6.7	44	1	1	5	12	14	14	14
6-12 YRS	6	6.3	7	1	1	7	8	8	8	8
13-19 YRS	4	3.3	7	1	1	2	5	7	7	7
GRAND TOTAL	**29**	**6.6**	**17**	**1**	**1**	**7**	**8**	**13**	**14**	**15**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	12	3.8	6	1	1	3	5	8	10	10
1-11 MOS	6	3.7	1	3	3	3	5	5	5	5
1-5 YRS	9	3.0	3	<1	<1	3	4	6	7	7
6-12 YRS	32	2.6	5	<1	<1	2	3	5	9	12
13-19 YRS	966	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-27 DYS	9	4.9	11	1	1	4	8	10	10	10
1-11 MOS	14	4.8	12	2	2	3	5	11	12	12
1-5 YRS	3	5.0	19	2	2	3	8	10	10	10
6-12 YRS	11	2.7	3	1	1	2	3	5	8	8
13-19 YRS	388	2.9	2	1	1	3	4	5	6	9
TOT. SINGLE DX	1025	2.6	2	1	1	2	3	4	5	7
" MULTIPLE DX	425	3.0	3	1	1	3	4	5	7	10
TOTAL 0-27 DYS	21	4.3	9	1	1	3	7	9	10	10
1-11 MOS	20	4.5	9	2	2	3	5	10	11	12
1-5 YRS	12	3.5	7	<1	<1	3	4	8	10	10
6-12 YRS	43	2.6	5	<1	1	2	3	4	8	12
13-19 YRS	1354	2.6	2	1	1	2	3	4	5	8
GRAND TOTAL	**1450**	**2.7**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**9**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	8	2.3	2	<1	<1	2	4	4	4	4
1-5 YRS	8	1.8	1	<1	<1	1	2	3	4	4
6-12 YRS	23	2.5	2	<1	1	2	4	5	6	6
13-19 YRS	2226	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.3	1	2	2	3	4	5	5	5
6-12 YRS	5	4.4	15	2	2	2	6	11	11	11
13-19 YRS	340	4.0	22	1	1	3	5	7	9	38
TOT. SINGLE DX	2267	2.8	4	1	1	2	4	5	6	9
" MULTIPLE DX	349	4.0	22	1	1	3	5	7	9	37
TOTAL 0-27 DYS	2	4.0	18	1	1	4	7	7	7	7
1-11 MOS	8	2.3	2	<1	<1	2	4	4	4	4
1-5 YRS	12	2.3	2	<1	<1	2	3	4	5	5
6-12 YRS	28	2.8	5	<1	1	2	4	5	6	11
13-19 YRS	2566	2.9	6	1	1	3	4	5	6	11
GRAND TOTAL	**2616**	**2.9**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	17	5.2	47	1	1	3	4	16	24	27
1-11 MOS	194	2.7	8	<1	<1	2	3	6	8	16
1-5 YRS	690	1.9	4	<1	<1	1	2	3	5	11
6-12 YRS	615	2.2	7	<1	<1	1	2	4	7	14
13-19 YRS	908	2.5	16	<1	<1	2	2	4	7	18
2. MULTIPLE DX										
0-27 DYS	148	4.8	46	1	2	3	5	6	14	42
1-11 MOS	97	6.0	32	<1	1	4	8	14	16	28
1-5 YRS	284	4.8	64	<1	<1	2	5	11	18	51
6-12 YRS	271	4.5	48	<1	<1	2	5	11	22	99+
13-19 YRS	616	8.1	210	<1	1	3	7	26	42	99+
TOT. SINGLE DX	2424	2.3	10	<1	<1	1	2	4	7	16
" MULTIPLE DX	1416	6.3	124	<1	1	3	6	15	30	95
TOTAL 0-27 DYS	165	4.8	47	1	2	3	4	6	16	41
1-11 MOS	291	3.8	19	<1	<1	2	5	9	12	25
1-5 YRS	974	2.8	24	<1	<1	1	3	5	8	26
6-12 YRS	886	2.9	21	<1	<1	1	3	6	10	37
13-19 YRS	1524	4.8	102	<1	<1	2	4	9	21	81
GRAND TOTAL	**3840**	**3.8**	**56**	**<1**	**<1**	**2**	**3**	**7**	**14**	**44**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	16	7.0	123	1	1	3	6	17	37	45
1-11 MOS	167	4.5	62	<1	1	3	5	8	10	55
1-5 YRS	1215	3.4	15	<1	<1	2	4	8	11	20
6-12 YRS	1276	3.6	17	<1	1	2	4	7	11	21
13-19 YRS	2178	3.8	22	<1	1	2	5	8	10	25
2. MULTIPLE DX										
0-27 DYS	175	7.9	133	2	2	4	6	18	29	73
1-11 MOS	331	8.3	96	1	1	6	9	18	23	52
1-5 YRS	1755	5.4	51	1	1	3	6	12	19	40
6-12 YRS	1924	6.0	71	1	1	3	7	15	22	46
13-19 YRS	5350	5.2	65	<1	1	3	6	11	18	49
TOT. SINGLE DX	4852	3.7	21	<1	1	2	4	8	11	23
" MULTIPLE DX	9535	5.6	67	1	1	3	6	12	20	47
TOTAL 0-27 DYS	191	7.8	132	2	2	4	6	18	29	72
1-11 MOS	498	7.0	88	1	1	5	8	15	22	53
1-5 YRS	2970	4.6	38	<1	1	3	5	10	15	31
6-12 YRS	3200	5.0	51	1	1	3	5	11	18	40
13-19 YRS	7528	4.8	54	<1	1	3	5	10	16	44
GRAND TOTAL	**14387**	**4.9**	**52**	**<1**	**1**	**3**	**5**	**11**	**17**	**42**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	21	8.2	150	<1	<1	4	8	21	41	52
1-5 YRS	186	5.5	31	<1	1	4	7	14	17	26
6-12 YRS	211	5.8	40	<1	1	3	8	14	18	32
13-19 YRS	285	5.6	35	1	1	4	7	13	18	31
2. MULTIPLE DX										
0-27 DYS	3	18.0	79	11	11	15	25	28	28	28
1-11 MOS	52	13.6	152	<1	1	10	18	31	36	58
1-5 YRS	271	13.9	184	1	1	10	20	31	41	70
6-12 YRS	207	12.9	196	1	1	9	18	31	39	79
13-19 YRS	352	11.4	143	1	1	8	16	27	37	82
TOT. SINGLE DX	703	5.7	39	<1	1	4	7	14	18	32
" MULTIPLE DX	885	12.7	170	1	1	9	18	30	39	75
TOTAL 0-27 DYS	3	18.0	79	11	11	15	25	28	28	28
1-11 MOS	73	12.1	156	<1	1	8	17	31	35	57
1-5 YRS	457	10.5	139	1	1	7	15	26	33	62
6-12 YRS	418	9.3	130	1	1	5	12	22	32	54
13-19 YRS	637	8.8	104	1	1	5	11	22	30	52
GRAND TOTAL	**1588**	**9.6**	**124**	**1**	**1**	**6**	**13**	**24**	**32**	**58**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	1.6	1	<1	<1	1	2	4	4	4
1-5 YRS	56	2.9	11	<1	1	2	3	8	10	16
6-12 YRS	74	3.3	17	<1	<1	2	3	8	10	27
13-19 YRS	113	4.5	38	<1	1	2	5	11	17	31
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	10	10.5	375	2	2	4	8	38	65	65
1-5 YRS	38	4.9	32	<1	<1	2	7	14	17	27
6-12 YRS	38	7.5	115	<1	1	3	9	19	31	54
13-19 YRS	148	9.2	174	<1	1	4	11	24	34	76
TOT. SINGLE DX	252	3.7	25	<1	<1	2	4	9	13	29
" MULTIPLE DX	235	8.3	150	<1	1	3	10	21	31	67
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	19	6.3	209	<1	<1	2	4	10	41	65
1-5 YRS	94	3.8	21	<1	1	2	4	10	15	23
6-12 YRS	112	4.7	54	<1	<1	2	5	10	15	40
13-19 YRS	261	7.2	121	<1	1	3	9	17	29	53
GRAND TOTAL	**487**	**5.9**	**91**	**<1**	**1**	**2**	**6**	**14**	**24**	**52**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	74	2.3	4	<1	<1	2	2	4	8	12
1-5 YRS	324	2.1	4	<1	<1	2	2	3	5	11
6-12 YRS	273	2.5	20	<1	<1	2	2	4	7	15
13-19 YRS	342	2.0	4	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
0-27 DYS	18	4.1	20	2	2	3	4	5	15	22
1-11 MOS	49	2.8	18	<1	<1	2	2	4	15	99+
1-5 YRS	250	2.9	11	<1	1	2	3	6	8	21
6-12 YRS	216	3.6	43	<1	1	2	4	7	10	43
13-19 YRS	360	4.8	85	<1	1	2	4	9	18	97
TOT. SINGLE DX	1015	2.2	9	<1	<1	2	2	4	5	11
" MULTIPLE DX	893	3.9	50	<1	1	2	4	7	11	68
TOTAL 0-27 DYS	20	3.9	19	2	2	3	4	5	13	22
1-11 MOS	123	2.5	10	<1	<1	2	2	4	10	47
1-5 YRS	574	2.4	8	<1	<1	2	2	4	7	18
6-12 YRS	489	3.0	31	<1	<1	2	3	6	9	21
13-19 YRS	702	3.5	48	<1	<1	2	3	6	9	64
GRAND TOTAL	**1908**	**3.0**	**29**	**<1**	**<1**	**2**	**3**	**5**	**9**	**31**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	11	2.0	1	1	1	2	2	4	4	4
1-5 YRS	12	4.7	45	<1	<1	2	4	15	23	24
6-12 YRS	14	3.1	5	1	1	2	4	6	9	10
13-19 YRS	23	3.9	10	1	1	3	5	7	13	14
2. MULTIPLE DX										
0-27 DYS	16	15.4	364	2	2	8	20	35	62	74
1-11 MOS	18	4.2	7	1	2	3	8	8	9	10
1-5 YRS	27	4.5	12	<1	1	4	7	8	11	16
6-12 YRS	31	4.0	8	1	1	3	6	9	10	11
13-19 YRS	65	7.6	144	1	2	3	7	14	39	62
TOT. SINGLE DX	63	3.5	14	<1	1	2	4	6	11	23
" MULTIPLE DX	157	6.8	110	1	1	3	7	11	27	63
TOTAL 0-27 DYS	19	13.5	325	2	2	7	14	35	57	74
1-11 MOS	29	3.4	6	1	1	3	4	8	8	10
1-5 YRS	39	4.5	22	<1	<1	3	6	9	14	24
6-12 YRS	45	3.7	8	1	1	3	5	9	10	11
13-19 YRS	88	6.6	111	1	1	3	6	12	29	60
GRAND TOTAL	**220**	**5.8**	**85**	**1**	**1**	**3**	**6**	**10**	**17**	**57**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	6	5.5	35	2	2	3	7	16	17	17
1-5 YRS	25	3.0	7	<1	1	2	3	7	9	11
6-12 YRS	60	2.9	7	1	1	2	3	6	8	16
13-19 YRS	149	3.6	14	1	1	2	4	8	10	17
2. MULTIPLE DX										
0-27 DYS	5	9.2	37	3	3	9	13	18	18	18
1-11 MOS	22	4.7	18	1	1	3	6	10	15	18
1-5 YRS	49	6.3	50	1	2	4	7	15	21	40
6-12 YRS	67	5.2	27	1	1	3	7	12	15	27
13-19 YRS	191	6.4	99	1	1	4	6	13	17	56
TOT. SINGLE DX	242	3.4	12	1	1	2	4	7	10	17
" MULTIPLE DX	334	6.1	72	1	1	4	7	13	18	40
TOTAL 0-27 DYS	7	7.0	39	1	1	4	11	17	18	18
1-11 MOS	28	4.9	21	1	1	3	6	12	17	18
1-5 YRS	74	5.2	38	1	1	3	7	9	20	36
6-12 YRS	127	4.1	19	1	1	2	5	9	14	26
13-19 YRS	340	5.1	64	1	1	3	5	11	16	39
GRAND TOTAL	**576**	**4.9**	**48**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	6	4.0	23	1	1	2	6	12	13	13
1-11 MOS	39	2.4	2	1	1	2	3	4	6	8
1-5 YRS	74	2.3	1	1	1	2	3	4	5	8
6-12 YRS	123	2.6	9	1	1	2	2	4	7	18
13-19 YRS	604	3.1	12	1	1	2	3	7	10	19
2. MULTIPLE DX										
0-27 DYS	7	5.3	11	2	2	5	9	9	9	9
1-11 MOS	53	4.7	24	1	1	2	6	13	17	23
1-5 YRS	118	4.0	32	1	1	2	4	8	12	35
6-12 YRS	132	3.8	31	1	1	2	4	8	14	29
13-19 YRS	411	4.6	25	1	1	3	6	10	14	20
TOT. SINGLE DX	846	2.9	11	1	1	2	3	6	9	18
" MULTIPLE DX	721	4.3	28	1	1	2	5	10	14	23
TOTAL 0-27 DYS	13	4.7	16	1	1	2	8	10	12	13
1-11 MOS	92	3.8	16	1	1	2	4	8	14	21
1-5 YRS	192	3.3	21	1	1	2	3	7	9	26
6-12 YRS	255	3.2	21	1	1	2	3	5	10	24
13-19 YRS	1015	3.7	18	1	1	2	4	9	12	20
GRAND TOTAL	**1567**	**3.6**	**19**	**1**	**1**	**2**	**4**	**8**	**11**	**20**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS	4	2.8	8	1	1	2	4	7	7	7
TOT. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
" MULTIPLE DX	10	1.8	4	<1	<1	1	2	5	7	7
TOTAL 0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	4	1.0		<1	<1	1	1	1	1	1
6-12 YRS										
13-19 YRS	6	2.3	5	1	1	2	2	7	7	7
GRAND TOTAL	**12**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**4**	**7**	**7**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	4	2.5	1	1	1	2	3	4	4	4
1-11 MOS	9	3.2	1	1	1	3	4	5	5	5
1-5 YRS	45	3.0	13	<1	1	2	3	8	10	20
6-12 YRS	59	3.4	21	<1	1	2	3	7	11	30
13-19 YRS	326	4.4	16	1	1	3	6	10	12	17
2. MULTIPLE DX										
0-27 DYS	11	7.2	15	2	2	7	10	13	14	14
1-11 MOS	50	6.9	164	1	2	4	6	15	21	89
1-5 YRS	64	6.0	85	1	1	3	7	12	20	51
6-12 YRS	88	5.5	54	1	1	3	7	12	15	46
13-19 YRS	380	6.1	66	1	1	4	8	13	18	35
TOT. SINGLE DX	443	4.1	17	1	1	3	6	9	12	18
" MULTIPLE DX	593	6.1	73	1	1	4	8	13	18	50
TOTAL 0-27 DYS	15	5.9	16	1	2	5	9	12	13	14
1-11 MOS	59	6.3	141	1	2	3	5	13	19	83
1-5 YRS	109	4.8	57	1	1	2	5	10	16	50
6-12 YRS	147	4.6	42	1	1	2	5	10	14	32
13-19 YRS	706	5.3	44	1	1	3	7	11	15	30
GRAND TOTAL	**1036**	**5.2**	**50**	**1**	**1**	**3**	**7**	**11**	**15**	**31**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1173	3.4	7	1	1	3	4	6	8	14
1-11 MOS	3039	3.5	7	1	1	3	4	7	9	15
1-5 YRS	5597	3.0	7	<1	1	2	4	6	7	15
6-12 YRS	5985	3.0	14	1	1	2	3	5	8	17
13-19 YRS	14309	3.7	29	1	1	3	4	6	9	29
2. MULTIPLE DX										
0-27 DYS	4906	10.1	181	2	2	5	10	26	39	75
1-11 MOS	6124	5.4	28	1	2	4	6	10	14	28
1-5 YRS	9992	4.3	20	1	1	3	5	8	11	21
6-12 YRS	8340	4.2	33	1	1	3	5	8	11	30
13-19 YRS	20126	5.3	67	1	1	3	5	9	16	50
TOT. SINGLE DX	30103	3.4	19	1	1	2	4	6	8	20
" MULTIPLE DX	49488	5.4	61	1	1	3	6	10	16	46
TOTAL 0-27 DYS	6079	8.8	155	1	2	4	8	23	36	71
1-11 MOS	9163	4.8	23	1	1	4	6	9	12	24
1-5 YRS	15589	3.8	16	1	1	3	5	7	10	19
6-12 YRS	14325	3.7	26	1	1	3	4	7	10	26
13-19 YRS	34435	4.7	52	1	1	3	5	8	12	44
GRAND TOTAL	**79591**	**4.7**	**47**	**1**	**1**	**3**	**5**	**8**	**13**	**39**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	1048	3.1	8	1	1	3	4	5	6	13
1-11 MOS	2143	3.9	10	1	1	3	5	7	9	17
1-5 YRS	5079	4.4	29	1	1	3	4	10	18	26
6-12 YRS	2963	6.3	79	1	1	3	5	20	26	42
13-19 YRS	3164	10.2	231	1	1	4	9	33	45	75
2. MULTIPLE DX										
0-27 DYS	4744	8.0	152	1	2	4	7	19	34	80
1-11 MOS	3608	5.1	27	1	2	4	6	9	12	28
1-5 YRS	5963	4.5	23	1	1	3	5	8	13	25
6-12 YRS	2445	7.8	127	1	1	4	7	22	31	62
13-19 YRS	3881	11.1	256	1	1	5	11	35	50	89
TOT. SINGLE DX	14397	5.9	86	1	1	3	5	14	25	49
" MULTIPLE DX	20641	7.0	116	1	2	4	6	15	28	69
TOTAL 0-27 DYS	5792	7.1	130	1	2	4	6	15	30	75
1-11 MOS	5751	4.7	21	1	2	4	5	8	11	24
1-5 YRS	11042	4.5	26	1	1	3	5	8	15	26
6-12 YRS	5408	7.0	102	1	1	3	6	21	29	51
13-19 YRS	7045	10.7	245	1	1	4	10	34	47	85
GRAND TOTAL	**35038**	**6.6**	**104**	**1**	**1**	**3**	**6**	**15**	**26**	**61**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-27 DYS	2889	3.1	3	1	1	3	4	5	6	10
1-11 MOS	2814	3.5	10	1	1	3	4	6	8	14
1-5 YRS	4594	3.1	9	<1	1	3	4	5	7	13
6-12 YRS	2457	3.9	40	1	1	3	4	6	8	35
13-19 YRS	4818	4.0	53	<1	1	2	4	7	12	44
2. MULTIPLE DX										
0-27 DYS	9584	7.4	111	1	2	4	7	16	27	65
1-11 MOS	5888	4.9	30	1	2	4	6	9	12	28
1-5 YRS	9621	4.0	19	1	1	3	5	7	9	21
6-12 YRS	4134	5.3	70	1	1	3	5	10	17	74
13-19 YRS	7823	6.5	107	1	1	3	6	14	29	66
TOT. SINGLE DX	17572	3.5	25	<1	1	3	4	6	8	25
" MULTIPLE DX	37050	5.7	71	1	1	3	6	10	19	55
TOTAL 0-27 DYS	12473	6.4	90	1	2	4	6	13	23	60
1-11 MOS	8702	4.4	25	1	1	3	5	8	11	24
1-5 YRS	14215	3.7	17	1	1	3	4	6	8	18
6-12 YRS	6591	4.8	60	1	1	3	5	8	14	59
13-19 YRS	12641	5.5	88	<1	1	3	5	11	23	59
GRAND TOTAL	**54622**	**5.0**	**57**	**1**	**1**	**3**	**5**	**9**	**15**	**48**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular – *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease – *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer – *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclarnpsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open – *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	**Title**
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number — Title

- Excision of lesion (continued)
  - 660 Ovary
  - 550 Parotid gland
  - 658 Penis
  - Perineum
    - 683 Female
    - 747 Male
  - 508 Peripheral nerve
  - 607 Perirectal tissue
  - 626 Peritoneum
  - 606 Rectum
  - 550 Salivary gland
  - 524 Sclera
  - 651 Scrotum
  - 747 Skin, except radical and of pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
    - 748 Radical
  - 501 Skull
  - 597 Small intestine
  - 507 Spinal meninges
  - 592 Stomach
  - 727 Tendon
  - 654 Testis
  - 552 Tongue
  - 559 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterine ligament
  - 670 Uterus
  - 682 Vagina
  - 559 Vocal cord
  - 683 Vulva
- Exenteration
  - 532 Eyeball, orbit
  - 673 Pelvic
- Exploration
  - 627 Abdominal cavity
  - 617 Bile duct
  - 632 Kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- 579 Extracorporeal circulation

OPERATION INDEX (continued)

Group Number — Title

- Extraction
  - 688 Breech, for delivery
  - 547 Dental
  - 686 Menstrual
  - 547 Teeth
  - 689 Vacuum, for delivery

- 751 Face lift
- 730 Fasciectomy, except of hand
  - 728 Hand
- 726 Fasciotomy, except of hand
  - 728 Hand
- Fistulectomy
  - 610 Anal
  - 638 Bladder
  - 556 Branchial cleft
  - 564 Bronchus
  - 601 Intestine
  - 542 Nasal
  - 542 Nasolabial
  - 546 Oroantral
  - 609 Perirectal
  - 556 Pharynx
  - 640 Rectourethral
  - 679 Rectouterine
  - 681 Rectovaginal
  - 638 Rectovesical
  - 609 Rectum
  - 562 Tracheoesophageal
- 523 Fistulization, sclera (for glaucoma)
- 741 Fitting, limb prosthesis
- 706 Fixation, internal, of bone, except with fracture-reduction
  - With fracture-reduction — *see Fracture-reduction*
- 689 Forceps delivery, except low forceps
  - 687 Low forceps
- Formation
  - 581 Arteriovenous shunt for dialysis
  - 634 Ileal conduit or bladder
- Fracture-reduction, except facial bone, femur, and nose
  - 713 Closed, except with internal fixation
    - 711 With internal fixation
  - 713 Open, except with internal fixation
    - 712 With internal fixation

OPERATION INDEX (continued)

Group Number **Title**

- Fracture-reduction, except facial bone, femur, and nose (continued)
  - 701 Facial bone, except closed reduction
    - 700 Closed reduction
  - Femur
    - 710 Closed, except with internal fixation
      - 708 With internal fixation
    - 710 Open, except with internal fixation
      - 709 With internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
- 552 Frenectomy (labial) (tongue)
- 557 Frenotomy (labial) (tongue)
- 721 Fusion, joint, except spinal
  - 720 Spinal

- 508 Ganglionectomy, except of tendon
  - 727 Tendon (of hand)
- 508 Gasserian ganglionectomy
- 593 Gastrectomy, except total
  - 594 Total
- 589 Gastroscopy, except surgical approach
  - 596 Surgical approach (transabdominal)
- 591 Gastrostomy
- 590 Gastrotomy
- 699 Genioplasty
- 758 G.I. series x-ray
- 549 Gingivectomy, gingivoplasty
- 523 Glaucoma operation
- 552 Glossectomy
- Graft
  - 706 Bone, except facial and skull
    - 702 Facial
    - 503 Skull
  - 749 Free, of skin
  - 552 Lip
  - 731 Muscle, except of hand
    - 729 Hand
  - 750 Pedicle, of skin

OPERATION INDEX (continued)

Group Number — Title

- Graft (continued)
  - Skin
    - 749 Free
    - 750 Pedicle
  - 731 Tendon, except of hand
    - 729 Hand

- 573 Heart catheterization
- 579 Heart-lung bypass
- 599 Hemicolectomy
- 580 Hemodialysis
- 612 Hemorrhoidectomy
- 615 Hepatectomy
- Herniorrhaphy
  - 625 Diaphragmatic
  - 624 Epigastric
  - 622 Femoral
  - 624 Incisional
  - Inguinal
    - 621 Bilateral
    - 620 Unilateral
  - 623 Umbilical
  - 624 Ventral
- 723 Hip replacement, except total
  - 722 Total
- 576 His bundle study
- 515 Hypophysectomy
- 671 Hysterectomy, except radical and vaginal
  - 673 Radical
  - 672 Vaginal
- 678 Hysteropexy
- 679 Hysteroscopy
- 670 Hysterotomy, except for termination of pregnancy
  - 693 Termination of pregnancy

- 602 Ileostomy, except loop
  - 600 Loop
- 634 Ileoureterostomy
- Implant, implantation
  - 745 Breast
  - 740 Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

OPERATION INDEX (continued)

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number **Title**

- Removal (continued)
    - 524 Iris
    - 527 Lens
  - Prosthesis
    - 745 Breast
    - 716 Joint
  - 697 Retained placenta, manually
  - 764 Sutures
  - 764 T-tube, gallbladder
  - 764 Therapeutic device, nonoperatively
  - 529 Vitreous
- 580 Renal dialysis
- Repair
  - 630 Abdominal wall
  - 613 Anal fistula, except by excision
    - 610 Excision
  - 581 Aneurysm (arteriovenous)
  - 638 Bladder, except obstetric laceration
    - 697 Obstetric laceration
  - 518 Blepharoptosis
  - 581 Blood vessel
  - 706 Bone, except facial
    - 699 Facial
  - 745 Breast
  - 564 Bronchial fistula
  - 704 Bunion
  - 571 Cardiac septal defect
  - 669 Cervix, except obstetric laceration
    - 697 Obstetric laceration
  - 570 Chest wall
  - 551 Cleft palate
  - 520 Conjunctiva
  - 522 Cornea, except transplant
    - 521 Transplant
  - 680 Cystocele, vagina
  - 730 Diastasis recti
  - 534 Ear, external
  - 518 Ectropion or entropion, eyelid
  - 697 Episiotomy
  - 518 Eyelid
  - Fistula – *see Fistulectomy*
  - 704 Hallux valgus
  - 729 Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

OPERATION INDEX (continued)

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

OPERATION INDEX (continued)

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin